



wwPDB X-ray Structure Validation Summary Report ⓘ

Oct 8, 2026 – 10:45 AM EDT

PDB ID : 14CU / pdb_000014cu
Title : Structure of liver pyruvate kinase in complex with allosteric site binder 8g
Authors : Lulla, A.; Rodriguez Rivero, A.; Grotli, M.; Hyvonen, M.
Deposited on : 2026-04-28
Resolution : 2.39 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.2
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.2
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.51


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7164 (2.40-2.36)
Clashscore	190562	7722 (2.40-2.36)
Ramachandran outliers	187476	7626 (2.40-2.36)
Sidechain outliers	187428	7627 (2.40-2.36)
RSRZ outliers	180081	7170 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	447	35% 80% 13% 6%
1	B	447	9% 86% 10% 5%
1	C	447	17% 84% 10% 5%
1	D	447	3% 86% 8% 5%
1	E	447	40% 83% 10% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	447	
1	G	447	
1	H	447	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	OXL	A	602	-	X	-	-
3	OXL	B	602	-	X	-	-
3	OXL	C	602	-	X	-	-
3	OXL	D	602	-	X	-	-
3	OXL	E	602	-	X	-	-
3	OXL	G	503	-	X	-	-
3	OXL	H	602	-	X	-	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 27658 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform L-type of Pyruvate kinase PKLR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	421	Total	C	N	O	S	0	13	0
			3261	2050	587	604	20			
1	B	436	Total	C	N	O	S	3	8	0
			3350	2104	604	622	20			
1	C	424	Total	C	N	O	S	0	10	0
			3275	2063	586	607	19			
1	D	425	Total	C	N	O	S	0	8	0
			3261	2048	590	604	19			
1	E	420	Total	C	N	O	S	0	14	0
			3272	2059	588	605	20			
1	F	432	Total	C	N	O	S	0	9	0
			3330	2096	597	617	20			
1	G	422	Total	C	N	O	S	0	10	0
			3256	2049	584	604	19			
1	H	424	Total	C	N	O	S	0	9	0
			3265	2051	592	603	19			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P30613
A	0	SER	-	expression tag	UNP P30613
A	12	ASP	SER	conflict	UNP P30613
A	130	GLY	-	linker	UNP P30613
A	131	SER	-	linker	UNP P30613
A	132	GLY	-	linker	UNP P30613
B	-1	GLY	-	expression tag	UNP P30613
B	0	SER	-	expression tag	UNP P30613
B	12	ASP	SER	conflict	UNP P30613
B	130	GLY	-	linker	UNP P30613
B	131	SER	-	linker	UNP P30613
B	132	GLY	-	linker	UNP P30613
C	-1	GLY	-	expression tag	UNP P30613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	0	SER	-	expression tag	UNP P30613
C	12	ASP	SER	conflict	UNP P30613
C	130	GLY	-	linker	UNP P30613
C	131	SER	-	linker	UNP P30613
C	132	GLY	-	linker	UNP P30613
D	-1	GLY	-	expression tag	UNP P30613
D	0	SER	-	expression tag	UNP P30613
D	12	ASP	SER	conflict	UNP P30613
D	130	GLY	-	linker	UNP P30613
D	131	SER	-	linker	UNP P30613
D	132	GLY	-	linker	UNP P30613
E	-1	GLY	-	expression tag	UNP P30613
E	0	SER	-	expression tag	UNP P30613
E	12	ASP	SER	conflict	UNP P30613
E	130	GLY	-	linker	UNP P30613
E	131	SER	-	linker	UNP P30613
E	132	GLY	-	linker	UNP P30613
F	-1	GLY	-	expression tag	UNP P30613
F	0	SER	-	expression tag	UNP P30613
F	12	ASP	SER	conflict	UNP P30613
F	130	GLY	-	linker	UNP P30613
F	131	SER	-	linker	UNP P30613
F	132	GLY	-	linker	UNP P30613
G	-1	GLY	-	expression tag	UNP P30613
G	0	SER	-	expression tag	UNP P30613
G	12	ASP	SER	conflict	UNP P30613
G	130	GLY	-	linker	UNP P30613
G	131	SER	-	linker	UNP P30613
G	132	GLY	-	linker	UNP P30613
H	-1	GLY	-	expression tag	UNP P30613
H	0	SER	-	expression tag	UNP P30613
H	12	ASP	SER	conflict	UNP P30613
H	130	GLY	-	linker	UNP P30613
H	131	SER	-	linker	UNP P30613
H	132	GLY	-	linker	UNP P30613

- Molecule 2 is 1,6-di-O-phosphono-beta-D-fructofuranose (CCD ID: FBP) (formula: $C_6H_{14}O_{12}P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		
2	B	1	Total	C	O	P	0	0
			20	6	12	2		
2	C	1	Total	C	O	P	0	0
			20	6	12	2		
2	D	1	Total	C	O	P	0	0
			20	6	12	2		
2	E	1	Total	C	O	P	0	0
			20	6	12	2		
2	F	1	Total	C	O	P	0	0
			20	6	12	2		
2	G	1	Total	C	O	P	0	0
			20	6	12	2		
2	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is OXALATE ION (CCD ID: OXL) (formula: C_2O_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	2	4		
3	B	1	Total	C	O	0	0
			6	2	4		
3	C	1	Total	C	O	0	0
			6	2	4		
3	D	1	Total	C	O	0	0
			6	2	4		
3	E	1	Total	C	O	0	0
			6	2	4		
3	F	1	Total	C	O	0	0
			6	2	4		
3	G	1	Total	C	O	0	0
			6	2	4		
3	H	1	Total	C	O	0	0
			6	2	4		

- Molecule 4 is 5,5'-(naphthalene-2,6-diyldisulfonyl)di(benzene-1,2,3-triol) (CCD ID: WWD) (formula: C₂₂H₁₆O₁₀S₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total 68	C 44	O 20	S 4	0	1
4	B	1	Total 68	C 44	O 20	S 4	0	1
4	F	1	Total 34	C 22	O 10	S 2	0	0
4	G	1	Total 68	C 44	O 20	S 4	0	1

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mg 1 1	0	0
5	B	1	Total Mg 1 1	0	0
5	C	1	Total Mg 1 1	0	0
5	D	1	Total Mg 1 1	0	0
5	E	1	Total Mg 1 1	0	0
5	F	1	Total Mg 1 1	0	0
5	G	1	Total Mg 1 1	0	0
5	H	1	Total Mg 1 1	0	0


- Molecule 6 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total K 1 1	0	0
6	B	1	Total K 1 1	0	0
6	C	1	Total K 1 1	0	0
6	D	1	Total K 1 1	0	0
6	E	1	Total K 1 1	0	0
6	F	1	Total K 1 1	0	0
6	G	1	Total K 1 1	0	0
6	H	1	Total K 1 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	58	Total O 58 58	0	0
7	B	150	Total O 150 150	0	0
7	C	114	Total O 114 114	0	0
7	D	184	Total O 184 184	0	0
7	E	48	Total O 48 48	0	0
7	F	104	Total O 104 104	0	0
7	G	108	Total O 108 108	0	0
7	H	160	Total O 160 160	0	0


Chain C:




Chain D:




Chain E:







• Molecule 1: Isoform L-type of Pyruvate kinase PKLR




• Molecule 1: Isoform L-type of Pyruvate kinase PKLR



• Molecule 1: Isoform L-type of Pyruvate kinase PKLR





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	205.32Å 112.66Å 186.40Å 90.00° 93.18° 90.00°	Depositor
Resolution (Å)	102.50 – 2.39 102.50 – 2.39	Depositor EDS
% Data completeness (in resolution range)	62.8 (102.50-2.39) 62.8 (102.50-2.39)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.89 (at 2.40Å)	Xtriage
Refinement program	BUSTER 2.10.4	Depositor
R, R_{free}	0.253 , 0.288 0.239 , 0.274	Depositor DCC
R_{free} test set	5244 reflections (4.87%)	wwPDB-VP
Wilson B-factor (Å ²)	47.2	Xtriage
Anisotropy	0.052	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 53.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	27658	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 91.54 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4247e-08. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OXL, FBP, K, MG, WWD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.66	0/3354	1.05	4/4532 (0.1%)
1	B	0.70	0/3429	1.03	1/4636 (0.0%)
1	C	0.66	0/3360	1.04	2/4542 (0.0%)
1	D	0.71	0/3341	1.08	3/4517 (0.1%)
1	E	0.64	0/3369	1.03	2/4552 (0.0%)
1	F	0.68	0/3411	1.04	1/4611 (0.0%)
1	G	0.68	0/3341	1.05	2/4516 (0.0%)
1	H	0.71	0/3347	1.05	4/4522 (0.1%)
All	All	0.68	0/26952	1.05	19/36428 (0.1%)

There are no bond length outliers.

The worst 5 of 19 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	391	PRO	N-CA-C	9.38	122.15	110.70
1	D	38	PHE	CA-CB-CG	-5.53	108.27	113.80
1	D	94	GLU	CB-CG-CD	5.44	121.84	112.60
1	H	94	GLU	CB-CG-CD	5.41	121.80	112.60
1	D	132	GLY	N-CA-C	5.30	123.14	112.34

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3261	0	3340	30	0
1	B	3350	0	3417	33	0
1	C	3275	0	3343	28	0
1	D	3261	0	3321	25	0
1	E	3272	0	3344	28	0
1	F	3330	0	3404	32	0
1	G	3256	0	3320	30	0
1	H	3265	0	3331	27	0
2	A	20	0	10	0	0
2	B	20	0	10	0	0
2	C	20	0	10	0	0
2	D	20	0	10	0	0
2	E	20	0	10	0	0
2	F	20	0	10	0	0
2	G	20	0	10	0	0
2	H	20	0	10	0	0
3	A	6	0	0	0	0
3	B	6	0	0	0	0
3	C	6	0	0	1	0
3	D	6	0	0	1	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	6	0	0	0	0
3	H	6	0	0	0	0
4	A	68	0	0	0	0
4	B	68	0	0	1	0
4	F	34	0	0	0	0
4	G	68	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
6	G	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	H	1	0	0	0	0
7	A	58	0	0	0	0
7	B	150	0	0	1	0
7	C	114	0	0	0	0
7	D	184	0	0	0	0
7	E	48	0	0	1	0
7	F	104	0	0	0	0
7	G	108	0	0	0	0
7	H	160	0	0	0	0
All	All	27658	0	26900	207	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 207 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:417:LEU:HD21	1:B:423:VAL:HG23	1.53	0.91
1:E:253:ARG:HH21	1:G:217:ALA:HB2	1.46	0.80
1:B:417:LEU:HD21	1:B:423:VAL:CG2	2.13	0.78
1:C:313:ARG:HG3	1:C:328:ILE:HD11	1.65	0.77
1:F:115:LEU:HB3	1:F:413:LEU:HD12	1.67	0.76

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	432/447 (97%)	423 (98%)	7 (2%)	2 (0%)	24	34
1	B	442/447 (99%)	433 (98%)	8 (2%)	1 (0%)	43	56

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	430/447 (96%)	420 (98%)	7 (2%)	3 (1%)	18	26
1	D	431/447 (96%)	422 (98%)	7 (2%)	2 (0%)	24	34
1	E	430/447 (96%)	424 (99%)	4 (1%)	2 (0%)	24	34
1	F	437/447 (98%)	431 (99%)	5 (1%)	1 (0%)	43	56
1	G	428/447 (96%)	420 (98%)	7 (2%)	1 (0%)	43	56
1	H	429/447 (96%)	423 (99%)	5 (1%)	1 (0%)	43	56
All	All	3459/3576 (97%)	3396 (98%)	50 (1%)	13 (0%)	30	40

5 of 13 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	132	GLY
1	E	113	SER
1	A	390	GLU
1	C	443[A]	SER
1	C	443[B]	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	347/352 (99%)	333 (96%)	14 (4%)	28	44
1	B	353/352 (100%)	342 (97%)	11 (3%)	35	54
1	C	347/352 (99%)	336 (97%)	11 (3%)	34	53
1	D	344/352 (98%)	336 (98%)	8 (2%)	44	64
1	E	348/352 (99%)	337 (97%)	11 (3%)	34	53
1	F	352/352 (100%)	340 (97%)	12 (3%)	32	51
1	G	345/352 (98%)	332 (96%)	13 (4%)	29	46
1	H	345/352 (98%)	335 (97%)	10 (3%)	37	57
All	All	2781/2816 (99%)	2691 (97%)	90 (3%)	35	53

5 of 90 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	68	ARG
1	G	161	LYS
1	F	161	LYS
1	F	417	LEU
1	G	324[A]	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 12 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	90	HIS
1	G	224	GLN
1	H	292	GLN
1	H	102	ASN
1	D	292	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 39 ligands modelled in this entry, 16 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	WWD	B	603[A]	-	37,37,37	2.39	10 (27%)	54,58,58	1.35	10 (18%)
3	OXL	F	602	5	5,5,5	2.03	2 (40%)	6,6,6	1.98	2 (33%)
3	OXL	G	503	5	5,5,5	2.20	2 (40%)	6,6,6	1.28	1 (16%)
4	WWD	G	501[A]	-	37,37,37	2.41	10 (27%)	54,58,58	1.24	6 (11%)
4	WWD	A	603[A]	-	37,37,37	2.52	10 (27%)	54,58,58	1.36	8 (14%)
3	OXL	H	602	5	5,5,5	2.08	2 (40%)	6,6,6	1.00	1 (16%)
2	FBP	G	502	-	18,20,20	0.43	0	21,32,32	0.59	0
3	OXL	E	602	5	5,5,5	2.17	2 (40%)	6,6,6	1.84	2 (33%)
2	FBP	E	601	-	18,20,20	0.42	0	21,32,32	0.59	0
2	FBP	F	601	-	18,20,20	0.28	0	21,32,32	0.57	0
2	FBP	A	601	-	18,20,20	0.41	0	21,32,32	0.55	0
3	OXL	D	602	5	5,5,5	2.18	2 (40%)	6,6,6	2.92	4 (66%)
2	FBP	H	601	-	18,20,20	0.60	0	21,32,32	0.61	0
3	OXL	A	602	5	5,5,5	2.04	2 (40%)	6,6,6	2.11	2 (33%)
4	WWD	B	603[B]	-	37,37,37	2.24	8 (21%)	54,58,58	1.61	16 (29%)
2	FBP	D	601	-	18,20,20	0.65	1 (5%)	21,32,32	0.65	0
4	WWD	G	501[B]	-	37,37,37	2.47	9 (24%)	54,58,58	1.52	14 (25%)
4	WWD	A	603[B]	-	37,37,37	2.32	9 (24%)	54,58,58	1.39	9 (16%)
3	OXL	B	602	5	5,5,5	2.10	2 (40%)	6,6,6	1.69	2 (33%)
3	OXL	C	602	5	5,5,5	1.95	2 (40%)	6,6,6	1.89	2 (33%)
2	FBP	B	601	-	18,20,20	0.38	0	21,32,32	0.52	0
2	FBP	C	601	-	18,20,20	0.51	0	21,32,32	0.79	1 (4%)
4	WWD	F	603	-	37,37,37	2.12	11 (29%)	54,58,58	2.06	17 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	WWD	B	603[A]	-	-	0/24/24/24	0/4/4/4
3	OXL	F	602	5	-	0/4/4/4	-
3	OXL	G	503	5	-	4/4/4/4	-
4	WWD	G	501[A]	-	-	0/24/24/24	0/4/4/4
4	WWD	A	603[A]	-	-	0/24/24/24	0/4/4/4
3	OXL	H	602	5	-	4/4/4/4	-
2	FBP	G	502	-	-	3/13/32/32	0/1/1/1
3	OXL	E	602	5	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FBP	E	601	-	-	4/13/32/32	0/1/1/1
2	FBP	F	601	-	-	2/13/32/32	0/1/1/1
2	FBP	A	601	-	-	2/13/32/32	0/1/1/1
3	OXL	D	602	5	-	4/4/4/4	-
2	FBP	H	601	-	-	2/13/32/32	0/1/1/1
3	OXL	A	602	5	-	4/4/4/4	-
4	WWD	B	603[B]	-	-	0/24/24/24	0/4/4/4
2	FBP	D	601	-	-	3/13/32/32	0/1/1/1
4	WWD	G	501[B]	-	-	0/24/24/24	0/4/4/4
4	WWD	A	603[B]	-	-	0/24/24/24	0/4/4/4
3	OXL	B	602	5	-	4/4/4/4	-
3	OXL	C	602	5	-	4/4/4/4	-
2	FBP	B	601	-	-	4/13/32/32	0/1/1/1
2	FBP	C	601	-	-	2/13/32/32	0/1/1/1
4	WWD	F	603	-	-	0/24/24/24	0/4/4/4

The worst 5 of 84 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	501[B]	WWD	C9-S1	-8.07	1.64	1.77
4	B	603[B]	WWD	C9-S1	-7.63	1.65	1.77
4	A	603[B]	WWD	C9-S1	-7.19	1.65	1.77
4	G	501[A]	WWD	C9-S1	-7.07	1.66	1.77
4	A	603[A]	WWD	C2-S	-7.04	1.66	1.77

The worst 5 of 97 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	603	WWD	C4-C3-S	5.03	125.83	119.14
4	F	603	WWD	O6-S-C3	-4.68	102.20	107.96
3	D	602	OXL	O4-C2-C1	4.65	121.85	112.83
4	F	603	WWD	C15-C8-S1	4.56	125.21	119.14
4	F	603	WWD	O7-S-C3	4.49	113.48	107.96

There are no chirality outliers.

5 of 50 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	FBP	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	601	FBP	C4-C5-C6-O6
2	C	601	FBP	C4-C5-C6-O6
2	D	601	FBP	C4-C5-C6-O6
2	E	601	FBP	C4-C5-C6-O6


There are no ring outliers.

3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	602	OXL	1	0
4	B	603[B]	WWD	1	0
3	C	602	OXL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand WWD B 603 (A)




Ligand WWD G 501 (A)














Ligand FBP F 601















Ligand WWD G 501 (B)




Ligand WWD A 603 (B)









5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	H	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	H	132:GLY	C	133:PRO	N	2.67

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	421/447 (94%)	1.83	155 (36%) 1 0	29, 74, 112, 123	13 (3%)
1	B	436/447 (97%)	0.70	40 (9%) 14 13	26, 50, 82, 97	8 (1%)
1	C	424/447 (94%)	1.06	78 (18%) 3 3	24, 57, 83, 104	10 (2%)
1	D	425/447 (95%)	0.11	12 (2%) 55 54	18, 38, 65, 102	8 (1%)
1	E	420/447 (93%)	1.92	181 (43%) 0 0	29, 74, 111, 121	14 (3%)
1	F	432/447 (96%)	0.96	59 (13%) 6 6	26, 54, 87, 107	9 (2%)
1	G	422/447 (94%)	0.97	54 (12%) 7 7	22, 54, 80, 93	11 (2%)
1	H	424/447 (94%)	0.12	14 (3%) 49 49	18, 38, 62, 94	9 (2%)
All	All	3404/3576 (95%)	0.95	593 (17%) 4 3	18, 54, 97, 123	82 (2%)

The worst 5 of 593 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	115	LEU	9.0
1	E	115	LEU	6.5
1	A	25	PHE	6.4
1	E	349	GLY	6.2
1	F	133	PRO	6.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FBP	A	601	20/20	0.78	0.16	89,92,94,94	0
2	FBP	E	601	20/20	0.80	0.15	91,92,93,93	0
3	OXL	E	602	6/6	0.82	0.12	93,93,93,93	0
5	MG	G	504	1/1	0.82	0.14	57,57,57,57	0
3	OXL	A	602	6/6	0.83	0.12	85,85,85,85	0
3	OXL	C	602	6/6	0.84	0.13	72,73,73,73	0
6	K	C	604	1/1	0.84	0.10	79,79,79,79	0
3	OXL	D	602	6/6	0.86	0.12	53,54,55,55	0
3	OXL	G	503	6/6	0.87	0.10	61,61,61,61	0
5	MG	B	604	1/1	0.88	0.14	59,59,59,59	0
3	OXL	H	602	6/6	0.89	0.10	56,57,57,57	0
6	K	E	604	1/1	0.89	0.08	115,115,115,115	0
2	FBP	F	601	20/20	0.91	0.10	64,68,68,68	0
4	WWD	B	603[A]	34/34	0.91	0.12	54,55,56,56	34
4	WWD	B	603[B]	34/34	0.91	0.12	17,19,20,20	34
5	MG	A	604	1/1	0.91	0.12	80,80,80,80	0
2	FBP	B	601	20/20	0.92	0.10	64,65,66,66	0
3	OXL	F	602	6/6	0.92	0.09	73,73,74,74	0
5	MG	C	603	1/1	0.92	0.07	46,46,46,46	0
3	OXL	B	602	6/6	0.92	0.09	64,64,65,65	0
4	WWD	G	501[A]	34/34	0.92	0.15	77,78,79,79	34
4	WWD	G	501[B]	34/34	0.92	0.15	19,21,22,23	34
5	MG	H	603	1/1	0.93	0.06	47,47,47,47	0
6	K	G	505	1/1	0.93	0.06	66,66,66,66	0
6	K	A	605	1/1	0.94	0.06	114,114,114,114	0
2	FBP	G	502	20/20	0.94	0.10	50,54,58,58	0
4	WWD	A	603[A]	34/34	0.94	0.08	34,36,37,37	34
4	WWD	A	603[B]	34/34	0.94	0.08	51,52,53,53	34
6	K	H	604	1/1	0.94	0.07	69,69,69,69	0
5	MG	D	603	1/1	0.95	0.09	38,38,38,38	0
5	MG	E	603	1/1	0.95	0.08	76,76,76,76	0
2	FBP	C	601	20/20	0.95	0.10	52,55,60,60	0
6	K	F	605	1/1	0.96	0.06	86,86,86,86	0
4	WWD	F	603	34/34	0.97	0.07	38,42,43,45	0
6	K	B	605	1/1	0.97	0.04	80,80,80,80	0
5	MG	F	604	1/1	0.97	0.07	55,55,55,55	0
6	K	D	604	1/1	0.97	0.09	50,50,50,50	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	FBP	H	601	20/20	0.98	0.06	32,34,36,36	0
2	FBP	D	601	20/20	0.98	0.05	33,34,35,35	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around FBP E 601:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP F 601:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around WWD B 603 (A):**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around WWD B 603 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around WWD G 501 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around WWD G 501 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP G 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around WWD A 603 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around WWD A 603 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around WWD F 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FBP H 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.