Full wwPDB X-ray Structure Validation Report (i)

Jun 11, 2024 – 06:26 PM EDT

PDB ID	:	174L
Title	:	PROTEIN FLEXIBILITY AND ADAPTABILITY SEEN IN 25 CRYSTAL FORMS OF T4 LYSOZYME
Authors	:	Zhang, X.-J.; Matthews, B.W.
Deposited on	:	1995-03-24
Resolution	:	2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	164	3%; 50%, 34%, 15%, •
1	B	164	37%, 47%, 14%, ••

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 2606 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T4 LYSOZYME.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	164	1287	812	235	235	5	0	0	0
			Total	C	N	O	S			
1	B	162	1275	805	232	233	5	0	1	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	34	ALA	THR	conflict	UNP P00720
A	35	ALA	LYS	conflict	UNP P00720
A	36	ALA	SER	conflict	UNP P00720
A	37	ALA	PRO	conflict	UNP P00720
A	38	ASP	SER	conflict	UNP P00720
A	40	ALA	ASN	conflict	UNP P00720
A	44	ALA	SER	conflict	UNP P00720
A	45	ALA	GLU	conflict	UNP P00720
A	47	ALA	ASP	conflict	UNP P00720
A	48	ALA	LYS	conflict	UNP P00720
A	54	THR	CYS	conflict	UNP P00720
A	97	ALA	CYS	conflict	UNP P00720
B	34	ALA	THR	conflict	UNP P00720
B	35	ALA	LYS	conflict	UNP P00720
B	36	ALA	SER	conflict	UNP P00720
B	37	ALA	PRO	conflict	UNP P00720
B	38	ASP	SER	conflict	UNP P00720
B	40	ALA	ASN	conflict	UNP P00720
B	44	ALA	SER	conflict	UNP P00720
B	45	ALA	GLU	conflict	UNP P00720
B	47	ALA	ASP	conflict	UNP P00720
B	48	ALA	LYS	conflict	UNP P00720
B	54	THR	CYS	conflict	UNP P00720
B	97	ALA	CYS	conflict	UNP P00720

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	22	22	22	0	0
			Total	O		
3	B	17	17	17	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: T4 LYSOZYME

Chain A:



- Molecule 1: T4 LYSOZYME

Chain B:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α, β, γ	89.30Å 89.30Å 87.10Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.30 24.72 – 2.30	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.30) 97.6 (24.72-2.30)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.05 (at 2.31Å)	Xtriage
Refinement program	TNT	Depositor
R, R_{free}	0.198 , (Not available) 0.189 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å^2)	32.1	Xtriage
Anisotropy	0.024	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.29 , 109.4	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	0.068 for h,-h-k,-l	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	2606	wwPDB-VP
Average B, all atoms (Å^2)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.94% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.98	7/1306 (0.5%)	1.62	32/1761 (1.8%)
1	B	1.02	6/1298 (0.5%)	1.64	24/1751 (1.4%)
All	All	1.00	13/2604 (0.5%)	1.63	56/3512 (1.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	1	0

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	22	GLU	CD-OE2	7.07	1.33	1.25
1	B	64	GLU	CD-OE2	6.40	1.32	1.25
1	B	108	GLU	CD-OE2	6.29	1.32	1.25
1	B	5	GLU	CD-OE2	6.24	1.32	1.25
1	A	62	GLU	CD-OE2	6.17	1.32	1.25
1	B	62	GLU	CD-OE2	5.92	1.32	1.25
1	B	128	GLU	CD-OE2	5.91	1.32	1.25
1	B	22	GLU	CD-OE2	5.80	1.32	1.25
1	A	128	GLU	CD-OE2	5.74	1.31	1.25
1	A	108	GLU	CD-OE2	5.61	1.31	1.25
1	A	5	GLU	CD-OE2	5.42	1.31	1.25
1	A	11	GLU	CD-OE2	5.40	1.31	1.25
1	A	64	GLU	CD-OE2	5.30	1.31	1.25

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	52	ARG	NE-CZ-NH1	9.14	124.87	120.30
1	A	20	ASP	CB-CG-OD2	-8.84	110.34	118.30
1	A	20	ASP	CB-CG-OD1	8.69	126.12	118.30
1	A	70	ASP	CB-CG-OD2	-8.52	110.63	118.30
1	B	119	ARG	NE-CZ-NH2	-8.09	116.25	120.30
1	A	72	ASP	CB-CG-OD2	-7.86	111.23	118.30
1	B	72	ASP	CB-CG-OD2	-7.73	111.34	118.30
1	A	127	ASP	CB-CG-OD2	-7.72	111.35	118.30
1	A	70	ASP	CB-CG-OD1	7.49	125.04	118.30
1	A	159	ASP	CB-CG-OD2	-7.38	111.66	118.30
1	B	80	ARG	NE-CZ-NH1	7.32	123.96	120.30
1	A	10	ASP	CB-CG-OD2	-7.28	111.75	118.30
1	A	92	ASP	CB-CG-OD2	-7.26	111.77	118.30
1	B	160	ALA	N-CA-CB	-7.21	100.01	110.10
1	B	61	ASP	CB-CG-OD2	-7.14	111.88	118.30
1	B	38	ASP	CB-CG-OD2	-7.08	111.93	118.30
1	B	159	ASP	CB-CG-OD2	-7.07	111.94	118.30
1	A	96	ARG	NE-CZ-NH2	-7.00	116.80	120.30
1	A	89	ASP	CB-CG-OD2	-6.95	112.05	118.30
1	A	151	THR	CA-CB-CG2	-6.94	102.68	112.40
1	A	38	ASP	CB-CG-OD2	-6.92	112.08	118.30
1	B	37	ALA	N-CA-CB	6.75	119.55	110.10
1	A	163	ASN	N-CA-CB	6.68	122.63	110.60
1	A	37	ALA	N-CA-C	6.58	128.76	111.00
1	B	72	ASP	CB-CG-OD1	6.45	124.10	118.30
1	A	137	ARG	NE-CZ-NH1	6.44	123.52	120.30
1	B	38	ASP	CB-CG-OD1	6.41	124.07	118.30
1	A	119	ARG	NE-CZ-NH1	6.40	123.50	120.30
1	B	89	ASP	CB-CG-OD2	-6.37	112.57	118.30
1	A	129	ALA	N-CA-CB	-6.35	101.21	110.10
1	A	80	ARG	NE-CZ-NH1	6.34	123.47	120.30
1	B	32	LEU	N-CA-CB	6.28	122.96	110.40
1	A	127	ASP	CB-CG-OD1	6.15	123.83	118.30
1	B	127	ASP	CB-CG-OD2	-6.14	112.77	118.30
1	A	72	ASP	CB-CG-OD1	6.09	123.78	118.30
1	B	159	ASP	CB-CG-OD1	5.97	123.67	118.30
1	A	159	ASP	CB-CG-OD1	5.75	123.48	118.30
1	A	92	ASP	CB-CG-OD1	5.65	123.39	118.30
1	A	38	ASP	CB-CG-OD1	5.65	123.38	118.30
1	A	76	ARG	NE-CZ-NH1	5.55	123.08	120.30
1	A	61	ASP	CB-CG-OD2	-5.55	113.31	118.30
1	B	37	ALA	CA-C-N	-5.50	105.09	117.20
1	B	127	ASP	CB-CG-OD1	5.45	123.21	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	8	ARG	NE-CZ-NH2	-5.29	117.66	120.30
1	A	137	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	B	137	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	A	8	ARG	NE-CZ-NH1	5.18	122.89	120.30
1	B	93	ALA	N-CA-CB	5.15	117.31	110.10
1	B	119	ARG	NE-CZ-NH1	5.15	122.88	120.30
1	A	53	ASN	CA-CB-CG	-5.15	102.08	113.40
1	B	92	ASP	CB-CG-OD1	-5.14	113.67	118.30
1	A	75	VAL	CA-CB-CG1	-5.10	103.26	110.90
1	A	14	ARG	NE-CZ-NH2	-5.05	117.77	120.30
1	B	61	ASP	CB-CG-OD1	5.05	122.85	118.30
1	B	159	ASP	O-C-N	5.03	130.75	122.70
1	B	20	ASP	CB-CG-OD1	5.01	122.81	118.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	32	LEU	CA

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1287	0	1314	53	0
1	B	1275	0	1299	100	0
2	A	5	0	0	1	0
3	A	22	0	0	1	0
3	B	17	0	0	0	0
All	All	2606	0	2613	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:120:MET:HE3	1:B:129:ALA:HA	1.38	1.06
1:B:91:LEU:HD12	1:B:96:ARG:HG2	1.38	1.01
1:B:93:ALA:HA	1:B:96:ARG:HH12	1.24	1.00
1:B:96:ARG:HH11	1:B:96:ARG:HB2	1.29	0.95
1:A:83:LYS:HD2	1:A:112:ALA:HB1	1.56	0.88
1:A:120:MET:SD	1:A:128:GLU:HB3	2.13	0.87
1:B:93:ALA:HA	1:B:96:ARG:NH1	1.88	0.87
1:B:1:MET:HG2	1:B:158:TRP:CD2	2.09	0.86
1:A:120:MET:HE1	1:A:132:ASN:HB2	1.61	0.83
1:B:8:ARG:HH11	1:B:8:ARG:HG2	1.47	0.80
1:B:96:ARG:HH11	1:B:96:ARG:CB	1.94	0.79
1:B:91:LEU:HD12	1:B:96:ARG:CG	2.12	0.78
1:B:91:LEU:CD1	1:B:96:ARG:HG2	2.12	0.78
1:A:1:MET:HG3	1:A:2:ASN:N	1.99	0.77
1:B:120:MET:CE	1:B:129:ALA:HA	2.16	0.76
1:B:151:THR:O	1:B:155:THR:HG23	1.86	0.75
1:B:125:ARG:HB3	1:B:128:GLU:HG3	1.67	0.74
1:B:96:ARG:O	1:B:100:ILE:HG12	1.89	0.72
1:B:137:ARG:O	1:B:141:GLN:HG3	1.89	0.72
1:A:120:MET:CE	1:A:129:ALA:HA	2.22	0.69
1:B:85:LYS:HE3	1:B:89:ASP:OD2	1.92	0.69
1:B:19:LYS:HG3	1:B:25:TYR:CE1	2.28	0.69
1:B:74:ALA:O	1:B:78:ILE:HG13	1.92	0.68
1:A:85:LYS:HE3	1:A:89:ASP:OD2	1.95	0.67
1:B:8:ARG:HG2	1:B:8:ARG:NH1	2.10	0.66
1:B:123:GLN:HG3	1:B:125:ARG:HD3	1.77	0.66
1:B:120:MET:HE3	1:B:129:ALA:CA	2.23	0.65
1:A:76:ARG:HH11	1:A:80:ARG:HH22	1.46	0.64
1:B:50:ILE:HD11	1:B:54:THR:CG2	2.28	0.64
1:B:85:LYS:N	1:B:86:PRO:HD2	2.13	0.64
1:B:151:THR:O	1:B:154:ARG:N	2.31	0.63
1:A:120:MET:HE3	1:A:129:ALA:HA	1.79	0.63
1:B:123:GLN:HG3	1:B:125:ARG:CD	2.29	0.63
1:B:96:ARG:HH11	1:B:96:ARG:CG	2.12	0.62
1:B:137:ARG:O	1:B:141:GLN:N	2.30	0.62
1:A:146:ALA:O	1:A:150:ILE:HG13	2.00	0.62
1:B:59:THR:OG1	1:B:62:GLU:HG3	1.99	0.62
1:B:1:MET:HG2	1:B:158:TRP:CG	2.34	0.61
1:B:88:TYR:O	1:B:96:ARG:HD3	2.00	0.61
1:B:24:TYR:HB3	1:B:32:LEU:CD1	2.30	0.61
1:A:120:MET:CE	1:A:132:ASN:HB2	2.30	0.61
1:B:11[A]:GLU:CD	1:B:145:ARG:HH12	2.05	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:ARG:HB2	1:B:96:ARG:NH1	2.08	0.60
1:A:17:ILE:HD11	1:A:33:LEU:HD13	1.83	0.60
1:B:75:VAL:O	1:B:79:LEU:HG	2.02	0.60
1:B:91:LEU:HD12	1:B:96:ARG:CA	2.32	0.59
1:B:17:ILE:HG12	1:B:27:ILE:HD12	1.83	0.59
1:B:32:LEU:HG	1:B:33:LEU:N	2.17	0.59
1:A:115:THR:HG22	1:A:116:ASN:HD22	1.68	0.58
1:A:120:MET:HB3	1:A:125:ARG:HB2	1.85	0.58
1:A:130:ALA:CB	1:A:154:ARG:HD2	2.34	0.58
1:B:59:THR:O	1:B:62:GLU:N	2.37	0.57
1:A:137:ARG:HH22	1:B:11[B]:GLU:CD	2.08	0.57
1:B:25:TYR:O	1:B:32:LEU:HD12	2.04	0.57
1:B:91:LEU:HD12	1:B:96:ARG:HA	1.87	0.56
1:A:83:LYS:CD	1:A:112:ALA:HB1	2.33	0.56
1:A:92:ASP:O	1:A:96:ARG:HG3	2.05	0.56
1:B:85:LYS:HB3	1:B:86:PRO:HD3	1.87	0.56
1:A:64:GLU:O	1:A:68:ASN:ND2	2.33	0.56
1:B:4:PHE:HD1	1:B:67:PHE:CD2	2.24	0.56
1:B:146:ALA:O	1:B:150:ILE:HD12	2.05	0.56
1:A:19:LYS:HA	1:A:24:TYR:O	2.05	0.55
1:B:62:GLU:O	1:B:65:LYS:HB3	2.07	0.55
1:B:85:LYS:O	1:B:88:TYR:HB3	2.05	0.55
1:B:3:ILE:HG22	1:B:7:LEU:HD13	1.88	0.55
1:B:24:TYR:HB3	1:B:32:LEU:HD13	1.88	0.55
1:A:19:LYS:HG3	1:A:25:TYR:CE1	2.41	0.55
1:B:81:ASN:HB3	1:B:84:LEU:HB2	1.89	0.54
1:A:2:ASN:ND2	1:A:5:GLU:H	2.05	0.54
1:B:105:GLN:HB2	1:B:145:ARG:NH2	2.22	0.54
1:B:11[A]:GLU:OE1	1:B:145:ARG:NH2	2.40	0.54
1:A:25:TYR:HB2	1:A:34:ALA:O	2.07	0.53
1:A:120:MET:HE1	1:A:129:ALA:HA	1.90	0.53
1:B:17:ILE:HD13	1:B:33:LEU:HD12	1.90	0.52
1:B:19:LYS:HE3	1:B:23:GLY:HA2	1.90	0.52
1:A:94:VAL:O	1:A:97:ALA:HB3	2.09	0.52
1:B:54:THR:OG1	1:B:56:GLY:N	2.40	0.52
1:A:76:ARG:NH1	1:A:80:ARG:HH22	2.08	0.52
1:B:3:ILE:HD13	1:B:97:ALA:HB1	1.91	0.52
1:A:50:ILE:HA	1:A:65:LYS:CE	2.39	0.52
1:A:130:ALA:HB3	1:A:154:ARG:HD2	1.92	0.52
1:B:125:ARG:O	1:B:128:GLU:HG3	2.09	0.52
1:A:142:THR:HA	2:A:201:SO4:O2	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:135:LYS:NZ	1:B:21:THR:HG21	2.26	0.51
1:A:19:LYS:HG3	1:A:25:TYR:CZ	2.46	0.51
1:B:1:MET:HG2	1:B:158:TRP:CE3	2.45	0.51
1:A:23:GLY:O	1:A:35:ALA:O	2.29	0.50
1:A:1:MET:HG2	1:A:158:TRP:CD2	2.46	0.50
1:B:87:VAL:O	1:B:90:SER:OG	2.29	0.50
1:B:64:GLU:O	1:B:68:ASN:OD1	2.29	0.49
1:B:59:THR:O	1:B:62:GLU:HB2	2.12	0.49
1:B:91:LEU:CD1	1:B:96:ARG:HA	2.42	0.49
1:B:148:ARG:HD2	1:B:161:TYR:CE2	2.48	0.49
1:A:114:PHE:O	1:A:118:LEU:HG	2.12	0.49
1:A:122:GLN:O	1:A:124:LYS:HE3	2.13	0.48
1:B:17:ILE:O	1:B:17:ILE:HG22	2.11	0.48
1:B:3:ILE:HD13	1:B:97:ALA:CB	2.43	0.48
1:A:1:MET:HG2	1:A:158:TRP:CE3	2.49	0.47
1:A:50:ILE:HD11	1:A:54:THR:CG2	2.43	0.47
1:B:71:VAL:O	1:B:75:VAL:HG23	2.14	0.47
1:A:88:TYR:CZ	1:A:96:ARG:HD3	2.50	0.47
1:B:127:ASP:O	1:B:130:ALA:HB3	2.14	0.47
1:A:151:THR:HG22	1:A:151:THR:O	2.14	0.47
1:B:116:ASN:O	1:B:119:ARG:HB2	2.15	0.47
1:A:81:ASN:HD21	1:A:83:LYS:HE3	1.80	0.46
1:A:124:LYS:HE2	3:A:213:HOH:O	2.13	0.46
1:B:121:LEU:HA	1:B:121:LEU:HD23	1.52	0.46
1:B:12:GLY:O	1:B:29:ILE:HD12	2.15	0.46
1:B:147:LYS:HB2	1:B:147:LYS:HE2	1.66	0.46
1:B:59:THR:O	1:B:63:ALA:N	2.37	0.46
1:A:66:LEU:O	1:A:69:GLN:HB2	2.16	0.46
1:A:137:ARG:NH2	1:B:11[B]:GLU:OE1	2.48	0.46
1:B:85:LYS:N	1:B:86:PRO:CD	2.79	0.46
1:A:118:LEU:O	1:A:121:LEU:HB2	2.15	0.45
1:B:3:ILE:H	1:B:3:ILE:HG12	1.42	0.45
1:B:4:PHE:CE1	1:B:64:GLU:HA	2.52	0.45
1:A:88:TYR:CE1	1:A:96:ARG:HD3	2.52	0.45
1:B:151:THR:C	1:B:154:ARG:H	2.18	0.45
1:B:5:GLU:OE1	1:B:5:GLU:HA	2.16	0.45
1:B:95:ARG:O	1:B:98:ALA:HB3	2.16	0.45
1:B:1:MET:HE3	1:B:1:MET:HB2	1.93	0.44
1:B:103:VAL:HA	1:B:111:VAL:HG21	1.99	0.44
1:B:54:THR:C	1:B:56:GLY:H	2.20	0.44
1:B:84:LEU:HD23	1:B:84:LEU:HA	1.71	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:ARG:NH1	1:B:96:ARG:CG	2.78	0.44
1:B:14:ARG:HD3	1:B:18:TYR:HB3	2.00	0.44
1:A:87:VAL:O	1:A:91:LEU:HG	2.18	0.43
1:A:10:ASP:OD2	1:A:101:ASN:ND2	2.43	0.43
1:B:107:GLY:O	1:B:111:VAL:HG23	2.17	0.43
1:B:98:ALA:O	1:B:101:ASN:HB3	2.18	0.43
1:A:125:ARG:HB3	1:A:128:GLU:HB2	2.00	0.43
1:B:91:LEU:HD12	1:B:96:ARG:N	2.33	0.43
1:B:17:ILE:CD1	1:B:33:LEU:HD12	2.49	0.43
1:B:138:TRP:CZ2	1:B:146:ALA:HA	2.53	0.43
1:A:17:ILE:CD1	1:A:33:LEU:HD13	2.48	0.42
1:A:50:ILE:HA	1:A:65:LYS:HE2	2.01	0.42
1:A:135:LYS:HZ3	1:B:21:THR:HG21	1.84	0.42
1:B:3:ILE:HG22	1:B:7:LEU:CD1	2.50	0.42
1:B:91:LEU:CG	1:B:96:ARG:HG2	2.50	0.42
1:B:120:MET:HA	1:B:123:GLN:HG2	2.02	0.42
1:B:2:ASN:O	1:B:5:GLU:HB2	2.21	0.41
1:B:157:THR:OG1	1:B:159:ASP:OD2	2.32	0.41
1:B:37:ALA:HB1	1:B:38:ASP:H	1.19	0.41
1:A:106:MET:HE3	1:A:106:MET:HB3	1.81	0.41
1:A:17:ILE:CG2	1:A:18:TYR:N	2.80	0.41
1:A:71:VAL:O	1:A:71:VAL:HG12	2.19	0.41
1:B:116:ASN:O	1:B:120:MET:HG3	2.20	0.41
1:B:17:ILE:CD1	1:B:33:LEU:CD1	2.99	0.40
1:B:143:PRO:O	1:B:147:LYS:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	162/164 (99%)	155 (96%)	4 (2%)	3 (2%)	8 7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	161/164 (98%)	146 (91%)	13 (8%)	2 (1%)	13 14
All	All	323/328 (98%)	301 (93%)	17 (5%)	5 (2%)	9 10

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	126	TRP
1	A	38	ASP
1	A	35	ALA
1	A	37	ALA
1	B	36	ALA

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	128/128 (100%)	109 (85%)	19 (15%)	3 3
1	B	127/128 (99%)	105 (83%)	22 (17%)	2 2
All	All	255/256 (100%)	214 (84%)	41 (16%)	2 2

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ARG
1	A	17	ILE
1	A	26	THR
1	A	38	ASP
1	A	53	ASN
1	A	54	THR
1	A	60	LYS
1	A	83	LYS
1	A	106	MET
1	A	108	GLU
1	A	109	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	119	ARG
1	A	123	GLN
1	A	124	LYS
1	A	128	GLU
1	A	135	LYS
1	A	154	ARG
1	A	162	LYS
1	A	164	LEU
1	B	1	MET
1	B	3	ILE
1	B	9	ILE
1	B	11[A]	GLU
1	B	11[B]	GLU
1	B	17	ILE
1	B	20	ASP
1	B	26	THR
1	B	32	LEU
1	B	43	LYS
1	B	52	ARG
1	B	54	THR
1	B	69	GLN
1	B	75	VAL
1	B	83	LYS
1	B	91	LEU
1	B	96	ARG
1	B	104	PHE
1	B	123	GLN
1	B	128	GLU
1	B	154	ARG
1	B	162	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	ASN
1	A	116	ASN
1	A	122	GLN
1	A	123	GLN
1	A	132	ASN
1	A	141	GLN
1	B	122	GLN
1	B	132	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	SO4	A	201	-	4,4,4	1.07	0	6,6,6	0.28	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	201	SO4	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	164/164 (100%)	-0.46	5 (3%) 50 57	17, 33, 66, 100	0
1	B	162/164 (98%)	-0.41	0 100 100	27, 43, 71, 83	0
All	All	326/328 (99%)	-0.44	5 (1%) 73 79	17, 38, 71, 100	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	35	ALA	5.8
1	A	37	ALA	4.5
1	A	34	ALA	3.7
1	A	163	ASN	2.9
1	A	164	LEU	2.3

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	SO4	A	201	5/5	0.99	0.11	28,44,52,70	0

6.5 Other polymers (i)

There are no such residues in this entry.