# Full wwPDB NMR Structure Validation Report (i)

Feb 26, 2022 – 12:07 PM EST

| | | |
|---|---|---|
| PDB ID | : | 2AVA |
| Title | : | Solution Structure of Stearoyl-Acyl Carrier Protein |
| Authors | : | Zornetzer, G.A.; Fox, B.G.; Markley, J.L. |
| Deposited on | : | 2005-08-29 |

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/NMRValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (i)) were used in the production of this report:

| | | |
|---|---|---|
| MolProbity | : | 4.02b-467 |
| Percentile statistics | : | 20191225.v01 (using entries in the PDB archive December 25th 2019) |
| RCI | : | v_1n_11_5_13_A (Berjanski et al., 2005) |
| PANAV | : | Wang et al. (2010) |
| ShiftChecker | : | 2.27 |
| Ideal geometry (proteins) | : | Engh & Huber (2001) |
| Ideal geometry (DNA, RNA) | : | Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : | 2.27 |

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
*SOLUTION NMR*

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




| Metric | Whole archive (#Entries) | NMR archive (#Entries) |
|---|---|---|
| Clashscore | 158937 | 12864 |
| Ramachandran outliers | 154571 | 11451 |
| Sidechain outliers | 154315 | 11428 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

| Mol | Chain | Length | Quality of chain |
|---|---|---|---|
| 1 | A | 82 | 52% 26% 5% 17% |

# 2 Ensemble composition and analysis (i)

This entry contains 20 models. Model 4 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

| Well-defined (core) protein residues | | | |
|---|---|---|---|
| **Well-defined core** | **Residue range (total)** | **Backbone RMSD (Å)** | **Medoid model** |
| 1 | A:1-A:30, A:41-A:78 (68) | 0.15 | 4 |

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 4 single-model clusters were found.

| Cluster number | Models |
|---|---|
| 1 | 1, 4, 5, 7, 9, 11, 14, 15, 16, 18, 20 |
| 2 | 2, 3, 12, 13, 17 |
| Single-model clusters | 6; 8; 10; 19 |

# 3 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 1146 atoms, of which 528 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Acyl carrier protein I, chloroplast.

| Mol | Chain | Residues | Atoms | | | | | | Trace |
|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | H | N | O | S | |
| 1 | A | 82 | 1146 | 385 | 528 | 96 | 136 | 1 | 0 |

# 4 Residue-property plots (i)

## 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 52% 26% 5% 17%

A1 T5 I6 D7 K14 E15 K16 L17 A18 L19 F31 S32 K33 L34 G35 A36 D37 S38 L39 D40 M46 N47 I54 N55 V56 K60 I64 S65 T66 I67 Q68 Q69 A70 A71 D72 V73 I74 E75 G76 L77 L78 E79 K80 K81 A82

## 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

### 4.2.1 Score per residue for model 1

• Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 49% 27% 7% 17%

A1 E4 T5 I6 D7 K8 V9 K14 E15 K16 L17 A18 L19 D22 F31 S32 K33 L34 G35 A36 D37 S38 L39 D40 M46 N47 E51 N55 E58 D59 K60 D63 I64 S65 T66 I67 Q68 Q69 A70 A71 D72 V73 I74 E75 L78 E79 K80 K81 A82

### 4.2.2 Score per residue for model 2

• Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 46% 29% 7% 17%

A1 T5 I6 D7 K14 E15 K16 L17 A18 L19 D28 S29 E30 F31 S32 K33 L34 G35 A36 D37 S38 L39 D40 M46 N47 L48 E51 I54 N55 V56 D59 K60 I64 S65 T66 I67 Q68 Q69 A70 A71 D72 V73 I74 E75 G76 L77 L78 E79 K80 K81 A82

### 4.2.3 Score per residue for model 3

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 46% 28% 9% 17%




### 4.2.4 Score per residue for model 4 (medoid)

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 46% 29% 7% 17%




### 4.2.5 Score per residue for model 5

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 46% 30% 6% 17%

### 4.2.6 Score per residue for model 6

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 45% 35% • 17%




### 4.2.7 Score per residue for model 7

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 51% 24% 7% 17%




### 4.2.8 Score per residue for model 8

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A:




### 4.2.9 Score per residue for model 9

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A:




### 4.2.10 Score per residue for model 10

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A:







### 4.2.11 Score per residue for model 11

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A:

### 4.2.12 Score per residue for model 12

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 49% 32% • 17%




### 4.2.13 Score per residue for model 13

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 40% 35% 7% 17%




### 4.2.14 Score per residue for model 14

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 50% 27% 6% 17%




### 4.2.15 Score per residue for model 15

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 44% 35% • 17%




### 4.2.16 Score per residue for model 16

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 48% 28% 7% 17%

A1 K2 K3 E4 T5 I6 D7 K14 E15 K16 L17 A18 L19 D22 D28 F31 S32 K33 L34 G35 A36 D37 S38 L39 D40 T41 V42 N47 I54 N55 V56 D59 K60 D63 I64 S65 T66 I67 Q68 Q69 A70 A71 D72 V73 I74 E75 G76 L77 L78 E79 K80 K81

A82

### 4.2.17 Score per residue for model 17

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 40% 38% 5% 17%

A1 K2 K3 E4 T5 I6 D7 K14 E15 K16 L17 A18 L19 D22 A27 F31 S32 K33 L34 G35 A36 D37 S38 L39 D40 T41 V42 E43 M46 N47 L48 E51 F52 G53 I54 N55 V56 D59 K60 A61 I64 S65 T66 I67 Q68 Q69 D72 V73 I74 E75 G76

L77 L78 E79 K80 K81 A82

### 4.2.18 Score per residue for model 18

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 51% 27% 5% 17%

A1 T5 I6 D7 K8 K14 E15 K16 L17 A18 L19 S29 E30 F31 S32 K33 L34 G35 A36 D37 S38 L39 D40 N47 I54 N55 V56 D59 K60 A61 Q62 D63 I64 S65 T66 I67 Q68 Q69 D72 V73 I74 L77 L78 E79 K80 K81 A82

### 4.2.19 Score per residue for model 19

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 49% 26% 9% 17%

A1 T5 I6 D7 K8 K14 E15 K16 L17 A18 L19 D28 F31 S32 K33 L34 G35 A36 D37 S38 L39 D40 M46 N47 I54 N55 V56 D57 E58 D59 K60 I64 S65 T66 I67 Q68 Q69 D72 V73 I74 E75 G76 L77 L78 E79 K80 K81 A82

### 4.2.20 Score per residue for model 20

- Molecule 1: Acyl carrier protein I, chloroplast

Chain A: 54% 23% 6% 17%

A1 T5 I6 D7 K14 E15 K16 L17 A18 L19 S29 E30 F31 S32 K33 L34 G35 A36 D37 S38 L39 D40 M46 N47 I54 N55 E58 D59 K60 A61 Q62 D63 I64 S65 T66 I67 Q68 Q69 A70 A71 D72 V73 I74 E75 E79 K80 K81 A82

# 5 Refinement protocol and experimental data overview (i)

The models were refined using the following method: *Torsion Angle Dynamics, Cartesian Dynamics water refinement.*

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *target function.*

The following table shows the software used for structure solution, optimisation and refinement.

| Software name | Classification | Version |
|---|---|---|
| CYANA | structure solution | 2.0 |
| XPLOR-NIH | refinement | 2.0.6 |

No chemical shift data was provided.

# 6 Model quality (i)

## 6.1 Standard geometry (i)

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 6.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes |
|---|---|---|---|---|---|
| 1 | A | 513 | 442 | 520 | 11±3 |
| All | All | 10260 | 8840 | 10400 | 229 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All unique clashes are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:17:LEU:HD13 | 1:A:19:LEU:HD13 | 0.99 | 1.34 | 12 | 2 |
| 1:A:56:VAL:HG22 | 1:A:77:LEU:HD13 | 0.87 | 1.47 | 18 | 7 |
| 1:A:17:LEU:HD23 | 1:A:19:LEU:HD13 | 0.84 | 1.48 | 19 | 5 |
| 1:A:17:LEU:HD11 | 1:A:19:LEU:HD22 | 0.72 | 1.58 | 6 | 1 |
| 1:A:54:ILE:HD13 | 1:A:74:ILE:HG23 | 0.69 | 1.64 | 3 | 12 |
| 1:A:17:LEU:HD13 | 1:A:19:LEU:CD1 | 0.65 | 2.20 | 3 | 2 |
| 1:A:64:ILE:HD12 | 1:A:73:VAL:HG21 | 0.65 | 1.68 | 1 | 11 |
| 1:A:17:LEU:CD1 | 1:A:19:LEU:HD13 | 0.65 | 2.16 | 12 | 2 |
| 1:A:70:ALA:O | 1:A:74:ILE:HD12 | 0.64 | 1.93 | 20 | 11 |
| 1:A:75:GLU:HA | 1:A:78:LEU:HD12 | 0.62 | 1.72 | 19 | 1 |
| 1:A:14:LYS:O | 1:A:17:LEU:HD12 | 0.61 | 1.96 | 3 | 2 |
| 1:A:17:LEU:HG | 1:A:19:LEU:HD13 | 0.60 | 1.73 | 9 | 12 |
| 1:A:17:LEU:HD13 | 1:A:17:LEU:N | 0.59 | 2.12 | 8 | 5 |
| 1:A:56:VAL:HG22 | 1:A:77:LEU:CD1 | 0.57 | 2.27 | 19 | 5 |

*Continued on next page...*

*Continued from previous page...*

| Atom-1 | Atom-2 | Clash(Å) | Distance(Å) | Models | |
|---|---|---|---|---|---|
| | | | | Worst | Total |
| 1:A:48:LEU:HD13 | 1:A:74:ILE:HD11 | 0.57 | 1.76 | 3 | 6 |
| 1:A:17:LEU:HD11 | 1:A:19:LEU:CD2 | 0.56 | 2.30 | 6 | 1 |
| 1:A:74:ILE:HG22 | 1:A:78:LEU:CD1 | 0.55 | 2.32 | 12 | 1 |
| 1:A:60:LYS:O | 1:A:64:ILE:HD11 | 0.54 | 2.02 | 10 | 19 |
| 1:A:49:GLU:CD | 1:A:56:VAL:HG12 | 0.54 | 2.23 | 13 | 1 |
| 1:A:6:ILE:HG21 | 1:A:27:ALA:HB2 | 0.54 | 1.79 | 10 | 4 |
| 1:A:1:ALA:HB2 | 1:A:72:ASP:N | 0.53 | 2.18 | 5 | 20 |
| 1:A:16:LYS:HB2 | 1:A:17:LEU:HD13 | 0.53 | 1.80 | 19 | 5 |
| 1:A:69:GLN:O | 1:A:73:VAL:HG23 | 0.53 | 2.03 | 4 | 8 |
| 1:A:41:THR:HG21 | 1:A:61:ALA:O | 0.52 | 2.05 | 17 | 1 |
| 1:A:52:PHE:CD1 | 1:A:78:LEU:HD11 | 0.51 | 2.41 | 17 | 1 |
| 1:A:66:THR:HG23 | 1:A:68:GLN:H | 0.50 | 1.66 | 11 | 18 |
| 1:A:56:VAL:HB | 1:A:77:LEU:HD13 | 0.50 | 1.84 | 5 | 2 |
| 1:A:74:ILE:HG22 | 1:A:78:LEU:HD12 | 0.50 | 1.82 | 7 | 8 |
| 1:A:55:ASN:ND2 | 1:A:77:LEU:HD22 | 0.48 | 2.23 | 3 | 1 |
| 1:A:6:ILE:CG2 | 1:A:27:ALA:HB2 | 0.48 | 2.38 | 10 | 6 |
| 1:A:12:ILE:HG12 | 1:A:48:LEU:HD23 | 0.46 | 1.87 | 13 | 5 |
| 1:A:55:ASN:O | 1:A:77:LEU:HD13 | 0.46 | 2.10 | 3 | 2 |
| 1:A:55:ASN:O | 1:A:77:LEU:HD22 | 0.46 | 2.11 | 13 | 1 |
| 1:A:14:LYS:HE3 | 1:A:19:LEU:HD23 | 0.45 | 1.88 | 16 | 2 |
| 1:A:1:ALA:HB2 | 1:A:72:ASP:CA | 0.45 | 2.41 | 16 | 8 |
| 1:A:17:LEU:HD13 | 1:A:17:LEU:H | 0.45 | 1.71 | 20 | 5 |
| 1:A:60:LYS:HE2 | 1:A:73:VAL:HG13 | 0.45 | 1.88 | 10 | 1 |
| 1:A:17:LEU:HD12 | 1:A:17:LEU:H | 0.45 | 1.72 | 3 | 2 |
| 1:A:54:ILE:HG22 | 1:A:78:LEU:HA | 0.45 | 1.89 | 8 | 1 |
| 1:A:5:THR:O | 1:A:9:VAL:HG23 | 0.44 | 2.13 | 5 | 4 |
| 1:A:29:SER:O | 1:A:67:ILE:HD12 | 0.44 | 2.12 | 18 | 3 |
| 1:A:13:VAL:HG13 | 1:A:16:LYS:NZ | 0.44 | 2.28 | 6 | 1 |
| 1:A:45:VAL:HG21 | 1:A:61:ALA:CB | 0.42 | 2.44 | 13 | 1 |
| 1:A:17:LEU:H | 1:A:17:LEU:HD23 | 0.42 | 1.75 | 14 | 6 |
| 1:A:41:THR:O | 1:A:45:VAL:HG12 | 0.42 | 2.15 | 6 | 1 |
| 1:A:17:LEU:HD21 | 1:A:19:LEU:HD22 | 0.42 | 1.92 | 18 | 1 |
| 1:A:17:LEU:N | 1:A:17:LEU:CD1 | 0.41 | 2.82 | 19 | 3 |
| 1:A:19:LEU:HG | 1:A:23:VAL:HG21 | 0.41 | 1.93 | 8 | 1 |
| 1:A:17:LEU:H | 1:A:17:LEU:HD22 | 0.40 | 1.76 | 8 | 1 |

## 6.3 Torsion angles (i)

### 6.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles |
|---|---|---|---|---|---|---|
| 1 | A | 67/82 (82%) | 60±1 (90±2%) | 6±1 (8±2%) | 1±0 (2±1%) | 10 50 |
| All | All | 1340/1640 (82%) | 1201 (90%) | 111 (8%) | 28 (2%) | 10 50 |

All 3 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

| Mol | Chain | Res | Type | Models (Total) |
|---|---|---|---|---|
| 1 | A | 66 | THR | 20 |
| 1 | A | 65 | SER | 7 |
| 1 | A | 30 | GLU | 1 |

### 6.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles |
|---|---|---|---|---|---|
| 1 | A | 58/69 (84%) | 42±2 (72±4%) | 16±2 (28±4%) | 2 19 |
| All | All | 1160/1380 (84%) | 834 (72%) | 326 (28%) | 2 19 |

All 33 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

| Mol | Chain | Res | Type | Models (Total) |
|---|---|---|---|---|
| 1 | A | 5 | THR | 20 |
| 1 | A | 55 | ASN | 20 |
| 1 | A | 65 | SER | 20 |
| 1 | A | 69 | GLN | 20 |
| 1 | A | 14 | LYS | 19 |
| 1 | A | 47 | ASN | 19 |
| 1 | A | 68 | GLN | 17 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Models (Total) |
|---|---|---|---|---|
| 1 | A | 7 | ASP | 16 |
| 1 | A | 46 | MET | 16 |
| 1 | A | 75 | GLU | 14 |
| 1 | A | 60 | LYS | 12 |
| 1 | A | 16 | LYS | 11 |
| 1 | A | 19 | LEU | 11 |
| 1 | A | 22 | ASP | 10 |
| 1 | A | 59 | ASP | 10 |
| 1 | A | 28 | ASP | 9 |
| 1 | A | 8 | LYS | 9 |
| 1 | A | 58 | GLU | 8 |
| 1 | A | 63 | ASP | 8 |
| 1 | A | 51 | GLU | 7 |
| 1 | A | 17 | LEU | 7 |
| 1 | A | 29 | SER | 7 |
| 1 | A | 4 | GLU | 5 |
| 1 | A | 43 | GLU | 5 |
| 1 | A | 62 | GLN | 5 |
| 1 | A | 3 | LYS | 5 |
| 1 | A | 72 | ASP | 4 |
| 1 | A | 50 | GLU | 4 |
| 1 | A | 11 | ASP | 3 |
| 1 | A | 57 | ASP | 2 |
| 1 | A | 10 | SER | 1 |
| 1 | A | 2 | LYS | 1 |
| 1 | A | 26 | THR | 1 |

### 6.3.3 RNA (i)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.6 Ligand geometry (i)

There are no ligands in this entry.

## 6.7 Other polymers (i)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

# 7 Chemical shift validation (i)

No chemical shift data were provided