



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 26, 2026 – 04:15 AM EDT

PDB ID : 9B9H / pdb\_00009b9h  
Title : Crystal structure of the ternary complex of DCAF1 and WDR5 with PROTAC, OICR-40333  
Authors : Mabanglo, M.F.; Wilson, B.J.; Alvarez, H.G.; Hoffer, L.; Al-awar, R.; Vedadi, M.  
Deposited on : 2024-04-02  
Resolution : 2.06 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	3774 (2.08-2.04)
Clashscore	190562	3883 (2.08-2.04)
Ramachandran outliers	187476	3860 (2.08-2.04)
Sidechain outliers	187428	3860 (2.08-2.04)
RSRZ outliers	180081	3775 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	338	
2	A	329	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5279 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DDB1- and CUL4-associated factor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	312	2490	1566	423	482	19	0	1	0

There are 27 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1053	MET	-	initiating methionine	UNP Q9Y4B6
B	1054	GLY	-	expression tag	UNP Q9Y4B6
B	1055	SER	-	expression tag	UNP Q9Y4B6
B	1056	SER	-	expression tag	UNP Q9Y4B6
B	1057	HIS	-	expression tag	UNP Q9Y4B6
B	1058	HIS	-	expression tag	UNP Q9Y4B6
B	1059	HIS	-	expression tag	UNP Q9Y4B6
B	1060	HIS	-	expression tag	UNP Q9Y4B6
B	1061	HIS	-	expression tag	UNP Q9Y4B6
B	1062	HIS	-	expression tag	UNP Q9Y4B6
B	1063	SER	-	expression tag	UNP Q9Y4B6
B	1064	SER	-	expression tag	UNP Q9Y4B6
B	1065	GLY	-	expression tag	UNP Q9Y4B6
B	1066	ARG	-	expression tag	UNP Q9Y4B6
B	1067	GLU	-	expression tag	UNP Q9Y4B6
B	1068	ASN	-	expression tag	UNP Q9Y4B6
B	1069	LEU	-	expression tag	UNP Q9Y4B6
B	1070	TYR	-	expression tag	UNP Q9Y4B6
B	1071	PHE	-	expression tag	UNP Q9Y4B6
B	1072	GLN	-	expression tag	UNP Q9Y4B6
B	1073	GLY	-	expression tag	UNP Q9Y4B6
B	1074	SER	-	expression tag	UNP Q9Y4B6
B	1075	SER	-	expression tag	UNP Q9Y4B6
B	1076	ARG	-	expression tag	UNP Q9Y4B6
B	1077	ALA	-	expression tag	UNP Q9Y4B6
B	1078	SER	-	expression tag	UNP Q9Y4B6
B	1079	ALA	-	expression tag	UNP Q9Y4B6


- Molecule 2 is a protein called WD repeat-containing protein 5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	307	Total	C	N	O	S	0	3	0
			2392	1527	397	457	11			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	6	MET	-	initiating methionine	UNP P61964
A	7	HIS	-	expression tag	UNP P61964
A	8	HIS	-	expression tag	UNP P61964
A	9	HIS	-	expression tag	UNP P61964
A	10	HIS	-	expression tag	UNP P61964
A	11	HIS	-	expression tag	UNP P61964
A	12	HIS	-	expression tag	UNP P61964
A	13	SER	-	expression tag	UNP P61964
A	14	SER	-	expression tag	UNP P61964
A	15	GLY	-	expression tag	UNP P61964
A	16	ARG	-	expression tag	UNP P61964
A	17	GLU	-	expression tag	UNP P61964
A	18	ASN	-	expression tag	UNP P61964
A	19	LEU	-	expression tag	UNP P61964
A	20	TYR	-	expression tag	UNP P61964
A	21	PHE	-	expression tag	UNP P61964
A	22	GLN	-	expression tag	UNP P61964
A	23	GLY	-	expression tag	UNP P61964

- Molecule 3 is N-{(1P)-5'-({(17E)-18-[(3P)-4-{{(1S)-3-amino-1-(3-chloro-4-fluorophenyl)-3-oxopropyl}carbamoyl}-3-(4-chloro-2-fluorophenyl)-1H-pyrrol-2-yl]-16-oxo-3,6,9,12-tetraoxa-15-azaoctadec-17-en-1-yl}carbamoyl)-2'-fluoro-4-[(3R,5S)-3,4,5-trimethylpiperazin-1-yl][1,1'-biphenyl]-3-yl}-6-oxo-4-(trifluoromethyl)-1,6-dihydropyridine-3-carboxamide (CCD ID: A1AM2) (formula: C<sub>60</sub>H<sub>63</sub>Cl<sub>2</sub>F<sub>6</sub>N<sub>9</sub>O<sub>10</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	Cl	F	N	O		
3	A	1	87	60	2	6	9	10	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	143	Total	O	0	0
			143	143		
4	A	167	Total	O	0	0
			167	167		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DDB1- and CUL4-associated factor 1



- Molecule 2: WD repeat-containing protein 5



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	84.21Å 85.14Å 111.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.57 – 2.06 42.57 – 2.06	Depositor EDS
% Data completeness (in resolution range)	95.2 (42.57-2.06) 95.7 (42.57-2.06)	Depositor EDS
$R_{merge}$	0.02	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	6.72 (at 2.06Å)	Xtriage
Refinement program	PHENIX 1.21_5207	Depositor
R, $R_{free}$	0.211 , 0.229 0.211 , 0.229	Depositor DCC
$R_{free}$ test set	2464 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.3	Xtriage
Anisotropy	0.170	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 33.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.017 for k,h,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5279	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.02% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1AM2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	B	0.28	0/2546	0.51	1/3449 (0.0%)
2	A	0.23	0/2456	0.47	0/3332
All	All	0.25	0/5002	0.49	1/6781 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	1317	ASP	CB-CA-C	-5.23	110.57	116.63

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	A	181	ARG	Sidechain

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within



the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2490	0	2375	48	1
2	A	2392	0	2381	38	1
3	A	87	0	0	1	0
4	A	167	0	0	2	0
4	B	143	0	0	2	1
All	All	5279	0	4756	85	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1259:ASN:HD21	1:B:1262:ILE:H	1.14	0.94
1:B:1357:LEU:HD13	1:B:1366:LEU:HD11	1.56	0.85
1:B:1107:PHE:CE1	1:B:1128[A]:GLU:HG3	2.23	0.72
1:B:1204:ASP:OD2	1:B:1207:THR:HG23	1.92	0.69
2:A:64:SER:HB3	2:A:66:ASP:OD1	1.96	0.66
1:B:1107:PHE:HE1	1:B:1128[A]:GLU:HG3	1.61	0.64
2:A:41:LEU:HB2	2:A:327:ILE:HB	1.80	0.63
2:A:219:PHE:HZ	2:A:221:LYS:HD2	1.62	0.63
1:B:1135:ASN:OD1	1:B:1157:SER:HB2	1.99	0.62
1:B:1159:PRO:HG3	1:B:1175:SER:HB2	1.83	0.60
1:B:1274:ILE:HG23	1:B:1279:ILE:CD1	2.31	0.60
2:A:144:ILE:HG13	2:A:158:VAL:HG22	1.82	0.59
1:B:1108:LEU:HB2	1:B:1122:VAL:CG1	2.33	0.59
1:B:1238:LEU:HD21	1:B:1273:VAL:HG11	1.83	0.59
1:B:1322:MET:C	1:B:1324:GLU:H	2.11	0.58
1:B:1185:SER:O	1:B:1189:GLN:HG2	2.05	0.57
2:A:32:LYS:NZ	4:A:1505:HOH:O	2.35	0.56
2:A:63:SER:HB3	2:A:93:VAL:CG2	2.36	0.56
2:A:218:SER:HB2	2:A:261:CYS:HA	1.88	0.56
1:B:1274:ILE:HG12	1:B:1279:ILE:HD12	1.88	0.55
1:B:1279:ILE:HB	1:B:1289:HIS:HB2	1.89	0.55
1:B:1118:LYS:NZ	4:B:1402:HOH:O	2.40	0.55
1:B:1259:ASN:ND2	1:B:1261:ASN:H	2.05	0.54
2:A:189:SER:HB2	2:A:217:VAL:HG12	1.88	0.54
2:A:51:VAL:HB	2:A:60:LEU:HD11	1.90	0.53
2:A:160:THR:OG1	2:A:162:LYS:HE3	2.07	0.53
1:B:1165:GLY:HA3	1:B:1173:LYS:HE2	1.91	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:310:HIS:CG	2:A:311:PRO:HD2	2.44	0.53
1:B:1338:ASN:HB3	1:B:1341:ASP:OD1	2.10	0.52
2:A:87:LYS:O	2:A:88:LEU:HD23	2.10	0.52
2:A:310:HIS:HB2	2:A:315:ILE:HB	1.91	0.51
2:A:63:SER:HB3	2:A:93:VAL:HG23	1.91	0.51
1:B:1274:ILE:HG23	1:B:1279:ILE:HD11	1.93	0.50
1:B:1216:ASN:HD22	1:B:1217:PRO:HD2	1.77	0.50
2:A:220:VAL:HA	2:A:230:LEU:O	2.12	0.50
1:B:1120:TYR:CZ	1:B:1127:GLU:HB2	2.47	0.49
2:A:151:GLU:HG2	2:A:172:ASP:C	2.38	0.48
1:B:1108:LEU:HB2	1:B:1122:VAL:HG12	1.95	0.48
2:A:223:SER:HB2	2:A:224:PRO:HD2	1.96	0.48
2:A:315:ILE:HG12	2:A:331:LYS:HG2	1.97	0.47
2:A:33:PRO:HD3	2:A:273:TRP:CZ2	2.51	0.46
2:A:50[B]:SER:OG	3:A:1401:A1AM2:C01	2.63	0.46
2:A:105:ALA:HB1	2:A:132:VAL:HG12	1.96	0.46
1:B:1098:CYS:O	1:B:1110:LEU:HA	2.16	0.46
1:B:1112:THR:HG1	1:B:1116:GLN:H	1.63	0.45
1:B:1193:ILE:HG23	1:B:1193:ILE:O	2.16	0.45
2:A:104:SER:O	2:A:111:LEU:HA	2.16	0.45
1:B:1317:ASP:HB3	1:B:1318:GLU:H	1.54	0.45
2:A:283:VAL:HB	2:A:297:LEU:HB2	1.98	0.45
1:B:1204:ASP:HB2	1:B:1211:LEU:HD11	1.99	0.45
2:A:331:LYS:NZ	4:A:1513:HOH:O	2.47	0.45
1:B:1177:THR:HG23	1:B:1178:GLU:N	2.31	0.45
1:B:1117:LEU:HD22	1:B:1150:LEU:CD2	2.47	0.45
2:A:41:LEU:HD23	2:A:72:TRP:CD2	2.52	0.45
2:A:70:LYS:NZ	2:A:82:THR:OG1	2.45	0.45
1:B:1321:LEU:C	1:B:1322:MET:O	2.60	0.44
2:A:189:SER:HB2	2:A:217:VAL:CG1	2.46	0.44
2:A:233:THR:C	2:A:235:ASP:H	2.26	0.44
1:B:1141:LEU:HD12	1:B:1141:LEU:C	2.43	0.44
1:B:1221:ASN:HB2	1:B:1240:ASP:O	2.18	0.44
1:B:1357:LEU:HD12	1:B:1357:LEU:C	2.42	0.44
2:A:93:VAL:HG12	2:A:102:LEU:HD22	2.00	0.43
2:A:209:LEU:HD22	2:A:229:ILE:HD11	2.00	0.43
2:A:93:VAL:CG1	2:A:102:LEU:HD22	2.49	0.43
1:B:1099:CYS:HA	1:B:1109:MET:O	2.18	0.43
1:B:1113:CYS:HA	1:B:1137:ALA:CB	2.49	0.43
1:B:1273:VAL:HG12	1:B:1275:ILE:HG13	2.00	0.43
1:B:1181:TYR:CE2	1:B:1183:GLU:HG3	2.53	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1109:MET:HE1	1:B:1143:PRO:HB3	2.01	0.42
2:A:67:LYS:HG2	2:A:88:LEU:C	2.44	0.42
1:B:1202:ILE:O	1:B:1211:LEU:N	2.48	0.42
1:B:1114:THR:HA	2:A:88:LEU:HD21	2.00	0.42
1:B:1357:LEU:HA	1:B:1367:ALA:O	2.20	0.42
2:A:38:LYS:HA	2:A:38:LYS:HD2	1.87	0.42
1:B:1159:PRO:CG	1:B:1175:SER:HB2	2.49	0.42
4:B:1514:HOH:O	2:A:126:LYS:HD3	2.19	0.42
1:B:1323:GLU:O	1:B:1327:LYS:HG3	2.20	0.41
2:A:33:PRO:HD3	2:A:273:TRP:CH2	2.55	0.41
1:B:1259:ASN:HD22	1:B:1296:GLN:HE22	1.68	0.41
1:B:1297:CYS:HA	1:B:1311:ALA:O	2.20	0.41
2:A:125:LEU:HB3	2:A:156:TRP:CE3	2.55	0.41
1:B:1149:LEU:HB3	1:B:1163:LEU:HD11	2.02	0.41
1:B:1189:GLN:O	1:B:1205:ILE:HD12	2.21	0.41
2:A:303:VAL:HB	2:A:321:LEU:HD12	2.02	0.41
1:B:1317:ASP:HB3	1:B:1320:ASP:HB2	2.04	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1317:ASP:OD1	2:A:227:LYS:NZ[3_544]	2.09	0.11
4:B:1463:HOH:O	4:B:1479:HOH:O[4_545]	2.16	0.04

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	311/338 (92%)	293 (94%)	17 (6%)	1 (0%)	36 30
2	A	308/329 (94%)	292 (95%)	16 (5%)	0	100 100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	619/667 (93%)	585 (94%)	33 (5%)	1 (0%)	43 38

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1318	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	276/297 (93%)	270 (98%)	6 (2%)	45 43
2	A	272/289 (94%)	270 (99%)	2 (1%)	76 79
All	All	548/586 (94%)	540 (98%)	8 (2%)	57 58

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	1166	MET
1	B	1167	LYS
1	B	1168	SER
1	B	1317	ASP
1	B	1318	GLU
1	B	1322	MET
2	A	181	ARG
2	A	210	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	1116	GLN
1	B	1132	ASN
1	B	1174	HIS
1	B	1180	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	1216	ASN
1	B	1259	ASN
1	B	1289	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	A1AM2	A	1401	-	92,93,93	3.03	27 (29%)	120,130,130	1.68	28 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1AM2	A	1401	-	-	11/70/86/86	0/7/7/7

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1401	A1AM2	C83-C73	11.70	1.53	1.36
3	A	1401	A1AM2	C01-N02	-11.49	1.29	1.47
3	A	1401	A1AM2	C80-N82	7.47	1.48	1.37
3	A	1401	A1AM2	C83-N82	7.27	1.48	1.36
3	A	1401	A1AM2	C79-C74	6.18	1.49	1.35
3	A	1401	A1AM2	C34-N33	6.18	1.47	1.34
3	A	1401	A1AM2	C16-N18	5.86	1.46	1.33
3	A	1401	A1AM2	C49-N51	5.78	1.46	1.34
3	A	1401	A1AM2	C40-C39	-5.27	1.40	1.50
3	A	1401	A1AM2	C79-C80	4.96	1.53	1.42
3	A	1401	A1AM2	C37-C38	4.91	1.54	1.42
3	A	1401	A1AM2	C71-N70	4.85	1.45	1.35
3	A	1401	A1AM2	C06-N05	4.84	1.51	1.41
3	A	1401	A1AM2	C10-C09	-4.83	1.40	1.49
3	A	1401	A1AM2	C62-N64	4.13	1.46	1.32
3	A	1401	A1AM2	C38-N66	-3.65	1.32	1.37
3	A	1401	A1AM2	C03-N02	-3.63	1.39	1.48
3	A	1401	A1AM2	C85-N02	-3.56	1.39	1.48
3	A	1401	A1AM2	O81-C80	-3.25	1.18	1.24
3	A	1401	A1AM2	C36-C34	3.09	1.54	1.48
3	A	1401	A1AM2	O72-C71	-2.89	1.18	1.23
3	A	1401	A1AM2	O35-C34	-2.89	1.18	1.24
3	A	1401	A1AM2	O50-C49	-2.73	1.18	1.23
3	A	1401	A1AM2	C69-N70	2.59	1.46	1.41
3	A	1401	A1AM2	C48-C39	-2.22	1.39	1.46
3	A	1401	A1AM2	O17-C16	-2.15	1.18	1.23
3	A	1401	A1AM2	C75-C74	2.13	1.53	1.49

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1401	A1AM2	C83-N82-C80	-5.60	119.85	124.13
3	A	1401	A1AM2	C36-C37-C38	4.47	147.43	130.02
3	A	1401	A1AM2	C07-C06-N05	-4.17	115.88	122.42
3	A	1401	A1AM2	C84-N05-C04	-4.16	102.56	113.38
3	A	1401	A1AM2	C85-C84-N05	4.03	116.82	110.86
3	A	1401	A1AM2	O81-C80-C79	-3.42	120.73	125.46
3	A	1401	A1AM2	C52-N51-C49	-3.28	117.62	122.21
3	A	1401	A1AM2	C79-C80-N82	3.18	120.12	115.95
3	A	1401	A1AM2	C67-C10-C11	3.17	119.73	115.98
3	A	1401	A1AM2	C13-C11-C10	-3.05	119.47	123.34
3	A	1401	A1AM2	C43-C41-C40	-3.01	120.15	123.48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1401	A1AM2	C47-C40-C41	3.01	120.04	116.70
3	A	1401	A1AM2	C06-C69-N70	2.94	124.03	118.61
3	A	1401	A1AM2	C44-C43-C41	2.78	119.89	117.54
3	A	1401	A1AM2	C68-C09-C10	-2.57	116.29	120.61
3	A	1401	A1AM2	C84-C85-N02	2.54	113.59	108.07
3	A	1401	A1AM2	F77-C75-C74	-2.51	107.85	112.68
3	A	1401	A1AM2	C04-C03-N02	2.48	113.47	108.07
3	A	1401	A1AM2	C53-C52-N51	-2.47	107.86	112.07
3	A	1401	A1AM2	O50-C49-N51	-2.44	118.80	123.09
3	A	1401	A1AM2	C52-C61-C62	2.37	116.97	112.21
3	A	1401	A1AM2	C75-C74-C73	-2.36	120.88	123.08
3	A	1401	A1AM2	C61-C52-C53	-2.26	107.04	111.33
3	A	1401	A1AM2	C03-C04-N05	2.18	114.08	110.86
3	A	1401	A1AM2	C20-C19-N18	-2.16	106.67	111.82
3	A	1401	A1AM2	C68-C69-N70	-2.13	116.39	121.95
3	A	1401	A1AM2	C54-C53-C60	2.03	121.09	118.74
3	A	1401	A1AM2	C13-C14-C15	-2.02	118.64	120.80

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1401	A1AM2	C36-C37-C38-C39
3	A	1401	A1AM2	C36-C37-C38-N66
3	A	1401	A1AM2	C32-C31-O30-C29
3	A	1401	A1AM2	O72-C71-C73-C74
3	A	1401	A1AM2	N70-C71-C73-C74
3	A	1401	A1AM2	O72-C71-C73-C83
3	A	1401	A1AM2	N70-C71-C73-C83
3	A	1401	A1AM2	C22-C23-O24-C25
3	A	1401	A1AM2	C19-C20-O21-C22
3	A	1401	A1AM2	C68-C69-N70-C71
3	A	1401	A1AM2	C06-C69-N70-C71


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1401	A1AM2	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	B	312/338 (92%)	0.57	23 (7%) 20 20	23, 46, 68, 101	1 (0%)
2	A	307/329 (93%)	0.23	6 (1%) 65 67	20, 42, 57, 86	3 (0%)
All	All	619/667 (92%)	0.40	29 (4%) 36 36	20, 44, 64, 101	4 (0%)

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1375	MET	5.5
1	B	1326	MET	4.3
1	B	1374	SER	4.1
2	A	28	PRO	3.8
1	B	1373	GLY	3.7
1	B	1252	ILE	3.6
1	B	1169	VAL	3.4
1	B	1319	ASP	3.2
1	B	1376	ASP	3.1
1	B	1317	ASP	3.1
1	B	1079	ALA	3.1
1	B	1316	ASP	3.0
2	A	93	VAL	2.8
1	B	1202	ILE	2.4
2	A	102	LEU	2.4
2	A	225	ASN	2.3
1	B	1103	ALA	2.3
1	B	1129	ALA	2.3
2	A	243	TYR	2.2
1	B	1168	SER	2.2
1	B	1348	ILE	2.2
1	B	1390	GLY	2.2
2	A	213	ASP	2.1
1	B	1092	ASP	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	1176	PHE	2.1
1	B	1215	PHE	2.1
1	B	1167	LYS	2.1
1	B	1177	THR	2.0
1	B	1340	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	A1AM2	A	1401	87/87	0.95	0.09	29,38,58,70	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.