



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 04:22 AM UTC

PDB ID : 9BJU / pdb_00009bjv
Title : Crystal structure of the complex between VHL, ElonginB, ElonginC, and compound 5
Authors : Murray, J.M.; Wu, H.; Fuhrmann, J.; Fairbrother, W.J.; DiPasquale, A.
Deposited on : 2024-04-25
Resolution : 2.47 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7589 (2.50-2.46)
Clashscore	190562	8295 (2.50-2.46)
Ramachandran outliers	187476	8164 (2.50-2.46)
Sidechain outliers	187428	8166 (2.50-2.46)
RSRZ outliers	180081	7593 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	104	
1	D	104	
1	G	104	
1	J	104	
2	B	96	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	96	
2	H	96	
2	K	96	
3	C	176	
3	L	176	
4	F	176	
4	I	176	
5	W	5	
5	X	5	
5	Y	5	
5	Z	5	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	DMS	L	301	-	-	X	-

2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 11148 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Elongin-B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	104	Total	C	N	O	S	0	0	0
			822	520	138	159	5			
1	D	103	Total	C	N	O	S	0	0	0
			813	514	136	158	5			
1	G	103	Total	C	N	O	S	0	0	0
			813	514	136	158	5			
1	J	104	Total	C	N	O	S	0	0	0
			822	520	138	159	5			

- Molecule 2 is a protein called Elongin-C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	88	Total	C	N	O	S	0	0	0
			703	452	112	133	6			
2	E	87	Total	C	N	O	S	0	0	0
			694	447	111	130	6			
2	H	86	Total	C	N	O	S	0	0	0
			687	443	110	128	6			
2	K	87	Total	C	N	O	S	0	0	0
			694	447	111	130	6			

- Molecule 3 is a protein called von Hippel-Lindau disease tumor suppressor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	142	Total	C	N	O	S	0	1	0
			1181	750	218	211	2			
3	L	146	Total	C	N	O	S	0	0	0
			1196	759	219	216	2			

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	38	MET	-	initiating methionine	UNP P40337
C	39	HIS	-	expression tag	UNP P40337
C	40	HIS	-	expression tag	UNP P40337
C	41	HIS	-	expression tag	UNP P40337
C	42	HIS	-	expression tag	UNP P40337
C	43	HIS	-	expression tag	UNP P40337
C	44	HIS	-	expression tag	UNP P40337
C	45	GLY	-	expression tag	UNP P40337
C	46	GLU	-	expression tag	UNP P40337
C	47	ASN	-	expression tag	UNP P40337
C	48	LEU	-	expression tag	UNP P40337
C	49	TYR	-	expression tag	UNP P40337
C	50	PHE	-	expression tag	UNP P40337
C	51	GLN	-	expression tag	UNP P40337
C	52	GLY	-	expression tag	UNP P40337
C	53	SER	-	expression tag	UNP P40337
L	38	MET	-	initiating methionine	UNP P40337
L	39	HIS	-	expression tag	UNP P40337
L	40	HIS	-	expression tag	UNP P40337
L	41	HIS	-	expression tag	UNP P40337
L	42	HIS	-	expression tag	UNP P40337
L	43	HIS	-	expression tag	UNP P40337
L	44	HIS	-	expression tag	UNP P40337
L	45	GLY	-	expression tag	UNP P40337
L	46	GLU	-	expression tag	UNP P40337
L	47	ASN	-	expression tag	UNP P40337
L	48	LEU	-	expression tag	UNP P40337
L	49	TYR	-	expression tag	UNP P40337
L	50	PHE	-	expression tag	UNP P40337
L	51	GLN	-	expression tag	UNP P40337
L	52	GLY	-	expression tag	UNP P40337
L	53	SER	-	expression tag	UNP P40337

- Molecule 4 is a protein called von Hippel-Lindau disease tumor suppressor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	144	Total	C	N	O	S	0	1	0
			1192	756	220	214	2			
4	I	147	Total	C	N	O	S	0	0	0
			1202	764	220	216	2			

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	38	MET	-	initiating methionine	UNP P40337
F	39	HIS	-	expression tag	UNP P40337
F	40	HIS	-	expression tag	UNP P40337
F	41	HIS	-	expression tag	UNP P40337
F	42	HIS	-	expression tag	UNP P40337
F	43	HIS	-	expression tag	UNP P40337
F	44	HIS	-	expression tag	UNP P40337
F	45	GLY	-	expression tag	UNP P40337
F	46	GLU	-	expression tag	UNP P40337
F	47	ASN	-	expression tag	UNP P40337
F	48	LEU	-	expression tag	UNP P40337
F	49	TYR	-	expression tag	UNP P40337
F	50	PHE	-	expression tag	UNP P40337
F	51	GLN	-	expression tag	UNP P40337
F	52	GLY	-	expression tag	UNP P40337
F	53	SER	-	expression tag	UNP P40337
I	38	MET	-	initiating methionine	UNP P40337
I	39	HIS	-	expression tag	UNP P40337
I	40	HIS	-	expression tag	UNP P40337
I	41	HIS	-	expression tag	UNP P40337
I	42	HIS	-	expression tag	UNP P40337
I	43	HIS	-	expression tag	UNP P40337
I	44	HIS	-	expression tag	UNP P40337
I	45	GLY	-	expression tag	UNP P40337
I	46	GLU	-	expression tag	UNP P40337
I	47	ASN	-	expression tag	UNP P40337
I	48	LEU	-	expression tag	UNP P40337
I	49	TYR	-	expression tag	UNP P40337
I	50	PHE	-	expression tag	UNP P40337
I	51	GLN	-	expression tag	UNP P40337
I	52	GLY	-	expression tag	UNP P40337
I	53	SER	-	expression tag	UNP P40337

- Molecule 5 is a protein called 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-C.]PYRAZO LE.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	W	5	Total	C	N	O	0	0	1
			37	28	4	5			
5	X	5	Total	C	N	O	0	0	1
			37	28	4	5			
5	Y	5	Total	C	N	O	0	0	1
			37	28	4	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	Z	5	Total	C	N	O	0	0	1
			37	28	4	5			

- Molecule 6 is trifluoroacetic acid (CCD ID: TFA) (formula: $C_2HF_3O_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	F	O	0	0
			7	2	3	2		
6	K	1	Total	C	F	O	0	0
			7	2	3	2		

- Molecule 7 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 8 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	C	1	Total	C	O	0	0
			4	2	2		
8	K	1	Total	C	O	0	0
			4	2	2		

- Molecule 9 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	C	1	Total	C	O	0	0
			4	2	2		
9	F	1	Total	C	O	0	0
			4	2	2		
9	H	1	Total	C	O	0	0
			4	2	2		

- Molecule 10 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	H	1	Total	C	O	S	0	0
			4	2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	I	1	Total	C	O	S	0	0
			4	2	1	1		
10	L	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 11 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	17	Total	O	0	0
			17	17		
11	B	3	Total	O	0	0
			3	3		
11	C	15	Total	O	0	0
			15	15		
11	D	4	Total	O	0	0
			4	4		
11	E	6	Total	O	0	0
			6	6		
11	F	6	Total	O	0	0
			6	6		
11	G	12	Total	O	0	0
			12	12		
11	H	8	Total	O	0	0
			8	8		
11	I	6	Total	O	0	0
			6	6		
11	J	11	Total	O	0	0
			11	11		
11	K	16	Total	O	0	0
			16	16		
11	L	21	Total	O	0	0
			21	21		
11	X	1	Total	O	0	0
			1	1		
11	Y	1	Total	O	0	0
			1	1		
11	Z	1	Total	O	0	0
			1	1		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Elongin-B

Chain A:  96% .





- Molecule 1: Elongin-B

Chain D:  92% 6% ..





- Molecule 1: Elongin-B

Chain G:  90% 8% ..




- Molecule 1: Elongin-B

Chain J:  91% 9%




- Molecule 2: Elongin-C

Chain B:  79% 11% . 8%




- Molecule 2: Elongin-C

Chain E:  81% 7% 9%




• Molecule 2: Elongin-C

Chain H:  76% 12% 10%




• Molecule 2: Elongin-C

Chain K:  79% 11% 9%





• Molecule 3: von Hippel-Lindau disease tumor suppressor

Chain C:  70% 10% 19%



• Molecule 3: von Hippel-Lindau disease tumor suppressor


Chain L:  73% 7% 17%




• Molecule 4: von Hippel-Lindau disease tumor suppressor

Chain F:  70% 11% 18%







- Molecule 4: von Hippel-Lindau disease tumor suppressor





- Molecule 5: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-C.]PYRAZOLE




- Molecule 5: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-C.]PYRAZOLE



- Molecule 5: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-C.]PYRAZOLE



- Molecule 5: 3-PYRIDIN-4-YL-2,4-DIHYDRO-INDENO[1,2-C.]PYRAZOLE



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	93.30Å 93.30Å 362.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.86 – 2.47 48.86 – 2.47	Depositor EDS
% Data completeness (in resolution range)	99.6 (48.86-2.47) 99.7 (48.86-2.47)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.77 (at 2.48Å)	Xtriage
Refinement program	REFMAC 5.8.0222	Depositor
R, R_{free}	0.218 , 0.256 (Not available) , 0.270	Depositor DCC
R_{free} test set	2942 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	55.9	Xtriage
Anisotropy	0.017	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 39.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11148	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.86 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.7794e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CSX, A1AQ4, ACT, PEG, EDO, TBG, DMS, ACE, TFA, HYP, NH2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.88	0/838	0.99	0/1132
1	D	0.78	0/829	1.01	0/1121
1	G	0.77	0/829	0.99	1/1121 (0.1%)
1	J	0.90	0/838	0.98	0/1132
2	B	0.87	0/717	1.01	0/967
2	E	0.81	0/708	1.00	0/955
2	H	0.79	0/701	1.07	2/945 (0.2%)
2	K	0.86	0/708	1.02	0/955
3	C	0.78	0/1204	1.04	0/1640
3	L	0.92	2/1218 (0.2%)	1.08	0/1660
4	F	0.79	0/1223	1.05	0/1669
4	I	0.83	0/1233	1.06	2/1682 (0.1%)
All	All	0.83	2/11046 (0.0%)	1.03	5/14979 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	G	0	1
1	J	0	1
2	B	0	1
2	E	0	2
2	H	0	1
2	K	0	1
3	C	0	2
3	L	0	3
4	F	0	3
4	I	0	3
All	All	0	18

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	L	73	GLN	C-O	-5.03	1.17	1.23
3	L	124	THR	C-O	-5.00	1.17	1.24

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	I	143	ASP	CA-CB-CG	7.81	120.41	112.60
2	H	110	LEU	CA-C-N	-7.45	111.03	122.05
2	H	110	LEU	C-N-CA	-7.45	111.03	122.05
4	I	70	GLU	CB-CA-C	-5.51	105.48	110.44
1	G	83	ASP	CA-CB-CG	5.06	117.66	112.60

There are no chirality outliers.

All (18) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	33	ARG	Sidechain
3	C	176	ARG	Sidechain
3	C	69	ARG	Sidechain
2	E	33	ARG	Sidechain
2	E	82	ARG	Sidechain
4	F	113	ARG	Sidechain
4	F	176	ARG	Sidechain
4	F	177	ARG	Sidechain
1	G	8	ARG	Sidechain
2	H	33	ARG	Sidechain
4	I	108	ARG	Sidechain
4	I	176	ARG	Sidechain
4	I	200	ARG	Sidechain
1	J	9	ARG	Sidechain
2	K	63	ARG	Sidechain
3	L	108	ARG	Sidechain
3	L	176	ARG	Sidechain
3	L	69	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	822	0	824	2	0
1	D	813	0	811	6	1
1	G	813	0	811	2	0
1	J	822	0	824	4	1
2	B	703	0	701	7	0
2	E	694	0	695	6	0
2	H	687	0	688	9	0
2	K	694	0	695	10	0
3	C	1181	0	1178	14	0
3	L	1196	0	1196	11	0
4	F	1192	0	1188	16	0
4	I	1202	0	1205	11	0
5	W	37	0	20	0	0
5	X	37	0	20	0	0
5	Y	37	0	20	1	0
5	Z	37	0	20	0	0
6	B	7	0	0	0	0
6	K	7	0	0	0	0
7	B	7	0	10	3	0
8	C	4	0	6	3	0
8	K	4	0	6	0	0
9	C	4	0	3	0	0
9	F	4	0	3	0	0
9	H	4	0	3	0	0
10	H	4	0	6	0	0
10	I	4	0	6	1	0
10	L	4	0	6	4	0
11	A	17	0	0	0	0
11	B	3	0	0	0	0
11	C	15	0	0	2	0
11	D	4	0	0	0	0
11	E	6	0	0	0	0
11	F	6	0	0	0	0
11	G	12	0	0	0	0
11	H	8	0	0	0	0
11	I	6	0	0	0	0
11	J	11	0	0	0	0
11	K	16	0	0	1	0
11	L	21	0	0	1	0
11	X	1	0	0	0	0
11	Y	1	0	0	0	0
11	Z	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	11148	0	10945	83	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:148:PHE:HZ	2:H:45:MET:HG3	1.41	0.86
2:E:33:ARG:HH12	2:E:58:ASN:HD21	1.22	0.84
4:I:176:ARG:HH11	4:I:189:GLU:CD	1.93	0.75
2:E:33:ARG:HH12	2:E:58:ASN:ND2	1.88	0.71
3:C:70:GLU:OE1	3:C:113:ARG:NH1	2.24	0.71
3:L:109:ILE:HA	10:L:301:DMS:H21	1.74	0.69
4:F:148:PHE:HZ	2:H:45:MET:CG	2.05	0.68
4:I:113:ARG:HH11	4:I:113:ARG:HB3	1.60	0.67
3:L:110:HIS:HD2	10:L:301:DMS:H23	1.60	0.65
2:H:107:ALA:O	2:H:110:LEU:O	2.14	0.65
2:K:108:ASN:ND2	3:L:184:LEU:HD21	2.13	0.62
1:J:103:MET:HE1	2:K:101:LEU:HG	1.81	0.62
3:C:148:PHE:CE1	2:K:45:MET:HG3	2.35	0.61
4:F:148:PHE:CZ	2:H:45:MET:HG3	2.28	0.61
4:I:176:ARG:NH1	4:I:189:GLU:OE1	2.33	0.61
3:L:110:HIS:CD2	10:L:301:DMS:H23	2.35	0.60
3:L:110:HIS:H	10:L:301:DMS:C2	2.15	0.60
4:I:110:HIS:H	10:I:301:DMS:C2	2.14	0.60
1:J:103:MET:CE	2:K:101:LEU:HG	2.32	0.59
1:D:80:ARG:HD3	1:D:82:ASP:O	2.06	0.56
4:F:148:PHE:CZ	2:H:45:MET:CG	2.88	0.56
4:F:77:CYS:HG	4:F:148:PHE:HE1	1.55	0.55
3:C:182:ARG:HA	3:C:185:TYR:CD2	2.42	0.54
3:L:182:ARG:NH1	11:L:401:HOH:O	2.39	0.54
1:A:98:GLU:OE2	2:E:17:MET:HE3	2.06	0.54
1:A:37:ARG:NH2	1:A:80:ARG:O	2.41	0.53
1:G:37:ARG:NH2	1:G:80:ARG:O	2.42	0.53
2:B:72:LYS:NZ	2:B:94:PRO:O	2.42	0.53
1:D:37:ARG:NH2	1:D:80:ARG:O	2.42	0.52
4:F:182:ARG:HA	4:F:185:TYR:CD2	2.44	0.52
4:I:182:ARG:HA	4:I:185:TYR:CD2	2.45	0.52
1:D:102:VAL:HG21	4:F:174:ASN:HB3	1.91	0.51
1:D:102:VAL:HG22	1:D:102:VAL:O	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:I:176:ARG:NH1	4:I:189:GLU:CD	2.68	0.51
2:H:72:LYS:HG3	2:H:99:ILE:CD1	2.40	0.51
3:L:182:ARG:HA	3:L:185:TYR:CD2	2.46	0.50
1:J:37:ARG:NH2	1:J:80:ARG:O	2.43	0.50
2:K:72:LYS:HG3	2:K:99:ILE:CD1	2.42	0.50
4:F:176:ARG:HH22	4:F:185:TYR:HB3	1.77	0.50
3:C:148:PHE:CZ	2:K:45:MET:HG3	2.48	0.49
2:E:72:LYS:HG3	2:E:99:ILE:CD1	2.43	0.49
2:K:72:LYS:HE3	11:K:306:HOH:O	2.12	0.48
4:I:61:PRO:O	4:I:64:ARG:NH2	2.38	0.48
2:E:33:ARG:NH1	2:E:58:ASN:ND2	2.59	0.48
3:C:148:PHE:CZ	2:K:45:MET:CG	2.98	0.47
3:C:181:VAL:HB	8:C:301:EDO:H11	1.97	0.47
2:H:80:LYS:HD2	2:H:84:THR:OG1	2.14	0.47
3:C:182:ARG:N	8:C:301:EDO:H12	2.31	0.46
3:C:148:PHE:HD2	3:C:150:ASN:ND2	2.14	0.46
4:F:200:ARG:O	4:F:203:GLN:HG2	2.15	0.46
2:B:102:GLU:HA	2:B:105:MET:HE3	1.97	0.45
2:B:101:LEU:HD23	2:B:101:LEU:HA	1.84	0.45
2:B:106:ALA:HB2	7:B:202:PEG:H42	1.99	0.45
1:D:102:VAL:HG21	4:F:174:ASN:CB	2.46	0.45
2:K:69:VAL:HG21	2:K:102:GLU:HB3	1.99	0.44
4:I:166:VAL:O	4:I:170:VAL:HG12	2.18	0.44
4:F:84:VAL:HG22	4:F:128:LEU:CD1	2.48	0.44
4:F:120:ARG:HD3	4:F:127:GLY:HA2	1.99	0.44
4:F:115:HIS:ND1	5:Y:3:HYP:OD1	2.50	0.43
2:B:64:GLU:OE1	7:B:202:PEG:H11	2.18	0.43
4:I:120:ARG:HD3	4:I:127:GLY:HA2	2.00	0.43
2:H:101:LEU:HD23	2:H:101:LEU:HA	1.91	0.43
2:B:64:GLU:CD	7:B:202:PEG:H11	2.44	0.43
3:C:181:VAL:HB	8:C:301:EDO:C1	2.49	0.43
3:L:84:VAL:HG22	3:L:128:LEU:CD1	2.48	0.43
3:C:115:HIS:O	3:C:138:PRO:HD2	2.19	0.42
2:K:108:ASN:HD22	3:L:184:LEU:HD21	1.84	0.42
3:C:176:ARG:HD3	11:C:403:HOH:O	2.18	0.42
4:F:176:ARG:NH2	4:F:185:TYR:HB3	2.34	0.42
3:L:120:ARG:HD3	3:L:127:GLY:HA2	2.01	0.42
3:C:84:VAL:HG22	3:C:128:LEU:CD1	2.50	0.42
4:F:77:CYS:SG	4:F:148:PHE:HE1	2.42	0.42
2:B:72:LYS:HG3	2:B:99:ILE:CD1	2.49	0.42
4:I:65:SER:OG	4:I:89:LEU:O	2.32	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:148:PHE:CD2	3:C:150:ASN:ND2	2.88	0.41
3:C:120:ARG:HD3	3:C:127:GLY:HA2	2.02	0.41
4:I:84:VAL:HG22	4:I:128:LEU:CD1	2.50	0.41
2:H:69:VAL:HG21	2:H:102:GLU:HB3	2.02	0.41
1:G:86:GLU:HG3	1:G:87:ALA:O	2.21	0.41
1:D:94:SER:O	2:E:68:HIS:HB3	2.20	0.40
11:C:415:HOH:O	3:L:181:VAL:HG23	2.21	0.40
4:F:108:ARG:C	4:F:109:ILE:HD13	2.47	0.40
1:J:86:GLU:HG3	1:J:87:ALA:O	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:65:GLN:O	1:J:49:GLN:NE2[8_655]	2.16	0.04

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	102/104 (98%)	97 (95%)	4 (4%)	1 (1%)	12	22
1	D	101/104 (97%)	95 (94%)	5 (5%)	1 (1%)	12	22
1	G	101/104 (97%)	95 (94%)	5 (5%)	1 (1%)	12	22
1	J	102/104 (98%)	98 (96%)	3 (3%)	1 (1%)	12	22
2	B	84/96 (88%)	82 (98%)	2 (2%)	0	100	100
2	E	83/96 (86%)	81 (98%)	1 (1%)	1 (1%)	10	18
2	H	82/96 (85%)	81 (99%)	1 (1%)	0	100	100
2	K	83/96 (86%)	81 (98%)	2 (2%)	0	100	100
3	C	138/176 (78%)	135 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	L	143/176 (81%)	140 (98%)	3 (2%)	0	100	100
4	F	143/176 (81%)	140 (98%)	3 (2%)	0	100	100
4	I	145/176 (82%)	140 (97%)	4 (3%)	1 (1%)	18	32
All	All	1307/1504 (87%)	1265 (97%)	36 (3%)	6 (0%)	24	40

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	82	ASP
2	E	58	ASN
1	G	82	ASP
4	I	143	ASP
1	J	82	ASP
1	D	82	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	92/92 (100%)	92 (100%)	0	100	100
1	D	91/92 (99%)	90 (99%)	1 (1%)	65	83
1	G	91/92 (99%)	88 (97%)	3 (3%)	33	58
1	J	92/92 (100%)	91 (99%)	1 (1%)	65	83
2	B	80/85 (94%)	76 (95%)	4 (5%)	22	41
2	E	79/85 (93%)	77 (98%)	2 (2%)	42	66
2	H	78/85 (92%)	76 (97%)	2 (3%)	40	65
2	K	79/85 (93%)	76 (96%)	3 (4%)	29	53
3	C	134/160 (84%)	129 (96%)	5 (4%)	30	54
3	L	135/160 (84%)	130 (96%)	5 (4%)	30	54
4	F	136/161 (84%)	131 (96%)	5 (4%)	30	54
4	I	137/161 (85%)	132 (96%)	5 (4%)	31	55

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1224/1350 (91%)	1188 (97%)	36 (3%)	37 62

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	63	ARG
2	B	72	LYS
2	B	80	LYS
2	B	86	SER
3	C	109	ILE
3	C	139	SER
3	C	145	GLN
3	C	148	PHE
3	C	176	ARG
1	D	3	VAL
2	E	80	LYS
2	E	86	SER
4	F	64	ARG
4	F	109	ILE
4	F	142	VAL
4	F	143	ASP
4	F	145	GLN
1	G	3	VAL
1	G	46	LYS
1	G	83	ASP
2	H	61	ASN
2	H	86	SER
4	I	109	ILE
4	I	113	ARG
4	I	139	SER
4	I	170	VAL
4	I	201	LEU
1	J	83	ASP
2	K	61	ASN
2	K	80	LYS
2	K	86	SER
3	L	108	ARG
3	L	109	ILE
3	L	139	SER
3	L	176	ARG
3	L	182	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	85	ASN
3	C	110	HIS
3	C	150	ASN
1	D	65	GLN
2	E	58	ASN
2	E	85	ASN
4	F	145	GLN
4	F	150	ASN
4	F	174	ASN
4	F	203	GLN
1	G	65	GLN
4	I	110	HIS
4	I	203	GLN
2	K	27	HIS
3	L	110	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

14 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	TBG	X	2	5	6,7,8	0.54	0	8,10,12	0.98	0
5	TBG	Z	2	5	6,7,8	0.74	0	8,10,12	1.37	0
5	HYP	X	3	5	7,8,9	0.83	0	5,10,12	1.32	1 (20%)
3	CSX	L	77	3	3,6,7	0.63	0	1,6,8	2.44	1 (100%)
3	CSX	C	77	3	3,6,7	0.69	0	1,6,8	3.15	1 (100%)
5	A1AQ4	Y	4	5	17,18,19	0.58	0	18,23,25	0.61	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	TBG	Y	2	5	6,7,8	0.53	0	8,10,12	1.10	0
5	A1AQ4	Z	4	5	17,18,19	0.38	0	18,23,25	0.97	0
5	TBG	W	2	5	6,7,8	0.84	0	8,10,12	2.02	1 (12%)
5	HYP	W	3	5	7,8,9	0.91	0	5,10,12	1.68	0
5	HYP	Z	3	5	7,8,9	0.68	0	5,10,12	1.41	1 (20%)
5	A1AQ4	W	4	5	17,18,19	0.48	0	18,23,25	1.08	0
5	HYP	Y	3	5	7,8,9	0.75	0	5,10,12	1.55	1 (20%)
5	A1AQ4	X	4	5	17,18,19	0.43	0	18,23,25	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TBG	X	2	5	-	0/6/8/10	-
5	TBG	Z	2	5	-	0/6/8/10	-
5	HYP	X	3	5	-	0/0/11/13	0/1/1/1
3	CSX	L	77	3	-	2/2/5/7	-
3	CSX	C	77	3	-	2/2/5/7	-
5	A1AQ4	Y	4	5	-	0/9/10/12	0/2/2/2
5	TBG	Y	2	5	-	0/6/8/10	-
5	A1AQ4	Z	4	5	-	1/9/10/12	0/2/2/2
5	TBG	W	2	5	-	0/6/8/10	-
5	HYP	W	3	5	-	0/0/11/13	0/1/1/1
5	HYP	Z	3	5	-	0/0/11/13	0/1/1/1
5	A1AQ4	W	4	5	-	0/9/10/12	0/2/2/2
5	HYP	Y	3	5	-	0/0/11/13	0/1/1/1
5	A1AQ4	X	4	5	-	0/9/10/12	0/2/2/2

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	W	2	TBG	C-CA-N	-4.21	103.96	110.34
3	C	77	CSX	CA-CB-SG	-3.15	105.78	113.17
5	X	3	HYP	CB-CG-CD	-2.64	100.22	103.16
5	Y	3	HYP	CB-CG-CD	-2.64	100.22	103.16
3	L	77	CSX	CA-CB-SG	-2.44	107.44	113.17
5	Z	3	HYP	O-C-CA	-2.02	119.58	124.77

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	77	CSX	N-CA-CB-SG
3	C	77	CSX	C-CA-CB-SG
3	L	77	CSX	N-CA-CB-SG
3	L	77	CSX	C-CA-CB-SG
5	Z	4	A1AQ4	C-CA-CB-CG

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	Y	3	HYP	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	TFA	B	201	-	6,6,6	0.80	0	9,9,9	1.21	1 (11%)
9	ACT	C	302	-	3,3,3	0.90	0	3,3,3	0.57	0
7	PEG	B	202	-	6,6,6	0.69	0	5,5,5	0.52	0
10	DMS	H	202	-	3,3,3	0.58	0	3,3,3	0.75	0
9	ACT	F	301	-	3,3,3	0.86	0	3,3,3	0.79	0
10	DMS	L	301	-	3,3,3	0.67	0	3,3,3	0.74	0
8	EDO	C	301	-	3,3,3	0.50	0	2,2,2	0.27	0
10	DMS	I	301	-	3,3,3	0.72	0	3,3,3	0.57	0
6	TFA	K	202	-	6,6,6	0.71	0	9,9,9	0.90	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	EDO	K	201	-	3,3,3	0.68	0	2,2,2	0.28	0
9	ACT	H	201	-	3,3,3	0.83	0	3,3,3	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	TFA	B	201	-	-	0/6/6/6	-
7	PEG	B	202	-	-	3/4/4/4	-
8	EDO	C	301	-	-	1/1/1/1	-
6	TFA	K	202	-	-	0/6/6/6	-
8	EDO	K	201	-	-	0/1/1/1	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	201	TFA	F3-C2-C1	-2.20	104.04	111.90

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	B	202	PEG	O1-C1-C2-O2
7	B	202	PEG	C4-C3-O2-C2
7	B	202	PEG	C1-C2-O2-C3
8	C	301	EDO	O1-C1-C2-O2

There are no ring outliers.

4 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	202	PEG	3	0
10	L	301	DMS	4	0
8	C	301	EDO	3	0
10	I	301	DMS	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	104/104 (100%)	-0.17	0 100 100	42, 58, 88, 107	0
1	D	103/104 (99%)	0.38	1 (0%) 79 77	52, 86, 122, 133	0
1	G	103/104 (99%)	0.06	0 100 100	50, 72, 92, 102	0
1	J	104/104 (100%)	-0.12	1 (0%) 79 77	40, 61, 97, 110	0
2	B	88/96 (91%)	-0.25	0 100 100	40, 55, 93, 118	0
2	E	87/96 (90%)	0.22	0 100 100	44, 72, 98, 117	0
2	H	86/96 (89%)	0.13	1 (1%) 76 74	51, 68, 107, 126	0
2	K	87/96 (90%)	-0.10	2 (2%) 61 58	38, 58, 88, 102	0
3	C	141/176 (80%)	0.17	7 (4%) 34 30	33, 66, 115, 134	1 (0%)
3	L	145/176 (82%)	-0.17	4 (2%) 55 51	39, 53, 89, 123	0
4	F	144/176 (81%)	0.39	7 (4%) 35 31	36, 78, 121, 148	1 (0%)
4	I	147/176 (83%)	0.06	5 (3%) 48 44	47, 64, 110, 130	0
5	W	0/5	-	-	-	-
5	X	0/5	-	-	-	-
5	Y	0/5	-	-	-	-
5	Z	0/5	-	-	-	-
All	All	1339/1524 (87%)	0.06	28 (2%) 63 60	33, 66, 107, 148	2 (0%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	F	62	VAL	3.8
4	F	142	VAL	3.4
3	C	140	LEU	3.3
4	I	62	VAL	3.3
2	H	47	SER	3.2
3	L	62	VAL	3.1
4	F	76	PHE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	I	207	ALA	3.0
3	C	62	VAL	3.0
3	C	145	GLN	2.9
3	L	142	VAL	2.7
4	I	61	PRO	2.6
4	I	206	ILE	2.4
3	C	147	ILE	2.4
4	F	191[A]	HIS	2.4
3	C	201	LEU	2.3
1	J	81	ALA	2.2
4	F	147	ILE	2.2
3	C	185	TYR	2.2
3	L	140	LEU	2.2
4	I	140	LEU	2.2
4	F	185	TYR	2.1
4	F	148	PHE	2.1
1	D	87	ALA	2.1
2	K	57	THR	2.1
3	C	191[A]	HIS	2.1
2	K	45	MET	2.0
3	L	207	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	TBG	Y	2	8/9	0.76	0.16	87,91,95,95	0
3	CSX	C	77	7/8	0.86	0.09	63,68,90,92	0
5	TBG	Z	2	8/9	0.87	0.12	54,60,69,70	0
5	A1AQ4	Y	4	17/18	0.87	0.11	76,82,90,90	0
5	HYP	Y	3	8/9	0.88	0.10	83,89,92,95	0
5	A1AQ4	Z	4	17/18	0.91	0.09	62,67,75,75	0
5	A1AQ4	W	4	17/18	0.93	0.08	42,45,50,52	0
3	CSX	L	77	7/8	0.93	0.07	47,50,69,76	0
5	HYP	Z	3	8/9	0.93	0.08	62,67,68,75	0
5	TBG	X	2	8/9	0.95	0.08	51,53,56,57	0
5	A1AQ4	X	4	17/18	0.95	0.07	52,57,60,60	0
5	TBG	W	2	8/9	0.96	0.08	48,51,53,54	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	HYP	W	3	8/9	0.97	0.06	41,46,50,53	0
5	HYP	X	3	8/9	0.97	0.05	43,52,55,57	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	EDO	K	201	4/4	0.53	0.26	72,75,75,78	0
10	DMS	L	301	4/4	0.69	0.21	73,87,89,97	0
9	ACT	H	201	4/4	0.74	0.17	68,72,77,78	0
10	DMS	H	202	4/4	0.82	0.15	88,90,93,102	0
9	ACT	F	301	4/4	0.85	0.18	83,86,87,89	0
7	PEG	B	202	7/7	0.85	0.14	61,74,76,77	0
10	DMS	I	301	4/4	0.87	0.14	72,89,89,91	0
9	ACT	C	302	4/4	0.88	0.19	74,76,81,88	0
6	TFA	K	202	7/7	0.90	0.09	82,85,98,105	0
6	TFA	B	201	7/7	0.91	0.09	60,79,84,86	0
8	EDO	C	301	4/4	0.92	0.11	41,47,54,59	0

6.5 Other polymers [i](#)

There are no such residues in this entry.