



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:17 AM UTC

PDB ID : 9BYJ / pdb_00009byj
Title : Crystal Structure of Hck in complex with the Src-family kinase inhibitor A-419259
Authors : Selzer, A.M.; Alvarado, J.J.; Smithgall, T.E.
Deposited on : 2024-05-23
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	454	<div> <div>6%</div> <div>80%</div> <div>18%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SCN	A	604	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SCN	A	621	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 3944 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tyrosine-protein kinase HCK.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	450	3612	2313	601	674	1	23	0	6	0

There are 11 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	76	MET	-	expression tag	UNP P08631
A	77	GLY	-	expression tag	UNP P08631
A	78	HIS	-	expression tag	UNP P08631
A	79	HIS	-	expression tag	UNP P08631
A	80	HIS	-	expression tag	UNP P08631
A	81	HIS	-	expression tag	UNP P08631
A	82	HIS	-	expression tag	UNP P08631
A	83	HIS	-	expression tag	UNP P08631
A	528	GLU	GLN	engineered mutation	UNP P08631
A	529	GLU	GLN	engineered mutation	UNP P08631
A	530	ILE	GLN	engineered mutation	UNP P08631

- Molecule 2 is 7-[trans-4-(4-methylpiperazin-1-yl)cyclohexyl]-5-(4-phenoxyphenyl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine (CCD ID: VSE) (formula: C₂₉H₃₄N₆O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			36	29	6	1		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $\text{C}_2\text{H}_6\text{O}_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 4	C 2	O 2	0	0
3	A	1	Total 4	C 2	O 2	0	0
3	A	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 5 is THIOCYANATE ION (CCD ID: SCN) (formula: CNS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		
5	A	1	Total	C	N	S	0	0
			3	1	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	S	0	0
			3	1	1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	219	Total	O	0	0
			219	219		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tyrosine-protein kinase HCK



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	43.35Å 85.03Å 128.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.51 – 1.80 42.51 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.1 (42.51-1.80) 86.2 (42.51-1.80)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.70 (at 1.79Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.199 , 0.219 0.199 , 0.219	Depositor DCC
R_{free} test set	2000 reflections (4.45%)	wwPDB-VP
Wilson B-factor (Å ²)	26.7	Xtriage
Anisotropy	0.099	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 45.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3944	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: DMS, VSE, PTR, SCN, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.00	10/3701 (0.3%)	1.22	18/5004 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	9

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	246[A]	MET	C-O	11.03	1.36	1.23
1	A	246[B]	MET	C-O	11.03	1.36	1.23
1	A	367[A]	SER	C-O	9.95	1.35	1.24
1	A	367[B]	SER	C-O	9.95	1.35	1.24
1	A	380[A]	ARG	C-O	8.46	1.36	1.24
1	A	380[B]	ARG	C-O	8.46	1.36	1.24
1	A	283[A]	MET	C-O	5.65	1.30	1.24
1	A	283[B]	MET	C-O	5.65	1.30	1.24
1	A	280[A]	GLU	C-O	5.10	1.30	1.23
1	A	280[B]	GLU	C-O	5.10	1.30	1.23

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	367[A]	SER	CA-C-O	10.61	131.80	120.55
1	A	367[B]	SER	CA-C-O	10.61	131.80	120.55
1	A	246[A]	MET	CA-C-O	8.67	130.72	121.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	246[B]	MET	CA-C-O	8.67	130.72	121.19
1	A	214	ILE	N-CA-C	-8.55	104.20	111.56
1	A	496[A]	MET	CA-C-O	7.61	128.62	120.55
1	A	496[B]	MET	CA-C-O	7.61	128.62	120.55
1	A	380[A]	ARG	CA-C-O	7.52	130.81	119.23
1	A	380[B]	ARG	CA-C-O	7.52	130.81	119.23
1	A	367[A]	SER	O-C-N	-5.95	115.81	122.12
1	A	367[B]	SER	O-C-N	-5.95	115.81	122.12
1	A	246[A]	MET	O-C-N	-5.63	115.94	122.87
1	A	246[B]	MET	O-C-N	-5.63	115.94	122.87
1	A	143	LEU	N-CA-C	-5.53	106.48	113.18
1	A	522	ALA	N-CA-C	-5.41	106.75	113.19
1	A	211	GLY	CA-C-O	-5.34	118.61	122.45
1	A	283[A]	MET	CA-C-O	5.24	126.46	120.54
1	A	283[B]	MET	CA-C-O	5.24	126.46	120.54

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	122	ARG	Sidechain
1	A	205	ARG	Sidechain
1	A	217	ARG	Sidechain
1	A	264	ARG	Sidechain
1	A	380[A]	ARG	Sidechain
1	A	380[B]	ARG	Sidechain
1	A	419	ARG	Sidechain
1	A	506	ARG	Sidechain
1	A	527	PTR	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3612	0	3522	42	0
2	A	36	0	34	0	0
3	A	24	0	36	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	8	0	12	1	0
5	A	45	0	0	9	0
6	A	219	0	0	2	0
All	All	3944	0	3604	44	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (44) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:484:PRO:HG2	1:A:487:CYS:HB2	1.80	0.63
3:A:602:EDO:H21	5:A:615:SCN:N	2.13	0.63
5:A:621:SCN:S	6:A:809:HOH:O	2.56	0.62
1:A:472:ILE:HG23	4:A:603:DMS:S	2.41	0.61
1:A:426:ILE:HD12	1:A:472:ILE:HD11	1.85	0.58
1:A:390:ALA:HB1	3:A:614:EDO:H11	1.89	0.55
1:A:310:GLU:HG3	1:A:314:MET:HE3	1.90	0.54
1:A:377:ILE:HG23	1:A:382:TYR:HB3	1.91	0.51
1:A:302:MET:HE3	1:A:334:ILE:HD13	1.94	0.50
1:A:477:ARG:NH2	6:A:703:HOH:O	2.45	0.49
1:A:236:GLY:HA3	1:A:530:ILE:HD11	1.95	0.49
1:A:413:ASP:HA	5:A:612:SCN:N	2.28	0.49
1:A:391:ASN:HA	5:A:611:SCN:S	2.52	0.48
1:A:82:HIS:HB3	1:A:110:VAL:O	2.14	0.48
1:A:359:PRO:HB2	1:A:361:PRO:HD2	1.94	0.48
1:A:365:ASP:HA	5:A:621:SCN:N	2.28	0.48
1:A:456:VAL:HG11	1:A:491:LEU:HD23	1.96	0.47
1:A:260:TRP:HB3	5:A:606:SCN:S	2.55	0.47
1:A:341:MET:HE2	1:A:401:LYS:HB2	1.97	0.47
1:A:524:GLU:C	1:A:526:GLN:H	2.23	0.47
1:A:84:ILE:HG23	1:A:139:ARG:HG3	1.96	0.47
1:A:525:SER:O	1:A:527:PTR:N	2.49	0.46
1:A:419:ARG:HA	5:A:618:SCN:N	2.31	0.46
1:A:138:ALA:HB1	1:A:144:GLU:HB2	1.99	0.45
1:A:252:LYS:HB2	5:A:604:SCN:S	2.57	0.44
1:A:432:GLU:HG2	1:A:433:ALA:N	2.33	0.44
1:A:296:THR:HG22	1:A:335:TYR:CE1	2.52	0.43
1:A:124:LEU:HD23	1:A:124:LEU:HA	1.87	0.43
1:A:367[B]:SER:HB2	1:A:452:LEU:CD2	2.49	0.43
1:A:360:LEU:HD21	1:A:488:PRO:CG	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:LEU:HD11	1:A:138:ALA:HB2	1.99	0.43
1:A:302:MET:HE3	1:A:334:ILE:CD1	2.49	0.42
1:A:113:GLU:HA	1:A:119:TRP:CD1	2.55	0.41
1:A:297:MET:HG3	1:A:302:MET:HE2	2.02	0.41
1:A:234:ASN:O	1:A:237:LEU:HB2	2.21	0.41
1:A:283[A]:MET:SD	1:A:291:LYS:HE2	2.60	0.41
1:A:353:ASP:O	1:A:357:LYS:HG2	2.20	0.41
1:A:425:PRO:HB2	1:A:428:TRP:CE3	2.56	0.41
1:A:283[B]:MET:HE3	1:A:283[B]:MET:HB3	1.71	0.40
1:A:360:LEU:HB3	1:A:361:PRO:HD3	2.04	0.40
1:A:126:THR:C	1:A:128:LYS:H	2.29	0.40
1:A:467:SER:OG	1:A:470:GLU:HG3	2.21	0.40
1:A:95:ILE:HD11	5:A:604:SCN:C	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	453/454 (100%)	439 (97%)	14 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	381/396 (96%)	365 (96%)	16 (4%)	26 14

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	82	HIS
1	A	97	HIS
1	A	101	SER
1	A	142	SER
1	A	179	THR
1	A	195	GLN
1	A	252	LYS
1	A	257	LYS
1	A	268	LYS
1	A	288	LYS
1	A	303	SER
1	A	364	ILE
1	A	419	ARG
1	A	485	GLU
1	A	501	ASN
1	A	524	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	224	GLN
1	A	486	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	PTR	A	527	1	15,16,17	1.05	1 (6%)	17,22,24	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	A	527	1	-	1/10/11/13	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	527	PTR	P-OH	3.15	1.65	1.59

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	527	PTR	CZ-OH-P-O1P

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	527	PTR	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	DMS	A	603	-	3,3,3	0.68	0	3,3,3	0.75	0
5	SCN	A	621	-	1,2,2	0.77	0	0,1,1	-	-
3	EDO	A	623	-	3,3,3	0.37	0	2,2,2	0.51	0
3	EDO	A	624	-	3,3,3	0.42	0	2,2,2	0.46	0
3	EDO	A	614	-	3,3,3	0.49	0	2,2,2	0.18	0
5	SCN	A	609	-	1,2,2	0.82	0	0,1,1	-	-
5	SCN	A	616	-	1,2,2	0.84	0	0,1,1	-	-
5	SCN	A	617	-	1,2,2	0.97	0	0,1,1	-	-
3	EDO	A	608	-	3,3,3	0.42	0	2,2,2	0.46	0
5	SCN	A	620	-	1,2,2	0.92	0	0,1,1	-	-
5	SCN	A	619	-	1,2,2	0.93	0	0,1,1	-	-
3	EDO	A	607	-	3,3,3	0.48	0	2,2,2	0.23	0
3	EDO	A	602	-	3,3,3	0.52	0	2,2,2	0.22	0
5	SCN	A	605	-	1,2,2	0.88	0	0,1,1	-	-
5	SCN	A	604	-	1,2,2	1.01	0	0,1,1	-	-
5	SCN	A	618	-	1,2,2	0.84	0	0,1,1	-	-
5	SCN	A	611	-	1,2,2	0.75	0	0,1,1	-	-
5	SCN	A	610	-	1,2,2	0.36	0	0,1,1	-	-
5	SCN	A	606	-	1,2,2	0.82	0	0,1,1	-	-
4	DMS	A	622	-	3,3,3	0.67	0	3,3,3	0.58	0
5	SCN	A	612	-	1,2,2	0.76	0	0,1,1	-	-
2	VSE	A	601	-	41,41,41	4.55	23 (56%)	55,58,58	3.49	17 (30%)
5	SCN	A	613	-	1,2,2	0.82	0	0,1,1	-	-
5	SCN	A	615	-	1,2,2	0.81	0	0,1,1	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	608	-	-	0/1/1/1	-
3	EDO	A	607	-	-	0/1/1/1	-
3	EDO	A	602	-	-	1/1/1/1	-
3	EDO	A	623	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	624	-	-	0/1/1/1	-
3	EDO	A	614	-	-	0/1/1/1	-
2	VSE	A	601	-	-	4/16/36/36	0/6/6/6

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	VSE	CAM-CAL	9.53	1.54	1.38
2	A	601	VSE	CBB-NAW	-9.38	1.29	1.47
2	A	601	VSE	CAP-CAJ	8.67	1.52	1.39
2	A	601	VSE	CAX-NAW	-8.47	1.31	1.47
2	A	601	VSE	CBG-CBF	8.31	1.53	1.38
2	A	601	VSE	CBJ-CBE	7.92	1.53	1.38
2	A	601	VSE	CAO-CAN	7.47	1.52	1.38
2	A	601	VSE	CBI-CBH	6.71	1.53	1.38
2	A	601	VSE	CBC-NAZ	-6.33	1.31	1.46
2	A	601	VSE	CBA-NAZ	-6.05	1.31	1.46
2	A	601	VSE	CAY-NAZ	-5.34	1.33	1.46
2	A	601	VSE	C5-C4	4.66	1.47	1.40
2	A	601	VSE	CAT-NAW	-4.47	1.37	1.48
2	A	601	VSE	CAL-CAJ	-4.44	1.32	1.39
2	A	601	VSE	CAJ-CAI	4.37	1.55	1.49
2	A	601	VSE	C6-NAK	3.98	1.44	1.34
2	A	601	VSE	CBI-CBJ	-3.66	1.32	1.38
2	A	601	VSE	CAP-CAO	-3.66	1.32	1.38
2	A	601	VSE	CBF-CBE	-3.37	1.32	1.38
2	A	601	VSE	C5-C6	-3.33	1.38	1.42
2	A	601	VSE	CAM-CAN	-3.17	1.32	1.38
2	A	601	VSE	CBH-CBG	-2.68	1.32	1.38
2	A	601	VSE	C4-N3	-2.25	1.30	1.34

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	VSE	C4-NAG-CAH	13.05	113.48	108.08
2	A	601	VSE	CAI-CAH-NAG	-12.63	105.26	110.54
2	A	601	VSE	C5-CAI-CAH	12.46	113.33	106.03
2	A	601	VSE	C5-C4-N3	-5.35	121.29	126.97
2	A	601	VSE	N1-C2-N3	-4.80	121.31	128.58
2	A	601	VSE	C5-C4-NAG	-3.81	105.89	108.67
2	A	601	VSE	C2-N3-C4	3.50	120.38	111.83
2	A	601	VSE	N3-C4-NAG	3.32	132.82	127.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	VSE	CAR-CAQ-NAG	-3.28	107.77	111.40
2	A	601	VSE	CAX-NAW-CAT	-3.16	104.76	112.79
2	A	601	VSE	CAP-CAJ-CAI	-2.84	117.42	120.98
2	A	601	VSE	CAS-CAR-CAQ	2.83	115.45	109.98
2	A	601	VSE	CAU-CAV-CAQ	2.57	114.94	109.98
2	A	601	VSE	CAJ-CAI-CAH	-2.54	119.43	124.37
2	A	601	VSE	CBA-CBB-NAW	2.42	114.88	110.61
2	A	601	VSE	CAV-CAU-CAT	2.35	114.52	109.98
2	A	601	VSE	CAR-CAS-CAT	2.30	114.43	109.98

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	VSE	CAU-CAT-NAW-CAX
2	A	601	VSE	CAU-CAT-NAW-CBB
2	A	601	VSE	CAS-CAT-NAW-CAX
2	A	601	VSE	CAS-CAT-NAW-CBB
3	A	623	EDO	O1-C1-C2-O2
3	A	602	EDO	O1-C1-C2-O2


There are no ring outliers.

10 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	603	DMS	1	0
5	A	621	SCN	2	0
3	A	614	EDO	1	0
3	A	602	EDO	1	0
5	A	604	SCN	2	0
5	A	618	SCN	1	0
5	A	611	SCN	1	0
5	A	606	SCN	1	0
5	A	612	SCN	1	0
5	A	615	SCN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	449/454 (98%)	0.55	27 (6%)	27 26	17, 39, 87, 121	9 (2%)

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	523	THR	5.0
1	A	522	ALA	4.0
1	A	124	LEU	3.7
1	A	80	HIS	3.6
1	A	84	ILE	3.5
1	A	83	HIS	3.5
1	A	525	SER	3.4
1	A	531	PRO	3.3
1	A	180	THR	3.2
1	A	81	HIS	3.1
1	A	82	HIS	3.1
1	A	215	SER	2.9
1	A	114	SER	2.9
1	A	530	ILE	2.8
1	A	85	ILE	2.7
1	A	141	ASP	2.6
1	A	125	ALA	2.6
1	A	140	VAL	2.6
1	A	521	THR	2.6
1	A	526	GLN	2.5
1	A	97	HIS	2.5
1	A	111	LEU	2.5
1	A	90	TYR	2.4
1	A	110	VAL	2.4
1	A	95	ILE	2.3
1	A	100	LEU	2.2
1	A	89	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	PTR	A	527	16/17	0.92	0.10	56,72,80,84	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SCN	A	604	3/3	0.65	0.20	65,65,76,105	0
5	SCN	A	610	3/3	0.71	0.15	57,57,66,100	0
5	SCN	A	613	3/3	0.72	0.18	58,58,69,95	0
5	SCN	A	616	3/3	0.76	0.15	38,38,53,85	0
5	SCN	A	621	3/3	0.76	0.23	50,50,60,87	0
5	SCN	A	619	3/3	0.77	0.18	55,55,60,83	3
5	SCN	A	609	3/3	0.77	0.16	36,36,40,70	3
5	SCN	A	606	3/3	0.78	0.18	47,47,63,76	0
5	SCN	A	617	3/3	0.80	0.15	46,46,48,66	3
3	EDO	A	614	4/4	0.80	0.17	50,57,61,63	0
5	SCN	A	620	3/3	0.80	0.13	48,48,50,80	3
5	SCN	A	612	3/3	0.80	0.18	38,38,41,57	3
5	SCN	A	611	3/3	0.81	0.19	33,33,46,61	3
5	SCN	A	605	3/3	0.82	0.21	46,46,60,63	0
5	SCN	A	615	3/3	0.84	0.16	44,44,46,61	3
3	EDO	A	623	4/4	0.84	0.16	41,48,52,56	0
3	EDO	A	624	4/4	0.85	0.18	58,59,66,73	0
5	SCN	A	618	3/3	0.86	0.16	48,48,68,84	0
3	EDO	A	602	4/4	0.88	0.12	39,47,49,51	0
4	DMS	A	622	4/4	0.90	0.16	62,69,80,83	0
4	DMS	A	603	4/4	0.91	0.12	32,33,41,65	4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	EDO	A	608	4/4	0.92	0.12	38,53,53,60	0
3	EDO	A	607	4/4	0.93	0.10	29,35,39,44	4
2	VSE	A	601	36/36	0.95	0.08	23,29,39,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.