Full wwPDB EM Validation Report (i)

Nov 20, 2022 – 02:51 pm GMT

PDB ID	:	2C7C
EMDB ID	:	EMD-1180
Title	:	FITTED COORDINATES FOR GROEL-ATP7-GROES CRYO-EM COMPLEX (EMD-1180)
Authors	:	Ranson, N.A.; Clare, D.K.; Farr, G.W.; Houldershaw, D.; Horwich, A.L.; Saibil, H.R.
Deposited on	:	2005-11-22
Resolution	:	7.70 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev43
MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 7.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	547	10% 91% 5% ·
1	B	547	10% 93% · ·
1	C	547	9% 90% 5% ·
1	D	547	9% 92% · ·
1	E	547	9% 91% · ·
1	F	547	8% 92% · ·
1	G	547	9% 92% · ·
1	H	547	12% 90% 5% ·

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	547	14% 91% 5%
1	J	547	13% 90% 6%
1	K	547	14% 89% 6%
1	L	547	14% 90% 5%
1	M	547	16% 90% 5%
1	N	547	14% 90% 6%
2	O	97	12% 85% 11%
2	P	97	9% 77% 18%
2	Q	97	12% 81% 14%
2	R	97	14% 79% 15%
2	S	97	11% 85% 10%
2	T	97	10% 85% 10%
2	U	97	12% 79% 16%

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 57946 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 60 KDA CHAPERONIN.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	525	3805	2397	622	766	20	0	1
1	B	525	3805	2397	622	766	20	0	1
1	C	525	3805	2397	622	766	20	0	1
1	D	525	3805	2397	622	766	20	0	1
1	E	525	3805	2397	622	766	20	0	1
1	F	525	3805	2397	622	766	20	0	1
1	G	525	3805	2397	622	766	20	0	1
1	H	523	3793	2389	620	764	20	0	1
1	I	523	3793	2389	620	764	20	0	1
1	J	523	3793	2389	620	764	20	0	1
1	K	523	3793	2389	620	764	20	0	1
1	L	523	3793	2389	620	764	20	0	1
1	M	523	3793	2389	620	764	20	0	1
1	N	523	3793	2389	620	764	20	0	1

- Molecule 2 is a protein called 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	O	93	680	432	112	135	1	0	1
2	P	93	680	432	112	135	1	0	1
2	Q	93	680	432	112	135	1	0	1
2	R	93	680	432	112	135	1	0	1
2	S	93	680	432	112	135	1	0	1
2	T	93	680	432	112	135	1	0	1
2	U	93	680	432	112	135	1	0	1

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 60 KDA CHAPERONIN

Chain A:





• Molecule 1: 60 KDA CHAPERONIN

Chain B:





• Molecule 1: 60 KDA CHAPERONIN

Chain C:







- Molecule 1: 60 KDA CHAPERONIN

Chain D:





- Molecule 1: 60 KDA CHAPERONIN

Chain E:





- Molecule 1: 60 KDA CHAPERONIN

Chain F:





- Molecule 1: 60 KDA CHAPERONIN

Chain G:



- Molecule 1: 60 KDA CHAPERONIN

Chain H:



- Molecule 1: 60 KDA CHAPERONIN

Chain I:



- Molecule 1: 60 KDA CHAPERONIN

Chain J:





• Molecule 1: 60 KDA CHAPERONIN

Chain K:





• Molecule 1: 60 KDA CHAPERONIN

Chain L:





• Molecule 1: 60 KDA CHAPERONIN

Chain M:





• Molecule 1: 60 KDA CHAPERONIN

Chain N:





• Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN

Chain O:



• Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN

Chain P:



• Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN

Chain Q:



• Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN

Chain R:



• Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN

Chain S:



• Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN

Chain T:



• Molecule 2: 10 KDA CHAPERONIN MOLECULE: GROES, PROTEIN CPN10, GROES PROTEIN

Chain U:



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C7	Depositor
Number of particles used	16281	Depositor
Resolution determination method	Not provided	
CTF correction method	FULL CORRECTION ON 2D CLASS AVERAGES	Depositor
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/Å^2$)	15	Depositor
Minimum defocus (nm)	1100	Depositor
Maximum defocus (nm)	3200	Depositor
Magnification	50000	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	2.382	Depositor
Minimum map value	-1.791	Depositor
Average map value	0.064	Depositor
Map value standard deviation	0.230	Depositor
Recommended contour level	0.608	Depositor
Map size (Å)	268.8, 268.8, 268.8	wwPDB
Map dimensions	192, 192, 192	wwPDB
Map angles (°)	90, 90, 90	wwPDB
Pixel spacing (Å)	1.4, 1.4, 1.4	Depositor

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.60	0/3833	0.91	0/5165
1	B	0.60	0/3833	0.91	0/5165
1	C	0.59	0/3833	0.89	1/5165 (0.0%)
1	D	0.59	0/3833	0.90	1/5165 (0.0%)
1	E	0.59	0/3833	0.90	0/5165
1	F	0.59	0/3833	0.90	0/5165
1	G	0.60	0/3833	0.91	0/5165
1	H	0.59	0/3820	0.92	0/5146
1	I	0.60	0/3820	0.91	0/5146
1	J	0.60	0/3820	0.91	0/5146
1	K	0.60	0/3820	0.91	1/5146 (0.0%)
1	L	0.60	0/3820	0.91	0/5146
1	M	0.60	0/3820	0.90	0/5146
1	N	0.60	0/3820	0.91	0/5146
2	O	0.62	0/684	0.97	0/918
2	P	0.62	0/684	1.04	0/918
2	Q	0.63	0/684	0.99	0/918
2	R	0.62	0/684	1.01	1/918 (0.1%)
2	S	0.62	0/684	0.97	1/918 (0.1%)
2	T	0.63	0/684	0.99	0/918
2	U	0.63	0/684	1.00	0/918
All	All	0.60	0/58359	0.91	5/78603 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	G	0	1
1	H	0	2
1	I	0	1
1	J	0	3
1	K	0	2
1	L	0	3
1	M	0	2
1	N	1	0
All	All	1	19

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	C	322	ARG	CD-NE-CZ	5.61	131.46	123.60
2	R	39	GLU	OE1-CD-OE2	-5.18	117.09	123.30
2	S	79	ASP	C-N-CA	5.11	134.48	121.70
1	D	483	GLU	OE1-CD-OE2	-5.01	117.29	123.30
1	K	285	ARG	CD-NE-CZ	5.00	130.60	123.60

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	N	120	ILE	CB

All (19) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	4	LYS	Peptide
1	B	4	LYS	Peptide
1	C	4	LYS	Peptide
1	D	183	LEU	Peptide
1	D	4	LYS	Peptide
1	G	4	LYS	Peptide
1	H	4	LYS	Peptide
1	H	8	PHE	Peptide
1	I	4	LYS	Peptide
1	J	179	ASP	Peptide
1	J	255	GLU	Peptide
1	J	4	LYS	Peptide
1	K	218	PRO	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	K	4	LYS	Peptide
1	L	136	VAL	Peptide
1	L	373	ALA	Peptide
1	L	4	LYS	Peptide
1	M	4	LYS	Peptide
1	M	408	GLU	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3805	0	3881	1	0
1	B	3805	0	3881	0	0
1	C	3805	0	3881	2	0
1	D	3805	0	3881	1	0
1	E	3805	0	3881	2	0
1	F	3805	0	3881	0	0
1	G	3805	0	3881	1	0
1	H	3793	0	3869	2	0
1	I	3793	0	3869	0	0
1	J	3793	0	3869	1	0
1	K	3793	0	3869	1	0
1	L	3793	0	3869	1	0
1	M	3793	0	3869	1	0
1	N	3793	0	3869	0	0
2	O	680	0	703	1	0
2	P	680	0	703	2	0
2	Q	680	0	703	2	0
2	R	680	0	703	2	0
2	S	680	0	703	0	0
2	T	680	0	703	0	0
2	U	680	0	703	0	0
All	All	57946	0	59171	16	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (16) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:314:LEU:HD12	1:M:314:LEU:H	1.70	0.55
1:D:7:LYS:HE2	1:D:66:PHE:CE2	2.43	0.54
1:E:7:LYS:HE2	1:E:66:PHE:CE2	2.46	0.50
1:H:7:LYS:HE2	1:H:66:PHE:CE2	2.47	0.50
1:A:510:VAL:HG23	1:G:385:THR:HG21	1.94	0.50
1:E:360:TYR:CE2	1:E:364:LYS:HE2	2.51	0.45
1:C:204:PHE:CG	1:C:266:THR:HG21	2.51	0.45
1:H:230:ILE:HD12	1:H:230:ILE:H	1.82	0.44
2:R:55:LYS:H	2:R:55:LYS:HE3	1.82	0.44
2:O:3:ILE:HA	2:P:94:ILE:O	2.19	0.42
2:Q:3:ILE:HA	2:R:95:VAL:N	2.34	0.41
1:C:204:PHE:CD2	1:C:266:THR:HG21	2.55	0.41
1:J:7:LYS:HE2	1:J:66:PHE:CE2	2.55	0.41
1:K:65:LYS:HE3	1:K:525:PRO:N	2.36	0.41
2:P:3:ILE:N	2:Q:95:VAL:N	2.69	0.41
1:L:217:SER:N	1:L:218:PRO:HD3	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	523/547 (96%)	490 (94%)	29 (6%)	4 (1%)	19	60
1	B	523/547 (96%)	492 (94%)	30 (6%)	1 (0%)	47	81
1	C	523/547 (96%)	493 (94%)	23 (4%)	7 (1%)	12	48
1	D	523/547 (96%)	494 (94%)	25 (5%)	4 (1%)	19	60
1	E	523/547 (96%)	495 (95%)	22 (4%)	6 (1%)	14	52
1	F	523/547 (96%)	481 (92%)	38 (7%)	4 (1%)	19	60
1	G	523/547 (96%)	491 (94%)	28 (5%)	4 (1%)	19	60
1	H	521/547 (95%)	471 (90%)	44 (8%)	6 (1%)	13	50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	521/547 (95%)	481 (92%)	35 (7%)	5 (1%)	15	55
1	J	521/547 (95%)	475 (91%)	42 (8%)	4 (1%)	19	60
1	K	521/547 (95%)	482 (92%)	35 (7%)	4 (1%)	19	60
1	L	521/547 (95%)	479 (92%)	33 (6%)	9 (2%)	9	42
1	M	521/547 (95%)	479 (92%)	39 (8%)	3 (1%)	25	66
1	N	521/547 (95%)	479 (92%)	31 (6%)	11 (2%)	7	36
2	O	91/97 (94%)	73 (80%)	15 (16%)	3 (3%)	4	26
2	P	91/97 (94%)	71 (78%)	15 (16%)	5 (6%)	2	19
2	Q	91/97 (94%)	74 (81%)	14 (15%)	3 (3%)	4	26
2	R	91/97 (94%)	74 (81%)	13 (14%)	4 (4%)	2	22
2	S	91/97 (94%)	70 (77%)	16 (18%)	5 (6%)	2	19
2	T	91/97 (94%)	73 (80%)	14 (15%)	4 (4%)	2	22
2	U	91/97 (94%)	73 (80%)	11 (12%)	7 (8%)	1	13
All	All	7945/8337 (95%)	7290 (92%)	552 (7%)	103 (1%)	16	48

All (103) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	197	ARG
1	C	483	GLU
1	H	154	SER
1	H	483	GLU
1	I	154	SER
1	J	483	GLU
1	K	66	PHE
1	K	154	SER
1	L	136	VAL
1	L	154	SER
1	M	409	GLU
1	N	154	SER
1	N	409	GLU
2	O	7	HIS
2	P	53	GLU
2	Q	7	HIS
2	Q	32	ALA
2	R	7	HIS
2	S	32	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	S	80	ASN
2	T	32	ALA
2	U	73	VAL
1	C	9	GLY
1	C	139	SER
1	D	483	GLU
1	E	154	SER
1	E	310	GLU
1	F	179	ASP
1	F	336	VAL
1	G	483	GLU
1	H	217	SER
1	J	139	SER
1	K	139	SER
1	L	139	SER
1	N	217	SER
1	N	334	ASP
2	R	32	ALA
2	S	7	HIS
2	T	7	HIS
2	T	30	SER
2	U	7	HIS
2	U	19	THR
1	E	153	ASN
1	F	153	ASN
1	H	139	SER
1	I	139	SER
1	I	409	GLU
1	M	139	SER
1	M	413	ALA
1	N	139	SER
1	N	208	PRO
1	N	327	LYS
2	O	18	GLU
2	P	7	HIS
2	P	19	THR
2	Q	21	SER
2	U	18	GLU
2	U	32	ALA
2	U	94	ILE
1	A	33	PRO
1	C	153	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	139	SER
1	D	153	ASN
1	E	217	SER
1	E	334	ASP
1	E	374	GLY
1	H	334	ASP
1	I	357	THR
1	I	371	LYS
1	J	154	SER
1	J	217	SER
1	L	413	ALA
1	N	413	ALA
2	R	18	GLU
2	R	80	ASN
2	S	19	THR
2	S	30	SER
1	C	33	PRO
1	C	373	ALA
1	C	525	PRO
1	G	217	SER
1	G	367	GLU
1	G	373	ALA
1	L	217	SER
1	L	328	ASP
1	L	334	ASP
1	N	483	GLU
2	O	94	ILE
2	P	50	GLU
1	A	217	SER
1	B	373	ALA
1	K	356	ALA
1	L	371	LYS
1	N	268	ARG
1	N	336	VAL
2	T	94	ILE
2	U	72	GLY
1	A	205	ILE
1	D	336	VAL
1	H	493	ILE
1	L	493	ILE
1	F	9	GLY
2	P	64	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	404/414 (98%)	381 (94%)	23 (6%)	20	45
1	B	404/414 (98%)	391 (97%)	13 (3%)	39	61
1	C	404/414 (98%)	385 (95%)	19 (5%)	26	51
1	D	404/414 (98%)	389 (96%)	15 (4%)	34	58
1	E	404/414 (98%)	388 (96%)	16 (4%)	31	55
1	F	404/414 (98%)	388 (96%)	16 (4%)	31	55
1	G	404/414 (98%)	390 (96%)	14 (4%)	36	59
1	H	403/414 (97%)	383 (95%)	20 (5%)	24	49
1	I	403/414 (97%)	383 (95%)	20 (5%)	24	49
1	J	403/414 (97%)	381 (94%)	22 (6%)	21	47
1	K	403/414 (97%)	378 (94%)	25 (6%)	18	43
1	L	403/414 (97%)	384 (95%)	19 (5%)	26	51
1	M	403/414 (97%)	381 (94%)	22 (6%)	21	47
1	N	403/414 (97%)	382 (95%)	21 (5%)	23	48
2	O	76/80 (95%)	69 (91%)	7 (9%)	9	29
2	P	76/80 (95%)	64 (84%)	12 (16%)	2	13
2	Q	76/80 (95%)	67 (88%)	9 (12%)	5	20
2	R	76/80 (95%)	66 (87%)	10 (13%)	4	18
2	S	76/80 (95%)	70 (92%)	6 (8%)	12	35
2	T	76/80 (95%)	68 (90%)	8 (10%)	7	24
2	U	76/80 (95%)	67 (88%)	9 (12%)	5	20
All	All	6181/6356 (97%)	5855 (95%)	326 (5%)	26	47

All (326) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	18	ARG
1	A	74	VAL
1	A	97	GLN
1	A	132	LYS
1	A	140	ASP
1	A	157	THR
1	A	168	LYS
1	A	184	GLN
1	A	185	ASP
1	A	196	ASP
1	A	197	ARG
1	A	206	ASN
1	A	225	LYS
1	A	228	SER
1	A	237	LEU
1	A	257	GLU
1	A	268	ARG
1	A	271	VAL
1	A	311	LYS
1	A	345	ARG
1	A	391	GLU
1	A	495	ASP
1	B	132	LYS
1	B	140	ASP
1	B	157	THR
1	B	184	GLN
1	B	185	ASP
1	B	186	GLU
1	B	206	ASN
1	B	225	LYS
1	B	237	LEU
1	B	257	GLU
1	B	271	VAL
1	B	345	ARG
1	B	495	ASP
1	C	74	VAL
1	C	97	GLN
1	C	111	MET
1	C	132	LYS
1	C	157	THR
1	C	168	LYS
1	C	184	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	197	ARG
1	C	206	ASN
1	C	225	LYS
1	C	237	LEU
1	C	257	GLU
1	C	315	GLU
1	C	345	ARG
1	C	357	THR
1	C	391	GLU
1	C	398	ASP
1	C	495	ASP
1	C	523	ASP
1	D	97	GLN
1	D	111	MET
1	D	157	THR
1	D	174	VAL
1	D	184	GLN
1	D	197	ARG
1	D	204	PHE
1	D	225	LYS
1	D	228	SER
1	D	237	LEU
1	D	257	GLU
1	D	283	ASP
1	D	345	ARG
1	D	363	GLU
1	D	391	GLU
1	E	11	ASP
1	E	52	ASP
1	E	111	MET
1	E	153	ASN
1	E	157	THR
1	E	168	LYS
1	E	184	GLN
1	E	185	ASP
1	E	197	ARG
1	E	225	LYS
1	E	237	LEU
1	E	257	GLU
1	E	345	ARG
1	E	391	GLU
1	E	495	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	523	ASP
1	F	11	ASP
1	F	25	ASP
1	F	132	LYS
1	F	157	THR
1	F	176	THR
1	F	184	GLN
1	F	185	ASP
1	F	197	ARG
1	F	206	ASN
1	F	225	LYS
1	F	237	LEU
1	F	257	GLU
1	F	345	ARG
1	F	369	VAL
1	F	391	GLU
1	F	417	VAL
1	G	52	ASP
1	G	111	MET
1	G	132	LYS
1	G	157	THR
1	G	179	ASP
1	G	184	GLN
1	G	197	ARG
1	G	206	ASN
1	G	225	LYS
1	G	228	SER
1	G	237	LEU
1	G	257	GLU
1	G	345	ARG
1	G	391	GLU
1	H	37	ASN
1	H	42	LYS
1	H	61	GLU
1	H	87	ASP
1	H	114	MET
1	H	184	GLN
1	H	230	ILE
1	H	233	MET
1	H	272	LYS
1	H	284	ARG
1	H	288	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	357	THR
1	H	364	LYS
1	H	378	VAL
1	H	389	MET
1	H	426	LEU
1	H	432	GLN
1	H	433	ASN
1	H	441	LYS
1	H	523	ASP
1	I	37	ASN
1	I	42	LYS
1	I	107	VAL
1	I	114	MET
1	I	185	ASP
1	I	188	ASP
1	I	197	ARG
1	I	233	MET
1	I	272	LYS
1	I	284	ARG
1	I	288	MET
1	I	302	SER
1	I	364	LYS
1	I	389	MET
1	I	421	ARG
1	I	426	LEU
1	I	432	GLN
1	I	500	THR
1	I	504	LEU
1	I	523	ASP
1	J	21	ASN
1	J	42	LYS
1	J	140	ASP
1	J	230	ILE
1	J	233	MET
1	J	272	LYS
1	J	284	ARG
1	J	288	MET
1	J	311	LYS
1	J	351	GLN
1	J	357	THR
1	J	364	LYS
1	J	385	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	409	GLU
1	J	421	ARG
1	J	426	LEU
1	J	433	ASN
1	J	435	ASP
1	J	436	GLN
1	J	461	GLU
1	J	499	VAL
1	J	522	THR
1	K	21	ASN
1	K	37	ASN
1	K	42	LYS
1	K	52	ASP
1	K	114	MET
1	K	115	ASP
1	K	129	GLU
1	K	216	GLU
1	K	230	ILE
1	K	233	MET
1	K	259	LEU
1	K	272	LYS
1	K	284	ARG
1	K	288	MET
1	K	310	GLU
1	K	364	LYS
1	K	389	MET
1	K	391	GLU
1	K	426	LEU
1	K	432	GLN
1	K	433	ASN
1	K	460	GLU
1	K	461	GLU
1	K	509	SER
1	K	510	VAL
1	L	37	ASN
1	L	87	ASP
1	L	114	MET
1	L	136	VAL
1	L	230	ILE
1	L	233	MET
1	L	272	LYS
1	L	284	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	288	MET
1	L	308	GLU
1	L	355	GLU
1	L	357	THR
1	L	426	LEU
1	L	428	ASP
1	L	432	GLN
1	L	433	ASN
1	L	461	GLU
1	L	478	TYR
1	L	510	VAL
1	M	15	LYS
1	M	42	LYS
1	M	114	MET
1	M	121	ASP
1	M	140	ASP
1	M	184	GLN
1	M	199	TYR
1	M	216	GLU
1	M	233	MET
1	M	272	LYS
1	M	284	ARG
1	M	308	GLU
1	M	354	GLU
1	M	355	GLU
1	M	357	THR
1	M	361	ASP
1	M	364	LYS
1	M	426	LEU
1	M	428	ASP
1	M	432	GLN
1	M	433	ASN
1	M	461	GLU
1	N	37	ASN
1	N	42	LYS
1	N	52	ASP
1	N	76	GLU
1	N	87	ASP
1	N	107	VAL
1	N	114	MET
1	N	140	ASP
1	N	169	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	N	191	GLU
1	N	197	ARG
1	N	230	ILE
1	N	233	MET
1	N	272	LYS
1	N	288	MET
1	N	359	ASP
1	N	421	ARG
1	N	426	LEU
1	N	432	GLN
1	N	433	ASN
1	N	435	ASP
2	O	6	LEU
2	O	35	SER
2	O	55	LYS
2	O	60	LYS
2	O	76	GLU
2	O	81	GLU
2	O	86	MET
2	P	6	LEU
2	P	9	ARG
2	P	20	LYS
2	P	30	SER
2	P	35	SER
2	P	55	LYS
2	P	63	ASP
2	P	68	ASN
2	P	76	GLU
2	P	81	GLU
2	P	86	MET
2	P	94	ILE
2	Q	6	LEU
2	Q	20	LYS
2	Q	51	ASN
2	Q	53	GLU
2	Q	55	LYS
2	Q	60	LYS
2	Q	76	GLU
2	Q	81	GLU
2	Q	87	SER
2	R	6	LEU
2	R	20	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	R	27	LEU
2	R	35	SER
2	R	51	ASN
2	R	55	LYS
2	R	60	LYS
2	R	76	GLU
2	R	81	GLU
2	R	86	MET
2	S	6	LEU
2	S	9	ARG
2	S	20	LYS
2	S	30	SER
2	S	51	ASN
2	S	55	LYS
2	T	6	LEU
2	T	9	ARG
2	T	20	LYS
2	T	30	SER
2	T	37	ARG
2	T	53	GLU
2	T	55	LYS
2	T	76	GLU
2	U	6	LEU
2	U	30	SER
2	U	34	LYS
2	U	53	GLU
2	U	68	ASN
2	U	76	GLU
2	U	80	ASN
2	U	81	GLU
2	U	86	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	97	GLN
1	L	432	GLN
1	L	436	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-1180. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections (i)

6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map



X Index: 96



Y Index: 96



Z Index: 96

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map

X Index: 73



Y Index: 123

Z Index: 89

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views (i)

6.4.1 Primary map

X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.608. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate (i)



The volume at the recommended contour level is 965 nm^3; this corresponds to an approximate mass of 872 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.130 Å^{-1}

8 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-1180 and PDB model 2C7C. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay (i)



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.608 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model (i)

X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.608).

9.4 Atom inclusion (i)



At the recommended contour level, 87% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.608) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7419	0.0900
A	0.7585	0.1060
B	0.7522	0.1000
C	0.7624	0.1060
D	0.7585	0.1050
E	0.7640	0.1020
F	0.7650	0.1040
G	0.7587	0.1020
H	0.7274	0.0810
I	0.7271	0.0790
J	0.7145	0.0780
K	0.7139	0.0800
L	0.7197	0.0790
M	0.7129	0.0780
N	0.7221	0.0850
O	0.7676	0.0780
P	0.7794	0.0790
Q	0.7632	0.0770
R	0.7515	0.0650
S	0.7735	0.0680
T	0.7721	0.0910
U	0.7471	0.0680