



Full wwPDB X-ray Structure Validation Report i

Jun 23, 2024 – 07:40 AM EDT

PDB ID : 5D17
Title : Structure of the C-terminal domain of TnsE at 2.85 resolution
Authors : Guarne, A.; Caron, J.J.
Deposited on : 2015-08-03
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3168 (2.90-2.82)
Clashscore	141614	3438 (2.90-2.82)
Ramachandran outliers	138981	3348 (2.90-2.82)
Sidechain outliers	138945	3351 (2.90-2.82)
RSRZ outliers	127900	3103 (2.90-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	F	206	64%	13%	23%
1	G	206	68%	8%	23%
1	H	206	67%	8%	24%
1	I	206	68%	8%	23%
1	K	206	66%	10%	24%
1	L	206	67%	9%	23%
1	M	206	68%	9%	23%

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 14936 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transposon Tn7 transposition protein TnsE.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	159	Total	C 1252	N 793	O 217	S 237	Se 2	0	6	0
1	B	158	Total	C 1251	N 789	O 221	S 236	Se 2	0	6	0
1	C	158	Total	C 1266	N 797	O 226	S 238	Se 2	0	6	0
1	D	157	Total	C 1223	N 776	O 215	S 227	Se 2	0	6	0
1	E	158	Total	C 1234	N 782	O 217	S 230	Se 2	0	6	0
1	F	158	Total	C 1226	N 777	O 211	S 233	Se 2	0	6	0
1	G	158	Total	C 1242	N 788	O 216	S 233	Se 2	0	6	0
1	H	156	Total	C 1236	N 783	O 217	S 231	Se 2	0	6	0
1	I	158	Total	C 1269	N 799	O 228	S 237	Se 2	0	6	0
1	K	157	Total	C 1241	N 789	O 214	S 233	Se 2	0	6	0
1	L	158	Total	C 1209	N 771	O 209	S 224	Se 2	0	6	0
1	M	159	Total	C 1264	N 796	O 224	S 239	Se 2	0	6	0

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	341	MSE	-	initiating methionine	UNP P05845
A	539	LEU	-	expression tag	UNP P05845
A	540	GLU	-	expression tag	UNP P05845
A	541	HIS	-	expression tag	UNP P05845
A	542	HIS	-	expression tag	UNP P05845

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	543	HIS	-	expression tag	UNP P05845
A	544	HIS	-	expression tag	UNP P05845
A	545	HIS	-	expression tag	UNP P05845
A	546	HIS	-	expression tag	UNP P05845
B	341	MSE	-	initiating methionine	UNP P05845
B	539	LEU	-	expression tag	UNP P05845
B	540	GLU	-	expression tag	UNP P05845
B	541	HIS	-	expression tag	UNP P05845
B	542	HIS	-	expression tag	UNP P05845
B	543	HIS	-	expression tag	UNP P05845
B	544	HIS	-	expression tag	UNP P05845
B	545	HIS	-	expression tag	UNP P05845
B	546	HIS	-	expression tag	UNP P05845
C	341	MSE	-	initiating methionine	UNP P05845
C	539	LEU	-	expression tag	UNP P05845
C	540	GLU	-	expression tag	UNP P05845
C	541	HIS	-	expression tag	UNP P05845
C	542	HIS	-	expression tag	UNP P05845
C	543	HIS	-	expression tag	UNP P05845
C	544	HIS	-	expression tag	UNP P05845
C	545	HIS	-	expression tag	UNP P05845
C	546	HIS	-	expression tag	UNP P05845
D	341	MSE	-	initiating methionine	UNP P05845
D	539	LEU	-	expression tag	UNP P05845
D	540	GLU	-	expression tag	UNP P05845
D	541	HIS	-	expression tag	UNP P05845
D	542	HIS	-	expression tag	UNP P05845
D	543	HIS	-	expression tag	UNP P05845
D	544	HIS	-	expression tag	UNP P05845
D	545	HIS	-	expression tag	UNP P05845
D	546	HIS	-	expression tag	UNP P05845
E	341	MSE	-	initiating methionine	UNP P05845
E	539	LEU	-	expression tag	UNP P05845
E	540	GLU	-	expression tag	UNP P05845
E	541	HIS	-	expression tag	UNP P05845
E	542	HIS	-	expression tag	UNP P05845
E	543	HIS	-	expression tag	UNP P05845
E	544	HIS	-	expression tag	UNP P05845
E	545	HIS	-	expression tag	UNP P05845
E	546	HIS	-	expression tag	UNP P05845
F	341	MSE	-	initiating methionine	UNP P05845
F	539	LEU	-	expression tag	UNP P05845

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	540	GLU	-	expression tag	UNP P05845
F	541	HIS	-	expression tag	UNP P05845
F	542	HIS	-	expression tag	UNP P05845
F	543	HIS	-	expression tag	UNP P05845
F	544	HIS	-	expression tag	UNP P05845
F	545	HIS	-	expression tag	UNP P05845
F	546	HIS	-	expression tag	UNP P05845
G	341	MSE	-	initiating methionine	UNP P05845
G	539	LEU	-	expression tag	UNP P05845
G	540	GLU	-	expression tag	UNP P05845
G	541	HIS	-	expression tag	UNP P05845
G	542	HIS	-	expression tag	UNP P05845
G	543	HIS	-	expression tag	UNP P05845
G	544	HIS	-	expression tag	UNP P05845
G	545	HIS	-	expression tag	UNP P05845
G	546	HIS	-	expression tag	UNP P05845
H	341	MSE	-	initiating methionine	UNP P05845
H	539	LEU	-	expression tag	UNP P05845
H	540	GLU	-	expression tag	UNP P05845
H	541	HIS	-	expression tag	UNP P05845
H	542	HIS	-	expression tag	UNP P05845
H	543	HIS	-	expression tag	UNP P05845
H	544	HIS	-	expression tag	UNP P05845
H	545	HIS	-	expression tag	UNP P05845
H	546	HIS	-	expression tag	UNP P05845
I	341	MSE	-	initiating methionine	UNP P05845
I	539	LEU	-	expression tag	UNP P05845
I	540	GLU	-	expression tag	UNP P05845
I	541	HIS	-	expression tag	UNP P05845
I	542	HIS	-	expression tag	UNP P05845
I	543	HIS	-	expression tag	UNP P05845
I	544	HIS	-	expression tag	UNP P05845
I	545	HIS	-	expression tag	UNP P05845
I	546	HIS	-	expression tag	UNP P05845
K	341	MSE	-	initiating methionine	UNP P05845
K	539	LEU	-	expression tag	UNP P05845
K	540	GLU	-	expression tag	UNP P05845
K	541	HIS	-	expression tag	UNP P05845
K	542	HIS	-	expression tag	UNP P05845
K	543	HIS	-	expression tag	UNP P05845
K	544	HIS	-	expression tag	UNP P05845
K	545	HIS	-	expression tag	UNP P05845

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	546	HIS	-	expression tag	UNP P05845
L	341	MSE	-	initiating methionine	UNP P05845
L	539	LEU	-	expression tag	UNP P05845
L	540	GLU	-	expression tag	UNP P05845
L	541	HIS	-	expression tag	UNP P05845
L	542	HIS	-	expression tag	UNP P05845
L	543	HIS	-	expression tag	UNP P05845
L	544	HIS	-	expression tag	UNP P05845
L	545	HIS	-	expression tag	UNP P05845
L	546	HIS	-	expression tag	UNP P05845
M	341	MSE	-	initiating methionine	UNP P05845
M	539	LEU	-	expression tag	UNP P05845
M	540	GLU	-	expression tag	UNP P05845
M	541	HIS	-	expression tag	UNP P05845
M	542	HIS	-	expression tag	UNP P05845
M	543	HIS	-	expression tag	UNP P05845
M	544	HIS	-	expression tag	UNP P05845
M	545	HIS	-	expression tag	UNP P05845
M	546	HIS	-	expression tag	UNP P05845

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O 1 1	0	0
2	B	1	Total O 1 1	0	0
2	C	1	Total O 1 1	0	0
2	D	1	Total O 1 1	0	0
2	E	2	Total O 2 2	0	0
2	F	1	Total O 1 1	0	0
2	G	8	Total O 8 8	0	0
2	H	2	Total O 2 2	0	0
2	I	2	Total O 2 2	0	0
2	K	1	Total O 1 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	L	1	Total O 1 1	0	0
2	M	2	Total O 2 2	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Transposon Tn7 transposition protein TnsE



- Molecule 1: Transposon Tn7 transposition protein TnsE




- Molecule 1: Transposon Tn7 transposition protein TnsE




- Molecule 1: Transposon Tn7 transposition protein TnsE








- Molecule 1: Transposon Tn7 transposition protein TnsE





- Molecule 1: Transposon Tn7 transposition protein TnsE



- Molecule 1: Transposon Tn7 transposition protein TnsE




- Molecule 1: Transposon Tn7 transposition protein TnsE




- Molecule 1: Transposon Tn7 transposition protein TnsE

Chain I:



- Molecule 1: Transposon Tn7 transposition protein TnsE

Chain K




- Molecules

Chain Length



- Molecule 1: Transposon Tn7 transposition protein TnsE

Chain M:



H505	R506	G513	L517	E529	R530	V531	V532	R533	E534	G535	PHE	THR	HIS	LEU	GLU	HIS	HIS	HIS	HIS	HIS	HIS
------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	110.33Å 87.12Å 141.62Å 90.00° 95.01° 90.00°	Depositor
Resolution (Å)	39.75 – 2.85 43.21 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (39.75-2.85) 92.5 (43.21-2.80)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.13 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R , R_{free}	0.221 , 0.251 0.224 , 0.251	Depositor DCC
R_{free} test set	2000 reflections (3.02%)	wwPDB-VP
Wilson B-factor (Å ²)	67.4	Xtriage
Anisotropy	0.313	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 39.0	EDS
L-test for twinning ²	$< L > = 0.51$, $< L^2 > = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14936	wwPDB-VP
Average B, all atoms (Å ²)	87.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.28 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.4175e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.22	0/1272	0.41	0/1718
1	B	0.22	0/1271	0.41	0/1715
1	C	0.21	0/1285	0.42	0/1733
1	D	0.23	0/1243	0.49	2/1680 (0.1%)
1	E	0.22	0/1254	0.42	0/1695
1	F	0.25	0/1246	0.43	0/1686
1	G	0.22	0/1262	0.41	0/1704
1	H	0.21	0/1256	0.42	0/1695
1	I	0.22	0/1289	0.42	0/1737
1	K	0.22	0/1260	0.41	0/1699
1	L	0.22	0/1229	0.48	1/1664 (0.1%)
1	M	0.21	0/1284	0.42	0/1733
All	All	0.22	0/15151	0.43	3/20459 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	L	517	LEU	CB-CG-CD1	-7.38	98.45	111.00
1	D	517	LEU	CA-CB-CG	6.23	129.63	115.30
1	D	517	LEU	CB-CG-CD1	-6.02	100.77	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1252	0	1200	16	0
1	B	1251	0	1208	16	0
1	C	1266	0	1230	15	0
1	D	1223	0	1177	14	0
1	E	1234	0	1183	11	0
1	F	1226	0	1157	21	0
1	G	1242	0	1197	11	0
1	H	1236	0	1200	16	0
1	I	1269	0	1243	12	0
1	K	1241	0	1209	15	0
1	L	1209	0	1151	13	0
1	M	1264	0	1221	15	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	2	0	0	0	0
2	F	1	0	0	0	0
2	G	8	0	0	0	0
2	H	2	0	0	0	0
2	I	2	0	0	0	0
2	K	1	0	0	0	0
2	L	1	0	0	0	0
2	M	2	0	0	0	0
All	All	14936	0	14376	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:506:ARG:NH2	1:F:531:VAL:O	2.10	0.84
1:G:517:LEU:HB2	1:H:518:GLN:HE21	1.43	0.82
1:I:422:ARG:HH22	1:K:458[B]:LYS:HB2	1.51	0.75
1:F:517:LEU:HG	1:F:518:GLN:N	2.03	0.73
1:I:459[A]:MSE:HE1	1:I:490:ASN:HA	1.71	0.72
1:A:422:ARG:NH2	1:E:458[B]:LYS:O	2.22	0.72
1:B:451:VAL:HB	1:B:460[B]:LEU:HD11	1.72	0.72
1:A:422:ARG:NH1	1:E:489:LEU:O	2.22	0.71
1:L:459[A]:MSE:HE1	1:L:490:ASN:HA	1.72	0.71
1:C:422:ARG:HH22	1:D:458[B]:LYS:HB2	1.55	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:459[B]:MSE:HE1	1:C:514:LEU:HB3	1.73	0.70
1:B:458[B]:LYS:O	1:F:422:ARG:NH2	2.24	0.70
1:I:458[B]:LYS:HB2	1:K:422:ARG:HH22	1.57	0.70
1:M:506:ARG:NH1	1:M:531:VAL:O	2.27	0.68
1:H:451:VAL:HB	1:H:460[B]:LEU:HD11	1.75	0.67
1:D:517:LEU:HD21	1:F:518:GLN:HA	1.78	0.66
1:K:456:GLY:O	1:K:458[A]:LYS:NZ	2.29	0.66
1:K:451:VAL:HB	1:K:459[A]:MSE:HG3	1.79	0.64
1:B:402:LYS:NZ	1:B:525:GLU:OE2	2.31	0.64
1:I:398:ILE:HG23	1:I:402:LYS:HD2	1.78	0.63
1:D:517:LEU:HD11	1:F:517:LEU:C	2.19	0.63
1:C:497:ASP:OD1	1:C:505:HIS:NE2	2.28	0.63
1:B:489:LEU:O	1:F:422:ARG:NH1	2.33	0.62
1:H:489:LEU:O	1:M:422:ARG:NH1	2.30	0.61
1:I:506:ARG:NH1	1:I:531:VAL:O	2.31	0.61
1:F:517:LEU:HG	1:F:518:GLN:H	1.67	0.60
1:D:497:ASP:OD1	1:D:505:HIS:NE2	2.30	0.58
1:I:422:ARG:NH2	1:K:458[B]:LYS:HB2	2.18	0.58
1:H:459[A]:MSE:HE1	1:H:490:ASN:HA	1.86	0.56
1:A:458[B]:LYS:HB2	1:E:422:ARG:HH22	1.70	0.56
1:B:441:ARG:NH2	1:B:532:VAL:HB	2.21	0.56
1:C:458[B]:LYS:HB2	1:D:422:ARG:HH22	1.71	0.56
1:K:519:VAL:O	1:L:517:LEU:HD11	2.06	0.55
1:A:422:ARG:HH22	1:E:460[B]:LEU:HD23	1.71	0.54
1:A:451:VAL:HB	1:A:459[A]:MSE:HG3	1.89	0.54
1:M:451:VAL:HB	1:M:460[B]:LEU:HD11	1.90	0.53
1:E:451:VAL:HB	1:E:460[B]:LEU:HD11	1.90	0.53
1:H:508:VAL:HG21	1:H:531:VAL:HA	1.90	0.53
1:H:528:ALA:O	1:H:531:VAL:HG22	2.09	0.53
1:G:396:LEU:HD11	1:G:437:VAL:HG21	1.91	0.52
1:A:518:GLN:HG3	1:C:512:LYS:O	2.09	0.52
1:I:441:ARG:O	1:I:444:SER:OG	2.18	0.52
1:M:441:ARG:O	1:M:444:SER:OG	2.23	0.52
1:F:508:VAL:HG21	1:F:531:VAL:HA	1.92	0.52
1:A:458[B]:LYS:HB2	1:E:422:ARG:NH2	2.25	0.52
1:A:496:PHE:HB3	1:A:505:HIS:CD2	2.45	0.51
1:I:388:ARG:HG2	1:I:454:SER:HB3	1.92	0.51
1:M:513:GLY:O	1:M:517:LEU:HG	2.09	0.51
1:F:520:SER:OG	1:F:523:ASP:OD1	2.29	0.51
1:B:459[A]:MSE:HE1	1:B:490:ASN:HA	1.93	0.51
1:F:389:PHE:HB3	1:F:392:PHE:HB3	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:458[B]:LYS:HB2	1:K:422:ARG:NH2	2.24	0.50
1:G:513:GLY:O	1:G:517:LEU:HG	2.11	0.50
1:H:458[B]:LYS:HB2	1:M:422:ARG:NH2	2.27	0.50
1:C:422:ARG:NH2	1:D:458[B]:LYS:HB2	2.26	0.49
1:L:517:LEU:HD12	1:L:518:GLN:H	1.76	0.49
1:M:496:PHE:HB3	1:M:505:HIS:CD2	2.46	0.49
1:B:459[B]:MSE:HE1	1:B:514:LEU:HD23	1.94	0.49
1:G:388:ARG:HG2	1:G:454:SER:HB3	1.93	0.49
1:I:496:PHE:HB3	1:I:505:HIS:CD2	2.48	0.49
1:A:396:LEU:HD11	1:A:437:VAL:HG21	1.94	0.48
1:G:458[B]:LYS:HB2	1:L:422:ARG:HH22	1.78	0.48
1:E:388:ARG:HG2	1:E:454:SER:HB3	1.95	0.48
1:M:388:ARG:HG2	1:M:454:SER:HB3	1.96	0.48
1:B:506:ARG:NH1	1:B:531:VAL:O	2.46	0.48
1:L:519:VAL:HG11	1:L:524:MSE:SE	2.64	0.48
1:K:496:PHE:HB3	1:K:505:HIS:CD2	2.49	0.48
1:G:496:PHE:HB3	1:G:505:HIS:CD2	2.48	0.48
1:K:397:SER:HA	1:K:400:LYS:HE2	1.96	0.48
1:K:395:LEU:HD22	1:K:527:TRP:CZ2	2.48	0.47
1:B:528:ALA:O	1:B:531:VAL:HG22	2.15	0.47
1:K:389:PHE:HB3	1:K:392:PHE:HB3	1.96	0.46
1:L:476:ASP:O	1:L:480:ILE:HG13	2.15	0.46
1:C:458[B]:LYS:HB2	1:D:422:ARG:NH2	2.31	0.46
1:M:441:ARG:NH2	1:M:532:VAL:HB	2.30	0.46
1:B:422:ARG:HH12	1:F:458[B]:LYS:HB2	1.81	0.46
1:F:527:TRP:O	1:F:531:VAL:HG23	2.15	0.46
1:E:517:LEU:HA	1:F:517:LEU:HD13	1.97	0.46
1:H:518:GLN:OE1	1:I:520:SER:HB3	2.16	0.45
1:K:458[A]:LYS:H	1:K:458[A]:LYS:HG2	1.51	0.45
1:A:449:LEU:HB2	1:A:463:LYS:HB3	1.98	0.45
1:H:422:ARG:HH22	1:M:458[B]:LYS:N	2.15	0.45
1:C:460[B]:LEU:O	1:C:510:HIS:ND1	2.47	0.45
1:M:396:LEU:HD11	1:M:437:VAL:HG21	1.98	0.45
1:D:495:LEU:O	1:D:499:LEU:HG	2.16	0.45
1:A:406:ARG:HD3	1:A:440:GLN:OE1	2.17	0.45
1:C:388:ARG:HG2	1:C:454:SER:HB3	1.99	0.44
1:H:496:PHE:HB3	1:H:505:HIS:CD2	2.51	0.44
1:L:411:GLU:HG3	1:L:436:ALA:HB3	1.99	0.44
1:A:441:ARG:O	1:A:444:SER:OG	2.22	0.44
1:L:496:PHE:HB3	1:L:505:HIS:CD2	2.52	0.44
1:F:423:LEU:HB3	1:F:489:LEU:HG	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:422:ARG:NH1	1:M:458[B]:LYS:O	2.42	0.44
1:D:489:LEU:HD23	1:D:489:LEU:HA	1.86	0.44
1:M:529:GLU:O	1:M:533:ARG:HG2	2.17	0.44
1:C:440:GLN:HG3	1:C:445:GLU:HG2	2.00	0.44
1:E:381:TYR:HB3	1:E:384:ILE:HD11	2.00	0.44
1:C:395:LEU:HD22	1:C:527:TRP:CZ2	2.53	0.43
1:C:405:CYS:SG	1:C:441:ARG:HD2	2.58	0.43
1:G:439:VAL:HB	1:G:446:PHE:CE1	2.53	0.43
1:G:458[B]:LYS:HB2	1:L:422:ARG:NH2	2.33	0.43
1:G:506:ARG:NH1	1:G:531:VAL:O	2.50	0.43
1:G:403:PHE:HD2	1:G:441:ARG:HH12	1.67	0.43
1:L:451:VAL:HB	1:L:460[B]:LEU:HD11	2.00	0.43
1:F:410:GLU:HG2	1:F:437:VAL:HG22	2.01	0.43
1:C:456:GLY:HA3	1:D:427:LYS:HE3	2.00	0.43
1:F:496:PHE:HB3	1:F:505:HIS:CD2	2.54	0.43
1:K:379:THR:HB	1:K:381:TYR:CZ	2.54	0.43
1:D:396:LEU:O	1:D:400:LYS:HG3	2.18	0.43
1:A:459[B]:MSE:SE	1:A:514:LEU:HD23	2.69	0.43
1:B:496:PHE:HB3	1:B:505:HIS:CD2	2.54	0.43
1:D:527:TRP:O	1:D:531:VAL:HG23	2.19	0.42
1:A:450:GLU:OE1	1:A:510:HIS:NE2	2.47	0.42
1:F:449:LEU:HB2	1:F:463:LYS:HB3	2.02	0.42
1:F:396:LEU:HD11	1:F:437:VAL:HG21	2.01	0.42
1:L:519:VAL:HG12	1:L:524:MSE:HG2	2.02	0.42
1:K:388:ARG:HG2	1:K:454:SER:HB3	2.01	0.42
1:L:388:ARG:HG2	1:L:454:SER:HB3	2.02	0.42
1:L:439:VAL:HB	1:L:446:PHE:CE1	2.55	0.42
1:B:394:GLU:O	1:B:398:ILE:HG13	2.20	0.41
1:F:518:GLN:NE2	1:F:519:VAL:O	2.43	0.41
1:G:527:TRP:O	1:G:531:VAL:HG23	2.20	0.41
1:H:422:ARG:NH1	1:M:460[B]:LEU:HD23	2.34	0.41
1:F:395:LEU:HD22	1:F:527:TRP:CZ2	2.55	0.41
1:E:476:ASP:O	1:E:480:ILE:HG13	2.20	0.41
1:F:439:VAL:HB	1:F:446:PHE:CE1	2.55	0.41
1:A:388:ARG:HG2	1:A:454:SER:HB3	2.01	0.41
1:C:408:LEU:HD11	1:C:440:GLN:HB2	2.02	0.41
1:D:439:VAL:HB	1:D:446:PHE:CE1	2.56	0.41
1:E:379:THR:HB	1:E:381:TYR:CZ	2.56	0.41
1:K:460[B]:LEU:HD12	1:K:491:TRP:CE2	2.55	0.41
1:B:439:VAL:HB	1:B:446:PHE:CE1	2.56	0.41
1:B:508:VAL:HG21	1:B:531:VAL:HA	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:458[B]:LYS:HB2	1:M:422:ARG:HH22	1.84	0.41
1:H:432:ARG:NE	1:H:489:LEU:HD11	2.36	0.41
1:H:439:VAL:HB	1:H:446:PHE:CE1	2.56	0.41
1:H:489:LEU:HD23	1:H:489:LEU:HA	1.92	0.40
1:A:379:THR:HB	1:A:381:TYR:CZ	2.56	0.40
1:C:400:LYS:HD3	1:C:407:VAL:HG23	2.02	0.40
1:D:513:GLY:O	1:D:517:LEU:HB3	2.21	0.40
1:I:395:LEU:HD22	1:I:527:TRP:CE2	2.57	0.40
1:B:399:LEU:HD11	1:B:531:VAL:HG21	2.04	0.40
1:B:489:LEU:HD23	1:B:489:LEU:HA	1.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	163/206 (79%)	160 (98%)	3 (2%)	0	100 100
1	B	162/206 (79%)	161 (99%)	1 (1%)	0	100 100
1	C	162/206 (79%)	159 (98%)	3 (2%)	0	100 100
1	D	161/206 (78%)	158 (98%)	3 (2%)	0	100 100
1	E	162/206 (79%)	159 (98%)	3 (2%)	0	100 100
1	F	162/206 (79%)	161 (99%)	1 (1%)	0	100 100
1	G	162/206 (79%)	161 (99%)	1 (1%)	0	100 100
1	H	160/206 (78%)	159 (99%)	1 (1%)	0	100 100
1	I	162/206 (79%)	159 (98%)	3 (2%)	0	100 100
1	K	161/206 (78%)	156 (97%)	5 (3%)	0	100 100
1	L	162/206 (79%)	161 (99%)	1 (1%)	0	100 100
1	M	163/206 (79%)	162 (99%)	1 (1%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1942/2472 (79%)	1916 (99%)	26 (1%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	129/174 (74%)	128 (99%)	1 (1%)	81 93
1	B	131/174 (75%)	128 (98%)	3 (2%)	50 78
1	C	134/174 (77%)	133 (99%)	1 (1%)	84 94
1	D	125/174 (72%)	124 (99%)	1 (1%)	81 93
1	E	126/174 (72%)	124 (98%)	2 (2%)	62 84
1	F	124/174 (71%)	123 (99%)	1 (1%)	81 93
1	G	128/174 (74%)	127 (99%)	1 (1%)	81 93
1	H	129/174 (74%)	128 (99%)	1 (1%)	81 93
1	I	135/174 (78%)	135 (100%)	0	100 100
1	K	130/174 (75%)	126 (97%)	4 (3%)	40 71
1	L	121/174 (70%)	121 (100%)	0	100 100
1	M	133/174 (76%)	133 (100%)	0	100 100
All	All	1545/2088 (74%)	1530 (99%)	15 (1%)	78 91

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	477	PHE
1	B	459[A]	MSE
1	B	459[B]	MSE
1	B	477	PHE
1	C	489	LEU
1	D	477	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	384	ILE
1	E	477	PHE
1	F	477	PHE
1	G	477	PHE
1	H	384	ILE
1	K	458[A]	LYS
1	K	458[B]	LYS
1	K	477	PHE
1	K	482	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	518	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	157/206 (76%)	-0.00	1 (0%) 89 89	52, 79, 120, 142	0
1	B	156/206 (75%)	0.00	3 (1%) 66 64	54, 87, 138, 157	0
1	C	156/206 (75%)	0.17	4 (2%) 56 52	55, 88, 136, 154	0
1	D	155/206 (75%)	0.07	3 (1%) 66 64	53, 93, 132, 144	0
1	E	156/206 (75%)	-0.04	1 (0%) 89 89	59, 95, 132, 147	0
1	F	156/206 (75%)	0.15	3 (1%) 66 64	59, 101, 140, 157	0
1	G	156/206 (75%)	-0.10	1 (0%) 89 89	49, 72, 99, 126	0
1	H	154/206 (74%)	0.11	5 (3%) 47 42	51, 86, 125, 134	0
1	I	156/206 (75%)	0.01	0 100 100	42, 70, 111, 128	0
1	K	155/206 (75%)	0.07	3 (1%) 66 64	41, 84, 127, 147	0
1	L	156/206 (75%)	0.16	5 (3%) 47 42	64, 112, 154, 175	0
1	M	157/206 (76%)	-0.13	1 (0%) 89 89	44, 75, 114, 131	0
All	All	1870/2472 (75%)	0.04	30 (1%) 72 70	41, 85, 134, 175	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	L	531	VAL	3.5
1	B	519	VAL	3.4
1	H	519	VAL	3.3
1	F	531	VAL	3.3
1	M	465	LEU	3.0
1	C	447	VAL	3.0
1	L	399	LEU	2.9
1	E	401	THR	2.9
1	C	532	VAL	2.7
1	G	442	ASN	2.7
1	H	399	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	397	SER	2.6
1	C	498	GLN	2.5
1	L	518	GLN	2.5
1	L	532	VAL	2.5
1	B	376	GLN	2.4
1	K	523	ASP	2.3
1	F	377	ASP	2.3
1	C	446	PHE	2.2
1	H	410	GLU	2.2
1	L	440	GLN	2.1
1	A	406	ARG	2.1
1	H	405	CYS	2.1
1	D	444	SER	2.1
1	D	405	CYS	2.1
1	B	518	GLN	2.1
1	K	405	CYS	2.0
1	H	518	GLN	2.0
1	D	441	ARG	2.0
1	K	504	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.