Full wwPDB X-ray Structure Validation Report (i)

Jan 2, 2024 – 08:51 am GMT

PDB ID	:	5DKI
Title	:	Yeast 20S proteasome in complex with alkyne-PI
Authors	:	Beck, P.; Cui, H.; Groll, M.
Deposited on	:	2015-09-03
Resolution	:	2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	3%, 97%, •
1	O	250	3%, 97%, •
2	B	258	3%, 88%, 6%, 5%
2	P	258	4%, 88%, 5%, •, 5%
3	C	254	6%, 87%, 7%, •, 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	7% 88% 6% 6%
4	D	260	2% 86% 10%
4	R	260	2% 86% 10%
5	E	234	4% 94% 5%
5	S	234	2% 94% 5%
6	F	288	2% 81% 16%
6	T	288	3% 82% 16%
7	G	252	3% 90% 5%
7	U	252	% 90% 6%
8	H	232	2% 93%
8	V	232	3% 91% 5%
9	I	205	94% 5%
9	W	205	94% 5%
10	J	198	2% 90% 8%
10	X	198	2% 91% 7%
11	K	212	% 91% 8%
11	Y	212	2% 91% 8%
12	L	222	5% 96%
12	Z	222	4% 95%
13	M	246	2% 88% 6% 5%
13	a	246	% 92% 5%
14	N	196	% 93% 6%
14	b	196	% 97%

2 Entry composition (i)

There are 18 unique types of molecules in this entry. The entry contains 49870 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	1915	1219	315	377	4	0	0	0
1	O	250	1915	1219	315	377	4	0	0	0

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	244	1904	1201	321	379	3	0	0	0
2	P	244	1904	1201	321	379	3	0	0	0

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	240	1881	1176	329	372	4	0	0	0
3	Q	240	1881	1176	329	372	4	0	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	235	1813	1136	304	366	7	0	0	0
4	R	235	1813	1136	304	366	7	0	0	0

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	231	1773	1114	307	348	4	0	0	0
5	S	231	1773	1114	307	348	4	0	0	0

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	F	243	1892	1203	329	356	4	0	0	0
6	T	243	1892	1203	329	356	4	0	0	0

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
7	G	241	1907	1214	320	365	8	0	0	0
7	U	241	1907	1214	320	365	8	0	0	0

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
8	H	226	1719	1082	298	332	7	0	0	0
8	V	226	1719	1082	298	332	7	0	0	0

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
9	I	204	1581	1010	258	305	8	0	0	0
9	W	204	1581	1010	258	305	8	0	0	0

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	J	195	1561	992	264	299	6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
10	X	195	1561	992	264	299	6	0	0	0

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
11	K	212	1644	1045	280	312	7	0	0	0
11	Y	212	1644	1045	280	312	7	0	0	0

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
12	L	222	1757	1115	303	335	4	0	0	0
12	Z	222	1757	1115	303	335	4	0	0	0

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	M	233	1824	1154	312	351	7	0	0	0
13	a	233	1824	1154	312	351	7	0	0	0

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	196	1512	955	250	300	7	0	0	0
14	b	196	1512	955	250	300	7	0	0	0

- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
15	G	1	1	1	0	0
15	I	2	2	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	J	1	Total Mg 1 1	0	0
15	K	1	Total Mg 1 1	0	0
15	L	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	2	Total Cl 2 2	0	0
16	N	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0
16	b	1	Total Cl 1 1	0	0

- Molecule 17 is [(1 {R})-1-[[(2 {S})-2-(hex-5-ynoylamino)-3-phenyl-propanoyl]amino]-3-methyl-butyl]boronic acid (three-letter code: 5BZ) (formula: $C_{20}H_{29}BN_2O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	B	C	N	O		
17	H	1	27	1	20	2	4	0	0
17	K	1	27	1	20	2	4	0	0
17	N	1	27	1	20	2	4	0	0
17	V	1	27	1	20	2	4	0	0
17	Y	1	27	1	20	2	4	0	0
17	b	1	27	1	20	2	4	0	0

- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
18	A	7	7	7	0	0
18	B	15	15	15	0	0
18	C	9	9	9	0	0
18	D	6	6	6	0	0
18	E	12	12	12	0	0
18	F	11	11	11	0	0
18	G	17	17	17	0	0
18	H	11	11	11	0	0
18	I	13	13	13	0	0
18	J	11	11	11	0	0
18	K	10	10	10	0	0
18	L	18	18	18	0	0
18	M	17	17	17	0	0
18	N	10	10	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	O	8	Total O 8 8	0	0
18	P	12	Total O 12 12	0	0
18	Q	8	Total O 8 8	0	0
18	R	9	Total O 9 9	0	0
18	S	15	Total O 15 15	0	0
18	T	11	Total O 11 11	0	0
18	U	9	Total O 9 9	0	0
18	V	8	Total O 8 8	0	0
18	W	13	Total O 13 13	0	0
18	X	13	Total O 13 13	0	0
18	Y	9	Total O 9 9	0	0
18	Z	18	Total O 18 18	0	0
18	a	20	Total O 20 20	0	0
18	b	9	Total O 9 9	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Proteasome subunit alpha type-2

Chain A:





• Molecule 1: Proteasome subunit alpha type-2

Chain O:



• Molecule 2: Proteasome subunit alpha type-3

Chain B:



• Molecule 2: Proteasome subunit alpha type-3

Chain P:



• Molecule 3: Proteasome subunit alpha type-4

Chain C:



• Molecule 3: Proteasome subunit alpha type-4

Chain Q:



• Molecule 4: Proteasome subunit alpha type-5

Chain D:



• Molecule 4: Proteasome subunit alpha type-5

Chain R:



• Molecule 5: Proteasome subunit alpha type-6

Chain E:





• Molecule 5: Proteasome subunit alpha type-6

Chain S:





• Molecule 6: Probable proteasome subunit alpha type-7

Chain F:



• Molecule 6: Probable proteasome subunit alpha type-7

Chain T:



• Molecule 7: Proteasome subunit alpha type-1

Chain G:



• Molecule 7: Proteasome subunit alpha type-1

Chain U:



• Molecule 8: Proteasome subunit beta type-2

Chain H:



• Molecule 8: Proteasome subunit beta type-2

Chain V:



• Molecule 9: Proteasome subunit beta type-3

Chain I:



• Molecule 9: Proteasome subunit beta type-3

Chain W:





• Molecule 10: Proteasome subunit beta type-4

Chain J:



• Molecule 10: Proteasome subunit beta type-4

Chain X:





• Molecule 11: Proteasome subunit beta type-5

Chain K:



• Molecule 11: Proteasome subunit beta type-5

Chain Y:



• Molecule 12: Proteasome subunit beta type-6

Chain L:





• Molecule 12: Proteasome subunit beta type-6

Chain Z:





• Molecule 13: Proteasome subunit beta type-7

Chain M:



- Molecule 13: Proteasome subunit beta type-7

Chain a:





- Molecule 14: Proteasome subunit beta type-1

Chain N:





- Molecule 14: Proteasome subunit beta type-1

Chain b:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	137.16Å 298.09Å 145.96Å 90.00° 113.11° 90.00°	Depositor
Resolution (Å)	15.00 – 2.80 15.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	98.4 (15.00-2.80) 98.4 (15.00-2.80)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.87 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.199 , 0.219 0.203 , 0.222	Depositor DCC
R_{free} test set	12885 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å^2)	56.7	Xtriage
Anisotropy	0.029	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.30 , 32.5	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	49870	wwPDB-VP
Average B, all atoms (Å^2)	62.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.19% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG, 5BZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.27	0/1952	0.47	0/2642
1	O	0.28	0/1952	0.47	0/2642
2	B	0.28	0/1934	0.49	0/2618
2	P	0.27	0/1934	0.49	0/2618
3	C	0.27	0/1910	0.50	0/2586
3	Q	0.27	0/1910	0.50	0/2586
4	D	0.27	0/1837	0.47	0/2475
4	R	0.27	0/1837	0.47	0/2475
5	E	0.27	0/1800	0.47	0/2433
5	S	0.27	0/1800	0.47	0/2433
6	F	0.27	0/1932	0.44	0/2609
6	T	0.27	0/1932	0.44	0/2609
7	G	0.28	0/1945	0.46	0/2634
7	U	0.27	0/1945	0.46	0/2634
8	H	0.27	0/1750	0.50	0/2373
8	V	0.28	0/1750	0.51	0/2373
9	I	0.26	0/1611	0.52	0/2174
9	W	0.27	0/1611	0.52	0/2174
10	J	0.27	0/1589	0.65	3/2142 (0.1%)
10	X	0.28	0/1589	0.64	2/2142 (0.1%)
11	K	0.27	0/1681	0.53	0/2274
11	Y	0.28	0/1681	0.53	0/2274
12	L	0.27	0/1795	0.51	0/2420
12	Z	0.31	0/1795	0.51	0/2420
13	M	0.26	0/1855	0.54	0/2514
13	a	0.26	0/1855	0.53	0/2514
14	N	0.41	0/1541	0.52	0/2087
14	b	0.25	0/1541	0.50	0/2087
All	All	0.28	0/50264	0.50	5/67962 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	X	0	1

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
10	X	149	ARG	NE-CZ-NH2	-14.07	113.26	120.30
10	J	149	ARG	NE-CZ-NH1	-13.29	113.65	120.30
10	X	149	ARG	CD-NE-CZ	12.86	141.60	123.60
10	J	149	ARG	NE-CZ-NH2	12.40	126.50	120.30
10	J	149	ARG	CD-NE-CZ	6.35	132.49	123.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	X	149	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	2	0
1	O	1915	0	1929	4	0
2	B	1904	0	1904	7	0
2	P	1904	0	1904	9	0
3	C	1881	0	1895	8	0
3	Q	1881	0	1895	6	0
4	D	1813	0	1797	3	0
4	R	1813	0	1797	4	0
5	E	1773	0	1775	3	0
5	S	1773	0	1775	4	0
6	F	1892	0	1883	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	T	1892	0	1883	2	0
7	G	1907	0	1901	5	0
7	U	1907	0	1901	4	0
8	H	1719	0	1718	9	0
8	V	1719	0	1718	12	0
9	I	1581	0	1574	7	0
9	W	1581	0	1574	8	0
10	J	1561	0	1569	7	0
10	X	1561	0	1569	7	0
11	K	1644	0	1594	10	0
11	Y	1644	0	1594	10	0
12	L	1757	0	1711	4	0
12	Z	1757	0	1711	5	0
13	M	1824	0	1832	7	0
13	a	1824	0	1832	0	0
14	N	1512	0	1480	6	0
14	b	1512	0	1480	0	0
15	G	1	0	0	0	0
15	I	2	0	0	0	0
15	J	1	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	2	0	0	0	0
16	N	1	0	0	0	0
16	U	1	0	0	0	0
16	b	1	0	0	0	0
17	H	27	0	29	0	0
17	K	27	0	29	0	0
17	N	27	0	29	1	0
17	V	27	0	29	5	0
17	Y	27	0	29	1	0
17	b	27	0	29	0	0
18	A	7	0	0	0	0
18	B	15	0	0	1	0
18	C	9	0	0	0	0
18	D	6	0	0	0	0
18	E	12	0	0	0	0
18	F	11	0	0	0	0
18	G	17	0	0	1	0
18	H	11	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	I	13	0	0	0	0
18	J	11	0	0	1	0
18	K	10	0	0	0	0
18	L	18	0	0	0	0
18	M	17	0	0	1	0
18	N	10	0	0	0	0
18	O	8	0	0	0	0
18	P	12	0	0	1	0
18	Q	8	0	0	1	0
18	R	9	0	0	0	0
18	S	15	0	0	0	0
18	T	11	0	0	0	0
18	U	9	0	0	0	0
18	V	8	0	0	0	0
18	W	13	0	0	1	0
18	X	13	0	0	1	0
18	Y	9	0	0	0	0
18	Z	18	0	0	1	0
18	a	20	0	0	0	0
18	b	9	0	0	0	0
All	All	49870	0	49298	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:209:ASN:O	9:W:38:LYS:NZ	2.21	0.73
11:K:73:ARG:NH2	11:K:104:TYR:O	2.24	0.70
11:Y:73:ARG:NH2	11:Y:104:TYR:O	2.24	0.68
9:I:38:LYS:NZ	11:Y:209:ASN:O	2.28	0.67
13:M:35:ARG:HG2	13:M:36:PHE:CE2	2.30	0.66
2:B:93:HIS:HB3	18:B:301:HOH:O	2.02	0.60
17:Y:301:5BZ:C32	18:Z:415:HOH:O	2.50	0.59
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.71	0.55
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.71	0.55
8:H:35:HIS:HB3	8:H:56:THR:HG21	1.89	0.53
8:V:35:HIS:HB3	8:V:56:THR:HG21	1.89	0.53
11:Y:145:LYS:HB2	11:Y:148:LEU:HD13	1.91	0.52
11:K:145:LYS:HB2	11:K:148:LEU:HD13	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:V:22:GLN:HE21	17:V:301:5BZ:H28	1.75	0.52
14:N:152:VAL:HA	14:N:175:MET:HE1	1.92	0.52
10:X:174:MET:HB2	18:X:206:HOH:O	2.08	0.52
10:X:50:ALA:O	11:Y:91:LYS:NZ	2.43	0.52
3:Q:1:GLY:N	18:Q:301:HOH:O	2.41	0.51
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.58	0.51
8:V:35:HIS:CB	8:V:56:THR:HG21	2.41	0.51
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.47	0.50
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.50
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.94	0.50
8:H:35:HIS:CB	8:H:56:THR:HG21	2.41	0.50
7:G:23:PHE:O	7:G:26:THR:HB	2.12	0.49
11:K:20:ALA:HB2	11:K:31:VAL:HG21	1.94	0.49
8:V:113:ILE:HG12	8:V:119:THR:HG22	1.94	0.49
17:V:301:5BZ:C33	18:W:312:HOH:O	2.61	0.49
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	1.94	0.49
8:V:196:ARG:NH2	9:W:150:GLU:O	2.45	0.49
7:U:23:PHE:O	7:U:26:THR:HB	2.12	0.49
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.94	0.49
8:H:113:ILE:HG12	8:H:119:THR:HG22	1.94	0.48
10:J:174:MET:HB2	18:J:304:HOH:O	2.13	0.48
8:H:196:ARG:NH2	9:I:150:GLU:O	2.46	0.48
2:P:93:HIS:HB3	18:P:301:HOH:O	2.12	0.48
9:W:36:SER:HB2	10:X:126:VAL:HG11	1.94	0.48
10:J:50:ALA:O	11:K:91:LYS:NZ	2.47	0.47
10:J:21:VAL:HG11	11:K:122:LEU:HD11	1.96	0.47
13:M:35:ARG:NH1	18:M:301:HOH:O	2.47	0.47
14:N:36:ARG:HG3	14:N:42:TRP:CE2	2.49	0.47
8:V:80:LEU:HD12	8:V:113:ILE:HD11	1.96	0.47
8:H:80:LEU:HD12	8:H:113:ILE:HD11	1.96	0.47
8:V:84:LYS:HE2	8:V:119:THR:HG23	1.97	0.47
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.98	0.46
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.96	0.46
4:R:176:LEU:HA	5:S:55:LEU:HD21	1.97	0.46
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.96	0.46
1:A:55:LEU:HD12	7:G:170:THR:HG23	1.98	0.46
14:N:176:VAL:HG12	14:N:178:LEU:HD13	1.98	0.45
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.97	0.45
8:H:84:LYS:HE2	8:H:119:THR:HG23	1.98	0.45
12:L:13:LEU:HD11	12:L:150:LEU:HD21	1.98	0.45
8:H:196:ARG:NH2	9:I:150:GLU:HG3	2.31	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
17:V:301:5BZ:H7	17:V:301:5BZ:O27	2.15	0.45
12:Z:13:LEU:HD11	12:Z:150:LEU:HD21	1.98	0.45
6:F:164:GLY:HA2	6:F:202:ASP:OD2	2.17	0.45
13:M:35:ARG:HG2	13:M:36:PHE:CZ	2.51	0.45
1:O:160:LYS:HD2	2:P:55:LEU:HA	1.98	0.45
12:L:13:LEU:CD1	12:L:150:LEU:HD21	2.47	0.44
10:X:21:VAL:HG11	11:Y:122:LEU:HD11	1.99	0.44
12:Z:13:LEU:CD1	12:Z:150:LEU:HD21	2.48	0.44
3:C:35:LYS:HG2	3:C:158:SER:O	2.16	0.44
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.82	0.44
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.99	0.44
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.99	0.44
9:I:125:LEU:HG	9:I:126:ILE:HG22	1.99	0.44
9:W:125:LEU:HG	9:W:126:ILE:HG22	1.99	0.44
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.18	0.44
2:B:124:HIS:HB3	3:C:124:VAL:HG12	2.01	0.43
9:I:36:SER:HB2	10:J:126:VAL:HG11	2.00	0.43
11:Y:53:GLN:O	11:Y:57:THR:HG23	2.18	0.43
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.00	0.43
11:K:5:ALA:HA	11:K:13:ILE:O	2.19	0.43
11:Y:5:ALA:HA	11:Y:13:ILE:O	2.19	0.43
11:Y:211:ILE:H	11:Y:211:ILE:HG13	1.72	0.43
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.00	0.43
2:B:50:LYS:O	2:B:51:VAL:C	2.57	0.43
11:K:53:GLN:O	11:K:57:THR:HG23	2.18	0.43
2:P:50:LYS:HD3	2:P:50:LYS:HA	1.87	0.42
2:P:50:LYS:O	2:P:51:VAL:C	2.57	0.42
4:R:9:PRO:HA	5:S:23:TYR:CD1	2.54	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.82	0.42
2:P:124:HIS:HB3	3:Q:124:VAL:HG12	2.01	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.82	0.42
4:D:91:HIS:CD2	4:D:99:ILE:HG22	2.54	0.42
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.49	0.42
13:M:27:LEU:HD21	13:M:34:LEU:HD22	2.01	0.42
7:G:122:ARG:HD2	18:G:415:HOH:O	2.19	0.42
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.85	0.42
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.84	0.42
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.42
17:V:301:5BZ:H29	9:W:130:ASP:HB2	2.02	0.42
2:B:217:LYS:C	2:B:219:ALA:H	2.23	0.42
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:139:TYR:OH	10:X:25:ILE:O	2.38	0.42
11:Y:107:LYS:HG3	11:Y:108:GLU:HG3	2.02	0.42
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.20	0.42
3:C:201:VAL:O	3:C:202:GLN:HB3	2.20	0.41
13:M:96:LEU:O	13:M:100:MET:HG2	2.20	0.41
12:L:8:ASN:HA	12:L:30:ILE:O	2.19	0.41
4:R:91:HIS:CD2	4:R:99:ILE:HG22	2.55	0.41
5:E:12:PHE:H	6:F:19:GLN:HE22	1.66	0.41
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.50	0.41
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.50	0.41
1:O:115:ALA:HB1	1:O:154:GLY:O	2.20	0.41
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.20	0.41
8:H:104:ASP:HB2	8:H:105:PRO:CD	2.50	0.41
2:B:146:GLN:HG2	3:C:57:ILE:HG21	2.02	0.41
11:K:209:ASN:OD1	11:K:209:ASN:C	2.59	0.41
12:Z:125:PHE:CD2	12:Z:131:TYR:HB3	2.56	0.41
5:S:12:PHE:H	6:T:19:GLN:HE22	1.67	0.41
6:T:202:ASP:OD1	6:T:202:ASP:N	2.54	0.41
2:B:14:PRO:HA	3:C:20:TYR:CD1	2.56	0.41
6:F:202:ASP:OD1	6:F:202:ASP:N	2.54	0.41
11:K:107:LYS:HG3	11:K:108:GLU:HG3	2.02	0.41
8:V:1:THR:CB	17:V:301:5BZ:O27	2.69	0.41
8:V:104:ASP:HB2	8:V:105:PRO:CD	2.51	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.41
14:N:1:THR:CB	17:N:201:5BZ:O27	2.69	0.41
8:V:196:ARG:NH2	9:W:150:GLU:HG3	2.36	0.41
13:M:187:ARG:NH1	8:V:139:GLU:OE1	2.48	0.40
13:M:227:GLY:HA3	13:M:231:GLN:HB3	2.03	0.40
2:P:151:ASN:HB2	2:P:152:PRO:HD2	2.04	0.40
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.56	0.40
1:A:115:ALA:HB1	1:A:154:GLY:O	2.22	0.40
14:N:3:ILE:HG22	14:N:16:ALA:CB	2.51	0.40
4:D:176:LEU:HD22	5:E:55:LEU:CD2	2.51	0.40
2:P:217:LYS:C	2:P:219:ALA:H	2.24	0.40
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.04	0.40
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34	66
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34	66
2	B	242/258 (94%)	234 (97%)	4 (2%)	4 (2%)	9	29
2	P	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	9	29
3	C	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	19	49
3	Q	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	19	49
4	D	231/260 (89%)	229 (99%)	2 (1%)	0	100	100
4	R	231/260 (89%)	229 (99%)	2 (1%)	0	100	100
5	E	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
5	S	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
6	F	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
6	T	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
8	H	224/232 (97%)	217 (97%)	7 (3%)	0	100	100
8	V	224/232 (97%)	217 (97%)	7 (3%)	0	100	100
9	I	202/205 (98%)	196 (97%)	6 (3%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	210/212 (99%)	207 (99%)	3 (1%)	0	100	100
11	Y	210/212 (99%)	207 (99%)	3 (1%)	0	100	100
12	L	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
12	Z	220/222 (99%)	215 (98%)	5 (2%)	0	100	100
13	M	231/246 (94%)	222 (96%)	8 (4%)	1 (0%)	34	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	a	231/246 (94%)	222 (96%)	9 (4%)	0	100	100
14	N	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
14	b	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
All	All	6284/6614 (95%)	6132 (98%)	137 (2%)	15 (0%)	47	78

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
2	B	222	GLY
1	O	2	THR
2	P	218	GLY
2	P	222	GLY
2	B	220	ASN
2	P	220	ASN
3	C	205	ALA
3	Q	205	ALA
13	M	83	ALA

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	90
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	90
2	B	203/216 (94%)	199 (98%)	4 (2%)	55	84
2	P	203/216 (94%)	199 (98%)	4 (2%)	55	84
3	C	212/226 (94%)	202 (95%)	10 (5%)	26	59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	Q	212/226 (94%)	202 (95%)	10 (5%)	26	59
4	D	194/215 (90%)	186 (96%)	8 (4%)	30	64
4	R	194/215 (90%)	186 (96%)	8 (4%)	30	64
5	E	190/193 (98%)	183 (96%)	7 (4%)	34	68
5	S	190/193 (98%)	183 (96%)	7 (4%)	34	68
6	F	201/239 (84%)	195 (97%)	6 (3%)	41	75
6	T	201/239 (84%)	195 (97%)	6 (3%)	41	75
7	G	206/210 (98%)	199 (97%)	7 (3%)	37	71
7	U	206/210 (98%)	199 (97%)	7 (3%)	37	71
8	H	185/190 (97%)	182 (98%)	3 (2%)	62	88
8	V	185/190 (97%)	181 (98%)	4 (2%)	52	83
9	I	172/173 (99%)	169 (98%)	3 (2%)	60	87
9	W	172/173 (99%)	169 (98%)	3 (2%)	60	87
10	J	173/175 (99%)	166 (96%)	7 (4%)	31	65
10	X	173/175 (99%)	167 (96%)	6 (4%)	36	70
11	K	169/169 (100%)	162 (96%)	7 (4%)	30	64
11	Y	169/169 (100%)	162 (96%)	7 (4%)	30	64
12	L	185/185 (100%)	182 (98%)	3 (2%)	62	88
12	Z	185/185 (100%)	182 (98%)	3 (2%)	62	88
13	M	199/208 (96%)	191 (96%)	8 (4%)	31	65
13	a	199/208 (96%)	192 (96%)	7 (4%)	36	70
14	N	162/162 (100%)	157 (97%)	5 (3%)	40	74
14	b	162/162 (100%)	157 (97%)	5 (3%)	40	74
All	All	5320/5540 (96%)	5159 (97%)	161 (3%)	41	75

All (161) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	113	ARG
2	B	191	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
5	E	231	LYS
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	181	GLU
6	F	214	TRP
6	F	240	GLN
7	G	115	LEU
7	G	117	GLN
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	68	LEU
8	H	196	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	37	ASN
9	I	126	ILE
9	I	171	LEU
10	J	3	ILE
10	J	23	ARG
10	J	78	GLN
10	J	90	LYS
10	J	99	GLN
10	J	147	HIS
10	J	149	ARG
11	K	4	LEU
11	K	9	GLN
11	K	35	ILE
11	K	100	MET
11	K	148	LEU
11	K	209	ASN
11	K	211	ILE
12	L	23	LEU
12	L	49	ASN
12	L	150	LEU
13	M	2	GLN
13	M	35	ARG
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
13	M	190	ARG
14	N	9	LYS
14	N	36	ARG
14	N	39	ASP
14	N	83	LYS
14	N	104	ASP
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	51	LYS
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
5	S	231	LYS
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	181	GLU
6	T	214	TRP
6	T	240	GLN
7	U	115	LEU
7	U	117	GLN
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	22	GLN
8	V	30	ASN
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	126	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	W	171	LEU
10	X	3	ILE
10	X	23	ARG
10	X	90	LYS
10	X	99	GLN
10	X	147	HIS
10	X	149	ARG
11	Y	4	LEU
11	Y	9	GLN
11	Y	35	ILE
11	Y	100	MET
11	Y	148	LEU
11	Y	209	ASN
11	Y	211	ILE
12	Z	23	LEU
12	Z	49	ASN
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
13	a	190	ARG
14	b	9	LYS
14	b	36	ARG
14	b	39	ASP
14	b	83	LYS
14	b	104	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (84) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	20	GLN
2	B	58	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
3	C	17	GLN
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	15	GLN
4	D	91	HIS
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
10	J	55	GLN
11	K	9	GLN
11	K	85	ASN
11	K	176	ASN
11	K	208	ASN
12	L	3	ASN
12	L	49	ASN
13	M	48	ASN
13	M	102	GLN
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	146	GLN
4	R	225	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
8	V	22	GLN
8	V	165	ASN
10	X	55	GLN
10	X	78	GLN
10	X	86	GLN
11	Y	9	GLN
11	Y	85	ASN
11	Y	176	ASN
11	Y	208	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	70	ASN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	161	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 19 ligands modelled in this entry, 13 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
17	5BZ	Y	301	11	23,27,27	1.65	2 (8%)	28,34,34	1.21	2 (7%)
17	5BZ	H	301	8	23,27,27	1.50	1 (4%)	28,34,34	1.08	1 (3%)
17	5BZ	V	301	8	23,27,27	1.54	2 (8%)	28,34,34	0.83	0
17	5BZ	K	301	11	23,27,27	1.72	2 (8%)	28,34,34	1.23	2 (7%)
17	5BZ	b	201	14	23,27,27	1.55	1 (4%)	28,34,34	1.27	2 (7%)
17	5BZ	N	201	14	23,27,27	1.48	2 (8%)	28,34,34	1.25	2 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	5BZ	Y	301	11	-	0/22/29/29	0/1/1/1
17	5BZ	H	301	8	-	5/22/29/29	0/1/1/1
17	5BZ	V	301	8	-	8/22/29/29	0/1/1/1
17	5BZ	K	301	11	-	1/22/29/29	0/1/1/1
17	5BZ	b	201	14	-	2/22/29/29	0/1/1/1
17	5BZ	N	201	14	-	1/22/29/29	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	K	301	5BZ	C11-C12	-6.56	1.35	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	b	201	5BZ	C11-C12	-6.29	1.36	1.51
17	H	301	5BZ	C11-C12	-6.16	1.36	1.51
17	V	301	5BZ	C11-C12	-6.00	1.36	1.51
17	Y	301	5BZ	C11-C12	-5.84	1.37	1.51
17	N	201	5BZ	C11-C12	-5.40	1.38	1.51
17	Y	301	5BZ	C32-C33	-3.49	1.07	1.18
17	N	201	5BZ	C32-C33	-3.43	1.07	1.18
17	K	301	5BZ	C32-C33	-2.82	1.09	1.18
17	V	301	5BZ	C31-C32	2.73	1.53	1.47

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
17	K	301	5BZ	C11-C10-N9	-4.77	100.75	110.79
17	N	201	5BZ	C31-C3-C2	-3.85	107.74	113.21
17	b	201	5BZ	C31-C3-C2	-3.65	108.03	113.21
17	Y	301	5BZ	C11-C10-N9	-3.64	103.11	110.79
17	H	301	5BZ	C21-C22-C23	-3.60	110.88	115.39
17	Y	301	5BZ	C21-C22-C23	-3.18	111.40	115.39
17	N	201	5BZ	C21-C22-C23	-2.84	111.83	115.39
17	b	201	5BZ	C12-C11-C10	-2.73	105.85	113.39
17	K	301	5BZ	C21-C22-C23	-2.47	112.29	115.39

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	V	301	5BZ	C21-C22-C23-C24
17	V	301	5BZ	C21-C22-C23-C25
17	b	201	5BZ	C2-C3-C31-C32
17	V	301	5BZ	N20-C21-C22-C23
17	N	201	5BZ	C2-C3-C31-C32
17	V	301	5BZ	C7-C2-C3-C31
17	H	301	5BZ	C7-C2-C3-C31
17	b	201	5BZ	N20-C21-C22-C23
17	V	301	5BZ	N9-C10-C18-O19
17	H	301	5BZ	N9-C10-C18-O19
17	H	301	5BZ	C3-C2-C7-O8
17	V	301	5BZ	C3-C2-C7-O8
17	H	301	5BZ	C3-C2-C7-N9
17	V	301	5BZ	N9-C10-C18-N20
17	K	301	5BZ	C7-C2-C3-C31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	V	301	5BZ	C3-C2-C7-N9
17	H	301	5BZ	N9-C10-C18-N20

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	Y	301	5BZ	1	0
17	V	301	5BZ	5	0
17	N	201	5BZ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 5BZ Y 301



Ligand 5BZ H 301



Ligand 5BZ V 301



Ligand 5BZ K 301



Ligand 5BZ b 201



Bond lengths



Bond angles



Torsions



Rings

Ligand 5BZ N 201



Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	250/250 (100%)	-0.34	8 (3%)	47	37	35, 50, 91, 128	0
1	O	250/250 (100%)	-0.28	8 (3%)	47	37	39, 60, 104, 137	0
2	B	244/258 (94%)	-0.19	9 (3%)	41	31	36, 58, 103, 157	0
2	P	244/258 (94%)	-0.15	10 (4%)	37	27	41, 62, 107, 158	0
3	C	240/254 (94%)	-0.11	16 (6%)	17	10	37, 62, 127, 161	0
3	Q	240/254 (94%)	0.15	19 (7%)	12	7	45, 75, 159, 181	0
4	D	235/260 (90%)	-0.30	5 (2%)	63	54	40, 62, 95, 142	0
4	R	235/260 (90%)	-0.15	4 (1%)	70	63	52, 71, 112, 145	0
5	E	231/234 (98%)	-0.18	9 (3%)	39	29	43, 65, 103, 143	0
5	S	231/234 (98%)	-0.15	5 (2%)	62	52	47, 69, 109, 147	0
6	F	243/288 (84%)	-0.36	6 (2%)	57	47	38, 59, 105, 135	0
6	T	243/288 (84%)	-0.24	8 (3%)	46	36	37, 64, 120, 151	0
7	G	241/252 (95%)	-0.33	7 (2%)	51	41	35, 56, 97, 152	0
7	U	241/252 (95%)	-0.38	3 (1%)	79	73	39, 55, 92, 135	0
8	H	226/232 (97%)	-0.45	4 (1%)	68	61	35, 49, 88, 156	0
8	V	226/232 (97%)	-0.35	6 (2%)	54	44	38, 53, 94, 175	0
9	I	204/205 (99%)	-0.61	1 (0%)	91	88	32, 48, 79, 106	0
9	W	204/205 (99%)	-0.58	1 (0%)	91	88	33, 51, 79, 108	0
10	J	195/198 (98%)	-0.36	3 (1%)	73	68	34, 52, 82, 123	0
10	X	195/198 (98%)	-0.35	3 (1%)	73	68	38, 55, 85, 134	0
11	K	212/212 (100%)	-0.27	3 (1%)	75	70	35, 54, 90, 106	0
11	Y	212/212 (100%)	-0.25	5 (2%)	59	49	35, 52, 93, 117	0
12	L	222/222 (100%)	-0.22	10 (4%)	33	23	35, 54, 110, 148	0
12	Z	222/222 (100%)	-0.27	8 (3%)	42	32	29, 52, 103, 135	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
13	M	233/246 (94%)	-0.48	4 (1%)	70	63	33, 52, 79, 99	0
13	a	233/246 (94%)	-0.48	2 (0%)	84	80	33, 50, 74, 92	0
14	N	196/196 (100%)	-0.66	2 (1%)	82	77	32, 46, 77, 103	0
14	b	196/196 (100%)	-0.56	1 (0%)	91	88	33, 48, 80, 110	0
All	All	6344/6614 (95%)	-0.31	170 (2%)	54	44	29, 57, 104, 181	0

All (170) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
12	Z	163	GLY	7.3
12	L	163	GLY	7.0
12	L	165	ASN	6.3
12	L	174	TYR	6.3
2	P	221	ASP	6.2
3	Q	49	THR	6.0
3	Q	206	LYS	5.8
10	J	1	MET	5.8
12	Z	174	TYR	5.8
12	Z	173	LYS	5.6
10	X	1	MET	5.4
3	Q	50	LEU	5.3
11	K	212	GLY	5.3
3	C	206	LYS	5.2
2	B	218	GLY	5.0
8	V	226	GLU	5.0
1	O	249	ALA	5.0
8	H	224	GLN	5.0
10	X	194	ASP	4.9
9	W	1	SER	4.8
11	Y	212	GLY	4.8
5	S	202	ASP	4.6
2	B	221	ASP	4.6
3	C	49	THR	4.5
3	Q	205	ALA	4.5
5	E	202	ASP	4.5
3	Q	239	GLN	4.5
10	J	194	ASP	4.5
1	O	1	MET	4.4
6	T	244	ASN	4.4
12	Z	165	ASN	4.2
2	P	59	ASP	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	249	ALA	4.2
3	C	239	GLN	4.1
12	L	173	LYS	4.0
7	G	241	GLU	3.9
3	C	202	GLN	3.9
2	B	51	VAL	3.8
3	Q	236	GLN	3.7
3	Q	225	GLU	3.7
8	V	222	ASP	3.7
3	C	236	GLN	3.6
12	L	1	GLN	3.6
8	V	225	GLU	3.6
2	P	218	GLY	3.5
14	b	195	GLN	3.5
13	a	1	THR	3.5
7	G	240	ALA	3.5
11	Y	208	ASN	3.5
3	Q	238	LYS	3.5
12	Z	168	VAL	3.4
11	Y	147	ASP	3.4
8	V	224	GLN	3.4
12	Z	167	LYS	3.4
3	C	225	GLU	3.3
1	A	2	THR	3.3
2	B	220	ASN	3.3
3	Q	240	GLU	3.3
8	H	226	GLU	3.3
2	P	220	ASN	3.3
3	C	50	LEU	3.3
2	P	51	VAL	3.2
3	Q	202	GLN	3.2
3	C	240	GLU	3.2
1	A	1	MET	3.1
7	G	2	GLY	3.1
2	B	217	LYS	3.1
11	K	147	ASP	3.1
8	V	221	CYS	3.1
6	T	230	ASP	3.1
8	H	222	ASP	3.1
6	F	202	ASP	3.0
12	L	168	VAL	3.0
5	S	173	ARG	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	237	GLU	2.9
1	O	182	GLU	2.9
13	M	230	THR	2.9
5	E	117	LYS	2.9
12	L	162	PRO	2.9
13	M	1	THR	2.9
11	K	208	ASN	2.9
12	Z	162	PRO	2.8
12	Z	210	ASP	2.8
8	H	221	CYS	2.8
8	V	145	ASP	2.8
6	T	241	LYS	2.8
3	C	180	LYS	2.8
1	A	250	LEU	2.7
13	a	47	ASP	2.7
2	P	60	THR	2.7
3	Q	141	ASP	2.7
4	D	242	GLU	2.7
3	C	216	ASP	2.7
3	Q	229	GLN	2.7
3	C	205	ALA	2.6
5	E	54	GLU	2.6
6	T	181	GLU	2.6
5	S	180	LYS	2.6
7	G	242	GLN	2.6
7	U	242	GLN	2.6
3	Q	233	GLN	2.6
13	M	47	ASP	2.6
3	C	203	THR	2.6
4	R	242	GLU	2.6
9	I	1	SER	2.6
2	B	219	ALA	2.5
7	U	222	ASP	2.5
3	Q	48	SER	2.5
14	N	195	GLN	2.5
5	S	203	GLU	2.5
4	R	1	ASP	2.5
12	L	171	PRO	2.4
13	M	216	ASN	2.4
2	P	222	GLY	2.4
4	R	230	GLU	2.4
11	Y	146	TRP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
6	F	215	CYS	2.4
3	Q	223	SER	2.4
7	G	3	TYR	2.4
5	S	227	GLU	2.4
12	L	170	LYS	2.4
3	C	238	LYS	2.4
5	E	121	SER	2.4
6	T	205	GLU	2.3
1	A	248	GLU	2.3
1	O	231	LYS	2.3
6	F	180	PRO	2.3
2	P	57	GLU	2.3
6	F	244	ASN	2.3
6	T	180	PRO	2.3
4	R	125	LEU	2.3
1	O	2	THR	2.3
2	P	219	ALA	2.3
1	O	207	ASP	2.3
3	C	181	GLU	2.3
5	E	180	LYS	2.2
10	X	149	ARG	2.2
5	E	122	TYR	2.2
4	D	238	LYS	2.2
5	E	201	ARG	2.2
3	C	175	LYS	2.2
2	B	203	SER	2.2
1	O	248	GLU	2.2
2	P	52	THR	2.2
2	B	239	VAL	2.2
7	G	181	LYS	2.2
5	E	123	GLY	2.2
14	N	105	LYS	2.2
1	A	245	ASP	2.2
6	T	237	ASP	2.2
2	B	52	THR	2.2
6	T	2	THR	2.2
10	J	174	MET	2.2
7	G	237	VAL	2.2
12	L	169	LYS	2.1
4	D	1	ASP	2.1
3	Q	51	LYS	2.1
3	Q	59	PRO	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	201	GLU	2.1
1	O	201	GLU	2.1
4	D	224	ASP	2.1
7	U	188	GLU	2.1
3	Q	180	LYS	2.1
6	F	205	GLU	2.1
1	A	182	GLU	2.0
6	F	181	GLU	2.0
11	Y	211	ILE	2.0
3	C	204	GLY	2.0
5	E	227	GLU	2.0
4	D	233	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
17	5BZ	N	201	27/27	0.83	0.26	22,45,51,52	0
17	5BZ	b	201	27/27	0.84	0.25	28,47,53,54	0
17	5BZ	V	301	27/27	0.88	0.26	24,46,57,62	0
17	5BZ	H	301	27/27	0.88	0.23	21,46,56,58	0
17	5BZ	K	301	27/27	0.89	0.20	24,47,56,64	0
15	MG	Z	301	1/1	0.89	0.36	67,67,67,67	0
17	5BZ	Y	301	27/27	0.91	0.21	29,46,53,59	0
15	MG	L	301	1/1	0.96	0.06	59,59,59,59	0
15	MG	G	301	1/1	0.96	0.12	50,50,50,50	0
16	CL	N	203	1/1	0.96	0.06	44,44,44,44	0
16	CL	G	303	1/1	0.97	0.21	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
15	MG	J	201	1/1	0.97	0.20	43,43,43,43	0
15	MG	I	301	1/1	0.98	0.14	56,56,56,56	0
15	MG	K	302	1/1	0.98	0.07	49,49,49,49	0
15	MG	I	302	1/1	0.98	0.09	53,53,53,53	0
16	CL	b	202	1/1	0.98	0.18	56,56,56,56	0
15	MG	N	202	1/1	0.98	0.08	45,45,45,45	0
16	CL	U	301	1/1	0.99	0.21	39,39,39,39	0
16	CL	G	302	1/1	0.99	0.13	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 5BZ N 201:

2mF$_o$-DF$_c$ (at 0.7 rmsd) in gray
mF$_o$-DF$_c$ (at 3 rmsd) in purple (negative) and green (positive)







Electron density around 5BZ b 201:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around 5BZ V 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around 5BZ H 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around 5BZ K 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around 5BZ Y 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers (i)

There are no such residues in this entry.