



Full wwPDB X-ray Structure Validation Report i

Nov 25, 2024 – 06:00 PM EST

PDB ID : 3DRX
Title : X-ray crystal structure of human KCTD5 protein crystallized in high-salt buffer
Authors : Tereshko, V.; Dementieva, I.; Goldstein, S.A.N.
Deposited on : 2008-07-11
Resolution : 3.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see references ①) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.21
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1668 (3.14-3.10)
Clashscore	180529	1788 (3.14-3.10)
Ramachandran outliers	177936	1696 (3.14-3.10)
Sidechain outliers	177891	1696 (3.14-3.10)
RSRZ outliers	164620	1668 (3.14-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.



2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 6907 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BTB/POZ domain-containing protein KCTD5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	161	Total	C	N	O	S	0	0	0
			1306	831	223	246	6			
1	B	172	Total	C	N	O	S	0	0	0
			1385	874	236	269	6			
1	C	177	Total	C	N	O	S	0	0	0
			1430	902	243	279	6			
1	D	177	Total	C	N	O	S	0	0	0
			1427	901	243	277	6			
1	E	169	Total	C	N	O	S	0	0	0
			1359	860	232	261	6			


There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	33	SER	-	expression tag	UNP Q9NXV2
B	33	SER	-	expression tag	UNP Q9NXV2
C	33	SER	-	expression tag	UNP Q9NXV2
D	33	SER	-	expression tag	UNP Q9NXV2
E	33	SER	-	expression tag	UNP Q9NXV2


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: BTB/POZ domain-containing protein KCTD5



- Molecule 1: BTB/POZ domain-containing protein KCTD5




- Molecule 1: BTB/POZ domain-containing protein KCTD5



SER	GLU
Q162	LYS
C153	ALA
R145	LYS
A34	ALA
L35	LYS
Q164	ALA
E165	LYS
R35	ILE
P39	LEU
G40	GLN
S41	GLU
V42	ARG
S43	GLY
Q170	SER
R64	ARG
D65	MET
P66	
Y71	
L73	
L62	
T174	
Q175	
M175	
S176	
W179	
K180	
I187	
S188	
S189	
S190	
A76	
D77	
D78	
D79	
M192	
Y193	
N194	
D85	
E86	
Q198	
Y90	
L91	
D95	
P96	
V98	
G109	
L119	
E120	
G121	
P133	
H136	
D145	
D146	
T149	
S150	
Y158	
R159	
V160	

- Molecule 1: BTB/POZ domain-containing protein KCTD5



- Molecule 1: BTB/POZ domain-containing protein KCTD5



PRO	TYR
Q134	GLY
I135	THR
R145	ALA
A34	SER
L35	GLU
Q151	GLY
V152	GLU
P153	PRO
S154	SER
V155	GLU
R156	GLN
Y156	LYS
E165	ALA
E166	LYS
E167	ILE
L168	ILE
T169	LEU
Q170	LEU
R171	LEU
R172	LEU
Y173	LEU
T174	LEU
M175	LEU
Q176	LEU
D177	LEU
F69	LEU
L70	LEU
Y71	LEU
C74	LEU
S68	LEU
F76	LEU
D77	LEU
P78	LEU
D79	LEU
S82	LEU
D83	LEU
K84	LEU
D85	LEU
E86	LEU
T87	LEU
G88	LEU
SER	LEU
TYR	LEU
ASN	LEU
TYR	LEU
GLY	LEU
ASN	LEU
GLU	LEU
ASP	LEU
GLN	LEU
A199	LEU
E200	LEU
F201	LEU
L202	LEU
C203	LEU
V204	LEU
V205	LEU
E206	LEU
S206	LEU
W211	LEU
THR	LYS
THR	LYS
PRO	LYS
E119	LYS
E120	LYS
G121	LYS
P133	LYS
H136	LYS
D145	LYS
D146	LYS
T149	LYS
S150	LYS
Y158	LYS
R159	LYS
V160	LYS

4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	72.86 Å 128.58 Å 152.52 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 3.11 20.00 – 3.11	Depositor EDS
% Data completeness (in resolution range)	98.9 (20.00-3.11) 98.5 (20.00-3.11)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.26 (at 3.09 Å)	Xtriage
Refinement program	REFMAC 5.4.0073	Depositor
R , R_{free}	0.227 , 0.275 0.225 , 0.274	Depositor DCC
R_{free} test set	1321 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	62.6	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 66.8	EDS
L-test for twinning ²	$< L > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	6907	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.39	0/1329	0.52	0/1793
1	B	0.44	0/1409	0.53	0/1903
1	C	0.45	0/1457	0.61	1/1970 (0.1%)
1	D	0.42	0/1453	0.53	0/1963
1	E	0.43	0/1383	0.56	0/1868
All	All	0.42	0/7031	0.55	1/9497 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	143	ARG	NE-CZ-NH2	5.36	122.98	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1306	0	1309	62	0
1	B	1385	0	1371	46	0
1	C	1430	0	1405	67	0
1	D	1427	0	1405	46	0
1	E	1359	0	1353	65	0
All	All	6907	0	6843	274	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (274) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:152:VAL:CG1	1:E:153:PRO:HD2	1.77	1.13
1:E:38:ARG:HG2	1:E:38:ARG:HH11	1.09	1.07
1:E:152:VAL:HG12	1:E:153:PRO:HD2	1.37	1.03
1:E:165:GLU:O	1:E:168:LEU:HB2	1.69	0.92
1:A:72:ARG:HG3	1:A:73:LEU:HD13	1.49	0.91
1:C:165:GLU:N	1:C:200:GLU:HG3	1.86	0.91
1:A:38:ARG:H	1:A:38:ARG:HH11	1.16	0.90
1:E:154:VAL:O	1:E:154:VAL:HG23	1.71	0.89
1:B:172:VAL:HG21	1:C:160:VAL:HG23	1.55	0.86
1:C:165:GLU:H	1:C:200:GLU:HG3	1.39	0.86
1:D:172:VAL:HA	1:D:175:MET:CE	2.07	0.85
1:E:152:VAL:HG12	1:E:153:PRO:CD	2.06	0.85
1:D:85:ASP:HB3	1:D:91:LEU:HD21	1.57	0.84
1:E:38:ARG:HG2	1:E:38:ARG:NH1	1.85	0.84
1:E:152:VAL:HG13	1:E:153:PRO:HD2	1.59	0.84
1:C:38:ARG:HD3	1:C:38:ARG:N	1.93	0.84
1:E:159:ARG:HD3	1:E:179:TRP:CH2	2.15	0.81
1:E:84:LYS:HE3	1:E:88:GLY:O	1.82	0.80
1:A:69:PHE:O	1:A:72:ARG:HG2	1.84	0.78
1:B:152:VAL:CG1	1:B:153:PRO:HD2	2.15	0.77
1:D:169:THR:O	1:D:173:SER:HB2	1.86	0.76
1:A:152:VAL:CG1	1:A:153:PRO:HD2	2.16	0.76
1:B:163:CYS:HB2	1:B:167:GLU:HG3	1.68	0.75
1:D:37:GLN:O	1:D:39:PRO:HD3	1.86	0.75
1:B:47:ARG:NH2	1:B:87:THR:HB	2.02	0.74
1:E:159:ARG:HD3	1:E:179:TRP:CZ3	2.24	0.73
1:C:195:ASN:O	1:C:198:GLN:HB2	1.89	0.73
1:C:142:ILE:HG23	1:C:145:ARG:HH12	1.54	0.72
1:D:194:GLY:O	1:D:196:GLU:N	2.20	0.71
1:E:151:GLN:HE22	1:E:154:VAL:HG12	1.54	0.71
1:A:71:TYR:O	1:A:74:CYS:HB3	1.90	0.71
1:E:186:SER:C	1:E:187:ILE:HG13	2.12	0.70
1:B:75:GLN:HA	1:B:75:GLN:HE21	1.57	0.70
1:B:38:ARG:HG3	1:B:39:PRO:HD2	1.72	0.69
1:E:165:GLU:HG3	1:E:166:GLU:N	2.08	0.69
1:D:194:GLY:O	1:D:196:GLU:HG2	1.93	0.69
1:B:85:ASP:HB3	1:B:91:LEU:HD21	1.75	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:ARG:NH1	1:A:73:LEU:O	2.26	0.68
1:A:163:CYS:HB2	1:A:167:GLU:HG3	1.74	0.68
1:D:172:VAL:HA	1:D:175:MET:HE2	1.73	0.68
1:B:152:VAL:HG13	1:B:153:PRO:HD2	1.76	0.68
1:B:173:SER:HB3	1:C:159:ARG:HH21	1.58	0.67
1:A:66:PRO:HA	1:A:71:TYR:CD1	2.30	0.67
1:C:172:VAL:HA	1:C:175:MET:CE	2.24	0.67
1:E:85:ASP:OD2	1:E:85:ASP:C	2.32	0.67
1:C:198:GLN:O	1:C:199:ALA:CB	2.43	0.66
1:E:151:GLN:NE2	1:E:154:VAL:HG12	2.11	0.66
1:D:64:ARG:HH12	1:D:109:GLY:HA2	1.60	0.66
1:A:38:ARG:H	1:A:38:ARG:NH1	1.94	0.65
1:C:165:GLU:H	1:C:200:GLU:CG	2.08	0.65
1:E:166:GLU:HG3	1:E:167:GLU:H	1.60	0.65
1:A:152:VAL:HG13	1:A:153:PRO:HD2	1.79	0.65
1:C:172:VAL:HA	1:C:175:MET:HE2	1.77	0.65
1:C:85:ASP:HB3	1:C:91:LEU:HD21	1.79	0.65
1:A:152:VAL:O	1:A:153:PRO:O	2.15	0.64
1:C:38:ARG:HD3	1:C:38:ARG:H	1.58	0.63
1:E:166:GLU:C	1:E:168:LEU:H	2.02	0.63
1:C:142:ILE:HG23	1:C:145:ARG:NH1	2.13	0.62
1:A:168:LEU:O	1:A:172:VAL:HG22	2.00	0.62
1:C:38:ARG:H	1:C:38:ARG:CD	2.13	0.61
1:B:119:GLU:N	1:B:119:GLU:OE1	2.33	0.61
1:D:187:ILE:O	1:D:187:ILE:CG2	2.49	0.61
1:A:42:VAL:O	1:A:43:SER:HB2	2.01	0.61
1:C:38:ARG:N	1:C:38:ARG:CD	2.64	0.61
1:C:187:ILE:HD12	1:C:202:LEU:HG	1.83	0.61
1:C:192:ASN:HB3	1:C:198:GLN:CD	2.20	0.60
1:C:198:GLN:HB3	1:C:200:GLU:OE1	2.01	0.60
1:C:198:GLN:O	1:C:199:ALA:HB3	2.00	0.60
1:D:62:LEU:O	1:D:74:CYS:HB2	2.02	0.60
1:C:84:LYS:HE3	1:C:90:TYR:CE1	2.36	0.60
1:E:77:ASP:OD1	1:E:77:ASP:C	2.40	0.60
1:E:165:GLU:CG	1:E:166:GLU:N	2.64	0.59
1:B:159:ARG:HB2	1:B:205:VAL:HG12	1.84	0.59
1:A:169:THR:HG22	1:A:170:GLN:N	2.17	0.58
1:A:165:GLU:HG3	1:A:166:GLU:N	2.18	0.58
1:A:159:ARG:HG2	1:A:205:VAL:HG12	1.85	0.58
1:C:168:LEU:O	1:C:168:LEU:HD22	2.02	0.58
1:C:196:GLU:C	1:C:198:GLN:H	2.05	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:ARG:HD3	1:A:179:TRP:CH2	2.39	0.57
1:D:176:SER:HB3	1:D:179:TRP:CD1	2.40	0.56
1:C:192:ASN:HB3	1:C:198:GLN:OE1	2.05	0.56
1:E:159:ARG:CD	1:E:179:TRP:CH2	2.87	0.56
1:A:91:LEU:HD22	1:E:56:LEU:HD21	1.87	0.56
1:C:165:GLU:HG3	1:C:193:TYR:CE2	2.40	0.56
1:B:173:SER:HB3	1:C:159:ARG:NH2	2.20	0.56
1:C:176:SER:OG	1:C:177:ASP:N	2.39	0.56
1:A:47:ARG:NH2	1:A:87:THR:HB	2.21	0.55
1:E:154:VAL:O	1:E:154:VAL:CG2	2.43	0.55
1:A:95:ASP:OD1	1:A:96:PRO:HD2	2.07	0.55
1:A:172:VAL:HG21	1:B:160:VAL:CG2	2.37	0.55
1:B:152:VAL:HG12	1:B:153:PRO:HD2	1.88	0.55
1:D:194:GLY:C	1:D:196:GLU:H	2.08	0.55
1:E:187:ILE:HD11	1:E:202:LEU:HG	1.90	0.54
1:C:93:ASP:O	1:C:94:ARG:HD2	2.07	0.54
1:C:165:GLU:OE2	1:C:194:GLY:HA2	2.07	0.54
1:B:152:VAL:O	1:B:153:PRO:O	2.25	0.54
1:C:198:GLN:CB	1:C:200:GLU:OE1	2.56	0.54
1:D:156:HIS:CE1	1:D:208:GLU:HG2	2.43	0.54
1:C:183:GLN:HG2	1:C:184:LEU:N	2.23	0.54
1:E:182:GLU:HG3	1:E:206:SER:HB3	1.88	0.54
1:E:172:VAL:O	1:E:175:MET:HB2	2.08	0.54
1:D:165:GLU:HG3	1:D:166:GLU:H	1.72	0.54
1:A:156:HIS:NE2	1:A:208:GLU:HG2	2.22	0.53
1:D:66:PRO:HA	1:D:71:TYR:CD1	2.44	0.53
1:D:165:GLU:HG3	1:D:166:GLU:N	2.23	0.53
1:E:165:GLU:CG	1:E:166:GLU:H	2.20	0.53
1:B:66:PRO:HA	1:B:71:TYR:CG	2.43	0.53
1:C:134:LEU:O	1:C:138:VAL:HG23	2.07	0.53
1:E:119:GLU:N	1:E:119:GLU:OE1	2.41	0.53
1:E:171:MET:HE1	1:E:203:CYS:SG	2.48	0.53
1:A:49:ASN:HB3	1:A:91:LEU:HD23	1.90	0.53
1:A:152:VAL:HG12	1:A:153:PRO:HD2	1.90	0.52
1:A:158:TYR:CE1	1:E:181:PHE:HB3	2.44	0.52
1:C:195:ASN:HD22	1:C:198:GLN:HG2	1.74	0.52
1:D:95:ASP:OD1	1:D:96:PRO:HD2	2.09	0.52
1:D:162:GLN:HB3	1:D:202:LEU:HD23	1.92	0.52
1:E:95:ASP:OD1	1:E:96:PRO:HD2	2.09	0.52
1:C:165:GLU:HA	1:C:201:PHE:HE1	1.75	0.52
1:B:165:GLU:H	1:B:200:GLU:HG3	1.73	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:66:PRO:HA	1:C:71:TYR:CD1	2.44	0.52
1:C:37:GLN:HA	1:C:38:ARG:NH1	2.24	0.52
1:E:85:ASP:HB3	1:E:91:LEU:HD21	1.92	0.52
1:E:165:GLU:H	1:E:200:GLU:HG3	1.74	0.52
1:A:94:ARG:NH2	1:A:125:GLU:OE2	2.41	0.52
1:D:71:TYR:O	1:D:74:CYS:HB3	2.10	0.52
1:B:66:PRO:HA	1:B:71:TYR:CD1	2.45	0.52
1:D:194:GLY:C	1:D:196:GLU:N	2.64	0.51
1:A:66:PRO:HA	1:A:71:TYR:CE1	2.45	0.51
1:E:171:MET:CE	1:E:203:CYS:SG	2.99	0.51
1:A:36:ALA:HB2	1:B:69:PHE:CZ	2.46	0.50
1:B:172:VAL:CG2	1:B:173:SER:N	2.75	0.50
1:D:165:GLU:HG3	1:D:166:GLU:HG3	1.93	0.50
1:B:186:SER:C	1:B:187:ILE:HD13	2.32	0.50
1:B:85:ASP:C	1:B:85:ASP:OD1	2.50	0.50
1:C:65:ASP:OD1	1:C:67:LYS:HD3	2.12	0.50
1:D:73:LEU:N	1:D:73:LEU:HD12	2.26	0.50
1:E:43:SER:O	1:E:59:ARG:NE	2.42	0.50
1:C:165:GLU:CA	1:C:200:GLU:HG3	2.41	0.49
1:A:47:ARG:NH2	1:A:87:THR:OG1	2.45	0.49
1:A:168:LEU:C	1:A:168:LEU:HD13	2.32	0.49
1:B:80:LEU:O	1:B:81:ASP:C	2.50	0.49
1:E:166:GLU:O	1:E:168:LEU:N	2.44	0.49
1:A:47:ARG:NH2	1:A:87:THR:CB	2.75	0.49
1:A:145:ARG:NH1	1:A:146:ASP:OD2	2.45	0.49
1:B:173:SER:CB	1:C:159:ARG:HH21	2.26	0.49
1:B:172:VAL:HG23	1:B:173:SER:N	2.28	0.49
1:C:66:PRO:HA	1:C:71:TYR:CG	2.48	0.49
1:E:38:ARG:NH1	1:E:38:ARG:CG	2.61	0.48
1:B:47:ARG:HH21	1:B:87:THR:HB	1.76	0.48
1:B:69:PHE:CD1	1:B:69:PHE:C	2.87	0.48
1:A:47:ARG:HH21	1:A:87:THR:CB	2.27	0.48
1:C:35:LEU:C	1:C:37:GLN:H	2.16	0.48
1:A:172:VAL:HG21	1:B:160:VAL:HG23	1.95	0.48
1:C:114:ASN:OD1	1:C:114:ASN:N	2.46	0.48
1:C:181:PHE:HB3	1:D:158:TYR:CE1	2.48	0.48
1:E:171:MET:HE1	1:E:172:VAL:HG13	1.96	0.48
1:B:119:GLU:H	1:B:119:GLU:CD	2.14	0.48
1:B:69:PHE:O	1:B:72:ARG:HD3	2.14	0.48
1:A:187:ILE:HD12	1:A:187:ILE:HA	1.72	0.48
1:C:165:GLU:HG3	1:C:193:TYR:CZ	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:161:LEU:CD1	1:C:161:LEU:N	2.77	0.47
1:C:189:SER:O	1:C:190:SER:C	2.51	0.47
1:D:64:ARG:HH12	1:D:109:GLY:CA	2.24	0.47
1:D:172:VAL:HG23	1:D:173:SER:N	2.29	0.47
1:A:166:GLU:HG2	1:A:167:GLU:N	2.29	0.47
1:A:179:TRP:CE3	1:A:205:VAL:HG13	2.50	0.47
1:C:99:PHE:O	1:C:100:GLY:C	2.52	0.47
1:A:59:ARG:HD3	1:A:74:CYS:O	2.15	0.47
1:D:75:GLN:HG2	1:D:76:ALA:N	2.30	0.47
1:D:162:GLN:HB3	1:D:202:LEU:CD2	2.45	0.47
1:A:57:THR:OG1	1:A:58:THR:N	2.46	0.47
1:B:152:VAL:O	1:B:153:PRO:C	2.52	0.47
1:E:113:ILE:HG23	1:E:117:LEU:HB3	1.97	0.47
1:C:181:PHE:C	1:C:181:PHE:CD2	2.89	0.47
1:E:165:GLU:HG3	1:E:166:GLU:H	1.79	0.47
1:E:179:TRP:CE3	1:E:205:VAL:HG13	2.50	0.46
1:C:82:SER:O	1:C:84:LYS:HG3	2.15	0.46
1:E:166:GLU:C	1:E:168:LEU:N	2.69	0.46
1:A:172:VAL:HG23	1:A:173:SER:N	2.31	0.46
1:D:187:ILE:O	1:D:187:ILE:HG23	2.16	0.46
1:C:35:LEU:HD12	1:D:90:TYR:HB3	1.97	0.46
1:D:145:ARG:NH1	1:D:146:ASP:OD2	2.49	0.46
1:E:40:GLY:C	1:E:42:VAL:H	2.17	0.46
1:A:73:LEU:HD13	1:A:73:LEU:N	2.31	0.46
1:D:163:CYS:SG	1:D:171:MET:CE	3.04	0.46
1:C:165:GLU:CB	1:C:200:GLU:HG3	2.46	0.46
1:D:161:LEU:CD1	1:D:161:LEU:N	2.80	0.45
1:A:169:THR:O	1:A:173:SER:HB3	2.17	0.45
1:C:35:LEU:C	1:C:37:GLN:N	2.69	0.45
1:D:172:VAL:HA	1:D:175:MET:HE3	1.93	0.45
1:E:48:LEU:O	1:E:54:TYR:HA	2.16	0.45
1:D:37:GLN:O	1:D:37:GLN:HG3	2.17	0.45
1:E:98:TYR:CE2	1:E:121:GLY:HA3	2.51	0.45
1:E:77:ASP:OD1	1:E:79:ASP:N	2.48	0.45
1:A:98:TYR:CE2	1:A:121:GLY:HA3	2.52	0.45
1:A:165:GLU:O	1:A:168:LEU:HB2	2.17	0.44
1:D:79:ASP:OD1	1:D:79:ASP:N	2.44	0.44
1:D:180:LYS:HD2	1:E:156:HIS:ND1	2.32	0.44
1:E:172:VAL:O	1:E:173:SER:C	2.56	0.44
1:B:125:GLU:O	1:B:129:TYR:HD1	1.99	0.44
1:D:66:PRO:HA	1:D:71:TYR:CG	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:168:LEU:HA	1:B:168:LEU:HD23	1.71	0.44
1:E:152:VAL:O	1:E:153:PRO:C	2.55	0.44
1:C:105:TYR:OH	1:C:133:SER:HB2	2.17	0.44
1:D:176:SER:HB3	1:D:179:TRP:HD1	1.81	0.44
1:E:69:PHE:CE2	1:E:129:TYR:HD2	2.36	0.44
1:C:165:GLU:N	1:C:200:GLU:CG	2.67	0.44
1:C:188:GLY:O	1:C:189:SER:HB3	2.18	0.44
1:E:134:LEU:O	1:E:135:ILE:C	2.56	0.44
1:A:65:ASP:HA	1:A:66:PRO:HD2	1.79	0.44
1:D:65:ASP:HA	1:D:66:PRO:HD2	1.86	0.44
1:B:64:ARG:HG3	1:B:106:LEU:O	2.18	0.44
1:C:119:GLU:CD	1:C:119:GLU:H	2.20	0.44
1:E:185:VAL:HG12	1:E:186:SER:N	2.33	0.44
1:D:163:CYS:SG	1:D:171:MET:HE2	2.58	0.43
1:B:108:HIS:ND1	1:B:110:LYS:HB2	2.33	0.43
1:D:165:GLU:O	1:D:168:LEU:HB2	2.18	0.43
1:A:72:ARG:HG3	1:A:73:LEU:N	2.33	0.43
1:A:137:LEU:O	1:A:140:ASP:HB2	2.18	0.43
1:A:202:LEU:HD23	1:A:202:LEU:HA	1.86	0.43
1:A:68:SER:HA	1:A:129:TYR:O	2.19	0.43
1:A:71:TYR:O	1:A:74:CYS:CB	2.63	0.43
1:B:61:THR:O	1:B:61:THR:HG22	2.19	0.43
1:C:65:ASP:C	1:C:67:LYS:H	2.22	0.43
1:A:156:HIS:HE2	1:A:208:GLU:HG2	1.84	0.43
1:C:155:LYS:HE2	1:C:155:LYS:HB3	1.94	0.43
1:C:157:VAL:HG23	1:C:209:LEU:HD11	2.01	0.43
1:E:67:LYS:HB2	1:E:67:LYS:HE3	1.73	0.42
1:A:49:ASN:C	1:A:49:ASN:OD1	2.57	0.42
1:C:179:TRP:CE3	1:C:205:VAL:HG13	2.54	0.42
1:C:162:GLN:O	1:C:162:GLN:HG3	2.19	0.42
1:C:169:THR:O	1:C:173:SER:HB2	2.19	0.42
1:A:166:GLU:C	1:A:168:LEU:H	2.23	0.42
1:E:176:SER:HB3	1:E:179:TRP:CD1	2.55	0.42
1:D:180:LYS:N	1:D:180:LYS:HD3	2.33	0.42
1:A:42:VAL:O	1:A:43:SER:CB	2.65	0.42
1:B:51:GLY:HA3	1:B:94:ARG:O	2.20	0.42
1:C:165:GLU:HA	1:C:201:PHE:CE1	2.54	0.42
1:B:73:LEU:HD12	1:B:73:LEU:HA	1.81	0.41
1:B:83:ASP:N	1:B:83:ASP:OD1	2.53	0.41
1:C:95:ASP:OD1	1:C:96:PRO:HD2	2.19	0.41
1:B:186:SER:O	1:B:187:ILE:HD13	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:159:ARG:HB3	1:D:205:VAL:HG12	2.02	0.41
1:E:172:VAL:HA	1:E:175:MET:HE2	2.01	0.41
1:D:77:ASP:HA	1:D:78:PRO:HD2	1.93	0.41
1:D:98:TYR:CE2	1:D:121:GLY:HA3	2.56	0.41
1:A:86:GLU:OE2	1:A:87:THR:CG2	2.68	0.41
1:E:44:LYS:HE2	1:E:45:TRP:NE1	2.35	0.41
1:E:172:VAL:HG23	1:E:173:SER:H	1.85	0.41
1:A:171:MET:HB3	1:A:171:MET:HE2	1.80	0.41
1:A:49:ASN:OD1	1:A:52:GLY:N	2.53	0.41
1:C:77:ASP:HB3	1:C:80:LEU:HB2	2.01	0.41
1:E:185:VAL:O	1:E:201:PHE:HA	2.21	0.41
1:A:69:PHE:CD2	1:A:69:PHE:C	2.94	0.41
1:B:84:LYS:HE2	1:B:90:TYR:CZ	2.56	0.41
1:A:131:ILE:O	1:A:132:THR:C	2.59	0.41
1:B:152:VAL:HG12	1:B:153:PRO:CD	2.50	0.41
1:E:159:ARG:NH2	1:E:161:LEU:HD11	2.36	0.41
1:E:181:PHE:CD2	1:E:181:PHE:C	2.93	0.41
1:B:53:THR:HG22	1:B:55:PHE:CE2	2.56	0.41
1:B:179:TRP:CE2	1:B:207:LYS:HD3	2.56	0.41
1:E:71:TYR:O	1:E:74:CYS:HB3	2.20	0.41
1:E:152:VAL:HG12	1:E:153:PRO:CG	2.49	0.41
1:B:208:GLU:OE1	1:B:210:HIS:NE2	2.54	0.41
1:A:105:TYR:CG	1:A:134:LEU:HD13	2.56	0.40
1:D:119:GLU:OE1	1:D:119:GLU:N	2.53	0.40
1:B:73:LEU:O	1:B:74:CYS:C	2.59	0.40
1:C:196:GLU:C	1:C:198:GLN:N	2.72	0.40
1:A:111:LEU:HD11	1:A:113:ILE:HD11	2.03	0.40
1:A:169:THR:O	1:A:170:GLN:C	2.60	0.40
1:E:69:PHE:HE2	1:E:129:TYR:CD2	2.39	0.40
1:C:83:ASP:N	1:C:83:ASP:OD1	2.54	0.40
1:E:42:VAL:O	1:E:42:VAL:CG1	2.69	0.40
1:E:85:ASP:OD2	1:E:87:THR:N	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	155/202 (77%)	128 (83%)	22 (14%)	5 (3%)	3 17
1	B	168/202 (83%)	152 (90%)	12 (7%)	4 (2%)	5 21
1	C	175/202 (87%)	146 (83%)	23 (13%)	6 (3%)	3 15
1	D	173/202 (86%)	148 (86%)	20 (12%)	5 (3%)	3 18
1	E	165/202 (82%)	144 (87%)	17 (10%)	4 (2%)	5 21
All	All	836/1010 (83%)	718 (86%)	94 (11%)	24 (3%)	3 18

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	43	SER
1	A	74	CYS
1	A	153	PRO
1	B	81	ASP
1	C	198	GLN
1	D	195	ASN
1	D	199	ALA
1	B	153	PRO
1	C	153	PRO
1	C	189	SER
1	C	199	ALA
1	D	78	PRO
1	D	153	PRO
1	E	85	ASP
1	E	153	PRO
1	B	187	ILE
1	E	167	GLU
1	A	64	ARG
1	C	39	PRO
1	D	76	ALA
1	E	166	GLU
1	A	154	VAL
1	B	78	PRO
1	C	100	GLY

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	147/181 (81%)	129 (88%)	18 (12%)	4 16
1	B	156/181 (86%)	134 (86%)	22 (14%)	3 12
1	C	161/181 (89%)	141 (88%)	20 (12%)	4 15
1	D	160/181 (88%)	154 (96%)	6 (4%)	28 57
1	E	153/181 (84%)	140 (92%)	13 (8%)	8 30
All	All	777/905 (86%)	698 (90%)	79 (10%)	6 22

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	LEU
1	A	38	ARG
1	A	61	THR
1	A	64	ARG
1	A	69	PHE
1	A	73	LEU
1	A	75	GLN
1	A	84	LYS
1	A	86	GLU
1	A	119	GLU
1	A	141	LYS
1	A	145	ARG
1	A	159	ARG
1	A	161	LEU
1	A	169	THR
1	A	173	SER
1	A	187	ILE
1	A	205	VAL
1	B	35	LEU
1	B	38	ARG
1	B	53	THR
1	B	60	GLN
1	B	67	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	69	PHE
1	B	73	LEU
1	B	75	GLN
1	B	77	ASP
1	B	79	ASP
1	B	80	LEU
1	B	119	GLU
1	B	133	SER
1	B	145	ARG
1	B	154	VAL
1	B	155	LYS
1	B	161	LEU
1	B	166	GLU
1	B	168	LEU
1	B	197	ASP
1	B	205	VAL
1	B	211	ASN
1	C	35	LEU
1	C	38	ARG
1	C	42	VAL
1	C	44	LYS
1	C	46	VAL
1	C	61	THR
1	C	114	ASN
1	C	119	GLU
1	C	145	ARG
1	C	155	LYS
1	C	161	LEU
1	C	165	GLU
1	C	166	GLU
1	C	169	THR
1	C	187	ILE
1	C	195	ASN
1	C	196	GLU
1	C	198	GLN
1	C	200	GLU
1	C	205	VAL
1	D	74	CYS
1	D	86	GLU
1	D	119	GLU
1	D	145	ARG
1	D	166	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	173	SER
1	E	35	LEU
1	E	38	ARG
1	E	59	ARG
1	E	67	LYS
1	E	69	PHE
1	E	82	SER
1	E	87	THR
1	E	119	GLU
1	E	145	ARG
1	E	161	LEU
1	E	168	LEU
1	E	172	VAL
1	E	186	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	164	GLN
1	B	75	GLN
1	C	75	GLN
1	C	164	GLN
1	C	195	ASN
1	D	156	HIS
1	D	192	ASN
1	E	151	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

Warning: The R factor obtained from EDS is 0.2786, which does not match the depositor's R factor of 0.227. Please interpret the results in this section carefully.

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	161/202 (79%)	0.91	19 (11%) 10 6	40, 66, 82, 85	2 (1%)
1	B	172/202 (85%)	0.83	23 (13%) 8 5	33, 65, 85, 96	1 (0%)
1	C	177/202 (87%)	0.50	5 (2%) 55 36	52, 66, 83, 85	0
1	D	177/202 (87%)	0.68	19 (10%) 12 8	53, 68, 84, 106	0
1	E	169/202 (83%)	0.48	9 (5%) 33 20	42, 64, 79, 84	0
All	All	856/1010 (84%)	0.67	75 (8%) 17 10	33, 66, 83, 106	3 (0%)

All (75) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	78	PRO	12.9
1	B	189	SER	9.5
1	A	77	ASP	8.3
1	D	190	SER	5.5
1	D	191	TYR	4.3
1	D	35	LEU	3.6
1	E	172	VAL	3.5
1	B	131	ILE	3.3
1	D	189	SER	3.3
1	D	39	PRO	3.3
1	D	198	GLN	3.0
1	A	152	VAL	2.9
1	B	99	PHE	2.9
1	B	199	ALA	2.9
1	D	149	THR	2.9
1	B	127	GLU	2.9
1	A	104	ASN	2.9
1	B	78	PRO	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	193	TYR	2.9
1	D	199	ALA	2.8
1	D	150	SER	2.8
1	D	34	ALA	2.7
1	B	210	HIS	2.7
1	B	96	PRO	2.7
1	B	211	ASN	2.6
1	A	90	TYR	2.6
1	E	177	ASP	2.6
1	D	134	LEU	2.6
1	B	129	TYR	2.6
1	E	33	SER	2.6
1	B	106	LEU	2.6
1	E	34	ALA	2.6
1	A	101	PRO	2.5
1	B	128	PHE	2.5
1	A	96	PRO	2.5
1	D	195	ASN	2.5
1	E	170	GLN	2.5
1	B	153	PRO	2.5
1	A	177	ASP	2.5
1	E	152	VAL	2.5
1	B	132	THR	2.4
1	A	129	TYR	2.4
1	B	154	VAL	2.4
1	C	190	SER	2.4
1	B	80	LEU	2.4
1	C	35	LEU	2.4
1	A	99	PHE	2.4
1	A	34	ALA	2.4
1	E	199	ALA	2.4
1	D	192	ASN	2.4
1	B	109	GLY	2.4
1	B	126	ALA	2.4
1	D	36	ALA	2.3
1	A	97	THR	2.3
1	A	103	LEU	2.3
1	C	211	ASN	2.3
1	B	198	GLN	2.3
1	D	42	VAL	2.3
1	A	208	GLU	2.2
1	D	196	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	108	HIS	2.2
1	A	150	SER	2.2
1	C	96	PRO	2.2
1	E	175	MET	2.2
1	A	111	LEU	2.2
1	B	105	TYR	2.1
1	D	43	SER	2.1
1	B	135	ILE	2.1
1	A	156	HIS	2.1
1	A	108	HIS	2.1
1	E	107	ARG	2.1
1	D	40	GLY	2.1
1	A	102	VAL	2.1
1	B	149	THR	2.0
1	C	144	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.