



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 22, 2025 – 02:29 PM EDT

PDB ID : 6EDW  
Title : Crystal structure of Mycobacterium tuberculosis ICL2 in the apo form  
Authors : Bashiri, G.; Bhusal, R.; Leung, I.  
Deposited on : 2018-08-12  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.21  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.004 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.41.4


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	7108 (1.80-1.80)
Clashscore	180529	8162 (1.80-1.80)
Ramachandran outliers	177936	8077 (1.80-1.80)
Sidechain outliers	177891	8076 (1.80-1.80)
RSRZ outliers	164620	7108 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	786	<div> <div>4%</div> <div> <div></div> <div>89%</div> <div>5%</div> <div>6%</div> </div> </div>
1	B	786	<div> <div>2%</div> <div> <div></div> <div>90%</div> <div>5%</div> <div>5%</div> </div> </div>
1	C	786	<div> <div>5%</div> <div> <div></div> <div>88%</div> <div>•</div> <div>8%</div> </div> </div>
1	D	786	<div> <div>3%</div> <div> <div></div> <div>89%</div> <div>6%</div> <div>6%</div> </div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 26840 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate lyase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	742	Total	C	N	O	S	0	6	0
			5877	3709	1052	1094	22			
1	B	746	Total	C	N	O	S	0	5	0
			5885	3714	1050	1099	22			
1	C	724	Total	C	N	O	S	0	5	0
			5710	3607	1020	1061	22			
1	D	741	Total	C	N	O	S	0	6	0
			5863	3700	1053	1088	22			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP Q8VJU4
A	-18	GLY	-	expression tag	UNP Q8VJU4
A	-17	SER	-	expression tag	UNP Q8VJU4
A	-16	SER	-	expression tag	UNP Q8VJU4
A	-15	HIS	-	expression tag	UNP Q8VJU4
A	-14	HIS	-	expression tag	UNP Q8VJU4
A	-13	HIS	-	expression tag	UNP Q8VJU4
A	-12	HIS	-	expression tag	UNP Q8VJU4
A	-11	HIS	-	expression tag	UNP Q8VJU4
A	-10	HIS	-	expression tag	UNP Q8VJU4
A	-9	SER	-	expression tag	UNP Q8VJU4
A	-8	SER	-	expression tag	UNP Q8VJU4
A	-7	GLY	-	expression tag	UNP Q8VJU4
A	-6	LEU	-	expression tag	UNP Q8VJU4
A	-5	VAL	-	expression tag	UNP Q8VJU4
A	-4	PRO	-	expression tag	UNP Q8VJU4
A	-3	ARG	-	expression tag	UNP Q8VJU4
A	-2	GLY	-	expression tag	UNP Q8VJU4
A	-1	SER	-	expression tag	UNP Q8VJU4
A	0	HIS	-	expression tag	UNP Q8VJU4
B	-19	MET	-	initiating methionine	UNP Q8VJU4

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP Q8VJU4
B	-17	SER	-	expression tag	UNP Q8VJU4
B	-16	SER	-	expression tag	UNP Q8VJU4
B	-15	HIS	-	expression tag	UNP Q8VJU4
B	-14	HIS	-	expression tag	UNP Q8VJU4
B	-13	HIS	-	expression tag	UNP Q8VJU4
B	-12	HIS	-	expression tag	UNP Q8VJU4
B	-11	HIS	-	expression tag	UNP Q8VJU4
B	-10	HIS	-	expression tag	UNP Q8VJU4
B	-9	SER	-	expression tag	UNP Q8VJU4
B	-8	SER	-	expression tag	UNP Q8VJU4
B	-7	GLY	-	expression tag	UNP Q8VJU4
B	-6	LEU	-	expression tag	UNP Q8VJU4
B	-5	VAL	-	expression tag	UNP Q8VJU4
B	-4	PRO	-	expression tag	UNP Q8VJU4
B	-3	ARG	-	expression tag	UNP Q8VJU4
B	-2	GLY	-	expression tag	UNP Q8VJU4
B	-1	SER	-	expression tag	UNP Q8VJU4
B	0	HIS	-	expression tag	UNP Q8VJU4
C	-19	MET	-	initiating methionine	UNP Q8VJU4
C	-18	GLY	-	expression tag	UNP Q8VJU4
C	-17	SER	-	expression tag	UNP Q8VJU4
C	-16	SER	-	expression tag	UNP Q8VJU4
C	-15	HIS	-	expression tag	UNP Q8VJU4
C	-14	HIS	-	expression tag	UNP Q8VJU4
C	-13	HIS	-	expression tag	UNP Q8VJU4
C	-12	HIS	-	expression tag	UNP Q8VJU4
C	-11	HIS	-	expression tag	UNP Q8VJU4
C	-10	HIS	-	expression tag	UNP Q8VJU4
C	-9	SER	-	expression tag	UNP Q8VJU4
C	-8	SER	-	expression tag	UNP Q8VJU4
C	-7	GLY	-	expression tag	UNP Q8VJU4
C	-6	LEU	-	expression tag	UNP Q8VJU4
C	-5	VAL	-	expression tag	UNP Q8VJU4
C	-4	PRO	-	expression tag	UNP Q8VJU4
C	-3	ARG	-	expression tag	UNP Q8VJU4
C	-2	GLY	-	expression tag	UNP Q8VJU4
C	-1	SER	-	expression tag	UNP Q8VJU4
C	0	HIS	-	expression tag	UNP Q8VJU4
D	-19	MET	-	initiating methionine	UNP Q8VJU4
D	-18	GLY	-	expression tag	UNP Q8VJU4
D	-17	SER	-	expression tag	UNP Q8VJU4

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	expression tag	UNP Q8VJU4
D	-15	HIS	-	expression tag	UNP Q8VJU4
D	-14	HIS	-	expression tag	UNP Q8VJU4
D	-13	HIS	-	expression tag	UNP Q8VJU4
D	-12	HIS	-	expression tag	UNP Q8VJU4
D	-11	HIS	-	expression tag	UNP Q8VJU4
D	-10	HIS	-	expression tag	UNP Q8VJU4
D	-9	SER	-	expression tag	UNP Q8VJU4
D	-8	SER	-	expression tag	UNP Q8VJU4
D	-7	GLY	-	expression tag	UNP Q8VJU4
D	-6	LEU	-	expression tag	UNP Q8VJU4
D	-5	VAL	-	expression tag	UNP Q8VJU4
D	-4	PRO	-	expression tag	UNP Q8VJU4
D	-3	ARG	-	expression tag	UNP Q8VJU4
D	-2	GLY	-	expression tag	UNP Q8VJU4
D	-1	SER	-	expression tag	UNP Q8VJU4
D	0	HIS	-	expression tag	UNP Q8VJU4

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Mg	0	0
			2	2		
3	B	1	Total	Mg	0	0
			1	1		
3	C	2	Total	Mg	0	0
			2	2		
3	D	2	Total	Mg	0	0
			2	2		



- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	804	Total	O	0	0
			804	804		
4	B	986	Total	O	0	0
			986	986		
4	C	791	Total	O	0	0
			791	791		
4	D	887	Total	O	0	0
			887	887		





● Molecule 1: Isocitrate lyase 2





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	95.82Å 136.08Å 138.92Å 90.00° 99.59° 90.00°	Depositor
Resolution (Å)	48.32 – 1.80 48.32 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.32-1.80) 99.9 (48.32-1.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.39 (at 1.81Å)	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, $R_{free}$	0.168 , 0.203 0.181 , 0.212	Depositor DCC
$R_{free}$ test set	16244 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	21.9	Xtriage
Anisotropy	0.040	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 41.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	26840	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.84% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CSX, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.36	0/6011	0.52	0/8136
1	B	0.37	0/6014	0.54	0/8142
1	C	0.37	0/5833	0.53	0/7893
1	D	0.39	0/5992	0.54	0/8108
All	All	0.37	0/23850	0.54	0/32279

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5877	0	5797	30	0
1	B	5885	0	5796	28	0
1	C	5710	0	5618	31	0
1	D	5863	0	5778	43	0
2	A	12	0	16	0	0
2	C	12	0	16	1	0
2	D	6	0	8	0	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	804	0	0	4	0
4	B	986	0	0	4	0
4	C	791	0	0	4	0
4	D	887	0	0	6	0
All	All	26840	0	23029	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:575[B]:ASP:OD1	1:D:215[B]:CSX:HB3	1.53	1.08
1:C:618:TRP:HZ3	1:C:686:LYS:O	1.37	1.06
1:C:618:TRP:CZ3	1:C:686:LYS:O	2.20	0.95
1:A:215[A]:CSX:HB3	1:C:575[A]:ASP:OD1	1.74	0.86
1:D:505[A]:ARG:HH22	1:D:506[A]:ARG:HH22	1.24	0.86
1:C:618:TRP:CH2	1:C:686:LYS:HB3	2.14	0.81
1:D:505[A]:ARG:HH22	1:D:506[A]:ARG:NH2	1.78	0.81
1:C:668:ARG:HD2	1:C:703:GLN:HG2	1.63	0.79
1:B:215[B]:CSX:HB3	1:D:575[B]:ASP:OD1	1.83	0.78
1:C:618:TRP:HH2	1:C:686:LYS:HB3	1.50	0.76
1:A:737:ILE:HD11	1:D:708:VAL:CG1	2.23	0.68
1:A:737:ILE:HD11	1:D:708:VAL:HG11	1.75	0.67
1:D:412:ALA:HB1	1:D:417:ALA:O	1.96	0.66
1:C:397:ARG:NH1	4:C:902:HOH:O	2.30	0.63
1:C:380:GLU:OE2	1:C:397:ARG:NH2	2.33	0.60
1:D:566:GLN:HG3	4:D:1089:HOH:O	2.03	0.59
1:B:216:GLY:N	1:D:566:GLN:HE22	2.01	0.58
1:C:159:GLU:CD	1:D:12:THR:HG21	2.23	0.58
1:C:646:ILE:O	1:C:654:LEU:HB3	2.04	0.58
1:A:708:VAL:HA	1:A:737:ILE:HD12	1.87	0.57
1:B:427:LYS:HD3	1:B:433:TYR:CZ	2.41	0.56
1:D:505[A]:ARG:NH2	1:D:506[A]:ARG:NH2	2.51	0.56
1:C:344:GLN:NE2	4:C:907:HOH:O	2.38	0.55
1:D:505[B]:ARG:NH1	4:D:909:HOH:O	2.38	0.55
1:B:166:PRO:HA	4:B:1008:HOH:O	2.06	0.55
1:B:737:ILE:HD11	1:C:708:VAL:HB	1.89	0.55
1:A:609:LYS:HD3	4:A:1391:HOH:O	2.07	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:708:VAL:HA	1:A:737:ILE:CD1	2.38	0.53
1:B:663:GLN:NE2	4:B:909:HOH:O	2.36	0.53
1:B:12:THR:OG1	1:B:13:PRO:HD2	2.09	0.53
1:C:618:TRP:CH2	1:C:686:LYS:CB	2.91	0.52
1:C:12:THR:OG1	1:C:13:PRO:HD2	2.10	0.51
1:C:393:PRO:O	1:C:397:ARG:HG3	2.11	0.51
1:B:575[B]:ASP:OD1	1:D:215[B]:CSX:CB	2.43	0.51
1:C:159:GLU:HG2	1:D:12:THR:HG21	1.94	0.50
1:A:710:PRO:HG3	1:A:736:GLU:HB3	1.93	0.49
1:C:335:ALA:HB1	1:C:350:ILE:CG2	2.43	0.49
1:A:42:THR:CG2	1:D:302:GLU:HB2	2.42	0.49
1:B:322:TRP:CE2	1:B:326:GLN:HG3	2.48	0.49
4:B:1021:HOH:O	1:D:89:PRO:HB2	2.13	0.48
1:D:505[A]:ARG:NH2	4:D:923:HOH:O	2.46	0.48
1:B:75:PHE:HB2	1:B:517:VAL:HG11	1.95	0.48
1:B:575[B]:ASP:CG	1:D:215[B]:CSX:HB3	2.29	0.48
1:A:602:VAL:HG23	4:A:1468:HOH:O	2.13	0.48
1:A:322:TRP:CE2	1:A:326:GLN:HG3	2.49	0.48
1:D:394:GLU:HG2	4:D:1417:HOH:O	2.14	0.47
1:B:562:TYR:CZ	1:D:530:GLY:HA3	2.49	0.47
1:D:322:TRP:CE2	1:D:326:GLN:HG3	2.49	0.47
1:A:530:GLY:HA3	1:C:562:TYR:CZ	2.50	0.47
1:A:737:ILE:HD11	1:D:708:VAL:HG13	1.96	0.47
1:B:12:THR:HG23	1:B:15:GLU:H	1.78	0.47
1:C:12:THR:HG23	1:C:15:GLU:H	1.78	0.47
1:D:166:PRO:HA	4:D:992:HOH:O	2.13	0.47
1:B:412:ALA:HB1	1:B:417:ALA:O	2.15	0.47
1:C:322:TRP:CE2	1:C:326:GLN:HG3	2.50	0.47
1:A:412:ALA:HB1	1:A:417:ALA:O	2.16	0.46
1:D:75:PHE:HB2	1:D:517:VAL:HG11	1.98	0.46
1:A:335:ALA:HB1	1:A:350:ILE:CG2	2.46	0.46
1:B:216:GLY:N	1:D:566:GLN:NE2	2.65	0.45
1:A:42:THR:HG21	1:D:302:GLU:HB2	1.98	0.45
1:A:348:ASP:OD2	1:D:44:ARG:NH2	2.49	0.45
1:B:216:GLY:H	1:D:566:GLN:HE22	1.65	0.45
1:D:340:ARG:NH2	4:D:912:HOH:O	2.40	0.45
1:A:662:ILE:HD13	1:A:672:LEU:HD12	1.98	0.45
1:A:542:GLN:HG3	4:A:1409:HOH:O	2.16	0.45
1:B:401:ALA:O	4:B:901:HOH:O	2.21	0.44
1:B:530:GLY:HA3	1:D:562:TYR:CZ	2.53	0.44
1:A:270:GLN:N	1:A:271:PRO:CD	2.81	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:311:LEU:HB3	1:B:316:TYR:CE2	2.53	0.43
1:C:270:GLN:N	1:C:271:PRO:CD	2.81	0.43
1:C:412:ALA:HB1	1:C:417:ALA:O	2.18	0.43
1:D:270:GLN:N	1:D:271:PRO:CD	2.81	0.43
2:C:802:GOL:H32	1:D:18:PHE:HA	1.99	0.43
1:A:562:TYR:CZ	1:C:530:GLY:HA3	2.54	0.43
1:C:350:ILE:HD13	4:C:1078:HOH:O	2.17	0.43
1:A:311:LEU:HB3	1:A:316:TYR:CE2	2.54	0.42
1:C:224:VAL:HB	1:C:225:PRO:HD2	2.01	0.42
1:B:270:GLN:N	1:B:271:PRO:CD	2.82	0.42
1:C:159:GLU:CG	1:D:12:THR:HG21	2.49	0.42
1:D:335:ALA:HB1	1:D:350:ILE:CG2	2.49	0.42
1:A:91:GLN:HG2	1:C:533:ALA:HB2	2.01	0.42
1:D:311:LEU:HB3	1:D:316:TYR:CE2	2.55	0.42
1:B:224:VAL:HB	1:B:225:PRO:HD2	2.00	0.42
1:A:224:VAL:HB	1:A:225:PRO:HD2	2.02	0.42
1:A:439:ILE:N	1:A:440:PRO:CD	2.83	0.42
1:A:85:GLY:HA2	1:A:104:TYR:O	2.21	0.41
1:A:533:ALA:HB2	1:C:91:GLN:HG2	2.01	0.41
1:D:439:ILE:N	1:D:440:PRO:CD	2.84	0.41
1:C:311:LEU:HB3	1:C:316:TYR:CE2	2.55	0.41
1:A:674:ARG:NH2	1:D:737:ILE:HD11	2.35	0.41
1:B:335:ALA:HB1	1:B:350:ILE:CG2	2.51	0.41
1:D:654:LEU:HB3	1:D:683:LEU:CD1	2.50	0.41
1:A:509:GLU:HB2	4:A:908:HOH:O	2.21	0.41
1:C:393:PRO:HB3	4:C:1473:HOH:O	2.21	0.41
1:D:85:GLY:HA2	1:D:104:TYR:O	2.21	0.41
1:B:439:ILE:N	1:B:440:PRO:CD	2.84	0.40
1:B:85:GLY:HA2	1:B:104:TYR:O	2.21	0.40
1:B:91:GLN:HG2	1:D:533:ALA:HB2	2.03	0.40
1:C:12:THR:HG21	1:D:159:GLU:OE1	2.20	0.40
1:A:12:THR:HG21	1:B:159:GLU:OE2	2.22	0.40
1:D:275:GLY:HA2	1:D:423:CYS:HA	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	741/786 (94%)	734 (99%)	7 (1%)	0	100	100
1	B	745/786 (95%)	736 (99%)	9 (1%)	0	100	100
1	C	715/786 (91%)	708 (99%)	7 (1%)	0	100	100
1	D	739/786 (94%)	732 (99%)	7 (1%)	0	100	100
All	All	2940/3144 (94%)	2910 (99%)	30 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	603/631 (96%)	598 (99%)	5 (1%)	79	76
1	B	602/631 (95%)	599 (100%)	3 (0%)	86	86
1	C	581/631 (92%)	575 (99%)	6 (1%)	73	68
1	D	598/631 (95%)	590 (99%)	8 (1%)	65	59
All	All	2384/2524 (94%)	2362 (99%)	22 (1%)	75	72

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	203	TYR
1	A	315	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	348	ASP
1	A	609	LYS
1	A	723	SER
1	B	203	TYR
1	B	402	ARG
1	B	713	ASP
1	C	203	TYR
1	C	346	SER
1	C	348	ASP
1	C	402	ARG
1	C	618	TRP
1	C	654	LEU
1	D	44	ARG
1	D	203	TYR
1	D	341	GLU
1	D	348	ASP
1	D	406[A]	HIS
1	D	406[B]	HIS
1	D	563	ARG
1	D	672	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	566	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	CSX	A	215[A]	-	3,6,7	0.74	0	1,6,8	1.82	0
1	CSX	B	215[B]	-	3,6,7	0.82	0	1,6,8	0.63	0
1	CSX	D	215[B]	-	3,6,7	0.74	0	1,6,8	1.16	0
1	CSX	C	215[B]	-	3,6,7	0.77	0	1,6,8	0.07	0
1	CSX	B	215[A]	-	3,6,7	0.82	0	1,6,8	1.71	0
1	CSX	D	215[A]	-	3,6,7	0.61	0	1,6,8	1.74	0
1	CSX	C	215[A]	-	3,6,7	0.76	0	1,6,8	1.31	0
1	CSX	A	215[B]	-	3,6,7	0.74	0	1,6,8	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSX	A	215[A]	-	-	0/2/5/7	-
1	CSX	B	215[B]	-	-	0/2/5/7	-
1	CSX	D	215[B]	-	-	0/2/5/7	-
1	CSX	C	215[B]	-	-	0/2/5/7	-
1	CSX	B	215[A]	-	-	0/2/5/7	-
1	CSX	D	215[A]	-	-	0/2/5/7	-
1	CSX	C	215[A]	-	-	0/2/5/7	-
1	CSX	A	215[B]	-	-	0/2/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	215[A]	CSX	1	0
1	B	215[B]	CSX	1	0
1	D	215[B]	CSX	3	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.



## 5.6 Ligand geometry

Of 12 ligands modelled in this entry, 7 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GOL	D	801	-	5,5,5	0.33	0	5,5,5	0.25	0
2	GOL	A	801	-	5,5,5	0.28	0	5,5,5	0.42	0
2	GOL	C	801	-	5,5,5	0.45	0	5,5,5	0.27	0
2	GOL	C	802	-	5,5,5	0.29	0	5,5,5	0.41	0
2	GOL	A	802	-	5,5,5	0.36	0	5,5,5	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	D	801	-	-	0/4/4/4	-
2	GOL	A	801	-	-	0/4/4/4	-
2	GOL	C	801	-	-	0/4/4/4	-
2	GOL	C	802	-	-	2/4/4/4	-
2	GOL	A	802	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	802	GOL	C1-C2-C3-O3
2	C	802	GOL	O2-C2-C3-O3

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	802	GOL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	741/786 (94%)	0.06	32 (4%) 40 37	10, 28, 64, 95	5 (0%)
1	B	745/786 (94%)	-0.25	13 (1%) 69 67	12, 23, 52, 86	4 (0%)
1	C	723/786 (91%)	0.06	41 (5%) 30 28	12, 25, 70, 108	4 (0%)
1	D	740/786 (94%)	-0.15	22 (2%) 52 50	11, 23, 54, 86	5 (0%)
All	All	2949/3144 (93%)	-0.07	108 (3%) 45 43	10, 24, 60, 108	18 (0%)

All (108) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	618	TRP	5.6
1	C	654	LEU	5.3
1	D	592	GLY	5.2
1	D	681	ALA	4.8
1	B	592	GLY	4.8
1	C	616	ALA	4.1
1	B	389	ILE	3.9
1	A	381	PHE	3.8
1	D	683	LEU	3.7
1	A	734	VAL	3.6
1	B	716	TYR	3.4
1	A	496	THR	3.4
1	D	347	ILE	3.3
1	B	393	PRO	3.3
1	C	393	PRO	3.3
1	C	683	LEU	3.3
1	A	393	PRO	3.2
1	C	761	LEU	3.2
1	B	13	PRO	3.2
1	A	737	ILE	3.1
1	D	737	ILE	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	628	LEU	3.0
1	D	11	HIS	2.9
1	B	12	THR	2.9
1	C	679	PHE	2.9
1	C	758	LEU	2.9
1	C	402	ARG	2.9
1	C	592	GLY	2.9
1	D	672	LEU	2.8
1	A	12	THR	2.8
1	C	762	ILE	2.8
1	A	716	TYR	2.8
1	C	615	LEU	2.7
1	C	757	ALA	2.7
1	C	12	THR	2.7
1	C	166	PRO	2.7
1	C	609	LYS	2.7
1	A	417	ALA	2.6
1	C	688	LEU	2.6
1	C	392	ALA	2.6
1	C	606	VAL	2.6
1	C	637	ALA	2.6
1	C	691	LEU	2.6
1	D	734	VAL	2.6
1	A	166	PRO	2.6
1	A	710	PRO	2.6
1	C	646	ILE	2.6
1	D	346	SER	2.5
1	B	600	HIS	2.5
1	A	402	ARG	2.5
1	D	341	GLU	2.5
1	A	379	LEU	2.5
1	A	497	THR	2.5
1	A	557	LEU	2.5
1	C	750	LEU	2.5
1	A	728	THR	2.5
1	D	637	ALA	2.5
1	A	730	VAL	2.4
1	D	680	GLY	2.4
1	C	388	PRO	2.4
1	C	716	TYR	2.4
1	C	621	HIS	2.4
1	C	680	GLY	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	417	ALA	2.3
1	D	12	THR	2.3
1	A	591	MET	2.3
1	D	218	GLN	2.3
1	C	752	THR	2.3
1	A	624	LEU	2.3
1	A	350	ILE	2.3
1	C	722	LYS	2.3
1	C	751	LEU	2.3
1	A	382	GLY	2.2
1	A	391	MET	2.2
1	B	392	ALA	2.2
1	B	417	ALA	2.2
1	C	498	GLY	2.2
1	B	166	PRO	2.2
1	A	377	ASP	2.2
1	A	625	LYS	2.2
1	C	655	ALA	2.2
1	D	625	LYS	2.2
1	D	216	GLY	2.2
1	A	392	ALA	2.2
1	B	218	GLN	2.2
1	D	710	PRO	2.2
1	C	686	LYS	2.1
1	A	683	LEU	2.1
1	C	647	HIS	2.1
1	C	715	LEU	2.1
1	C	726	ILE	2.1
1	D	342	ASP	2.1
1	A	498	GLY	2.1
1	A	406	HIS	2.1
1	A	338	ALA	2.1
1	C	557	LEU	2.1
1	B	388	PRO	2.1
1	C	413	LYS	2.1
1	D	764	LYS	2.1
1	B	712	ASP	2.1
1	C	681	ALA	2.1
1	A	165	THR	2.1
1	A	711	THR	2.1
1	D	716	TYR	2.1
1	C	417	ALA	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	301	LYS	2.0
1	A	719	SER	2.0
1	A	461	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CSX	C	215[A]	7/8	0.88	0.11	40,41,47,50	4
1	CSX	C	215[B]	7/8	0.88	0.11	33,37,40,50	4
1	CSX	A	215[A]	7/8	0.90	0.13	26,38,44,52	4
1	CSX	A	215[B]	7/8	0.90	0.13	29,31,38,38	4
1	CSX	B	215[A]	7/8	0.91	0.11	25,32,39,42	4
1	CSX	B	215[B]	7/8	0.91	0.11	24,29,33,34	4
1	CSX	D	215[A]	7/8	0.91	0.11	28,34,39,39	4
1	CSX	D	215[B]	7/8	0.91	0.11	28,34,39,39	4

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	MG	A	804	1/1	0.87	0.27	30,30,30,30	0
2	GOL	C	801	6/6	0.89	0.13	34,51,60,61	0
3	MG	C	804	1/1	0.89	0.26	30,30,30,30	0
3	MG	D	803	1/1	0.93	0.20	30,30,30,30	0
2	GOL	A	802	6/6	0.94	0.09	25,37,38,43	0
2	GOL	A	801	6/6	0.95	0.09	25,40,41,45	0
2	GOL	D	801	6/6	0.96	0.08	25,36,39,49	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GOL	C	802	6/6	0.96	0.08	24,31,37,40	0
3	MG	A	803	1/1	0.98	0.09	21,21,21,21	0
3	MG	C	803	1/1	0.98	0.11	21,21,21,21	0
3	MG	D	802	1/1	0.99	0.06	23,23,23,23	0
3	MG	B	801	1/1	1.00	0.06	20,20,20,20	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.