Full wwPDB X-ray Structure Validation Report (i)

Aug 23, 2023 – 11:59 AM EDT

PDB ID	:	3EH0
Title	:	Crystal Structure of LpxD from Escherichia coli
Authors	:	Bartling, C.M.; Raetz, C.R.H.
Deposited on	:	2008-09-11
Resolution	:	2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	341	10% 77% 22% •
1	B	341	4% 84% 15% •
1	C	341	7% 75% 23% ••

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 7918 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-3-O-[3-hydroxymyristoyl] glucosamine N-acyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	341	2523	1571	449	483	20	0	1	0
1	B	341	2515	1567	447	481	20	0	0	0
1	C	341	2515	1567	447	481	20	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	PRO	engineered mutation	UNP P21645
B	2	ALA	PRO	engineered mutation	UNP P21645
C	2	ALA	PRO	engineered mutation	UNP P21645

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
2	A	120	120	120	0	0
2	B	123	123	123	0	0
2	C	122	122	122	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: UDP-3-O-[3-hydroxymyristoyl] glucosamine N-acyltransferase

Chain A:



• Molecule 1: UDP-3-O-[3-hydroxymyristoyl] glucosamine N-acyltransferase

Chain B:



• Molecule 1: UDP-3-O-[3-hydroxymyristoyl] glucosamine N-acyltransferase

Chain C:




I243
G244
D245
N246
T247
M255
A256
G257
S258
G262
R263
Y264
C265
V272
V291
S303
P306
K311
A317
V320
M321
N322
I323
L333
E334
R335
K336
V337
N338
Q339
Q340
D341

4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α, β, γ	157.95Å 94.17Å 103.66Å 90.00° 126.50° 90.00°	Depositor
Resolution (Å)	20.00 – 2.60 19.96 – 2.60	Depositor EDS
% Data completeness (in resolution range)	98.5 (20.00-2.60) 98.5 (19.96-2.60)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.17	Depositor
$< I/\sigma(I) >$ [1]	2.47 (at 2.59Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.214 , 0.279 0.206 , 0.273	Depositor DCC
R_{free} test set	1871 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å^2)	31.4	Xtriage
Anisotropy	0.453	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 54.1	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	7918	wwPDB-VP
Average B, all atoms (Å^2)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.66% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.79	4/2556 (0.2%)	0.73	3/3466 (0.1%)
1	B	0.65	1/2548 (0.0%)	0.72	2/3455 (0.1%)
1	C	0.69	2/2548 (0.1%)	0.79	5/3455 (0.1%)
All	All	0.71	7/7652 (0.1%)	0.75	10/10376 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	2
All	All	0	3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	262	GLY	C-N	-17.33	0.94	1.34
1	A	79	PRO	N-CD	-14.26	1.27	1.47
1	C	199	GLY	C-N	-14.16	1.01	1.34
1	C	45	PRO	N-CD	7.87	1.58	1.47
1	B	45	PRO	N-CD	7.77	1.58	1.47
1	A	170	CYS	CB-SG	-5.73	1.72	1.81
1	A	264	TYR	CD1-CE1	-5.01	1.31	1.39

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	79	PRO	CA-N-CD	-9.34	98.43	111.50
1	C	306	PRO	CA-N-CD	-9.10	98.75	111.50
1	C	44	ASN	C-N-CD	-8.75	101.36	120.60
1	C	79	PRO	CA-N-CD	-8.34	99.82	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	C	45	PRO	CA-N-CD	-8.30	99.89	111.50
1	B	298	PRO	CA-N-CD	-8.20	100.03	111.50
1	A	67	PRO	CA-N-CD	-7.24	101.36	111.50
1	B	45	PRO	CA-N-CD	-7.16	101.48	111.50
1	A	263	ARG	O-C-N	-5.56	113.80	122.70
1	C	200	ARG	O-C-N	-5.19	114.40	122.70

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	45	PRO	Peptide
1	C	42	MET	Peptide
1	C	44	ASN	Mainchain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2523	0	2558	57	1
1	B	2515	0	2554	48	1
1	C	2515	0	2553	77	0
2	A	120	0	0	0	0
2	B	123	0	0	0	1
2	C	122	0	0	0	1
All	All	7918	0	7665	170	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:44:ASN:HB3	1:C:47:TYR:CD2	2.01	0.95
1:B:186:ALA:HB3	1:B:193:VAL:HB	1.50	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:ASN:ND2	1:A:47:TYR:CD2	2.39	0.91
1:A:301:TYR:HB3	1:B:307:LEU:HD11	1.57	0.86
1:B:83:TYR:HA	1:B:86:MET:HE3	1.63	0.80
1:B:44:ASN:ND2	1:B:47:TYR:HD2	1.80	0.79
1:A:44:ASN:ND2	1:A:47:TYR:HD2	1.84	0.76
1:B:216:ASP:O	1:B:223:THR:HG21	1.88	0.73
1:C:159:THR:CG2	1:C:177:VAL:HG22	2.19	0.72
1:C:159:THR:HG22	1:C:177:VAL:HG22	1.71	0.71
1:A:44:ASN:CG	1:A:47:TYR:CD2	2.65	0.70
1:C:45:PRO:O	1:C:48:ARG:HG3	1.92	0.69
1:A:76:VAL:HG23	1:A:79:PRO:HD3	1.75	0.68
1:B:125:GLU:HG2	1:B:144:LYS:HG3	1.74	0.68
1:B:195:ILE:O	1:B:195:ILE:HG13	1.93	0.68
1:C:60:VAL:HG21	1:C:86:MET:HE1	1.75	0.68
1:A:78:ASN:HB3	1:A:81:LEU:HD13	1.77	0.65
1:A:301:TYR:CB	1:B:307:LEU:HD11	2.24	0.65
1:B:125:GLU:HG3	1:B:126:SER:H	1.61	0.65
1:C:39:ILE:O	1:C:39:ILE:HG23	1.96	0.65
1:C:44:ASN:C	1:C:47:TYR:HD2	2.00	0.65
1:A:288:MET:HG3	1:C:272:VAL:HG21	1.79	0.63
1:C:45:PRO:HD2	1:C:46:LYS:H	1.62	0.63
1:C:61:MET:O	1:C:75:VAL:HA	1.98	0.63
1:C:76:VAL:HG23	1:C:79:PRO:HD3	1.79	0.63
1:B:83:TYR:HA	1:B:86:MET:CE	2.29	0.62
1:B:236:GLN:HE21	1:B:236:GLN:HA	1.63	0.62
1:C:247:THR:HG21	1:C:262:GLY:O	2.00	0.62
1:A:9:LEU:HG	1:A:13:LEU:CD1	2.30	0.61
1:A:303:SER:HB3	1:B:307:LEU:HA	1.82	0.61
1:A:76:VAL:CG2	1:A:79:PRO:HD3	2.31	0.61
1:C:323:ILE:HG22	1:C:323:ILE:O	2.00	0.61
1:C:61:MET:HG2	1:C:65:ASP:HB2	1.83	0.60
1:C:61:MET:CG	1:C:65:ASP:HB2	2.31	0.60
1:C:340:GLN:O	1:C:341:ASP:HB2	2.01	0.60
1:B:236:GLN:HE21	1:B:236:GLN:CA	2.15	0.59
1:B:186:ALA:HA	1:C:80:TYR:HE2	1.66	0.59
1:B:277:MET:HG3	1:B:294:PRO:HG3	1.83	0.59
1:A:24:VAL:O	1:A:37:GLY:HA2	2.04	0.58
1:C:320:VAL:O	1:C:323:ILE:HG13	2.03	0.58
1:B:44:ASN:CG	1:B:47:TYR:HD2	2.06	0.58
1:B:125:GLU:HG2	1:B:144:LYS:CG	2.34	0.58
1:C:171:LEU:HB3	1:C:208:GLU:HG3	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:336:LYS:O	1:C:340:GLN:HB2	2.04	0.57
1:A:334:GLU:HG3	1:C:333:LEU:HD13	1.87	0.57
1:A:9:LEU:HG	1:A:13:LEU:HD11	1.87	0.56
1:A:188:ASP:O	1:A:189:ARG:HB2	2.05	0.56
1:C:41:PHE:HA	1:C:60:VAL:H	1.70	0.56
1:C:48:ARG:HA	1:C:51:LEU:HD12	1.87	0.55
1:C:42:MET:CE	1:C:48:ARG:HG2	2.36	0.55
1:C:44:ASN:HB3	1:C:47:TYR:CE2	2.41	0.55
1:C:247:THR:HG22	1:C:265:CYS:H	1.72	0.55
1:B:44:ASN:CG	1:B:47:TYR:CD2	2.81	0.54
1:A:66:LEU:HB3	1:A:67:PRO:HD2	1.89	0.54
1:A:217:ARG:O	1:A:239:HIS:HB3	2.08	0.54
1:C:45:PRO:C	1:C:47:TYR:H	2.12	0.53
1:C:45:PRO:CD	1:C:46:LYS:H	2.21	0.52
1:A:48:ARG:O	1:A:51:LEU:HB2	2.08	0.52
1:C:43:VAL:O	1:C:43:VAL:HG22	2.10	0.52
1:C:237:ILE:HG12	1:C:255:MET:CE	2.39	0.52
1:C:163:GLU:O	1:C:200:ARG:HB2	2.08	0.52
1:A:218:GLY:HA2	1:A:239:HIS:HB2	1.91	0.52
1:C:45:PRO:HD2	1:C:46:LYS:N	2.25	0.52
1:C:199:GLY:O	1:C:217:ARG:NH1	2.41	0.52
1:C:82:THR:HG22	1:C:86:MET:CE	2.40	0.51
1:C:241:VAL:HG11	1:C:255:MET:HE3	1.92	0.51
1:C:82:THR:O	1:C:86:MET:HE2	2.10	0.51
1:C:239:HIS:O	1:C:240:ASN:HB2	2.09	0.51
1:B:42:MET:C	1:B:44:ASN:H	2.13	0.51
1:B:62:THR:HG22	1:B:63:GLN:N	2.27	0.50
1:A:83:TYR:HA	1:A:86:MET:HE3	1.93	0.50
1:B:286:THR:HG22	1:B:287:GLY:N	2.26	0.50
1:A:301:TYR:HB3	1:B:307:LEU:CD1	2.36	0.50
1:B:60:VAL:HG21	1:B:86:MET:HE1	1.94	0.50
1:A:83:TYR:HA	1:A:86:MET:CE	2.42	0.49
1:C:317:ALA:O	1:C:321:MET:HG3	2.12	0.49
1:A:185:TYR:CD2	1:A:194:LYS:HA	2.48	0.49
1:B:66:LEU:N	1:B:67:PRO:CD	2.76	0.49
1:A:329:ARG:O	1:A:333:LEU:HD23	2.13	0.49
1:B:44:ASN:HB3	1:B:47:TYR:CD2	2.48	0.48
1:A:250:ALA:O	1:A:253:VAL:HG23	2.14	0.48
1:C:39:ILE:O	1:C:39:ILE:CG2	2.61	0.48
1:C:66:LEU:N	1:C:67:PRO:CD	2.76	0.48
1:A:217:ARG:O	1:A:239:HIS:CB	2.61	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:LEU:HD22	1:A:75:VAL:HG21	1.96	0.47
1:A:65:ASP:O	1:A:68:PHE:N	2.47	0.47
1:C:115:ASN:CG	1:C:115:ASN:O	2.52	0.47
1:C:60:VAL:HG21	1:C:86:MET:CE	2.44	0.47
1:C:83:TYR:O	1:C:86:MET:HG2	2.15	0.47
1:B:201:VAL:HG22	1:B:223:THR:CG2	2.44	0.47
1:C:42:MET:HE2	1:C:48:ARG:HG2	1.96	0.47
1:A:199:GLY:O	1:A:217:ARG:NH1	2.47	0.47
1:B:42:MET:HB2	1:B:44:ASN:HB2	1.97	0.47
1:C:226:GLY:O	1:C:229:VAL:HG23	2.15	0.47
1:C:212:CYS:O	1:C:234:GLN:HA	2.14	0.47
1:A:66:LEU:HB3	1:A:67:PRO:CD	2.45	0.47
1:C:98:GLN:O	1:C:99:ASN:HB2	2.15	0.46
1:C:19:GLY:O	1:C:20:ASP:C	2.54	0.46
1:A:44:ASN:ND2	1:A:47:TYR:CE2	2.83	0.46
1:C:243:ILE:HD11	1:C:255:MET:CE	2.46	0.46
1:C:48:ARG:HA	1:C:51:LEU:CD1	2.46	0.46
1:A:46:LYS:C	1:A:48:ARG:H	2.19	0.46
1:C:44:ASN:O	1:C:47:TYR:HB2	2.16	0.46
1:A:97:ALA:O	1:A:98:GLN:HG3	2.15	0.46
1:A:111:LYS:C	1:A:112:LEU:HD12	2.36	0.46
1:C:125:GLU:HG2	1:C:126:SER:H	1.81	0.45
1:A:85:ARG:O	1:A:89:ILE:HG23	2.16	0.45
1:C:44:ASN:CB	1:C:47:TYR:CD2	2.88	0.45
1:A:61:MET:HG2	1:A:65:ASP:HB2	1.99	0.45
1:B:125:GLU:HG3	1:B:126:SER:N	2.29	0.45
1:C:31:MET:HA	1:C:40:THR:HG21	1.99	0.45
1:A:30:SER:O	1:A:34:ALA:HB2	2.17	0.45
1:C:107:ASP:OD2	1:C:109:THR:HB	2.17	0.45
1:C:323:ILE:O	1:C:323:ILE:CG2	2.64	0.45
1:A:129:GLU:OE1	1:A:147:LYS:HE2	2.17	0.44
1:C:45:PRO:CD	1:C:46:LYS:N	2.80	0.44
1:C:201:VAL:HG22	1:C:223:THR:HB	1.98	0.44
1:B:327:SER:O	1:B:330:LEU:HB3	2.17	0.44
1:A:54:CYS:O	1:A:55:GLN:HB2	2.16	0.44
1:A:301:TYR:C	1:B:307:LEU:HD11	2.38	0.44
1:A:307:LEU:HD22	1:C:291:VAL:HG22	1.98	0.44
1:B:316:THR:O	1:B:320:VAL:HG23	2.17	0.44
1:A:319:LEU:HD12	1:B:323:ILE:HG23	2.00	0.44
1:B:111:LYS:HB2	1:B:129:GLU:HG2	1.99	0.44
1:A:43:VAL:HG11	1:A:80:TYR:HB2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:163:GLU:HB3	1:A:200:ARG:HD2	1.99	0.43
1:B:245:ASP:HB2	1:B:263:ARG:HG2	1.99	0.43
1:A:52:GLY:CA	1:A:70:LYS:HG3	2.49	0.43
1:B:223:THR:HB	1:B:240:ASN:H	1.83	0.43
1:C:237:ILE:HG12	1:C:255:MET:HE2	2.01	0.43
1:B:42:MET:C	1:B:44:ASN:N	2.68	0.43
1:B:48:ARG:HA	1:B:51:LEU:HG	1.99	0.43
1:C:82:THR:HG22	1:C:86:MET:HE1	1.99	0.43
1:C:237:ILE:HG12	1:C:255:MET:HE1	2.00	0.43
1:A:307:LEU:HD12	1:C:303:SER:HB2	2.01	0.43
1:A:316:THR:O	1:A:320:VAL:HG23	2.18	0.43
1:B:277:MET:CG	1:B:294:PRO:HG3	2.48	0.43
1:C:40:THR:O	1:C:59:VAL:HA	2.19	0.43
1:C:185:TYR:HA	1:C:193:VAL:O	2.19	0.43
1:C:125:GLU:HG2	1:C:144:LYS:HZ3	1.84	0.42
1:A:44:ASN:CG	1:A:47:TYR:CE2	2.93	0.42
1:A:98:GLN:O	1:A:99:ASN:HB2	2.20	0.42
1:B:247:THR:HG23	1:B:265:CYS:HB2	1.99	0.42
1:C:42:MET:HE1	1:C:48:ARG:HG2	1.99	0.42
1:A:27:GLY:O	1:A:38:HIS:HA	2.19	0.42
1:B:20:ASP:O	1:B:23:ILE:HG12	2.18	0.42
1:C:245:ASP:O	1:C:246:ASN:HB2	2.19	0.42
1:C:247:THR:HG22	1:C:264:TYR:N	2.35	0.42
1:C:247:THR:CG2	1:C:262:GLY:O	2.66	0.42
1:C:257:GLY:O	1:C:258:SER:HB2	2.20	0.42
1:C:82:THR:C	1:C:86:MET:HE2	2.40	0.41
1:B:60:VAL:HG21	1:B:86:MET:CE	2.50	0.41
1:B:162:HIS:O	1:B:217:ARG:NH2	2.35	0.41
1:C:206:ARG:O	1:C:228:GLY:HA2	2.21	0.41
1:A:305:ILE:HA	1:A:306:PRO:HD3	1.92	0.41
1:C:112:LEU:HD22	1:C:130:LEU:HD12	2.01	0.41
1:B:96:PRO:HD3	1:B:155:TRP:CH2	2.56	0.41
1:A:192:TRP:CG	1:B:230:ILE:HD13	2.56	0.41
1:C:29:ALA:O	1:C:40:THR:HG22	2.21	0.41
1:A:6:LEU:HD23	1:A:20:ASP:O	2.21	0.41
1:A:256:ALA:HB3	1:A:275:GLY:N	2.35	0.41
1:B:34:ALA:O	1:B:55:GLN:HB2	2.21	0.41
1:B:286:THR:CG2	1:B:287:GLY:N	2.84	0.41
1:B:298:PRO:HD2	1:B:298:PRO:O	2.21	0.41
1:A:234:GLN:O	1:A:252:GLY:HA2	2.21	0.41
1:A:46:LYS:C	1:A:48:ARG:N	2.74	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:PRO:HG3	1:A:155:TRP:CE2	2.57	0.40
1:B:284:THR:HB	1:B:300:VAL:HG22	2.03	0.40
1:C:76:VAL:CG2	1:C:79:PRO:HD3	2.47	0.40
1:C:163:GLU:OE1	1:C:200:ARG:NH2	2.54	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:70:LYS:NZ	1:B:284:THR:CG2[4_546]	1.92	0.28
2:B:426:HOH:O	2:C:434:HOH:O[4_556]	2.07	0.13

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	340/341 (100%)	328 (96%)	12 (4%)	0	100	100
1	B	339/341 (99%)	327 (96%)	11 (3%)	1 (0%)	41	64
1	C	339/341 (99%)	319 (94%)	18 (5%)	2 (1%)	25	47
All	All	1018/1023 (100%)	974 (96%)	41 (4%)	3 (0%)	41	64

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	44	ASN
1	B	298	PRO
1	C	45	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	270/269 (100%)	269 (100%)	1 (0%)	91 97
1	B	269/269 (100%)	267 (99%)	2 (1%)	84 94
1	C	269/269 (100%)	266 (99%)	3 (1%)	73 88
All	All	808/807 (100%)	802 (99%)	6 (1%)	84 94

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	220	LEU
1	B	236	GLN
1	B	308	GLN
1	C	83	TYR
1	C	236	GLN
1	C	322	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	B	98	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	C	1
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	C	199:GLY	C	200:ARG	N	1.01
1	A	262:GLY	C	263:ARG	N	0.94

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	341/341 (100%)	-0.03	33 (9%)	7	5	16, 30, 110, 119	0
1	B	341/341 (100%)	-0.47	12 (3%)	44	36	17, 31, 69, 114	0
1	C	341/341 (100%)	-0.13	24 (7%)	16	12	16, 34, 93, 120	0
All	All	1023/1023 (100%)	-0.21	69 (6%)	17	13	16, 31, 97, 120	0

All (69) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	8.1
1	B	340	GLN	7.9
1	C	341	ASP	7.7
1	C	1	MET	6.9
1	B	339	GLN	6.5
1	B	1	MET	6.3
1	B	341	ASP	6.0
1	A	2	ALA	5.7
1	A	11	GLN	5.3
1	A	44	ASN	5.1
1	A	14	ASP	5.1
1	C	14	ASP	4.9
1	C	44	ASN	4.9
1	A	78	ASN	4.4
1	B	187	ASN	4.3
1	A	47	TYR	4.1
1	A	22	ASP	4.0
1	A	5	ARG	4.0
1	C	191	ASN	3.9
1	C	2	ALA	3.7
1	C	338	ASN	3.7
1	A	24	VAL	3.6
1	A	77	LYS	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	189	ARG	3.6
1	B	44	ASN	3.6
1	C	189	ARG	3.5
1	A	341	ASP	3.5
1	C	63	GLN	3.4
1	A	59	VAL	3.4
1	B	190	GLY	3.4
1	B	338	ASN	3.3
1	A	16	GLU	3.3
1	C	340	GLN	3.2
1	C	47	TYR	3.2
1	C	43	VAL	3.0
1	A	92	THR	2.9
1	A	20	ASP	2.9
1	C	15	ALA	2.9
1	A	340	GLN	2.8
1	C	16	GLU	2.8
1	A	34	ALA	2.7
1	A	335	ARG	2.7
1	A	339	GLN	2.7
1	C	5	ARG	2.6
1	A	8	ASP	2.6
1	B	2	ALA	2.6
1	C	77	LYS	2.6
1	A	70	LYS	2.6
1	C	335	ARG	2.5
1	C	188	ASP	2.5
1	C	67	PRO	2.4
1	C	73	ALA	2.4
1	A	67	PRO	2.4
1	A	35	GLN	2.4
1	A	15	ALA	2.3
1	A	63	GLN	2.3
1	A	12	GLN	2.3
1	C	22	ASP	2.3
1	A	39	ILE	2.3
1	C	339	GLN	2.3
1	A	50	HIS	2.2
1	C	7	ALA	2.2
1	A	189	ARG	2.2
1	B	191	ASN	2.1
1	A	49	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	52	GLY	2.1
1	B	43	VAL	2.0
1	A	3	SER	2.0
1	C	311	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.