Full wwPDB X-ray Structure Validation Report (i)

Jun 12, 2024 – 07:31 PM EDT

PDB ID	:	1FNS
Title	:	CRYSTAL STRUCTURE OF THE VON WILLEBRAND FACTOR (VWF) A1 DOMAIN I546V MUTANT IN COMPLEX WITH THE FUNCTION BLOCKING FAB NMC4
Authors	:	Varughese, K.I.
Deposited on	:	2000-08-23
Resolution	:	2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	L	214	79% 19% •
2	H	225	79% 18% • •
3	A	196	87% 12% •

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 5536 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called IMMUNOGLOBULIN NMC-4 IGG1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	L	214	1665	1037	276	345	7	0	0	0

- Molecule 2 is a protein called IMMUNOGLOBULIN NMC-4 IGG1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	H	220	1660	1047	270	335	8	0	0	0

- Molecule 3 is a protein called VON WILLEBRAND FACTOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	A	196	1575	1003	279	286	7	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	507	MET	-	CLONING ARTIFACT	UNP P04275
A	546	VAL	ILE	CONFLICT	UNP P04275

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	L	227	227	227	0	0
4	H	228	228	228	0	0
4	A	181	181	181	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: IMMUNOGLOBULIN NMC-4 IGG1

Chain L:



• Molecule 2: IMMUNOGLOBULIN NMC-4 IGG1

Chain H:



• Molecule 3: VON WILLEBRAND FACTOR

Chain A:

4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α, β, γ	209.40Å 62.67Å 73.79Å 90.00° 108.88° 90.00°	Depositor
Resolution (Å)	50.00 – 2.00	Depositor
% Data completeness (in resolution range)	80.0 (50.00-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 0.4	Depositor
R, R_{free}	0.172 , 0.207	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5536	wwPDB-VP
Average B, all atoms (Å^2)	23.0	wwPDB-VP

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	L	0.86	0/1703	0.90	2/2312 (0.1%)
2	H	0.86	0/1703	0.91	2/2329 (0.1%)
3	A	0.82	0/1601	0.86	5/2154 (0.2%)
All	All	0.85	0/5007	0.89	9/6795 (0.1%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	L	33	LEU	CA-CB-CG	-7.27	98.57	115.30
1	L	214	CYS	N-CA-C	-6.61	93.16	111.00
3	A	552	ARG	NE-CZ-NH1	5.58	123.09	120.30
3	A	560	ASP	N-CA-C	-5.34	96.59	111.00
3	A	592	ALA	N-CA-C	-5.30	96.69	111.00
3	A	616	ARG	NE-CZ-NH2	-5.28	117.66	120.30
2	H	439	GLY	N-CA-C	5.25	126.22	113.10
3	A	552	ARG	NE-CZ-NH2	-5.12	117.74	120.30
2	H	324	ASP	CB-CG-OD1	5.11	122.90	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	1665	0	1585	47	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	H	1660	0	1605	32	0
3	A	1575	0	1630	23	0
4	A	181	0	0	1	0
4	H	228	0	0	9	0
4	L	227	0	0	9	0
All	All	5536	0	4820	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:323:LEU:HD21	4:H:721:HOH:O	1.62	1.00
3:A:514:ASP:OD1	3:A:552:ARG:HD3	1.66	0.96
2:H:215:GLN:NE2	2:H:215:GLN:N	2.14	0.95
2:H:432:LYS:HB2	4:H:1327:HOH:O	1.66	0.94
2:H:394:GLN:HB2	4:H:1193:HOH:O	1.68	0.91
1:L:179:LEU:HG	1:L:181:LEU:HD11	1.51	0.90
2:H:301:THR:HG22	4:H:1285:HOH:O	1.72	0.88
1:L:195:GLU:HG2	1:L:206:VAL:HG22	1.57	0.87
2:H:215:GLN:N	2:H:215:GLN:CD	2.27	0.87
3:A:552:ARG:HD2	3:A:611:ARG:HD2	1.61	0.82
1:L:180:THR:C	1:L:181:LEU:HD12	2.03	0.79
2:H:425:SER:HB3	2:H:427:THR:HG23	1.67	0.74
1:L:214:CYS:SG	2:H:351:SER:OG	2.44	0.74
1:L:37:GLN:HB2	1:L:47:LEU:HD11	1.70	0.72
1:L:183:LYS:O	1:L:187:GLU:HG3	1.90	0.72
1:L:105:GLU:HG2	1:L:106:VAL:N	2.04	0.72
1:L:207:LYS:HE2	4:L:1264:HOH:O	1.90	0.71
1:L:214:CYS:SG	4:H:1165:HOH:O	2.50	0.68
1:L:120:PRO:O	2:H:436:ARG:NH2	2.26	0.68
2:H:289:LYS:NZ	4:H:1101:HOH:O	2.26	0.68
1:L:39:LYS:HE2	1:L:81:GLU:O	1.94	0.67
1:L:211:ARG:HH11	1:L:211:ARG:HB3	1.59	0.67
1:L:181:LEU:HD12	1:L:181:LEU:N	2.10	0.65
2:H:310:VAL:HG11	2:H:323:LEU:HB3	1.76	0.65
2:H:346:PRO:HD3	2:H:431:LYS:HG2	1.77	0.65
1:L:34:ASN:HD22	1:L:89:GLN:HE22	1.44	0.65
1:L:65:SER:HB2	4:L:1276:HOH:O	1.96	0.64
1:L:145:ASN:HB2	4:L:1260:HOH:O	1.97	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:366:LYS:NZ	2:H:394:GLN:HE22	1.96	0.63
1:L:179:LEU:HG	1:L:181:LEU:CD1	2.25	0.62
1:L:157:ASN:HA	4:L:1182:HOH:O	2.01	0.60
1:L:211:ARG:HB3	1:L:211:ARG:NH1	2.16	0.60
1:L:33:LEU:HG	1:L:34:ASN:N	2.17	0.60
1:L:136:LEU:HD12	1:L:136:LEU:N	2.16	0.59
1:L:123:GLU:HG3	4:L:1184:HOH:O	2.03	0.58
2:H:395:SER:O	2:H:396:ASP:HB2	2.04	0.57
1:L:179:LEU:CG	1:L:181:LEU:HD11	2.29	0.56
1:L:189:HIS:O	1:L:211:ARG:NH1	2.40	0.54
3:A:540:MET:SD	3:A:691:VAL:CG2	2.95	0.54
2:H:289:LYS:O	2:H:291:GLN:HG3	2.07	0.54
2:H:317:GLY:HA2	3:A:664:LEU:HD21	1.89	0.54
3:A:647:ILE:HG12	3:A:671:GLU:HG3	1.89	0.54
3:A:552:ARG:HD2	3:A:611:ARG:CD	2.36	0.54
4:L:1060:HOH:O	2:H:438:CYS:HB3	2.07	0.53
3:A:684:GLU:HG3	3:A:687:ARG:NH2	2.23	0.53
1:L:18:ARG:NH1	4:L:1267:HOH:O	2.37	0.53
1:L:34:ASN:HD22	1:L:89:GLN:NE2	2.06	0.52
1:L:77:ASN:O	1:L:77:ASN:CG	2.47	0.52
2:H:286:ASP:OD2	2:H:289:LYS:HE2	2.08	0.52
2:H:262:LEU:HD22	2:H:277:LEU:HD11	1.92	0.51
3:A:677:LEU:N	3:A:677:LEU:HD12	2.26	0.51
2:H:361:LEU:HG	2:H:433:ILE:HG21	1.92	0.51
3:A:552:ARG:CD	3:A:611:ARG:HD2	2.37	0.51
2:H:432:LYS:CB	4:H:1327:HOH:O	2.38	0.51
1:L:136:LEU:HD21	1:L:146:VAL:HG22	1.94	0.50
1:L:160:LEU:CD1	2:H:394:GLN:HG2	2.42	0.49
1:L:181:LEU:N	1:L:181:LEU:CD1	2.74	0.49
3:A:563:HIS:HD2	3:A:565:TYR:CE2	2.30	0.49
1:L:136:LEU:CD2	1:L:146:VAL:HG22	2.42	0.49
1:L:151:ASP:OD1	1:L:189:HIS:HB3	2.13	0.49
1:L:135:PHE:C	1:L:136:LEU:HD12	2.32	0.48
3:A:571:ARG:HH11	3:A:571:ARG:HG3	1.77	0.48
1:L:45:LYS:HE3	1:L:47:LEU:CD2	2.43	0.48
3:A:620:LEU:HG	3:A:622:MET:HG3	1.96	0.48
4:L:1180:HOH:O	2:H:392:VAL:HG21	2.13	0.48
2:H:400:LEU:C	2:H:400:LEU:HD12	2.34	0.47
1:L:24:SER:HA	1:L:69:THR:O	2.14	0.47
1:L:206:VAL:O	1:L:207:LYS:HD2	2.16	0.46
2:H:425:SER:HB3	2:H:427:THR:CG2	2.42	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:45:LYS:HE3	1:L:47:LEU:HD23	1.98	0.46
1:L:214:CYS:CB	2:H:351:SER:HG	2.29	0.46
3:A:676:VAL:C	3:A:677:LEU:HD12	2.36	0.46
1:L:3:GLN:NE2	4:L:1228:HOH:O	2.49	0.45
2:H:226:VAL:O	2:H:334:VAL:HA	2.18	0.44
2:H:301:THR:HG23	4:H:865:HOH:O	2.18	0.44
3:A:540:MET:SD	3:A:691:VAL:HG23	2.57	0.44
3:A:613:GLU:OE2	3:A:613:GLU:N	2.37	0.44
3:A:543:ARG:NH2	3:A:687:ARG:NH1	2.65	0.43
3:A:677:LEU:N	3:A:677:LEU:CD1	2.81	0.43
2:H:422:HIS:ND1	2:H:425:SER:HB2	2.33	0.43
3:A:540:MET:SD	3:A:691:VAL:HG22	2.58	0.43
1:L:7:SER:HB2	1:L:8:PRO:HD3	2.00	0.43
1:L:113:PRO:HG2	1:L:205:ILE:HD12	2.01	0.43
2:H:366:LYS:HZ2	2:H:394:GLN:HE22	1.65	0.43
1:L:105:GLU:HG3	1:L:173:TYR:OH	2.19	0.43
1:L:212:ASN:C	1:L:214:CYS:H	2.20	0.42
1:L:91:TYR:HA	1:L:96:TRP:CE3	2.54	0.42
3:A:571:ARG:HG3	3:A:571:ARG:NH1	2.35	0.42
1:L:118:PHE:HA	1:L:119:PRO:HD3	1.96	0.42
1:L:96:TRP:HD1	4:H:721:HOH:O	2.01	0.41
3:A:690:ILE:O	3:A:694:LEU:HG	2.20	0.41
3:A:620:LEU:HG	3:A:622:MET:CG	2.50	0.41
2:H:228:PRO:O	2:H:229:SER:HB2	2.20	0.41
1:L:214:CYS:CB	2:H:351:SER:OG	2.69	0.41
3:A:671:GLU:HG2	4:A:1219:HOH:O	2.20	0.40
3:A:559:HIS:HA	3:A:592:ALA:HA	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	212/214 (99%)	209 (99%)	3 (1%)	0	100	100
2	H	216/225 (96%)	208 (96%)	6 (3%)	2 (1%)	17	11
3	A	194/196 (99%)	186 (96%)	8 (4%)	0	100	100
All	All	622/635 (98%)	603 (97%)	17 (3%)	2 (0%)	41	37

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	298	SER
2	H	437	ASP

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	192/192 (100%)	189 (98%)	3 (2%)	62	67
2	H	192/195 (98%)	181 (94%)	11 (6%)	20	16
3	A	174/174 (100%)	173 (99%)	1 (1%)	86	90
All	All	558/561 (100%)	543 (97%)	15 (3%)	44	46

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	77	ASN
1	L	89	GLN
1	L	212	ASN
2	H	215	GLN
2	H	230	GLN
2	H	249	ASP
2	H	312	ASP
2	H	338	LYS
2	H	361	LEU
2	H	370	PRO
2	H	372	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	401	SER
2	H	419	ASN
2	H	425	SER
3	A	689	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	55	HIS
1	L	77	ASN
1	L	89	GLN
2	H	215	GLN
2	H	217	GLN
2	H	300	GLN
2	H	328	GLN
2	H	394	GLN
3	A	563	HIS
3	A	625	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.