Full wwPDB EM Validation Report (i)

Apr 17, 2024 – 07:46 am BST

PDB ID	:	6FYY
EMDB ID	:	EMD-4328
Title	:	Structure of a partial yeast 48S preinitiation complex with eIF5 N-terminal domain (model C2)
Authors	:	Llacer, J.L.; Hussain, T.; Gordiyenko, Y.; Ramakrishnan, V.
Deposited on	:	2018-03-12
Resolution	:	3.02 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev92
Mogul	:	1.8.4, CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	76	62% 55% 30% 13% •
2	2	1798	12% 61% 37% ••
3	3	49	49% 27% 37% 37%
4	A	254	6% 72% 14% 14%
5	B	255	13% 76% 11% • 12%
6	C	259	• 74% 11% 15%
7	D	237	7% 82% 14% •
8	E	261	• 85% 14% •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	F	227	10% 73% 18% 9%
10	G	236	17% 87% 11% •
11	H	190	23% 81% 15% • •
12	I	201	10% 79% 13% • 6%
13	J	188	• 81% 15% • •
14	K	106	8% 74% 17% 9%
15	L	156	15% 89% 10% •
16	M	134	56% 72% 15% • 13%
17	N	151	7% 95% 5% •
18	O	137	• 81% 12% • 6%
19	P	142	7% 70% 12% 18%
20	Q	143	• 85% 14% •
21	R	136	14% 83% 11% • •
22	S	146	8% 85% 14% ••
23	T	144	• 86% 12% ••
24	U	117	17% 78% 12% • 9%
25	V	87	• 94% 5% •
26	W	130	89% 9% ••
27	X	145	• 88% 11% •
28	Y	135	5% 87% 11% ••
29	Z	108	23% 64% 8% 28%
30	a	119	7% 76% 8% • 13%
31	b	82	9% 87% 12% •
32	c	67	10% 79% 16% •
33	d	56	86% 12% •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	e	63	17% 75% 21% 5%
35	f	150	24% 42% 7% 51%
36	g	326	16% 86% 11%
37	h	25	48% 92% 8%
38	i	153	18% 64% 14% 21%
39	j	304	82% 69% 13% 18%
40	k	527	75% 71% 25%
41	l	285	45% 44% 55%
42	m	405	28% 31% 5% 64%
43	o	964	55% 51% 45%
44	p	763	85% 82% 15%
45	q	812	76% 73% 24%
46	r	274	18% 18% 82%
47	s	347	95% 93% 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	C4J	2	1190	X	-	-	-

2 Entry composition (i)

There are 51 unique types of molecules in this entry. The entry contains 104316 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called tRNAi.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	1	75	1639	734	298	531	76	0	0

- Molecule 2 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	2	1780	37812	16904	6659	12469	1780	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	676	G	U	conflict	GB 49642208
2	678	U	G	conflict	GB 49642208
2	1190	C4J	U	conflict	GB 49642208

- Molecule 3 is a RNA chain called mRNA (31-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	3	31	719	324	108	252	35	4	0

- Molecule 4 is a protein called 40S ribosomal protein S0.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	A	219	1702	1085	299	316	2	0	0

- Molecule 5 is a protein called 40S ribosomal protein S1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	B	225	1797	1135	330	329	3	0	0

- Molecule 6 is a protein called KLLA0F09812p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	C	220	1648	1053	291	300	4	0	0

- Molecule 7 is a protein called KLLA0D08305p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	D	227	1774	1126	320	323	5	0	0

- Molecule 8 is a protein called 40S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	E	260	2078	1322	393	359	4	0	0

- Molecule 9 is a protein called KLLA0D10659p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	F	206	1609	1008	298	300	3	0	0

- Molecule 10 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	G	230	1832	1146	352	330	4	0	0

- Molecule 11 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
11	H	184	1483	950	270	263	0	0

- Molecule 12 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	I	188	1489	923	300	265	1	0	0

- Molecule 13 is a protein called KLLA0E23673p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	J	182	1471	929	287	254	1	0	0

- Molecule 14 is a protein called KLLA0B08173p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	K	96	809	533	129	146	1	0	0

- Molecule 15 is a protein called KLLA0A10483p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	L	155	1248	798	237	210	3	0	0

- Molecule 16 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
16	M	117	885	553	161	171	0	0

- Molecule 17 is a protein called KLLA0F18040p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	N	151	1195	761	224	207	3	0	0

- Molecule 18 is a protein called 40S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	O	129	955	585	191	176	3	0	0

- Molecule 19 is a protein called KLLA0F07843p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	P	117	923	592	165	161	5	0	0

- Molecule 20 is a protein called 40S ribosomal protein S16.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
20	Q	141	1105	709	204	192	0	0

- Molecule 21 is a protein called KLLA0B01474p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	R	130	1033	643	194	193	3	0	0

- Molecule 22 is a protein called KLLA0B01562p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	S	145	1189	739	239	209	2	0	0

- Molecule 23 is a protein called KLLA0A07194p.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
23	T	143	1110	693	210	207	0	0

- Molecule 24 is a protein called KLLA0F25542p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	U	106	845	540	152	152	1	0	0

- Molecule 25 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	V	87	687	424	126	135	2	0	0

- Molecule 26 is a protein called 40S ribosomal protein S22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	W	129	1021	651	187	180	3	0	0

- Molecule 27 is a protein called KLLA0B11231p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	X	144	1119	708	218	191	2	0	0

- Molecule 28 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
28	Y	134	1061	665	207	189	0	0

- Molecule 29 is a protein called KLLA0B06182p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	Z	78	594	376	111	106	1	0	0

- Molecule 30 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	a	103	812	500	173	134	5	0	0

- Molecule 31 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	b	81	609	379	112	113	5	0	0

- Molecule 32 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	c	64	499	308	99	91	1	0	0

- Molecule 33 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	d	55	461	289	93	78	1	0	0

- Molecule 34 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	e	60	472	295	96	80	1	0	0

- Molecule 35 is a protein called Ubiquitin-40S ribosomal protein S27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	f	74	584	374	111	95	4	0	0

- Molecule 36 is a protein called KLLA0E12277p.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	g	320	2469	1561	432	471	5	0	0

- Molecule 37 is a protein called 60S ribosomal protein L41-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	h	25	233	142	63	27	1	0	0

- Molecule 38 is a protein called Eukaryotic translation initiation factor 1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	i	121	958	587	183	183	5	0	0

- Molecule 39 is a protein called Eukaryotic translation initiation factor 2 subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	j	249	2006	1283	333	382	8	0	0

- Molecule 40 is a protein called Eukaryotic translation initiation factor 2 subunit gamma.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	k	396	3034	1932	542	544	16	0	0

- Molecule 41 is a protein called Eukaryotic translation initiation factor 2 subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	l	128	1036	661	186	182	7	0	0

- Molecule 42 is a protein called Eukaryotic translation initiation factor 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	m	147	1140	724	201	208	7	0	0

- Molecule 43 is a protein called Eukaryotic translation initiation factor 3 subunit A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	o	529	4070	2597	697	769	7	0	0

- Molecule 44 is a protein called Eukaryotic translation initiation factor 3 subunit B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	p	647	5114	3274	880	942	18	0	0

- Molecule 45 is a protein called eIF3c,Eukaryotic translation initiation factor 3 subunit C.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	q	621	4827	3076	813	926	12	0	0

- Molecule 46 is a protein called Eukaryotic translation initiation factor 3 subunit G.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
46	r	49	392	240	76	76	0	0

- Molecule 47 is a protein called Eukaryotic translation initiation factor 3 subunit I.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	s	330	2606	1661	429	507	9	0	0

- Molecule 48 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
48	2	116	116	116	0
			Total	Mg	
48	k	1	1	1	0

- Molecule 49 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
49	a	1	1	1	0
			Total	Zn	
49	b	1	1	1	0
			Total	Zn	
49	f	1	1	1	0
			Total	Zn	
49	l	1	1	1	0
			Total	Zn	
49	m	1	1	1	0

- Molecule 50 is METHIONINE (three-letter code: MET) (formula: $C_5H_{11}NO_2S$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
50	k	1	8	5	1	1	1	0

- Molecule 51 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (three-letter code: GCP) (formula: $C_{11}H_{18}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
51	k	1	32	11	5	13	3	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: tRNAi

Chain 1:



- Molecule 2: 18S ribosomal RNA

Chain 2:





- Molecule 3: mRNA (31-MER)

Chain 3:



• Molecule 4: 40S ribosomal protein S0



• Molecule 5: 40S ribosomal protein S1



• Molecule 6: KLLA0F09812p



• Molecule 7: KLLA0D08305p



• Molecule 8: 40S ribosomal protein S4

Chain E:



- Molecule 9: KLLA0D10659p

Chain F:



- Molecule 10: 40S ribosomal protein S6

Chain G:



- Molecule 11: 40S ribosomal protein S7

Chain H:



- Molecule 12: 40S ribosomal protein S8

Chain I:





• Molecule 13: KLLA0E23673p

Chain J:





• Molecule 14: KLLA0B08173p

Chain K:



• Molecule 15: KLLA0A10483p

Chain L:



• Molecule 16: 40S ribosomal protein S12

Chain M:







• Molecule 17: KLLA0F18040p

Chain N:



• Molecule 18: 40S ribosomal protein S14

Chain O:



• Molecule 19: KLLA0F07843p

Chain P:



• Molecule 20: 40S ribosomal protein S16

Chain Q:



• Molecule 21: KLLA0B01474p

Chain R:



• Molecule 22: KLLA0B01562p

Chain S:



• Molecule 23: KLLA0A07194p

Chain T:



• Molecule 24: KLLA0F25542p

Chain U:



• Molecule 25: 40S ribosomal protein S21

Chain V:





• Molecule 26: 40S ribosomal protein S22

Chain W:



• Molecule 27: KLLA0B11231p

Chain X:



• Molecule 28: 40S ribosomal protein S24

Chain Y:



• Molecule 29: KLLA0B06182p

Chain Z:





- Molecule 30: 40S ribosomal protein S26

Chain a:



- Molecule 31: 40S ribosomal protein S27

Chain b:



- Molecule 32: 40S ribosomal protein S28

Chain c:



- Molecule 33: 40S ribosomal protein S29

Chain d:



- Molecule 34: 40S ribosomal protein S30

Chain e:



- Molecule 35: Ubiquitin-40S ribosomal protein S27a

Chain f:





• Molecule 36: KLLA0E12277p

Chain g:



• Molecule 37: 60S ribosomal protein L41-A

Chain h:





• Molecule 38: Eukaryotic translation initiation factor 1A

Chain i:



• Molecule 39: Eukaryotic translation initiation factor 2 subunit alpha

Chain j:



K61 L62 I63 R64 V65 G66 K67 N68 D69 V70 A71 V72 V73 L74 R75 V76 D77 K78 E79 K80 G81 Y82 I83 D84 L85 S86 K87 R88 R89 V90 S91 S92 E93 D94 I95 I96 K97 C98 E99 E100 K101 Y102 Q103 K104 S105 K106 T107 V108 H109 S110 I111 L112 R113 Y114 C115 A116 E117 K118 F119 Q120

I121 P122 L123 E124 E125 L126 Y127 K128 T129 I130 A131 W132 P133 L134 S135 R136 K137 F138 G139 H140 A141 Y142 E143 A144 F145 K146 L147 S148 I149 I150 D151 E152 T153 V154 W155 E156 G157 I158 E159 P160 P161 S162 K163 D164 V165 L166 D167 E168 L169 K170 N171 Y172 I173 S174 LYS ARG LEU THR PRO GLN

ALA V182 K183 I184 R185 A186 D187 V188 E189 V190 S191 C192 F193 S194 Y195 E196 G197 I198 D199 A200 I201 K202 D203 A204 L205 K206 S207 A208 E209 D210 MET SER THR GLU GLN MET GLN V218 K219 V220 K221 L222 V223 A224 A225 P226 L227 Y228 V229 L230 T231 T232 Q233 A234 L235 D236 K237 Q238 K239 G240

I241 E242 Q243 L244 E245 S246 A247 I248 E249 K250 I251 T252 E253 V254 I255 T256 K257 Y258 G259 G260 V261 C262 N263 I264 T265 MET PRO PRO LYS ALA VAL THR ALA THR GLU ASP ALA GLU LEU GLN GLN ALA LEU LEU GLU SER LYS GLU LEU ASP ASN ARG SER ASP SER GLU ASP ASP GLU ASP GLU

SER ASP ASP GLU

- Molecule 40: Eukaryotic translation initiation factor 2 subunit gamma

Chain k: 75% 71% • 25%

MET SER ASP LEU GLN ASP GLN GLU PRO SER ILE ILE ILE ASN GLY ASN LEU GLU PRO VAL GLY GLU PRO ASP ILE VAL GLU GLU THR GLU VAL VAL ALA GLN GLU THR GLN GLU THR GLN ASP ALA ASP LYS PRO LYS LYS LYS VAL ALA PHE THR GLY LEU GLU GLU ASP GLY GLU THR

GLU GLU GLU LYS ARG LYS ARG GLU PHE GLU GLU GLY GLY GLY LEU PRO GLU GLN PRO LEU ASN PRO ASP PHE SER LYS LEU ASN PRO LEU SER ALA GLU ILE ILE ASN ARG Q98 A99 T100 I101 N102 I103 G104 T105 I106 G107 H108 V109 A110 H111 G112 K113 S114 T115 V116 V117 R118 A119 I120

S121 G122 V123 Q124 T125 V126 R127 F128 K129 D130 E131 L132 E133 R134 N135 I136 T137 I138 K139 L140 G141 Y142 A143 N144 A145 K146 I147 Y148 K149 C150 Q151 E152 PRO THR CYS PRO GLU PRO ASP CYS TYR ARG SER PHE LYS SER ASP LYS E169 I170 S171 P172 K173 C174 Q175 R176 P177 G178 C179 P180

G181 R182 Y183 K184 L185 V186 R187 H188 V189 S190 F191 V192 D193 C194 P195 G196 H197 D198 I199 L200 M201 S202 T203 M204 L205 S206 G207 A208 A209 V210 M211 D212 A213 A214 L215 L216 L217 I218 A219 G220 N221 E222 S223 C224 P225 Q226 P227 Q228 T229 S230 E231 H232 L233 A234 A235 I236 E237 I238 M239 K240

L241 K242 H243 V244 I245 I246 L247 Q248 N249 K250 V251 D252 L253 M254 R255 E256 E257 S258 A259 L260 E261 H262 Q263 K264 S265 I266 L267 K268 F269 I270 R271 G272 T273 I274 A275 D276 G277 A278 P279 I280 V281 P282 I283 S284 A285 Q286 L287 K288 Y289 N290 I291 D292 A293 V294 N295 E296 F297 I298 V299 K300

T301 I302 P303 V304 P305 P306 R307 D308 F309 M310 I311 S312 P313 R314 L315 I316 V317 I318 R319 S320 F321 D322 V323 N324 K325 P326 G327 A328 E329 I330 E331 D332 L333 K334 G335 G336 V337 A338 G339 G340 S341 I342 L343 N344 G345 V346 F347 K348 L349 G350 D351 E352 I353 E354 I355 R356 P357 G358 I359 V360

T361 LYS ASP ASP LYS GLY LYS I368 Q369 C370 K371 P372 I373 F374 S375 N376 I377 V378 S379 L380 F381 A382 E383 Q384 N385 D386 L387 K388 F389 A390 V391 P392 G393 G394 L395 I396 G397 V398 G399 T400 K401 V402 D403 P404 T405 L406 C407 R408 A409 D410 R411 L412 V413 G414 Q415 V416 V417 G418 A419 K420

G421 H422 L423 P424 N425 I426 Y427 T428 D429 I430 E431 I432 N433 Y434 F435 L436 L437 R438 R439 L440 L441 G442 V443 K444 THR ASP GLY GLN K449 Q450 A451 K452 V453 R454 K455 L456 E457 P458 N459 E460 V461 L462 M463 V464 N465 I466 G467 S468 T469 A470 T471 G472 A473 R474 V475 V476 A477 V478 K479 A480



• Molecule 41: Eukaryotic translation initiation factor 2 subunit beta



• Molecule 42: Eukaryotic translation initiation factor 5



• Molecule 43: Eukaryotic translation initiation factor 3 subunit A

Chain o:


55%
51%
45%


MET ALA PRO PRO PRO F6 R7 P8 E9 N10 A11 I12 K13 R14 A15 D16 E17 L18 I19 S20 V21 G22 E23 K24 Q25 A26 A27 L28 Q29 S30 L31 H32 D33 F34 I35 T36 A37 R38 R39 I40 R41 W42 A43 T44 P45 S46 T47 V48 E49 P50 V51 V52 F53 K54 F55 L56 E57 I58 G59 V60
E61 L62 K63 K64 G65 K66 L67 L68 K69 D70 G71 L72 H73 Q74 Y75 K76 K77 L78 I79 Q80 G81 S82 T83 E84 G85 L86 V87 S88 V89 G90 A91 V92 A93 R94 K95 F96 I97 D98 L99 V100 E101 S102 K103 I104 A105 S106 E107 Q108 T109 R110 A111 D112 E113 L114 Q115 K116 Q117 E118 I119 D120
ASP ASP LEU GLU GLY GLY VAL THR PRO GLU ASN LEU LEU ILE SER VAL TYR GLU SER ASP GLN SER VAL ALA GLY PHE ASN ASP GLU A150 I151 T152 S153 W154 L155 R156 F157 T158 W159 E160 S161 Y162 R163 A164 V165 L166 D167 L168 L169 R170 N171 N172 A173 L174 L175 E176 I177 T178 Y179 S180
G181 V182 V183 K184 K185 T186 M187 H188 F189 C190 L191 K192 Y193 Q194 R195 K196 N197 E198 F199 K200 R201 L202 A203 E204 M205 L206 R207 Q208 H209 L210 D211 A212 A213 N214 Y215 Q216 Q217 SER LYS SER GLY ASN ASN LEU VAL ASP LEU S228 D229 A230 D231 T232 L233 Q234 R235 Y236 L237 D238 Q239 R240
F241 Q242 Q243 V244 D245 V246 S247 V248 K249 L250 E251 L252 W253 H254 E255 A256 Y257 R258 S259 I260 E261 D262 V263 F264 H265 L266 M267 K268 I269 S270 K271 R272 A273 P274 K275 P276 S277 T278 L279 A280 N281 Y282 Y283 E284 N285 L286 V287 K288 V289 F290 F291 V292 S293 G294 D295 P296 L297 L298 H299 T300
T301 A302 W303 K304 K305 F306 Y307 K308 L309 Y310 S311 T312 N313 P314 R315 A316 T317 E318 E319 E320 F321 K322 T323 Y324 S325 S326 T327 I328 F329 L330 S331 A332 I333 S334 T335 Q336 L337 D338 E339 I340 P341 S342 I343 G344 Y345 D346 P347 H348 L349 R350 M351 Y352 R353 L354 L355 N356 L357 D358 A359 K360
P361 T362 R363 K364 E365 M366 L367 Q368 S369 I370 I371 E372 D373 E374 S375 I376 Y377 G378 K379 V380 D381 E382 E383 L384 K385 E386 L387 Y388 D389 I390 I391 E392 V393 N394 F395 D396 V397 D398 T399 V400 K401 Q402 Q403 L404 E405 N406 L407 L408 V409 K410 L411 S412 S413 K414 T415 Y416 F417 S418 Q419 Y420
I421 A422 P423 L424 R425 D426 V427 I428 M429 R430 R431 V432 F433 V434 A435 A436 S437 Q438 K439 F440 T441 T442 V443 S444 Q445 S446 E447 L448 Y449 K450 L451 A452 T453 L454 P455 A456 P457 L458 D459 L460 S461 A462 W463 D464 I465 E466 K467 S468 L469 L470 Q471 A472 A473 V474 E475 D476 Y477 V478 S479 I480
T481 I482 D483 H484 E485 S486 A487 K488 V489 T490 F491 A492 K493 D494 P495 PHE ASP ILE PHE ALA SER THR ALA SER LYS GLU VAL SER GLU GLU GLU ASN THR GLU PRO GLU VAL GLN GLU GLU LYS GLU GLU THR ASP GLU ALA LEU GLY PRO GLN GLU THR GLU ASP GLY GLU GLU LYS GLU
GLU GLU SER ASP PRO VAL ILE ILE ARG ASN SER TYR ILE HIS ASN LYS LEU LEU GLU LEU SER ASN VAL LEU HIS ASP VAL ASP SER PHE ASN ASN ALA SER TYR MET GLU LYS VAL ARG ILE ALA ARG GLU THR LEU ILE LYS LYS ASN LYS ASP ASP LEU GLU LYS ILE SER LYS ILE
VAL ASP GLU ARG VAL LYS ARG SER GLN GLU GLN LYS GLN LYS HIS MET GLU HIS ALA ALA LEU HIS ALA GLU GLN ASP ALA GLU VAL ARG GLN GLN ARG ILE LEU GLU GLU LYS ALA ALA ILE GLU ALA LYS LEU GLU GLU ALA HIS ARG ARG LEU ILE GLU LYS LYS LYS ARG GLU
PHE GLU ALA ILE LYS GLU ARG GLU ILE THR LYS MET ILE THR GLU VAL ASN ALA LYS GLY HIS VAL TYR ILE ASP PRO ASN GLU GLU ALA LYS SER LEU ASP LEU ASP THR ILE LYS GLN VAL ILE ILE ALA GLU VAL SER LYS ASN LYS SER GLU LEU GLU SER ARG MET GLU TYR ALA MET
LYS LYS LEU ASP HIS THR GLU ARG ALA LEU ARG LYS VAL GLU LEU PRO LEU LEU LEU GLN LYS GLU VAL ASP ILE LYS LEU GLN GLU THR ASP THR ALA ASN TYR GLU ALA MET LYS LYS LYS ILE VAL ASP ALA ALA LYS ALA GLU TYR GLU ALA ARG MET ALA ASP ARG LYS ASN LEU VAL MET
VAL TYR ASP ASP TYR LEU LYS PHE LYS GLU HIS VAL SER GLY THR LYS GLU SER GLU LEU ALA ALA ILE ARG ASN GLN LYS LYS ALA GLU LEU GLU A813 A814 K815 K816 A817 R818 I819 E820 E821 V822 R823 K824 R825 R826 Y827 E828 E829 A830 I831 A832 R833 R834 K835 E836 E837 I838 A839 N840

A841 E842 R843 Q844 K845 R846 A847 Q848 E849 L850 A851 E852 A853 T854 R855 K856 Q857 R858 E859 I860 E861 E862 A863 A864 A865 K866 K867 S868 THR PRO TYR SER PHE ARG ALA GLY ASN ARG GLU PRO PRO SER THR PRO SER THR LEU PRO LYS ALA THR VAL SER PRO ASP LYS ALA LYS LEU ASP

MET ILE ALA GLN LYS GLN ARG GLU MET GLU GLU ALA ILE GLU GLN ARG LEU A918 G919 R920 T921 A922 G923 G924 S925 S926 P927 A928 T929 P930 A931 T932 P933 A934 T935 P936 A937 T938 P939 THR PRO SER SER GLY PRO LYS LYS MET THR MET ALA GLU LYS LEU ARG ALA LYS ARG LEU ALA

LYS GLY GLY ARG

- Molecule 44: Eukaryotic translation initiation factor 3 subunit B

Chain p: 85% 82% 15%

MET LYS ASN PHE LEU PRO ARG THR LEU LYS ASN ILE TYR GLU LEU TYR PHE ASN ASN ILE SER VAL HIS SER ILE VAL SER ARG ASN THR GLN LEU LYS ARG SER LYS ILE ILE ILE GLN MET THR THR GLU THR PHE GLU ASP ILE LYS LEU GLU ASP ILE PRO VAL ASP ASP ILE ASP PHE

SER ASP LEU GLU GLU GLN TYR LYS VAL THR GLU E72 F73 N74 F75 D76 Q77 Y78 I79 V80 V81 N82 G83 A84 P85 V86 I87 P88 S89 A90 K91 V92 P93 V94 L95 K96 K97 A98 L99 T100 S101 L102 F103 S104 K105 A106 G107 K108 V109 V110 N111 M112 E113 F114 P115 I116 D117 E118 A119 T120

G121 K122 T123 K124 G125 F126 L127 F128 V129 E130 C131 G132 S133 M134 N135 D136 A137 K138 K139 I140 I141 K142 S143 F144 H145 G146 K147 R148 L149 D150 L151 K152 H153 R154 L155 F156 L157 Y158 T159 M160 K161 D162 V163 E164 R165 Y166 N167 S168 ASP ASP PHE ASP THR GLU PHE ARG GLU PRO ASP MET

PRO THR PHE VAL P185 S186 S187 S188 L189 K190 S191 W192 L193 M194 D195 D196 K197 V198 R199 D200 Q201 F202 V203 L204 Q205 D206 D207 V208 K209 T210 S211 V212 F213 W214 N215 S216 M217 F218 N219 E220 E221 D222 S223 L224 V225 E226 S227 R228 E229 N230 W231 S232 T233 N234 Y235 V236 R237 F238 S239 P240

K241 G242 T243 Y244 L245 F246 S247 Y248 H249 Q250 Q251 G252 V253 T254 A255 W256 G257 G258 P259 N260 F261 D262 R263 L264 R265 R266 F267 Y268 H269 P270 D271 V272 R273 N274 S275 S276 V277 S278 P279 N280 E281 K282 Y283 L284 V285 T286 F287 S288 T289 E290 P291 I292 I293 V294 E295 E296 D297 N298 E299 F300

S301 P302 F303 T304 K305 K306 N307 E308 G309 H310 Q311 L312 C313 I314 W315 D316 I317 A318 S319 G320 L321 L322 M323 A324 T325 F326 P327 V328 I329 K330 S331 P332 Y333 L334 K335 W336 P337 L338 V339 R340 W341 S342 Y343 N344 D345 K346 Y347 C348 A349 R350 M351 V352 G353 D354 S355 L356 I357 V358 H359 D360

A361 T362 K363 N364 F365 M366 P367 L368 E369 A370 K371 A372 L373 K374 P375 S376 G377 I378 R379 D380 F381 S382 F383 A384 P385 E386 G387 V388 K389 L390 Q391 P392 F393 R394 N395 G396 D397 E398 P399 S400 V401 L402 L403 A404 Y405 W406 T407 P408 E409 T410 N411 N412 S413 A414 C415 T416 A417 T418 I419 A420

E421 V422 P423 R424 G425 R426 V427 L428 K429 T430 V431 N432 L433 V434 Q435 V436 S437 N438 V439 T440 L441 H442 W443 Q444 N445 Q446 A447 E448 F449 L450 C451 F452 N453 Y454 E455 R456 H457 T458 K459 S460 G461 K462 T463 Q464 F465 S466 N467 L468 Q469 I470 C471 R472 L473 T474 E475 R476 D477 I478 P479 V480

E481 K482 V483 E484 L485 K486 D487 S488 V489 F490 E491 F492 G493 W494 E495 P496 H497 G498 N499 R500 F501 V502 T503 I504 S505 V506 H507 E508 V509 A510 D511 M512 N513 Y514 A515 I516 P517 A518 N519 T520 I521 R522 F523 Y524 A525 P526 E527 T528 K529 E530 K531 T532 D533 V534 I535 K536 R537 W538 S539 L540

V541 K542 E543 I544 P545 K546 T547 F548 A549 N550 T551 V552 S553 W554 S555 P556 A557 G558 R559 F560 V561 V562 V563 G564 A565 L566 V567 G568 P569 N570 M571 R572 R573 S574 D575 L576 Q577 F578 Y579 D580 M581 D582 Y583 P584 G585 E586 K587 N588 I589 N590 D591 N592 N593 D594 V595 S596 A597 S598 L599 K600



• Molecule 45: eIF3c,Eukaryotic translation initiation factor 3 subunit C



R601 A602 R603 Q604 C605 L606 P607 Y608 H609 Q610 H611 I612 N613 L614 D615 L616 I617 D618 V619 V620 F621 L622 T623 C624 S625 L626 L627 I628 E629 I630 P631 R632 M633 T634 A635 F636 V637 S638 G639 I640 K641 V642 K643 R644 I645 P646 Y647 S648 P649 K650 S651 I652 R653 R654 S655 L656 E657 H658 Y659 D660

K661 L662 S663 F664 Q665 G666 P667 P668 E669 T670 L671 R672 D673 Y674 V675 L676 F677 A678 A679 K680 S681 M682 Q683 K684 G685 N686 W687 R688 D689 S690 V691 K692 Y693 L694 R695 E696 I697 K698 S699 W700 A701 L702 L703 P704 N705 M706 E707 T708 V709 L710 N711 S712 L713 T714 E715 R716 V717 Q718 V719 E720

S721 L722 K723 T724 Y725 F726 F727 S728 F729 K730 R731 F732 Y733 S734 S735 F736 S737 V738 A739 K740 L741 A742 E743 L744 F745 D746 L747 P748 E749 N750 K751 V752 V753 E754 V755 L756 Q757 S758 V759 I760 A761 E762 L763 E764 I765 P766 A767 K768 L769 N770 D771 E772 K773 T774 I775 F776 V777 V778 E779 K780

G781 D782 E783 I784 T785 K786 L787 E788 E789 A790 M791 V792 K793 L794 ASN LYS GLU TYR LYS ILE ALA LYS GLU ARG LEU ASN PRO PRO SER ASN ARG ARG

- Molecule 46: Eukaryotic translation initiation factor 3 subunit G

Chain r: 18% 18% 82%

MET SER GLU VAL ALA PRO GLU GLU ILE ILE GLU ASN ALA ASP GLY SER ARG SER ILE ILE THR TYR LYS ILE GLU ASP GLY VAL LYS TYR LYS ILE THR GLN LYS VAL LYS GLU VAL LYS VAL LEU GLU LYS VAL HIS LYS S48 V49 A50 E51 R52 K53 N54 W55 H56 K57 Y58 G59 S60

E61 K62 G63 S64 P65 A66 G67 P68 S69 A70 V71 T72 A73 R74 L75 G76 E77 E78 V79 E80 L81 R82 L83 S84 R85 N86 W87 K88 Q89 A90 E91 E92 E93 R94 I95 Q96 LYS GLU LYS ALA SER LEU THR LYS THR GLY LEU GLN CYS ARG LEU CYS GLY ASN ASP HIS MET THR MET ASN

CYS PRO PHE LYS THR ILE LEU LEU SER GLU LEU LEU SER ALA LEU GLU ASP PRO ALA THR SER GLU GLY GLY VAL GLU ALA ALA SER GLU GLU LYS ALA GLY GLN VAL GLY GLY ALA GLY SER ILE PRO GLY GLN TYR VAL PRO PRO SER ARG ARG ALA GLY ALA ARG ASP PRO SER SER ASP ALA

TYR ARG ASP SER ARG GLU ARG ASP ASP MET MET CYS THR LEU LYS ILE MET GLN VAL ASN GLU ASN ALA ASP GLU ASN SER LEU ARG GLU GLU LEU LEU PHE PRO PHE ALA PRO ILE PRO ARG VAL SER VAL VAL ARG ASN LYS GLU THR GLY LYS SER ARG GLY LEU ALA PHE VAL THR PHE

SER SER GLU GLU VAL ALA GLU GLN ALA LEU ARG PHE LEU ASP GLY ARG GLY TYR MET ASN LEU ILE LEU ARG VAL GLU TRP SER LYS PRO LYS VAL LYS GLU

- Molecule 47: Eukaryotic translation initiation factor 3 subunit I

Chain s: 95% 93% 5%

M1 K2 A3 I4 K5 L6 T7 G8 H9 E10 R11 P12 L13 T14 Q15 V16 K17 Y18 N19 K20 E21 G22 D23 L24 L25 F26 S27 C28 S29 K30 D31 S32 S33 A34 S35 V36 W37 Y38 S39 L40 N41 G42 E43 R44 L45 G46 T47 L48 D49 G50 H51 T52 G53 T54 I55 W56 S57 I58 D59 V60

D61 C62 F63 T64 K65 Y66 C67 V68 T69 G70 S71 A72 D73 Y74 S75 I76 K77 L78 W79 D80 V81 S82 N83 G84 Q85 C86 V87 A88 T89 W90 K91 S92 P93 V94 P95 V96 K97 R98 V99 E100 F101 S102 P103 C104 G105 N106 Y107 F108 L109 A110 I111 L112 D113 N114 V115 M116 K117 N118 P119 G120

S121 I122 N123 I124 Y125 E126 I127 E128 R129 D130 S131 A132 T133 H134 E135 L136 T137 K138 V139 S140 E141 E142 P143 I144 H145 K146 I147 I148 T149 H150 E151 G152 L153 D154 A155 A156 T157 V158 A159 G160 W161 S162 T163 K164 G165 K166 Y167 I168 I169 A170 G171 H172 K173 D174 G175 K176 I177 S178 K179 Y180

D181 V182 S183 N184 N185 Y186 E187 Y188 V189 D190 S191 I192 D193 L194 H195 E196 K197 S198 I199 S200 D201 M202 Q203 F204 S205 P206 D207 L208 T209 Y210 F211 I212 T213 S214 S215 R216 D217 T218 N219 S220 F221 L222 V223 D224 V225 S226 T227 L228 Q229 V230 L231 K232 K233 Y234 E235 T236 D237 C238 P239 L240


N241 T242 A243 V244 I245 T246 P247 L248 K249 E250 F251 I252 I253 L254 G255 G256 G257 Q258 GLU ALA LYS ASP VAL THR THR THR SER ALA ASN GLU G271 K272 F273 E274 A275 R276 F277 Y278 H279 K280 I281 F282 E283 E284 E285 I286 G287 R288 V289 Q290 G291 H292 F293 G294 P295 L296 N297 T298 V299 A300


I301 S302 P303 Q304 G305 T306 S307 Y308 A309 S310 G311 G312 E313 D314 G315 F316 I317 R318 L319 H320 H321 F322 E323 K324 S325 Y326 F327 D328 F329 K330 Y331 D332 V333 E334 K335 A336 A337 E338 A339 K340 E341 H342 MET GLN GLU ALA ASN

4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	157868	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/Å^2$)	40	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	104478	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	1.157	Depositor
Minimum map value	-0.645	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.037	Depositor
Recommended contour level	0.12	Depositor
Map size (Å)	402.0, 402.0, 402.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.34, 1.34, 1.34	Depositor

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: 2MG, RIA, GCP, AYA, 1MA, 1MG, ZN, C4J, MA6, T6A, PSU, MG, H2U, M2G, 7MG, 5MC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	1	0.36	1/1529 (0.1%)	0.71	0/2376
2	2	0.29	0/41987	0.70	9/65416 (0.0%)
3	3	0.39	0/797	0.81	2/1233 (0.2%)
4	A	0.40	0/1742	0.72	1/2383 (0.0%)
5	B	0.37	0/1813	0.73	2/2438 (0.1%)
6	C	0.39	0/1678	0.71	0/2277
7	D	0.40	0/1800	0.73	0/2421
8	E	0.38	0/2122	0.71	1/2861 (0.0%)
9	F	0.39	0/1628	0.75	0/2198
10	G	0.38	0/1855	0.70	0/2479
11	H	0.40	0/1507	0.73	1/2028 (0.0%)
12	I	0.38	0/1515	0.72	0/2029
13	J	0.40	0/1495	0.78	1/2001 (0.0%)
14	K	0.46	0/831	0.76	1/1123 (0.1%)
15	L	0.40	0/1276	0.64	0/1718
16	M	0.42	0/891	0.75	1/1201 (0.1%)
17	N	0.40	0/1218	0.72	0/1638
18	O	0.39	0/966	0.74	0/1297
19	P	0.38	0/942	0.67	0/1269
20	Q	0.39	0/1125	0.73	0/1510
21	R	0.42	0/1044	0.78	1/1402 (0.1%)
22	S	0.39	0/1208	0.74	0/1624
23	T	0.39	0/1129	0.72	0/1520
24	U	0.38	0/857	0.72	0/1158
25	V	0.37	0/696	0.68	0/938
26	W	0.39	0/1039	0.74	0/1399
27	X	0.41	0/1137	0.71	0/1516
28	Y	0.38	0/1075	0.65	0/1433
29	Z	0.38	0/603	0.68	1/814 (0.1%)
30	a	0.37	0/825	0.68	0/1106
31	b	0.36	0/619	0.63	0/837
32	c	0.35	0/501	0.70	0/673

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#|Z| >5	RMSZ	#|Z| >5
33	d	0.38	0/473	0.66	0/629
34	e	0.39	0/480	0.69	0/640
35	f	0.41	0/597	0.61	0/795
36	g	0.37	0/2523	0.65	0/3434
37	h	0.33	0/234	0.70	0/300
38	i	0.38	0/969	0.68	0/1287
39	j	0.42	0/2034	0.63	0/2737
40	k	0.39	0/3079	0.60	0/4157
41	l	0.42	0/1051	0.59	0/1402
42	m	0.40	0/1164	0.64	0/1575
43	o	0.42	0/4140	0.64	6/5608 (0.1%)
44	p	0.43	0/5245	0.59	0/7115
45	q	0.44	0/4523	0.61	0/6114
46	r	0.40	0/399	0.54	0/535
47	s	0.43	0/2669	0.59	0/3611
All	All	0.36	1/109030 (0.0%)	0.69	27/156255 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	2	1	0
20	Q	0	1
44	p	0	2
All	All	1	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	1	A	OP3-P	-10.07	1.49	1.61

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	3	18[A]	U	P-O3'-C3'	8.96	130.45	119.70
3	3	18[B]	U	P-O3'-C3'	8.96	130.45	119.70
2	2	685	A	C2'-C3'-O3'	7.20	125.34	109.50
5	B	181	LEU	CA-CB-CG	6.82	130.97	115.30
2	2	616	U	N1-C1'-C2'	6.17	122.03	114.00
43	o	933	PRO	N-CA-CB	6.06	110.58	103.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
43	o	939	PRO	N-CA-CB	6.05	110.56	103.30
2	2	700	C	C2'-C3'-O3'	6.03	123.35	113.70
2	2	1470	C	C2'-C3'-O3'	6.02	123.33	113.70
43	o	930	PRO	N-CA-CB	5.99	110.49	103.30
21	R	109	LEU	CA-CB-CG	5.87	128.79	115.30
43	o	936	PRO	N-CA-CB	5.85	110.32	103.30
2	2	1206	C	C2'-C3'-O3'	5.80	122.98	113.70
16	M	52	LEU	CA-CB-CG	5.70	128.41	115.30
43	o	927	PRO	N-CA-CB	5.63	110.06	103.30
29	Z	42	LEU	CA-CB-CG	5.59	128.15	115.30
4	A	120	LEU	CA-CB-CG	5.47	127.89	115.30
5	B	120	LEU	CA-CB-CG	5.43	127.79	115.30
2	2	1198	G	C2'-C3'-O3'	5.43	122.38	113.70
8	E	38	LEU	CA-CB-CG	5.42	127.78	115.30
14	K	41	PHE	N-CA-CB	5.24	120.04	110.60
2	2	277	U	C2'-C3'-O3'	5.19	122.01	113.70
2	2	1320	A	N9-C1'-C2'	5.15	120.70	114.00
11	H	118	LEU	CA-CB-CG	5.12	127.07	115.30
13	J	49	LEU	CA-CB-CG	5.10	127.02	115.30
2	2	1513	A	C2'-C3'-O3'	5.03	121.75	113.70
43	o	387	LEU	CA-CB-CG	5.02	126.84	115.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	2	1190	C4J	C4'

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
20	Q	40	GLN	Peptide
44	p	336	TRP	Peptide
44	p	391	GLN	Peptide

5.2 Too-close contacts (i)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	A	217/254 (85%)	192 (88%)	16 (7%)	9 (4%)	3	15
5	B	220/255 (86%)	191 (87%)	19 (9%)	10 (4%)	2	13
6	C	218/259 (84%)	197 (90%)	16 (7%)	5 (2%)	6	29
7	D	225/237 (95%)	211 (94%)	8 (4%)	6 (3%)	5	25
8	E	258/261 (99%)	233 (90%)	21 (8%)	4 (2%)	9	38
9	F	204/227 (90%)	173 (85%)	21 (10%)	10 (5%)	2	12
10	G	228/236 (97%)	211 (92%)	15 (7%)	2 (1%)	17	53
11	H	182/190 (96%)	161 (88%)	14 (8%)	7 (4%)	3	17
12	I	184/201 (92%)	162 (88%)	12 (6%)	10 (5%)	2	10
13	J	180/188 (96%)	152 (84%)	20 (11%)	8 (4%)	2	14
14	K	94/106 (89%)	83 (88%)	8 (8%)	3 (3%)	4	21
15	L	153/156 (98%)	132 (86%)	17 (11%)	4 (3%)	5	26
16	M	113/134 (84%)	85 (75%)	20 (18%)	8 (7%)	1	5
17	N	149/151 (99%)	139 (93%)	9 (6%)	1 (1%)	22	59
18	O	127/137 (93%)	107 (84%)	13 (10%)	7 (6%)	2	10
19	P	115/142 (81%)	98 (85%)	11 (10%)	6 (5%)	2	11
20	Q	139/143 (97%)	125 (90%)	11 (8%)	3 (2%)	6	30
21	R	128/136 (94%)	110 (86%)	11 (9%)	7 (6%)	2	10
22	S	143/146 (98%)	127 (89%)	13 (9%)	3 (2%)	7	31
23	T	141/144 (98%)	132 (94%)	7 (5%)	2 (1%)	11	41
24	U	104/117 (89%)	90 (86%)	9 (9%)	5 (5%)	2	13
25	V	85/87 (98%)	80 (94%)	2 (2%)	3 (4%)	3	18
26	W	127/130 (98%)	115 (91%)	7 (6%)	5 (4%)	3	16
27	X	142/145 (98%)	126 (89%)	12 (8%)	4 (3%)	5	24
28	Y	132/135 (98%)	123 (93%)	5 (4%)	4 (3%)	4	22

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
29	Z	76/108 (70%)	62 (82%)	10 (13%)	4 (5%)	2	11
30	a	101/119 (85%)	84 (83%)	11 (11%)	6 (6%)	1	8
31	b	79/82 (96%)	68 (86%)	9 (11%)	2 (2%)	5	26
32	c	62/67 (92%)	55 (89%)	5 (8%)	2 (3%)	4	21
33	d	53/56 (95%)	48 (91%)	5 (9%)	0	100	100
34	e	58/63 (92%)	44 (76%)	9 (16%)	5 (9%)	1	3
35	f	72/150 (48%)	57 (79%)	13 (18%)	2 (3%)	5	24
36	g	314/326 (96%)	276 (88%)	29 (9%)	9 (3%)	4	23
37	h	23/25 (92%)	23 (100%)	0	0	100	100
38	i	119/153 (78%)	102 (86%)	11 (9%)	6 (5%)	2	12
39	j	243/304 (80%)	213 (88%)	25 (10%)	5 (2%)	7	31
40	k	388/527 (74%)	333 (86%)	47 (12%)	8 (2%)	7	31
41	l	120/285 (42%)	109 (91%)	11 (9%)	0	100	100
42	m	145/405 (36%)	126 (87%)	17 (12%)	2 (1%)	11	41
43	o	519/964 (54%)	483 (93%)	30 (6%)	6 (1%)	13	46
44	p	637/763 (84%)	583 (92%)	43 (7%)	11 (2%)	9	37
45	q	538/812 (66%)	490 (91%)	39 (7%)	9 (2%)	9	37
46	r	47/274 (17%)	43 (92%)	4 (8%)	0	100	100
47	s	326/347 (94%)	311 (95%)	15 (5%)	0	100	100
All	All	7928/10147 (78%)	7065 (89%)	650 (8%)	213 (3%)	8	25

All (213) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	C	141	VAL
7	D	220	PRO
9	F	104	ARG
11	H	64	VAL
11	H	74	GLN
12	I	22	ARG
12	I	153	ILE
13	J	169	PRO
16	M	82	VAL
16	M	84	ASP
18	O	91	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	O	124	ASP
19	P	36	LEU
24	U	17	VAL
24	U	96	PRO
25	V	30	SER
26	W	58	SER
27	X	63	GLN
30	a	36	ILE
34	e	54	ARG
38	i	31	GLU
38	i	66	ARG
38	i	116	ASN
44	p	337	PRO
44	p	392	PRO
4	A	206	ASN
5	B	19	ARG
5	B	214	LYS
7	D	221	SER
9	F	44	LEU
9	F	103	GLY
10	G	122	GLU
11	H	163	ASP
12	I	40	THR
12	I	147	ARG
13	J	118	LEU
15	L	3	THR
15	L	55	ASP
16	M	110	SER
17	N	3	ARG
18	O	51	ASP
18	O	114	ARG
19	P	89	MET
20	Q	138	PHE
21	R	99	VAL
21	R	117	LEU
22	S	85	PHE
25	V	12	TYR
27	X	3	LYS
28	Y	4	ALA
29	Z	55	PRO
29	Z	56	THR
34	e	47	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
34	e	48	THR
36	g	4	SER
36	g	195	ILE
38	i	4	LYS
39	j	81	GLY
40	k	122	GLY
42	m	12	PRO
44	p	423	PRO
4	A	26	ALA
4	A	202	TYR
5	B	51	SER
5	B	131	ASP
5	B	148	ASN
7	D	197	SER
9	F	37	GLN
9	F	127	THR
11	H	10	SER
12	I	94	ASN
13	J	146	PHE
13	J	171	ARG
14	K	64	TYR
16	M	50	GLY
16	M	98	ASP
18	O	40	ALA
18	O	126	THR
19	P	69	GLU
20	Q	97	VAL
21	R	5	ARG
21	R	92	ASP
26	W	29	PRO
26	W	72	CYS
30	a	13	LYS
30	a	59	TYR
32	c	6	PRO
36	g	64	GLY
36	g	119	ASN
36	g	146	LEU
38	i	22	PRO
39	j	64	ARG
40	k	127	ARG
40	k	497	GLU
40	k	507	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	o	62	LEU
43	o	63	LYS
43	o	251	GLU
44	p	77	GLN
45	q	460	PRO
45	q	468	THR
45	q	536	ASP
45	q	558	CYS
4	A	158	VAL
4	A	195	TRP
4	A	207	PRO
6	C	151	THR
6	C	253	THR
8	E	77	ARG
8	E	245	LYS
9	F	205	LYS
11	H	14	THR
11	H	98	ILE
12	I	99	ALA
12	I	120	SER
13	J	93	LEU
14	K	23	ALA
16	M	77	VAL
16	M	81	LYS
16	M	122	GLN
19	P	87	PRO
20	Q	113	ASP
21	R	90	ALA
21	R	116	LYS
23	T	28	LEU
23	T	35	ASP
24	U	77	LYS
25	V	81	ASN
27	X	41	SER
30	a	100	ARG
31	b	75	GLU
34	e	11	ALA
34	e	52	GLY
36	g	120	SER
36	g	161	ASN
36	g	290	LYS
38	i	97	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
44	p	634	GLU
45	q	645	ILE
45	q	650	LYS
4	A	93	THR
5	B	54	LEU
5	B	221	PRO
5	B	224	ASP
6	C	40	TRP
8	E	195	ILE
10	G	152	ASP
12	I	52	ASN
12	I	148	ALA
13	J	134	ILE
14	K	26	ASP
15	L	4	GLU
15	L	7	VAL
18	O	42	VAL
21	R	88	VAL
22	S	91	ASP
24	U	73	GLY
24	U	89	ARG
26	W	30	SER
28	Y	36	SER
29	Z	36	ALA
30	a	64	LEU
35	f	111	GLU
40	k	383	GLU
40	k	408	ARG
42	m	5	ILE
43	o	49	GLU
43	o	394	ASN
44	p	207	ASP
44	p	569	PRO
45	q	514	LYS
45	q	779	GLU
4	A	68	PRO
5	B	207	LEU
6	C	155	GLN
7	D	219	GLU
9	F	42	ILE
9	F	66	ILE
9	F	102	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	I	58	LEU
13	J	120	LYS
13	J	137	GLY
19	P	14	THR
28	Y	5	ILE
29	Z	69	PHE
31	b	62	VAL
39	j	6	CYS
39	j	197	GLY
44	p	198	VAL
44	p	536	LYS
45	q	351	ILE
5	B	206	PRO
27	X	4	GLY
36	g	201	GLY
40	k	225	PRO
43	o	933	PRO
44	p	422	VAL
4	A	103	THR
9	F	23	VAL
22	S	92	VAL
30	a	98	PRO
32	c	47	PRO
35	f	88	PRO
7	D	43	PRO
44	p	478	ILE
7	D	4	ILE
19	P	37	ALA
26	W	83	ILE
39	j	226	PRO
8	E	204	GLY
11	H	75	ILE
28	Y	35	VAL
40	k	282	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	A	180/211 (85%)	152 (84%)	28 (16%)	2	12
5	B	201/228 (88%)	180 (90%)	21 (10%)	7	26
6	C	177/203 (87%)	152 (86%)	25 (14%)	3	15
7	D	188/196 (96%)	161 (86%)	27 (14%)	3	14
8	E	223/224 (100%)	188 (84%)	35 (16%)	2	12
9	F	174/194 (90%)	144 (83%)	30 (17%)	2	9
10	G	192/200 (96%)	169 (88%)	23 (12%)	5	21
11	H	164/170 (96%)	141 (86%)	23 (14%)	3	15
12	I	147/159 (92%)	124 (84%)	23 (16%)	2	12
13	J	153/158 (97%)	130 (85%)	23 (15%)	3	13
14	K	88/96 (92%)	74 (84%)	14 (16%)	2	11
15	L	136/137 (99%)	124 (91%)	12 (9%)	10	34
16	M	93/109 (85%)	80 (86%)	13 (14%)	3	15
17	N	128/128 (100%)	120 (94%)	8 (6%)	18	49
18	O	97/104 (93%)	84 (87%)	13 (13%)	4	16
19	P	99/119 (83%)	88 (89%)	11 (11%)	6	23
20	Q	117/119 (98%)	101 (86%)	16 (14%)	3	16
21	R	116/124 (94%)	105 (90%)	11 (10%)	8	31
22	S	127/129 (98%)	108 (85%)	19 (15%)	3	13
23	T	117/118 (99%)	99 (85%)	18 (15%)	2	12
24	U	96/107 (90%)	85 (88%)	11 (12%)	5	22
25	V	73/73 (100%)	70 (96%)	3 (4%)	30	66
26	W	110/111 (99%)	101 (92%)	9 (8%)	11	38
27	X	119/120 (99%)	107 (90%)	12 (10%)	7	27
28	Y	108/109 (99%)	95 (88%)	13 (12%)	5	21
29	Z	59/88 (67%)	55 (93%)	4 (7%)	16	46
30	a	85/100 (85%)	77 (91%)	8 (9%)	8	31
31	b	71/72 (99%)	63 (89%)	8 (11%)	6	23
32	c	55/59 (93%)	46 (84%)	9 (16%)	2	11
33	d	47/48 (98%)	40 (85%)	7 (15%)	3	13
34	e	51/55 (93%)	43 (84%)	8 (16%)	2	12
35	f	60/133 (45%)	51 (85%)	9 (15%)	3	13

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	g	264/272 (97%)	232 (88%)	32 (12%)	5	20
37	h	23/23 (100%)	21 (91%)	2 (9%)	10	35
38	i	100/130 (77%)	81 (81%)	19 (19%)	1	7
39	j	224/274 (82%)	189 (84%)	35 (16%)	2	12
40	k	332/449 (74%)	318 (96%)	14 (4%)	30	65
41	l	119/246 (48%)	115 (97%)	4 (3%)	37	72
42	m	125/352 (36%)	106 (85%)	19 (15%)	3	13
43	o	406/846 (48%)	379 (93%)	27 (7%)	16	47
44	p	544/693 (78%)	532 (98%)	12 (2%)	52	80
45	q	506/523 (97%)	485 (96%)	21 (4%)	30	65
46	r	40/232 (17%)	39 (98%)	1 (2%)	47	78
47	s	287/301 (95%)	281 (98%)	6 (2%)	53	81
All	All	6821/8542 (80%)	6135 (90%)	686 (10%)	11	27

All (686) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	A	3	LEU
4	A	6	THR
4	A	17	LEU
4	A	24	LEU
4	A	33	GLN
4	A	34	GLU
4	A	54	TRP
4	A	55	GLU
4	A	58	VAL
4	A	79	ARG
4	A	80	THR
4	A	86	VAL
4	A	93	THR
4	A	108	THR
4	A	109	ASN
4	A	111	ILE
4	A	116	LYS
4	A	121	VAL
4	A	127	ARG
4	A	157	ASP
4	A	162	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	A	165	ARG
4	A	168	HIS
4	A	172	LEU
4	A	182	LEU
4	A	185	ARG
4	A	191	ARG
4	A	212	GLN
5	B	26	ARG
5	B	37	THR
5	B	72	ASP
5	B	78	ASP
5	B	82	ARG
5	B	89	ASP
5	B	103	MET
5	B	105	PHE
5	B	107	THR
5	B	110	LEU
5	B	111	ARG
5	B	120	LEU
5	B	127	VAL
5	B	132	ASP
5	B	140	ILE
5	B	152	ARG
5	B	160	HIS
5	B	177	GLN
5	B	178	ASN
5	B	181	LEU
5	B	213	ARG
6	C	58	ILE
6	C	63	LEU
6	C	68	VAL
6	C	72	GLN
6	C	83	ASP
6	C	86	MET
6	C	99	GLN
6	C	102	ARG
6	C	109	VAL
6	C	116	VAL
6	C	118	LEU
6	C	131	ARG
6	C	145	ARG
6	C	146	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	C	153	LEU
6	C	155	GLN
6	C	159	LEU
6	C	173	ARG
6	C	206	THR
6	C	223	ILE
6	C	227	TYR
6	C	230	LEU
6	C	233	ASN
6	C	238	GLN
6	C	241	THR
7	D	11	LEU
7	D	12	VAL
7	D	27	ARG
7	D	41	VAL
7	D	51	ARG
7	D	62	ASN
7	D	66	ILE
7	D	70	THR
7	D	71	LEU
7	D	75	LYS
7	D	81	ARG
7	D	84	ILE
7	D	91	VAL
7	D	103	GLU
7	D	110	LEU
7	D	117	ARG
7	D	120	TYR
7	D	123	VAL
7	D	143	ARG
7	D	162	GLN
7	D	164	VAL
7	D	173	ARG
7	D	176	LEU
7	D	178	ARG
7	D	214	GLU
7	D	226	ARG
7	D	228	THR
8	E	6	LYS
8	E	9	LEU
8	E	18	TRP
8	E	19	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	E	23	LEU
8	E	38	LEU
8	E	39	ARG
8	E	49	ARG
8	E	51	ARG
8	E	57	ASN
8	E	77	ARG
8	E	80	THR
8	E	81	THR
8	E	93	GLU
8	E	96	ASN
8	E	100	ARG
8	E	106	LYS
8	E	108	ARG
8	E	113	ARG
8	E	114	ILE
8	E	155	LYS
8	E	163	ASP
8	E	173	ILE
8	E	181	VAL
8	E	187	ARG
8	E	198	ARG
8	E	200	ARG
8	E	206	ASP
8	E	208	VAL
8	E	220	THR
8	E	221	ARG
8	E	225	VAL
8	E	238	LEU
8	E	254	ARG
8	E	259	HIS
9	F	29	THR
9	F	34	GLU
9	F	40	GLN
9	F	41	GLU
9	F	60	LEU
9	F	65	GLN
9	F	70	ILE
9	F	78	ARG
9	F	83	ARG
9	F	85	ARG
9	F	88	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	F	92	VAL
9	F	100	MET
9	F	110	LEU
9	F	121	GLU
9	F	133	GLN
9	F	137	ASP
9	F	145	ARG
9	F	150	ARG
9	F	158	ARG
9	F	160	GLN
9	F	163	ASP
9	F	169	ARG
9	F	183	GLU
9	F	187	ARG
9	F	189	ILE
9	F	192	ILE
9	F	196	LEU
9	F	209	THR
9	F	213	ILE
10	G	1	MET
10	G	13	GLN
10	G	15	CYS
10	G	19	ASP
10	G	29	ASP
10	G	52	ILE
10	G	75	LEU
10	G	92	ARG
10	G	111	LEU
10	G	125	THR
10	G	127	ASP
10	G	132	ARG
10	G	133	LEU
10	G	154	ARG
10	G	170	THR
10	G	177	ARG
10	G	180	THR
10	G	189	GLN
10	G	203	GLU
10	G	212	LEU
10	G	215	ARG
10	G	222	GLU
10	G	226	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	H	11	GLN
11	H	15	GLU
11	H	19	GLN
11	H	38	LEU
11	H	39	ARG
11	H	71	HIS
11	H	74	GLN
11	H	79	ARG
11	H	80	GLU
11	H	81	LEU
11	H	86	GLN
11	H	93	LEU
11	H	107	ARG
11	H	116	ARG
11	H	119	THR
11	H	122	HIS
11	H	126	LEU
11	H	127	GLU
11	H	128	ASP
11	H	139	ARG
11	H	164	ASN
11	H	174	ASN
11	H	176	LEU
12	I	5	ARG
12	I	8	ARG
12	I	20	GLN
12	I	22	ARG
12	I	23	LYS
12	I	24	LYS
12	I	25	ARG
12	I	29	LEU
12	I	32	GLN
12	I	35	ASN
12	I	46	VAL
12	I	47	ARG
12	I	58	LEU
12	I	72	VAL
12	I	77	ARG
12	I	92	ARG
12	I	96	LEU
12	I	139	ASN
12	I	153	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	I	155	HIS
12	I	158	ASP
12	I	179	ARG
12	I	196	ARG
13	J	6	ARG
13	J	7	THR
13	J	8	TYR
13	J	9	SER
13	J	10	LYS
13	J	25	ASP
13	J	28	LEU
13	J	33	GLU
13	J	37	LYS
13	J	45	ILE
13	J	49	LEU
13	J	60	LEU
13	J	64	GLU
13	J	93	LEU
13	J	103	ASP
13	J	107	ARG
13	J	109	LEU
13	J	131	GLN
13	J	142	ASN
13	J	149	ARG
13	J	150	LEU
13	J	161	THR
13	J	183	GLU
14	K	13	GLN
14	K	15	LEU
14	K	18	GLU
14	K	34	GLU
14	K	35	ILE
14	K	39	ASN
14	K	40	LEU
14	K	44	LYS
14	K	49	LEU
14	K	76	LEU
14	K	81	ASN
14	K	82	LEU
14	K	84	GLU
14	K	86	ILE
15	L	10	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
15	L	36	LYS
15	L	56	LYS
15	L	67	ARG
15	L	69	LYS
15	L	70	ILE
15	L	79	ARG
15	L	84	ILE
15	L	111	VAL
15	L	117	VAL
15	L	125	VAL
15	L	136	ARG
16	M	26	ARG
16	M	34	LEU
16	M	38	LEU
16	M	40	GLU
16	M	52	LEU
16	M	55	LEU
16	M	61	GLU
16	M	79	LEU
16	M	88	LEU
16	M	91	TRP
16	M	97	ILE
16	M	100	ASP
16	M	106	VAL
17	N	3	ARG
17	N	9	LYS
17	N	83	GLU
17	N	88	LEU
17	N	99	ARG
17	N	107	LYS
17	N	116	ILE
17	N	121	ARG
18	O	24	ASN
18	O	37	GLU
18	O	47	LYS
18	O	48	VAL
18	O	49	LYS
18	O	52	ARG
18	O	65	GLN
18	O	66	ASP
18	O	72	LYS
18	O	102	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	O	124	ASP
18	O	126	THR
18	O	137	LEU
19	P	51	GLU
19	P	56	LEU
19	P	59	LYS
19	P	60	LEU
19	P	79	HIS
19	P	83	MET
19	P	94	VAL
19	P	106	GLU
19	P	111	MET
19	P	126	VAL
19	P	127	ARG
20	Q	22	VAL
20	Q	26	LYS
20	Q	52	LEU
20	Q	63	ILE
20	Q	69	VAL
20	Q	78	VAL
20	Q	82	ARG
20	Q	83	GLN
20	Q	87	LYS
20	Q	89	LEU
20	Q	94	GLN
20	Q	105	LEU
20	Q	107	LYS
20	Q	123	ARG
20	Q	127	LYS
20	Q	137	ARG
21	R	26	MET
21	R	29	GLN
21	R	37	GLU
21	R	42	GLN
21	R	46	LEU
21	R	78	ARG
21	R	82	ASP
21	R	106	THR
21	R	109	LEU
21	R	116	LYS
21	R	128	ARG
22	S	3	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	S	15	LEU
22	S	40	ARG
22	S	41	ARG
22	S	57	ARG
22	S	61	LEU
22	S	73	MET
22	S	85	PHE
22	S	97	ASP
22	S	101	LEU
22	S	105	LEU
22	S	106	GLU
22	S	108	LYS
22	S	111	ASP
22	S	114	GLU
22	S	123	ARG
22	S	134	ARG
22	S	136	GLN
22	S	137	HIS
23	T	8	ASP
23	T	16	ASN
23	T	17	ASN
23	T	35	ASP
23	T	48	GLN
23	T	64	HIS
23	T	65	ILE
23	T	67	LEU
23	T	68	ARG
23	T	86	ARG
23	T	88	VAL
23	T	110	LYS
23	T	124	ILE
23	T	126	ASP
23	T	129	LEU
23	T	132	LEU
23	T	140	LEU
23	T	142	ASP
24	U	17	VAL
24	U	22	ILE
24	U	27	THR
24	U	31	VAL
24	U	52	LYS
24	U	56	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
24	U	57	ARG
24	U	65	ILE
24	U	74	GLU
24	U	86	ILE
24	U	112	VAL
25	V	12	TYR
25	V	50	TYR
25	V	85	TYR
26	W	7	LEU
26	W	24	GLN
26	W	25	VAL
26	W	28	ARG
26	W	47	ILE
26	W	83	ILE
26	W	88	LYS
26	W	104	LEU
26	W	129	VAL
27	X	14	LYS
27	X	16	ARG
27	X	64	PRO
27	X	72	VAL
27	X	79	ASN
27	X	90	ASP
27	X	94	ASN
27	X	100	ASP
27	X	107	PHE
27	X	127	VAL
27	X	141	GLU
27	X	144	ARG
28	Y	8	ARG
28	Y	20	ARG
28	Y	34	ASN
28	Y	35	VAL
28	Y	74	LEU
28	Y	84	LYS
28	Y	105	ARG
28	Y	106	GLN
28	Y	111	ARG
28	Y	112	LYS
28	Y	117	LYS
28	Y	121	THR
28	Y	128	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
29	Z	46	LYS
29	Z	58	ARG
29	Z	75	LEU
29	Z	81	ARG
30	a	12	LYS
30	a	38	ARG
30	a	39	MET
30	a	53	LEU
30	a	59	TYR
30	a	64	LEU
30	a	75	ILE
30	a	89	ARG
31	b	3	LEU
31	b	31	HIS
31	b	43	ILE
31	b	44	THR
31	b	57	GLU
31	b	67	THR
31	b	81	ARG
31	b	82	LYS
32	c	14	LYS
32	c	26	THR
32	c	38	ARG
32	c	49	ARG
32	c	50	GLU
32	c	58	GLU
32	c	64	ARG
32	c	65	ARG
32	c	66	LEU
33	d	19	ARG
33	d	20	GLN
33	d	30	LEU
33	d	38	ILE
33	d	39	ASP
33	d	41	GLN
33	d	49	ASP
34	e	10	ARG
34	e	17	GLN
34	e	24	GLN
34	e	26	LYS
34	e	36	LYS
34	e	37	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
34	e	53	LYS
34	e	55	LYS
35	f	81	LYS
35	f	83	LYS
35	f	87	THR
35	f	91	ILE
35	f	92	ARG
35	f	96	LYS
35	f	99	LYS
35	f	135	ASP
35	f	136	ARG
36	g	8	LEU
36	g	11	ARG
36	g	54	GLN
36	g	59	VAL
36	g	60	ARG
36	g	66	SER
36	g	70	GLN
36	g	72	VAL
36	g	87	ASP
36	g	91	ARG
36	g	94	ASN
36	g	101	GLU
36	g	114	VAL
36	g	122	LYS
36	g	130	LYS
36	g	180	ASP
36	g	181	LYS
36	g	188	LEU
36	g	195	ILE
36	g	196	GLU
36	g	206	ILE
36	g	207	ASN
36	g	209	VAL
36	g	210	GLN
36	g	223	LYS
36	g	246	GLU
36	g	250	LEU
36	g	256	ARG
36	g	257	PHE
36	g	280	GLU
36	g	290	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
36	g	308	LEU
37	h	13	LEU
37	h	16	LYS
38	i	3	LYS
38	i	4	LYS
38	i	5	ASN
38	i	13	ARG
38	i	14	ARG
38	i	23	LYS
38	i	31	GLU
38	i	34	GLU
38	i	39	THR
38	i	42	LEU
38	i	44	ASN
38	i	47	VAL
38	i	56	LYS
38	i	75	ASP
38	i	77	ILE
38	i	90	ASP
38	i	96	ASN
38	i	109	LEU
38	i	119	ASP
39	j	7	ARG
39	j	11	ASN
39	j	18	ASP
39	j	19	ILE
39	j	23	ASN
39	j	37	LEU
39	j	39	TYR
39	j	45	MET
39	j	46	ILE
39	j	53	ARG
39	j	54	ARG
39	j	62	LEU
39	j	63	ILE
39	j	69	ASP
39	j	79	GLU
39	j	80	LYS
39	j	84	ASP
39	j	87	LYS
39	j	97	LYS
39	j	119	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	j	124	GLU
39	j	126	LEU
39	j	163	LYS
39	j	169	LEU
39	j	185	ARG
39	j	187	ASP
39	j	195	TYR
39	j	198	ILE
39	j	203	ASP
39	j	230	LEU
39	j	235	LEU
39	j	244	LEU
39	j	251	ILE
39	j	255	ILE
39	j	258	TYR
40	k	136	ILE
40	k	311	ILE
40	k	315	LEU
40	k	318	ILE
40	k	352	GLU
40	k	359	ILE
40	k	395	LEU
40	k	403	ASP
40	k	406	LEU
40	k	426	ILE
40	k	432	ILE
40	k	494	GLU
40	k	508	HIS
40	k	510	ARG
41	l	180	ILE
41	l	191	LEU
41	l	211	LEU
41	l	213	ILE
42	m	5	ILE
42	m	8	ASP
42	m	15	ARG
42	m	24	LYS
42	m	25	VAL
42	m	34	THR
42	m	41	ASP
42	m	48	ARG
42	m	53	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
42	m	70	ASP
42	m	71	LYS
42	m	111	ILE
42	m	113	LYS
42	m	114	ASP
42	m	117	LEU
42	m	118	VAL
42	m	120	ASP
42	m	131	ASP
42	m	132	LEU
43	o	16	ASP
43	o	39	ARG
43	o	41	ARG
43	o	56	LEU
43	o	104	ILE
43	o	172	ASN
43	o	178	THR
43	o	183	VAL
43	o	185	LYS
43	o	206	LEU
43	o	217	GLN
43	o	229	ASP
43	o	235	ARG
43	o	239	GLN
43	o	262	ASP
43	o	292	VAL
43	o	303	TRP
43	o	329	PHE
43	o	330	LEU
43	o	346	ASP
43	o	355	LEU
43	o	381	ASP
43	o	384	LEU
43	o	388	TYR
43	o	397	VAL
43	o	476	ASP
43	o	480	ILE
44	p	77	GLN
44	p	79	ILE
44	p	158	TYR
44	p	192	TRP
44	p	277	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
44	p	422	VAL
44	p	444	GLN
44	p	489	VAL
44	p	581	MET
44	p	616	ASP
44	p	631	HIS
44	p	678	LYS
45	q	273	GLN
45	q	305	ASP
45	q	315	ILE
45	q	324	ASP
45	q	335	THR
45	q	336	ILE
45	q	352	GLU
45	q	406	ASN
45	q	407	LEU
45	q	438	ASP
45	q	490	LEU
45	q	532	ILE
45	q	567	LEU
45	q	577	ARG
45	q	611	HIS
45	q	644	ARG
45	q	676	LEU
45	q	677	PHE
45	q	733	TYR
45	q	754	GLU
45	q	783	GLU
46	r	74	ARG
47	s	64	THR
47	s	157	THR
47	s	158	VAL
47	s	308	TYR
47	s	313	GLU
47	s	328	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (100) such sidechains are listed below:

Mol	Chain	Res	Type
4	A	83	GLN
4	A	109	ASN
5	B	101	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	B	124	ASN
6	C	64	HIS
6	C	99	GLN
6	C	152	ASN
6	C	233	ASN
7	D	159	HIS
7	D	179	GLN
8	E	50	ASN
8	E	57	ASN
8	E	112	HIS
8	E	130	GLN
8	E	216	ASN
9	F	65	GLN
9	F	102	ASN
9	F	188	ASN
10	G	10	ASN
10	G	13	GLN
10	G	139	ASN
11	H	29	ASN
11	H	74	GLN
11	H	110	GLN
11	H	150	GLN
11	H	170	GLN
12	I	64	ASN
13	J	38	ASN
13	J	110	GLN
13	J	142	ASN
13	J	155	HIS
14	K	39	ASN
14	K	81	ASN
14	K	85	HIS
15	L	8	GLN
15	L	138	ASN
17	N	49	GLN
17	N	62	GLN
17	N	105	ASN
18	O	99	GLN
19	P	104	GLN
20	Q	83	GLN
21	R	105	GLN
22	S	87	ASN
22	S	99	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	S	136	GLN
23	T	12	GLN
23	T	43	ASN
23	T	64	HIS
25	V	21	ASN
25	V	33	GLN
26	W	24	GLN
26	W	80	ASN
26	W	92	ASN
27	X	79	ASN
28	Y	15	ASN
28	Y	22	GLN
28	Y	29	HIS
30	a	17	HIS
30	a	80	HIS
31	b	26	GLN
31	b	42	ASN
32	c	43	ASN
33	d	37	ASN
33	d	41	GLN
34	e	46	ASN
35	f	95	HIS
36	g	51	ASN
36	g	94	ASN
36	g	203	ASN
36	g	321	GLN
38	i	5	ASN
38	i	85	GLN
39	j	60	GLN
39	j	103	GLN
39	j	109	HIS
40	k	124	GLN
40	k	344	ASN
40	k	415	GLN
40	k	465	ASN
42	m	64	GLN
42	m	94	ASN
42	m	134	HIS
43	o	194	GLN
43	o	216	GLN
43	o	243	GLN
43	o	299	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	o	394	ASN
43	o	403	GLN
44	p	467	ASN
44	p	592	ASN
44	p	712	GLN
45	q	340	GLN
45	q	386	ASN
45	q	406	ASN
45	q	495	ASN
45	q	540	GLN
45	q	582	GLN
45	q	610	GLN
47	s	145	HIS

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	72/76 (94%)	29 (40%)	8 (11%)
2	2	1775/1798 (98%)	654 (36%)	72 (4%)
3	3	27/49 (55%)	16 (59%)	4 (14%)
All	All	1874/1923 (97%)	699 (37%)	84 (4%)

All (699) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	4	G
1	1	5	C
1	1	8	U
1	1	9	1MG
1	1	10	2MG
1	1	15	G
1	1	16	H2U
1	1	19	G
1	1	20	A
1	1	21	A
1	1	22	G
1	1	23	C
1	1	26	M2G
1	1	42	U
1	1	44	A
1	1	46	7MG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	47	H2U
1	1	48	5MC
1	1	49	5MC
1	1	58	1MA
1	1	59	A
1	1	60	A
1	1	61	C
1	1	64	RIA
1	1	69	C
1	1	71	C
1	1	74	C
1	1	75	C
1	1	76	A
2	2	2	A
2	2	3	U
2	2	4	C
2	2	5	U
2	2	13	C
2	2	16	G
2	2	17	C
2	2	25	C
2	2	27	U
2	2	34	G
2	2	42	G
2	2	46	A
2	2	47	A
2	2	50	C
2	2	57	G
2	2	58	U
2	2	59	C
2	2	60	U
2	2	61	A
2	2	64	U
2	2	66	U
2	2	67	A
2	2	68	A
2	2	69	G
2	2	72	A
2	2	73	U
2	2	74	U
2	2	75	U
2	2	76	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	77	U
2	2	78	A
2	2	79	C
2	2	100	A
2	2	104	A
2	2	111	U
2	2	114	C
2	2	115	G
2	2	121	U
2	2	123	G
2	2	124	A
2	2	126	A
2	2	127	G
2	2	128	U
2	2	129	U
2	2	130	C
2	2	131	C
2	2	132	U
2	2	133	U
2	2	135	A
2	2	136	C
2	2	137	U
2	2	139	C
2	2	140	A
2	2	141	U
2	2	143	G
2	2	144	A
2	2	146	A
2	2	147	U
2	2	150	G
2	2	158	U
2	2	159	C
2	2	160	U
2	2	161	A
2	2	167	A
2	2	172	A
2	2	173	U
2	2	176	U
2	2	177	U
2	2	178	A
2	2	184	U
2	2	186	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	187	A
2	2	190	C
2	2	191	U
2	2	192	U
2	2	194	G
2	2	195	G
2	2	209	A
2	2	214	A
2	2	217	A
2	2	218	A
2	2	220	A
2	2	223	C
2	2	226	U
2	2	227	G
2	2	228	U
2	2	232	C
2	2	233	G
2	2	234	G
2	2	235	A
2	2	239	C
2	2	240	U
2	2	248	U
2	2	249	C
2	2	256	A
2	2	259	U
2	2	260	U
2	2	264	A
2	2	265	A
2	2	266	U
2	2	267	C
2	2	271	U
2	2	275	C
2	2	276	U
2	2	277	U
2	2	278	G
2	2	279	U
2	2	280	G
2	2	282	U
2	2	286	G
2	2	289	G
2	2	294	A
2	2	300	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	301	U
2	2	303	U
2	2	307	C
2	2	308	C
2	2	311	A
2	2	313	C
2	2	314	A
2	2	315	A
2	2	320	C
2	2	321	G
2	2	322	A
2	2	334	U
2	2	336	G
2	2	337	C
2	2	342	C
2	2	351	A
2	2	359	A
2	2	360	C
2	2	368	A
2	2	369	A
2	2	380	C
2	2	382	G
2	2	389	G
2	2	392	C
2	2	399	A
2	2	400	A
2	2	401	C
2	2	404	C
2	2	411	A
2	2	412	U
2	2	415	A
2	2	416	A
2	2	418	G
2	2	421	G
2	2	422	G
2	2	423	C
2	2	424	A
2	2	425	G
2	2	427	A
2	2	433	G
2	2	434	C
2	2	438	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	439	U
2	2	440	A
2	2	443	C
2	2	444	A
2	2	447	C
2	2	457	G
2	2	459	A
2	2	469	A
2	2	474	A
2	2	476	A
2	2	479	G
2	2	481	U
2	2	482	A
2	2	483	C
2	2	489	C
2	2	490	C
2	2	491	A
2	2	492	U
2	2	493	U
2	2	495	G
2	2	496	G
2	2	499	C
2	2	502	G
2	2	505	A
2	2	506	U
2	2	507	U
2	2	509	G
2	2	510	A
2	2	513	G
2	2	516	U
2	2	518	C
2	2	519	A
2	2	524	A
2	2	526	A
2	2	527	U
2	2	531	U
2	2	533	A
2	2	535	C
2	2	537	A
2	2	539	G
2	2	540	A
2	2	541	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	542	C
2	2	543	A
2	2	544	A
2	2	545	C
2	2	547	G
2	2	548	G
2	2	553	C
2	2	556	G
2	2	557	U
2	2	558	C
2	2	564	C
2	2	567	G
2	2	570	G
2	2	577	U
2	2	578	A
2	2	582	C
2	2	583	C
2	2	584	A
2	2	593	A
2	2	594	G
2	2	597	U
2	2	600	A
2	2	605	A
2	2	609	G
2	2	610	U
2	2	614	A
2	2	618	A
2	2	619	A
2	2	620	A
2	2	621	A
2	2	622	A
2	2	623	G
2	2	637	U
2	2	638	U
2	2	639	U
2	2	641	G
2	2	647	G
2	2	649	U
2	2	651	U
2	2	652	C
2	2	653	C
2	2	654	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	655	G
2	2	657	C
2	2	677	G
2	2	678	U
2	2	680	U
2	2	684	A
2	2	686	C
2	2	691	U
2	2	693	U
2	2	694	U
2	2	695	U
2	2	696	C
2	2	697	C
2	2	698	U
2	2	701	U
2	2	702	G
2	2	704	C
2	2	705	U
2	2	709	C
2	2	710	U
2	2	711	G
2	2	712	U
2	2	714	C
2	2	715	U
2	2	716	C
2	2	717	C
2	2	718	U
2	2	719	U
2	2	721	U
2	2	722	G
2	2	725	U
2	2	727	C
2	2	731	C
2	2	732	G
2	2	733	A
2	2	734	A
2	2	736	C
2	2	737	A
2	2	738	G
2	2	739	G
2	2	741	C
2	2	742	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	743	U
2	2	755	A
2	2	765	G
2	2	766	PSU
2	2	767	U
2	2	771	A
2	2	774	A
2	2	778	G
2	2	779	A
2	2	780	A
2	2	781	A
2	2	782	G
2	2	783	C
2	2	786	G
2	2	788	A
2	2	789	U
2	2	792	A
2	2	793	U
2	2	794	U
2	2	809	G
2	2	811	A
2	2	812	U
2	2	813	A
2	2	814	G
2	2	817	C
2	2	819	U
2	2	820	U
2	2	822	G
2	2	823	G
2	2	826	C
2	2	827	U
2	2	828	A
2	2	829	U
2	2	832	U
2	2	839	U
2	2	840	U
2	2	845	G
2	2	847	C
2	2	854	A
2	2	855	A
2	2	859	U
2	2	862	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	863	U
2	2	872	U
2	2	874	G
2	2	876	G
2	2	881	U
2	2	885	U
2	2	895	U
2	2	896	C
2	2	897	A
2	2	898	G
2	2	899	A
2	2	905	A
2	2	911	U
2	2	912	G
2	2	913	G
2	2	914	A
2	2	915	U
2	2	916	U
2	2	917	U
2	2	919	U
2	2	920	U
2	2	921	G
2	2	923	A
2	2	932	A
2	2	934	U
2	2	941	G
2	2	944	U
2	2	947	G
2	2	950	A
2	2	958	U
2	2	959	U
2	2	965	A
2	2	969	A
2	2	970	A
2	2	972	A
2	2	981	U
2	2	982	A
2	2	986	G
2	2	987	A
2	2	990	G
2	2	991	A
2	2	993	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	995	U
2	2	1009	C
2	2	1011	U
2	2	1015	C
2	2	1018	A
2	2	1020	C
2	2	1025	A
2	2	1026	A
2	2	1027	C
2	2	1030	U
2	2	1031	G
2	2	1033	C
2	2	1034	G
2	2	1038	A
2	2	1039	G
2	2	1041	G
2	2	1042	A
2	2	1048	U
2	2	1049	G
2	2	1050	G
2	2	1051	U
2	2	1052	G
2	2	1054	U
2	2	1056	U
2	2	1057	U
2	2	1058	C
2	2	1059	U
2	2	1060	U
2	2	1062	U
2	2	1075	A
2	2	1081	C
2	2	1082	G
2	2	1084	G
2	2	1085	A
2	2	1086	A
2	2	1091	A
2	2	1092	A
2	2	1095	C
2	2	1096	U
2	2	1097	U
2	2	1099	G
2	2	1103	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	1104	C
2	2	1106	G
2	2	1110	G
2	2	1112	A
2	2	1113	G
2	2	1118	G
2	2	1125	G
2	2	1137	A
2	2	1142	A
2	2	1149	G
2	2	1150	A
2	2	1154	G
2	2	1155	C
2	2	1156	A
2	2	1157	C
2	2	1158	C
2	2	1163	G
2	2	1166	G
2	2	1184	U
2	2	1185	U
2	2	1187	G
2	2	1189	C
2	2	1191	C
2	2	1193	A
2	2	1195	A
2	2	1198	G
2	2	1199	G
2	2	1201	A
2	2	1206	C
2	2	1207	A
2	2	1211	G
2	2	1213	U
2	2	1216	A
2	2	1217	G
2	2	1224	U
2	2	1226	A
2	2	1227	G
2	2	1228	G
2	2	1230	U
2	2	1236	G
2	2	1237	A
2	2	1243	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	1244	G
2	2	1245	C
2	2	1246	U
2	2	1247	C
2	2	1249	U
2	2	1250	U
2	2	1254	G
2	2	1255	A
2	2	1256	U
2	2	1258	U
2	2	1259	U
2	2	1265	U
2	2	1268	U
2	2	1269	G
2	2	1272	G
2	2	1275	U
2	2	1283	C
2	2	1284	U
2	2	1287	G
2	2	1292	U
2	2	1296	G
2	2	1298	G
2	2	1306	U
2	2	1311	A
2	2	1313	U
2	2	1314	U
2	2	1315	G
2	2	1317	G
2	2	1320	A
2	2	1321	A
2	2	1324	A
2	2	1336	A
2	2	1337	C
2	2	1338	C
2	2	1339	U
2	2	1343	A
2	2	1344	A
2	2	1345	A
2	2	1347	A
2	2	1353	G
2	2	1355	U
2	2	1360	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	1361	U
2	2	1362	U
2	2	1363	G
2	2	1364	C
2	2	1366	G
2	2	1369	U
2	2	1370	G
2	2	1379	U
2	2	1380	A
2	2	1383	G
2	2	1388	U
2	2	1389	A
2	2	1390	U
2	2	1393	G
2	2	1396	U
2	2	1397	C
2	2	1398	A
2	2	1400	G
2	2	1407	G
2	2	1408	A
2	2	1409	A
2	2	1410	G
2	2	1411	U
2	2	1412	U
2	2	1413	U
2	2	1414	G
2	2	1416	G
2	2	1418	C
2	2	1423	A
2	2	1424	C
2	2	1425	A
2	2	1426	2MG
2	2	1429	C
2	2	1430	U
2	2	1431	G
2	2	1442	A
2	2	1443	G
2	2	1444	A
2	2	1455	C
2	2	1456	G
2	2	1457	C
2	2	1458	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	1460	G
2	2	1464	G
2	2	1467	A
2	2	1469	A
2	2	1471	U
2	2	1476	G
2	2	1480	C
2	2	1481	A
2	2	1482	G
2	2	1483	C
2	2	1484	G
2	2	1488	A
2	2	1489	C
2	2	1490	A
2	2	1491	A
2	2	1494	U
2	2	1499	C
2	2	1504	G
2	2	1510	G
2	2	1512	U
2	2	1513	A
2	2	1514	A
2	2	1515	U
2	2	1516	C
2	2	1519	G
2	2	1520	U
2	2	1521	G
2	2	1522	A
2	2	1532	G
2	2	1533	U
2	2	1534	G
2	2	1535	C
2	2	1536	U
2	2	1538	G
2	2	1544	G
2	2	1548	A
2	2	1555	U
2	2	1557	A
2	2	1558	U
2	2	1566	C
2	2	1570	2MG
2	2	1571	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	1572	G
2	2	1581	A
2	2	1588	G
2	2	1595	A
2	2	1597	C
2	2	1598	A
2	2	1599	G
2	2	1605	G
2	2	1614	G
2	2	1616	C
2	2	1617	C
2	2	1620	G
2	2	1632	C
2	2	1633	A
2	2	1634	C
2	2	1644	C
2	2	1647	G
2	2	1648	U
2	2	1655	U
2	2	1656	G
2	2	1662	C
2	2	1666	G
2	2	1667	U
2	2	1676	A
2	2	1678	G
2	2	1679	A
2	2	1682	U
2	2	1685	U
2	2	1686	U
2	2	1687	A
2	2	1688	G
2	2	1692	A
2	2	1693	G
2	2	1694	G
2	2	1695	G
2	2	1696	G
2	2	1697	G
2	2	1698	C
2	2	1699	A
2	2	1700	A
2	2	1702	U
2	2	1703	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	1705	A
2	2	1706	U
2	2	1707	C
2	2	1709	C
2	2	1710	A
2	2	1711	G
2	2	1712	A
2	2	1715	G
2	2	1725	G
2	2	1730	A
2	2	1734	G
2	2	1742	A
2	2	1743	G
2	2	1748	A
2	2	1750	U
2	2	1753	A
2	2	1755	G
2	2	1758	G
2	2	1760	A
2	2	1763	A
2	2	1764	A
2	2	1766	G
2	2	1767	U
2	2	1768	U
2	2	1769	U
2	2	1778	G
2	2	1781	C
2	2	1787	G
2	2	1788	A
2	2	1790	G
2	2	1791	G
2	2	1792	A
2	2	1793	U
2	2	1794	C
2	2	1796	U
2	2	1797	U
2	2	1798	A
3	3	19	A
3	3	20	A
3	3	22	U
3	3	23	A
3	3	24	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	3	25	A
3	3	26	A
3	3	33	C
3	3	34	U
3	3	36	U
3	3	38	C
3	3	39	U
3	3	40	C
3	3	43	U
3	3	44	C
3	3	45	U

All (84) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1	7	G
1	1	8	U
1	1	43	G
1	1	46	7MG
1	1	47	H2U
1	1	48	5MC
1	1	58	1MA
1	1	74	C
2	2	3	U
2	2	16	G
2	2	44	U
2	2	66	U
2	2	74	U
2	2	126	A
2	2	128	U
2	2	130	C
2	2	131	C
2	2	176	U
2	2	190	C
2	2	216	A
2	2	217	A
2	2	239	C
2	2	275	C
2	2	277	U
2	2	279	U
2	2	321	G
2	2	336	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	399	A
2	2	451	A
2	2	467	A
2	2	542	C
2	2	544	A
2	2	597	U
2	2	685	A
2	2	693	U
2	2	695	U
2	2	700	C
2	2	710	U
2	2	721	U
2	2	780	A
2	2	781	A
2	2	810	A
2	2	826	C
2	2	828	A
2	2	854	A
2	2	896	C
2	2	912	G
2	2	914	A
2	2	946	U
2	2	1057	U
2	2	1058	C
2	2	1080	A
2	2	1107	G
2	2	1198	G
2	2	1206	C
2	2	1226	A
2	2	1284	U
2	2	1320	A
2	2	1338	C
2	2	1343	A
2	2	1430	U
2	2	1455	C
2	2	1456	G
2	2	1470	C
2	2	1479	C
2	2	1513	A
2	2	1515	U
2	2	1533	U
2	2	1545	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	1570	2MG
2	2	1571	A
2	2	1599	G
2	2	1613	C
2	2	1648	U
2	2	1655	U
2	2	1678	G
2	2	1765	G
2	2	1766	G
2	2	1796	U
2	2	1797	U
3	3	22	U
3	3	33	C
3	3	35	C
3	3	38	C

5.4 Non-standard residues in protein, DNA, RNA chains (i)

24 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	PSU	2	1289	2	18,21,22	1.48	3 (16%)	22,30,33	1.89	3 (13%)
2	2MG	2	1426	48,2	18,26,27	0.95	0	16,38,41	1.40	4 (25%)
1	5MC	1	49	1	18,22,23	1.10	1 (5%)	26,32,35	1.34	4 (15%)
1	RIA	1	64	1	31,38,39	0.51	0	39,57,60	0.71	1 (2%)
2	PSU	2	465	2	18,21,22	1.51	3 (16%)	22,30,33	1.89	5 (22%)
2	MA6	2	1780	2	18,26,27	1.13	2 (11%)	19,38,41	1.73	4 (21%)
1	H2U	1	47	1	18,21,22	0.85	0	21,30,33	1.38	3 (14%)
2	PSU	2	998	2	18,21,22	1.41	3 (16%)	22,30,33	1.92	4 (18%)
1	H2U	1	16	1	18,21,22	0.83	0	21,30,33	1.67	4 (19%)
2	PSU	2	120	2	18,21,22	1.40	2 (11%)	22,30,33	1.93	4 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
1	1MG	1	9	1	18,26,27	1.02	0	19,39,42	1.58	4 (21%)
1	M2G	1	26	1	20,27,28	1.74	3 (15%)	22,40,43	1.34	4 (18%)
1	2MG	1	10	1	18,26,27	0.98	1 (5%)	16,38,41	1.08	2 (12%)
2	5MC	2	1006	2	18,22,23	0.96	1 (5%)	26,32,35	1.66	6 (23%)
1	1MA	1	58	1	16,25,26	1.86	4 (25%)	18,37,40	1.48	3 (16%)
1	7MG	1	46	1	22,26,27	1.44	4 (18%)	29,39,42	2.62	10 (34%)
2	2MG	2	1570	2	18,26,27	0.94	0	16,38,41	1.42	3 (18%)
2	7MG	2	1573	1,2	22,26,27	1.55	7 (31%)	29,39,42	2.63	6 (20%)
2	C4J	2	1190	2	24,29,30	0.52	0	29,42,45	1.00	1 (3%)
2	PSU	2	766	2	18,21,22	1.37	2 (11%)	22,30,33	2.12	5 (22%)
1	5MC	1	48	1	18,22,23	1.03	1 (5%)	26,32,35	1.26	3 (11%)
5	AYA	B	2	-	6,7,8	0.65	0	5,8,10	0.72	0
1	T6A	1	37	1	27,34,35	1.04	2 (7%)	29,49,52	2.71	10 (34%)
2	5MC	2	1637	2	18,22,23	1.03	1 (5%)	26,32,35	1.36	6 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PSU	2	1289	2	-	0/7/25/26	0/2/2/2
2	2MG	2	1426	48,2	-	3/5/27/28	0/3/3/3
1	5MC	1	49	1	-	2/7/25/26	0/2/2/2
1	RIA	1	64	1	-	3/13/51/52	0/4/4/4
2	PSU	2	465	2	-	0/7/25/26	0/2/2/2
2	MA6	2	1780	2	-	5/7/29/30	0/3/3/3
2	PSU	2	998	2	-	0/7/25/26	0/2/2/2
1	H2U	1	47	1	-	4/7/38/39	0/2/2/2
1	H2U	1	16	1	-	2/7/38/39	0/2/2/2
2	PSU	2	120	2	-	0/7/25/26	0/2/2/2
1	1MG	1	9	1	-	3/3/25/26	0/3/3/3
1	M2G	1	26	1	-	2/7/29/30	0/3/3/3
1	2MG	1	10	1	-	2/5/27/28	0/3/3/3
2	5MC	2	1006	2	-	0/7/25/26	0/2/2/2
1	1MA	1	58	1	-	0/3/25/26	0/3/3/3
1	7MG	1	46	1	-	1/7/37/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2MG	2	1570	2	-	0/5/27/28	0/3/3/3
2	7MG	2	1573	1,2	-	2/7/37/38	0/3/3/3
2	C4J	2	1190	2	1/1/7/7	0/16/34/35	0/2/2/2
2	PSU	2	766	2	-	1/7/25/26	0/2/2/2
1	5MC	1	48	1	-	3/7/25/26	0/2/2/2
5	AYA	B	2	-	-	0/4/6/8	-
1	T6A	1	37	1	-	5/19/41/42	0/3/3/3
2	5MC	2	1637	2	-	1/7/25/26	0/2/2/2

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	58	1MA	C2-N3	5.71	1.35	1.29
1	1	26	M2G	C2-N3	5.61	1.37	1.30
2	2	465	PSU	C6-C5	4.22	1.40	1.35
2	2	1289	PSU	C6-C5	4.21	1.40	1.35
2	2	120	PSU	C6-C5	3.89	1.39	1.35
2	2	998	PSU	C6-C5	3.88	1.39	1.35
2	2	766	PSU	C6-C5	3.74	1.39	1.35
1	1	26	M2G	C2-N2	3.74	1.42	1.35
1	1	58	1MA	C6-N6	3.44	1.36	1.27
1	1	49	5MC	C6-C5	3.32	1.40	1.34
2	2	1637	5MC	C6-C5	3.29	1.40	1.34
1	1	46	7MG	C5-C4	3.21	1.48	1.38
1	1	48	5MC	C6-C5	3.07	1.39	1.34
2	2	1573	7MG	C5-C4	3.04	1.48	1.38
2	2	1573	7MG	C8-N9	2.98	1.47	1.46
2	2	1573	7MG	C4-N9	-2.77	1.34	1.37
2	2	465	PSU	C4-N3	-2.74	1.33	1.38
1	1	46	7MG	C8-N9	2.68	1.47	1.46
2	2	1289	PSU	C4-N3	-2.65	1.33	1.38
1	1	46	7MG	C4-N9	-2.63	1.34	1.37
2	2	766	PSU	C4-N3	-2.61	1.34	1.38
2	2	1780	MA6	C5-C4	2.55	1.47	1.40
2	2	1006	5MC	C6-N1	-2.54	1.33	1.38
1	1	37	T6A	C5-C4	2.49	1.47	1.40
2	2	998	PSU	C4-N3	-2.31	1.34	1.38
2	2	465	PSU	C2-N3	-2.29	1.33	1.37
2	2	1573	7MG	C5-N7	-2.28	1.33	1.35
2	2	1573	7MG	C6-N1	-2.22	1.34	1.38
1	1	46	7MG	C5-C6	2.22	1.49	1.43
2	2	120	PSU	C4-N3	-2.20	1.34	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2	1573	7MG	C1'-N9	2.17	1.50	1.46
2	2	998	PSU	C4-C5	2.14	1.50	1.44
1	1	58	1MA	C5-C4	2.13	1.48	1.43
1	1	10	2MG	O4'-C1'	2.12	1.44	1.41
1	1	37	T6A	O4'-C1'	2.11	1.44	1.41
2	2	1780	MA6	C6-N1	2.08	1.36	1.33
1	1	26	M2G	O4'-C1'	2.08	1.44	1.41
2	2	1573	7MG	C5-C6	2.06	1.48	1.43
1	1	58	1MA	O4'-C1'	2.05	1.43	1.41
2	2	1289	PSU	C4-C5	2.04	1.50	1.44

All (99) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	2	1573	7MG	N9-C4-N3	8.85	138.71	125.47
1	1	46	7MG	N9-C4-N3	8.73	138.53	125.47
1	1	37	T6A	C12-N11-C10	8.59	136.24	121.94
1	1	37	T6A	C2-N1-C6	7.43	122.96	116.59
2	2	1289	PSU	N1-C2-N3	6.10	122.04	115.13
2	2	465	PSU	N1-C2-N3	5.93	121.85	115.13
2	2	998	PSU	N1-C2-N3	5.93	121.85	115.13
2	2	766	PSU	N1-C2-N3	5.92	121.84	115.13
2	2	1573	7MG	C5-C4-N3	-5.77	117.14	128.13
2	2	120	PSU	N1-C2-N3	5.56	121.42	115.13
1	1	46	7MG	C5-C4-N3	-5.39	117.85	128.13
1	1	16	H2U	O4'-C1'-N1	5.03	116.15	109.30
1	1	37	T6A	C14-C12-C13	5.00	118.72	110.19
2	2	1573	7MG	N9-C8-N7	-4.99	96.24	103.38
1	1	46	7MG	N9-C8-N7	-4.91	96.35	103.38
1	1	46	7MG	C2-N3-C4	4.68	120.64	112.30
2	2	1573	7MG	C2-N3-C4	4.63	120.55	112.30
2	2	766	PSU	C4-N3-C2	-4.07	120.47	126.34
2	2	1780	MA6	C4-C5-N7	-4.07	105.16	109.40
1	1	58	1MA	C3'-C2'-C1'	3.84	106.76	100.98
1	1	37	T6A	N3-C2-N1	-3.78	122.77	128.68
2	2	120	PSU	C4-N3-C2	-3.77	120.91	126.34
2	2	1289	PSU	C4-N3-C2	-3.75	120.94	126.34
2	2	1006	5MC	C5-C4-N3	-3.75	117.63	121.67
2	2	1573	7MG	O4'-C1'-N9	3.73	114.38	109.30
2	2	998	PSU	C4-N3-C2	-3.72	120.98	126.34
2	2	1006	5MC	CM5-C5-C6	-3.64	117.99	122.85
2	2	120	PSU	O2-C2-N1	-3.53	118.91	122.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	2	1780	MA6	N3-C2-N1	-3.46	123.27	128.68
2	2	465	PSU	C4-N3-C2	-3.43	121.40	126.34
2	2	766	PSU	O2-C2-N1	-3.40	119.05	122.79
2	2	1190	C4J	C4-N3-C2	-3.39	121.17	125.46
2	2	998	PSU	O2-C2-N1	-3.34	119.12	122.79
1	1	47	H2U	C3'-C2'-C1'	3.23	107.56	101.43
1	1	9	1MG	O6-C6-C5	-3.17	118.58	124.19
2	2	1780	MA6	C10-N6-C6	-3.15	109.98	119.51
1	1	9	1MG	C5-C6-N1	3.11	118.58	113.90
1	1	26	M2G	N1-C2-N2	3.06	120.65	118.04
1	1	49	5MC	O2-C2-N3	-3.06	117.36	122.33
2	2	465	PSU	C6-C5-C4	-3.05	116.06	118.20
1	1	46	7MG	C5-C6-N1	2.99	116.26	110.99
1	1	48	5MC	O2-C2-N3	-2.91	117.60	122.33
1	1	37	T6A	N6-C6-N1	2.90	122.61	118.72
2	2	766	PSU	C3'-C2'-C1'	2.89	105.01	101.64
1	1	49	5MC	C5-C4-N3	-2.89	118.56	121.67
2	2	1637	5MC	C5-C4-N3	-2.88	118.57	121.67
2	2	1780	MA6	C10-N6-C9	-2.82	107.03	116.12
2	2	1426	2MG	C5-C6-N1	2.78	118.86	113.95
2	2	1573	7MG	C5-C6-N1	2.77	115.88	110.99
2	2	1570	2MG	C3'-C2'-C1'	2.75	105.11	100.98
1	1	46	7MG	O4'-C1'-N9	2.74	113.03	109.30
2	2	1289	PSU	O2-C2-N1	-2.74	119.78	122.79
1	1	48	5MC	C5-C6-N1	-2.73	120.53	123.34
1	1	26	M2G	C5-C6-N1	2.68	118.69	113.95
2	2	1637	5MC	O4'-C1'-N1	2.67	114.47	108.36
1	1	26	M2G	O6-C6-C5	-2.67	119.16	124.37
2	2	1006	5MC	O2-C2-N3	-2.66	118.01	122.33
2	2	1006	5MC	C5-C6-N1	-2.63	120.63	123.34
1	1	16	H2U	C5-C4-N3	2.62	119.59	116.65
2	2	1637	5MC	C5-C6-N1	-2.62	120.65	123.34
1	1	37	T6A	C4-C5-N7	-2.59	106.70	109.40
2	2	1426	2MG	C8-N7-C5	2.57	107.89	102.99
2	2	766	PSU	C6-C5-C4	-2.56	116.41	118.20
2	2	998	PSU	C6-C5-C4	-2.56	116.41	118.20
2	2	1637	5MC	O2-C2-N3	-2.53	118.21	122.33
1	1	48	5MC	O4'-C1'-N1	2.49	114.07	108.36
1	1	16	H2U	C4-N3-C2	-2.47	123.74	125.79
2	2	1570	2MG	C5-C6-N1	2.45	118.28	113.95
1	1	49	5MC	O4'-C1'-N1	2.41	113.87	108.36
2	2	465	PSU	O2-C2-N1	-2.41	120.14	122.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	2	1426	2MG	O6-C6-C5	-2.39	119.70	124.37
1	1	37	T6A	O10-C10-N6	-2.36	119.62	123.62
1	1	47	H2U	C4-N3-C2	-2.36	123.84	125.79
2	2	120	PSU	C6-C5-C4	-2.33	116.57	118.20
2	2	1006	5MC	N4-C4-N3	2.33	122.73	118.48
1	1	58	1MA	C8-N7-C5	2.32	107.42	102.99
1	1	9	1MG	C3'-C2'-C1'	2.31	104.46	100.98
2	2	1426	2MG	CM2-N2-C2	2.31	128.97	123.86
1	1	37	T6A	C14-C12-N11	2.30	117.60	111.72
1	1	9	1MG	C8-N7-C5	2.27	107.32	102.99
2	2	1570	2MG	C8-N7-C5	2.26	107.29	102.99
2	2	1006	5MC	C2'-C1'-N1	-2.23	106.89	113.22
1	1	46	7MG	CM7-N7-C5	2.22	132.13	126.40
1	1	47	H2U	C5-C4-N3	2.22	119.14	116.65
2	2	1637	5MC	CM5-C5-C6	-2.20	119.91	122.85
1	1	10	2MG	C8-N7-C5	2.17	107.13	102.99
1	1	26	M2G	C8-N7-C5	2.17	107.13	102.99
2	2	1637	5MC	N1-C2-N3	2.13	122.68	118.81
1	1	10	2MG	C5-C6-N1	2.11	117.68	113.95
1	1	46	7MG	C5-C4-N9	-2.10	103.62	106.35
1	1	16	H2U	C4'-O4'-C1'	-2.09	104.85	109.47
1	1	37	T6A	C3'-C2'-C1'	2.07	104.10	100.98
1	1	58	1MA	C5-C6-N1	2.05	116.95	113.90
1	1	37	T6A	C15-C14-C12	2.04	116.41	112.29
1	1	46	7MG	O3'-C3'-C4'	-2.03	105.17	111.05
1	1	64	RIA	C5-C6-N6	2.03	123.44	120.35
1	1	49	5MC	C3'-C2'-C1'	2.02	105.27	101.43
2	2	465	PSU	O2-C2-N3	-2.02	118.00	121.82
1	1	46	7MG	O6-C6-C5	-2.02	122.59	127.54

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	2	1190	C4J	C4'

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	2	1780	MA6	O4'-C4'-C5'-O5'
2	2	1780	MA6	C5-C6-N6-C10
2	2	1780	MA6	N1-C6-N6-C10
1	1	9	1MG	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	1	9	1MG	C3'-C4'-C5'-O5'
1	1	10	2MG	O4'-C4'-C5'-O5'
1	1	16	H2U	C4'-C5'-O5'-P
1	1	26	M2G	C3'-C4'-C5'-O5'
1	1	37	T6A	C14-C12-N11-C10
1	1	37	T6A	N11-C12-C14-O14
1	1	47	H2U	O4'-C4'-C5'-O5'
1	1	47	H2U	C3'-C4'-C5'-O5'
1	1	48	5MC	C4'-C5'-O5'-P
1	1	64	RIA	C3'-C4'-C5'-O5'
2	2	1780	MA6	C3'-C4'-C5'-O5'
1	1	10	2MG	C3'-C4'-C5'-O5'
1	1	48	5MC	O4'-C4'-C5'-O5'
1	1	48	5MC	C3'-C4'-C5'-O5'
1	1	47	H2U	C2'-C1'-N1-C2
2	2	1426	2MG	O4'-C4'-C5'-O5'
1	1	26	M2G	O4'-C4'-C5'-O5'
1	1	64	RIA	O1'-C4'-C5'-O5'
1	1	47	H2U	C2'-C1'-N1-C6
1	1	37	T6A	N11-C12-C14-C15
1	1	37	T6A	N11-C12-C13-ODA
2	2	1573	7MG	O4'-C4'-C5'-O5'
2	2	1573	7MG	C3'-C4'-C5'-O5'
1	1	49	5MC	O4'-C4'-C5'-O5'
1	1	37	T6A	N11-C12-C13-ODB
1	1	46	7MG	C4'-C5'-O5'-P
1	1	64	RIA	C4A-C5A-O5A-P
1	1	9	1MG	C4'-C5'-O5'-P
2	2	1426	2MG	C4'-C5'-O5'-P
2	2	1780	MA6	C4'-C5'-O5'-P
2	2	766	PSU	C3'-C4'-C5'-O5'
2	2	1426	2MG	C3'-C4'-C5'-O5'
1	1	49	5MC	C3'-C4'-C5'-O5'
2	2	1637	5MC	O4'-C4'-C5'-O5'
1	1	16	H2U	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 124 ligands modelled in this entry, 122 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
51	GCP	k	603	-	27,34,34	1.91	7 (25%)	34,54,54	1.94	8 (23%)
50	MET	k	601	-	6,7,8	0.47	0	2,7,9	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
51	GCP	k	603	-	-	1/15/38/38	0/3/3/3
50	MET	k	601	-	-	1/5/6/8	-

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
51	k	603	GCP	PG-O1G	5.35	1.61	1.50
51	k	603	GCP	C5-C6	4.61	1.49	1.41
51	k	603	GCP	PB-O3A	2.98	1.61	1.58
51	k	603	GCP	PG-O3G	-2.84	1.48	1.54
51	k	603	GCP	PG-O2G	2.83	1.61	1.54
51	k	603	GCP	C5-C4	2.77	1.48	1.40
51	k	603	GCP	PB-O2B	2.18	1.61	1.56

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
51	k	603	GCP	C2-N3-C4	5.27	121.38	115.36
51	k	603	GCP	C2-N1-C6	4.05	122.36	115.93
51	k	603	GCP	C5-C6-N1	-3.83	118.19	123.43
51	k	603	GCP	C4-C5-C6	-3.77	117.20	120.80
51	k	603	GCP	N3-C2-N1	-3.51	122.55	127.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
51	k	603	GCP	C3'-C2'-C1'	3.13	105.69	100.98
51	k	603	GCP	PB-O3A-PA	-3.04	122.93	132.56
51	k	603	GCP	C4-C5-N7	-2.69	106.60	109.40

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
50	k	601	MET	CA-CB-CG-SD
51	k	603	GCP	PB-O3A-PA-O1A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand GCP k 603



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
45	q	8
2	2	1
1	1	1
44	p	1
5	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	q	214:UNK	C	251:GLN	N	50.55
1	q	158:UNK	C	166:UNK	N	17.71
1	q	181:UNK	C	190:UNK	N	14.31
1	q	135:UNK	C	139:UNK	N	7.79
1	q	203:UNK	C	207:UNK	N	6.84
1	2	224:A	O3'	225:A	P	4.58
1	1	16:H2U	O3'	18:G	P	4.54
1	q	582:GLN	C	583:GLN	N	3.87
1	q	148:UNK	C	150:UNK	N	3.60
1	q	605:CYS	C	606:LEU	N	3.34
1	p	688:GLU	C	689:GLU	N	3.29
1	B	2:AYA	C	3:VAL	N	3.09

6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-4328. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



X



Y



Z

6.1.2 Raw map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map


X Index: 150


Y Index: 150


Z Index: 150

6.2.2 Raw map


X Index: 150


Y Index: 150


Z Index: 150

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)

6.3.1 Primary map


X Index: 152


Y Index: 155


Z Index: 147

6.3.2 Raw map


X Index: 148


Y Index: 119


Z Index: 132

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map


X


Y


Z

6.4.2 Raw map


X


Y


Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views (i)

6.5.1 Primary map

X Y Z

The images above show the 3D surface view of the map at the recommended contour level 0.12. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X Y Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate (i)



The volume at the recommended contour level is 447 nm^3; this corresponds to an approximate mass of 404 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.331 Å^{-1}

8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.331 Å^{-1}

8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.02	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.60	4.55	3.70

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.60 differs from the reported value 3.02 by more than 10 %

9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-4328 and PDB model 6FYY. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay (i)



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.12 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.12).

9.4 Atom inclusion (i)



At the recommended contour level, 59% of all backbone atoms, 57% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.12) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5660	0.3780
1	0.3120	0.2600
2	0.8100	0.4820
3	0.2570	0.2510
A	0.7070	0.4840
B	0.6630	0.4590
C	0.7640	0.5220
D	0.6750	0.4700
E	0.7960	0.5310
F	0.6620	0.4770
G	0.6330	0.4360
H	0.5630	0.4250
I	0.7200	0.4870
J	0.7650	0.5110
K	0.6910	0.4620
L	0.6960	0.4930
M	0.2850	0.2570
N	0.7520	0.5110
O	0.7400	0.5100
P	0.7040	0.4800
Q	0.7480	0.5120
R	0.6330	0.4600
S	0.7000	0.4680
T	0.7690	0.5010
U	0.5920	0.4170
V	0.7360	0.5000
W	0.8000	0.5420
X	0.8050	0.5470
Y	0.7550	0.5010
Z	0.4990	0.3820
a	0.7570	0.5150
b	0.6890	0.4940
c	0.6620	0.4980
d	0.8580	0.5620
e	0.6790	0.4730

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	0.4190	0.3750
g	0.6160	0.4590
h	0.4720	0.4180
i	0.6140	0.4750
j	0.0030	0.1410
k	0.0010	0.0430
l	0.0010	0.0530
m	0.2220	0.3860
o	0.0000	0.0240
p	0.0000	0.0450
q	0.0010	0.0430
r	0.0000	0.0090
s	0.0000	0.0250