



# Full wwPDB X-ray Structure Validation Report i

Mar 10, 2024 – 09:25 AM EDT

PDB ID : 4G6G  
Title : Crystal structure of NDH with TRT  
Authors : Li, W.; Feng, Y.; Ge, J.; Yang, M.  
Deposited on : 2012-07-19  
Resolution : 2.39 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	TRT	A	601	-	-	X	-
2	TRT	B	601	-	-	-	X

## 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 8067 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Rotenone-insensitive NADH-ubiquinone oxidoreductase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	470	3713	2403	627	678	5	0	0	0
1	B	463	3658	2367	619	667	5	0	0	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	12	MET	-	expression tag	UNP P32340
A	13	ARG	-	expression tag	UNP P32340
A	14	GLY	-	expression tag	UNP P32340
A	15	SER	-	expression tag	UNP P32340
A	16	HIS	-	expression tag	UNP P32340
A	17	HIS	-	expression tag	UNP P32340
A	18	HIS	-	expression tag	UNP P32340
A	19	HIS	-	expression tag	UNP P32340
A	20	HIS	-	expression tag	UNP P32340
A	21	HIS	-	expression tag	UNP P32340
A	22	GLY	-	expression tag	UNP P32340
A	23	SER	-	expression tag	UNP P32340
B	12	MET	-	expression tag	UNP P32340
B	13	ARG	-	expression tag	UNP P32340
B	14	GLY	-	expression tag	UNP P32340
B	15	SER	-	expression tag	UNP P32340
B	16	HIS	-	expression tag	UNP P32340
B	17	HIS	-	expression tag	UNP P32340
B	18	HIS	-	expression tag	UNP P32340
B	19	HIS	-	expression tag	UNP P32340
B	20	HIS	-	expression tag	UNP P32340
B	21	HIS	-	expression tag	UNP P32340
B	22	GLY	-	expression tag	UNP P32340
B	23	SER	-	expression tag	UNP P32340

- Molecule 2 is FRAGMENT OF TRITON X-100 (three-letter code: TRT) (formula: C<sub>21</sub>H<sub>36</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 16 15 1	0	0
2	A	1	Total C O 20 18 2	0	0
2	B	1	Total C O 20 18 2	0	0
2	B	1	Total C O 20 18 2	0	0
2	B	1	Total C O 20 18 2	0	0
2	B	1	Total C O 20 18 2	0	0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C<sub>27</sub>H<sub>33</sub>N<sub>9</sub>O<sub>15</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	53	27	9	15	2	0	0
3	B	1	53	27	9	15	2	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	4	Total Mg 4 4		0	0
4	B	6	Total Mg 6 6		0	0



- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	250	Total O 250 250		0	0
5	B	214	Total O 214 214		0	0




### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Rotenone-insensitive NADH-ubiquinone oxidoreductase, mitochondrial



- Molecule 1: Rotenone-insensitive NADH-ubiquinone oxidoreductase, mitochondrial



## 4 Data and refinement statistics i

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	132.92Å    230.60Å    112.25Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	35.59 – 2.39 35.59 – 2.39	Depositor EDS
% Data completeness (in resolution range)	91.3 (35.59-2.39) 96.9 (35.59-2.39)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.56 (at 2.39Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.3_473)	Depositor
$R$ , $R_{free}$	0.193 , 0.234 0.191 , 0.229	Depositor DCC
$R_{free}$ test set	3486 reflections (5.26%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.5	Xtriage
Anisotropy	0.624	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 58.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.008 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.017 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8067	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.04% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TRT, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/3800	0.65	9/5147 (0.2%)
1	B	0.38	0/3743	0.72	8/5070 (0.2%)
All	All	0.38	0/7543	0.68	17/10217 (0.2%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	344	ARG	NE-CZ-NH2	-15.73	112.44	120.30
1	B	454	ARG	NE-CZ-NH2	-15.14	112.73	120.30
1	B	344	ARG	NE-CZ-NH1	14.31	127.46	120.30
1	B	454	ARG	NE-CZ-NH1	14.01	127.30	120.30
1	A	454	ARG	NE-CZ-NH1	-11.59	114.51	120.30
1	A	226	ARG	NE-CZ-NH1	-11.02	114.79	120.30
1	A	344	ARG	NE-CZ-NH1	-10.94	114.83	120.30
1	B	226	ARG	NE-CZ-NH2	-10.80	114.90	120.30
1	A	454	ARG	NE-CZ-NH2	10.64	125.62	120.30
1	A	226	ARG	NE-CZ-NH2	10.55	125.57	120.30
1	B	226	ARG	NE-CZ-NH1	9.98	125.29	120.30
1	A	344	ARG	NE-CZ-NH2	9.93	125.27	120.30
1	B	454	ARG	CD-NE-CZ	7.10	133.54	123.60
1	B	344	ARG	CD-NE-CZ	6.99	133.38	123.60
1	A	454	ARG	CD-NE-CZ	5.64	131.50	123.60
1	A	344	ARG	CD-NE-CZ	5.43	131.20	123.60
1	A	226	ARG	CD-NE-CZ	5.04	130.65	123.60

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3713	0	3765	93	1
1	B	3658	0	3708	96	1
2	A	36	0	48	44	0
2	B	80	0	108	60	0
3	A	53	0	31	3	0
3	B	53	0	31	2	0
4	A	4	0	0	0	0
4	B	6	0	0	0	0
5	A	250	0	0	7	0
5	B	214	0	0	7	0
All	All	8067	0	7691	261	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (261) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:604:TRT:C14	2:B:604:TRT:H2C2	1.40	1.49
2:B:603:TRT:C3	2:B:603:TRT:H14	1.43	1.49
2:A:602:TRT:H2C3	2:A:602:TRT:C7	1.52	1.38
2:B:604:TRT:H8C2	2:B:604:TRT:C2	1.52	1.33
2:B:604:TRT:C2	2:B:604:TRT:H14	1.57	1.32
2:B:604:TRT:H2C3	2:B:604:TRT:C8	1.53	1.32
2:A:601:TRT:C14	2:A:601:TRT:H4C3	1.60	1.31
2:B:602:TRT:C8	2:B:602:TRT:H2C2	1.59	1.26
2:B:602:TRT:H8C1	2:B:602:TRT:C2	1.54	1.25
2:A:601:TRT:H4C3	2:A:601:TRT:H14	1.17	1.17
2:B:603:TRT:H3C3	2:B:603:TRT:C14	1.73	1.16
2:A:602:TRT:H7C1	2:A:602:TRT:C2	1.74	1.14
2:B:601:TRT:C7	2:B:601:TRT:H3C2	1.79	1.10
2:A:601:TRT:C14	2:A:601:TRT:C4	2.30	1.10
2:B:603:TRT:C3	2:B:603:TRT:C14	2.30	1.08
2:B:601:TRT:H7C1	2:B:601:TRT:C2	1.84	1.07
2:B:601:TRT:H7C1	2:B:601:TRT:H2C3	1.16	1.07

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:601:TRT:H4C2	2:A:601:TRT:H7C3	1.31	1.07
2:A:602:TRT:H7C3	2:A:602:TRT:H4C2	1.37	1.07
2:B:603:TRT:C3	2:B:603:TRT:H7C3	1.80	1.07
2:B:603:TRT:H3C2	2:B:603:TRT:C7	1.83	1.04
2:B:604:TRT:H13	2:B:604:TRT:O18	1.59	1.02
2:A:602:TRT:C17	2:A:602:TRT:H11	1.88	1.02
2:B:603:TRT:H7C1	2:B:603:TRT:H4C3	1.37	1.02
1:B:500:ILE:HD13	2:B:601:TRT:C8	1.90	1.01
1:A:220:LYS:HG2	1:A:225:ARG:HH12	1.24	1.00
2:B:601:TRT:H2C2	2:B:601:TRT:H8C1	1.44	1.00
2:B:603:TRT:C7	2:B:603:TRT:H4C3	1.95	0.97
2:B:603:TRT:H7C3	2:B:603:TRT:H3C2	0.99	0.97
2:A:601:TRT:H14	2:A:601:TRT:C4	1.92	0.96
1:A:496:PHE:CE1	2:A:601:TRT:C8	2.50	0.95
2:A:602:TRT:H11	2:A:602:TRT:H171	1.48	0.94
2:A:601:TRT:H2C3	2:A:601:TRT:C7	1.99	0.92
2:B:604:TRT:C14	2:B:604:TRT:C2	2.30	0.91
2:B:601:TRT:H3C2	2:B:601:TRT:H7C3	1.54	0.89
1:A:371:GLN:HE21	1:A:376:ASN:HA	1.39	0.88
1:B:152:GLN:H	1:B:152:GLN:HE21	1.19	0.88
2:A:602:TRT:H2C3	2:A:602:TRT:H7C1	0.88	0.88
1:B:269:HIS:HD2	1:B:301:HIS:HE1	1.17	0.88
1:A:394:GLN:NE2	1:A:444:LEU:H	1.71	0.88
1:A:496:PHE:HE1	2:A:601:TRT:C8	1.85	0.87
1:B:269:HIS:CD2	1:B:301:HIS:HE1	1.91	0.87
1:B:394:GLN:NE2	1:B:444:LEU:H	1.72	0.87
2:B:603:TRT:H14	2:B:603:TRT:H3C2	1.53	0.87
1:B:136:ARG:HG3	1:B:138:THR:HG22	1.58	0.85
1:B:322:ASP:OD2	1:B:324:LYS:HG2	1.76	0.85
1:A:322:ASP:OD2	1:A:324:LYS:HG2	1.76	0.85
2:A:601:TRT:C4	2:A:601:TRT:H7C3	2.05	0.84
1:B:341:ASN:N	1:B:341:ASN:HD22	1.71	0.84
1:B:371:GLN:HE21	1:B:376:ASN:HA	1.39	0.84
1:A:220:LYS:HG2	1:A:225:ARG:NH1	1.93	0.83
2:A:602:TRT:C7	2:A:602:TRT:C2	2.30	0.82
1:A:136:ARG:HG3	1:A:138:THR:HG22	1.60	0.81
2:B:602:TRT:H2C2	2:B:602:TRT:H8C1	0.81	0.81
2:B:603:TRT:H14	2:B:603:TRT:H3C3	0.81	0.80
2:A:602:TRT:H2C3	2:A:602:TRT:H7C3	1.63	0.80
1:B:341:ASN:HD22	1:B:341:ASN:H	1.26	0.80
1:B:394:GLN:HE22	1:B:444:LEU:H	1.29	0.79

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:TYR:O	1:B:154:GLU:HG3	1.82	0.79
1:A:269:HIS:HD2	1:A:301:HIS:CE1	2.01	0.79
1:A:394:GLN:HE22	1:A:444:LEU:H	1.31	0.79
1:A:151:TYR:O	1:A:154:GLU:HG3	1.83	0.78
2:A:601:TRT:H2C3	2:A:601:TRT:H7C1	1.63	0.78
2:A:602:TRT:H4C3	2:A:602:TRT:H10	1.67	0.76
1:B:500:ILE:HD13	2:B:601:TRT:H8C1	1.68	0.75
1:A:138:THR:OG1	1:A:166:GLU:HB3	1.86	0.75
1:B:444:LEU:HB3	2:B:604:TRT:H2C3	1.68	0.75
1:B:269:HIS:CD2	1:B:301:HIS:CE1	2.76	0.74
1:B:341:ASN:N	1:B:341:ASN:ND2	2.30	0.73
2:B:601:TRT:H4C1	2:B:602:TRT:C20	2.17	0.73
1:B:447:LEU:HD11	2:B:604:TRT:H7C3	1.70	0.73
1:B:269:HIS:HD2	1:B:301:HIS:CE1	2.04	0.73
1:B:303:ARG:NH1	5:B:893:HOH:O	2.21	0.73
1:A:427:ILE:HA	1:A:430:LEU:HD23	1.71	0.72
2:A:602:TRT:H171	2:A:602:TRT:C11	2.18	0.72
2:A:602:TRT:H10	2:A:602:TRT:C4	2.20	0.72
2:A:601:TRT:H7C3	2:A:601:TRT:H2C3	1.71	0.71
1:B:152:GLN:HE21	1:B:152:GLN:N	1.89	0.70
1:B:444:LEU:HB3	2:B:604:TRT:H8C2	1.72	0.70
2:A:602:TRT:H11	2:A:602:TRT:O18	1.91	0.70
2:A:602:TRT:H7C3	2:A:602:TRT:C4	2.08	0.70
2:A:601:TRT:C4	2:A:601:TRT:C9	2.67	0.70
1:B:152:GLN:H	1:B:152:GLN:NE2	1.90	0.70
1:B:295:ASN:ND2	5:B:804:HOH:O	2.25	0.70
2:B:603:TRT:C3	2:B:603:TRT:C7	2.56	0.70
1:A:253:GLN:O	1:A:257:LYS:HE3	1.93	0.69
1:B:371:GLN:NE2	1:B:376:ASN:HA	2.08	0.68
2:B:604:TRT:H2C2	2:B:604:TRT:H14	0.72	0.68
2:A:602:TRT:C17	2:A:602:TRT:C11	2.62	0.68
1:A:496:PHE:CE1	2:A:601:TRT:H8C1	2.27	0.68
1:B:447:LEU:CD1	2:B:604:TRT:H7C3	2.23	0.67
1:B:138:THR:OG1	1:B:166:GLU:HB3	1.95	0.67
1:B:500:ILE:HG21	2:B:601:TRT:H8C2	1.76	0.67
1:A:258:PHE:O	1:A:259:LEU:HD13	1.94	0.67
1:A:269:HIS:HD2	1:A:301:HIS:HE1	1.43	0.66
1:A:368:ASP:HB3	1:A:438:PRO:HB3	1.76	0.66
1:A:394:GLN:HG3	5:A:897:HOH:O	1.94	0.66
2:A:601:TRT:H4C2	2:A:601:TRT:C7	2.06	0.66
2:B:601:TRT:C2	2:B:601:TRT:H8C1	2.24	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:603:TRT:C7	2:B:603:TRT:C4	2.64	0.66
2:B:604:TRT:H14	2:B:604:TRT:C1	2.22	0.65
1:A:371:GLN:NE2	1:A:376:ASN:HA	2.10	0.64
1:B:496:PHE:CD1	2:B:603:TRT:H8C1	2.32	0.64
1:A:496:PHE:CE1	2:A:601:TRT:H8C3	2.31	0.64
2:B:603:TRT:C14	2:B:603:TRT:H3C2	2.14	0.64
1:A:269:HIS:HE1	5:A:928:HOH:O	1.81	0.64
1:B:368:ASP:HB3	1:B:438:PRO:HB3	1.80	0.64
2:B:601:TRT:H7C1	2:B:601:TRT:C3	2.29	0.62
2:A:602:TRT:C2	2:A:602:TRT:H7C3	2.26	0.62
2:A:601:TRT:H4C2	2:A:601:TRT:C9	2.30	0.61
1:A:299:LYS:HG2	1:A:301:HIS:CE1	2.35	0.61
1:A:473:MET:HE2	1:A:476:TYR:HD2	1.65	0.61
1:B:489:ALA:CB	2:B:602:TRT:H8C2	2.31	0.61
2:B:601:TRT:H3C2	2:B:601:TRT:H7C1	1.58	0.61
1:B:152:GLN:HB2	1:B:153:PRO:HD3	1.81	0.61
1:B:152:GLN:HB2	1:B:153:PRO:CD	2.30	0.61
1:B:489:ALA:HB2	2:B:602:TRT:H8C2	1.83	0.60
1:A:496:PHE:HE1	2:A:601:TRT:H8C1	1.65	0.60
1:A:269:HIS:CD2	1:A:301:HIS:CE1	2.87	0.60
1:A:75:LYS:HE2	1:A:119:LYS:HD3	1.85	0.59
1:A:42:THR:HG22	5:A:804:HOH:O	2.02	0.59
1:A:40:PHE:O	1:A:41:LYS:C	2.40	0.58
1:B:75:LYS:HE2	1:B:119:LYS:HD3	1.85	0.58
1:B:500:ILE:HD13	2:B:601:TRT:H8C3	1.85	0.58
1:A:138:THR:HG21	1:A:166:GLU:OE1	2.05	0.57
2:A:601:TRT:H7C3	2:A:601:TRT:C2	2.32	0.57
1:B:176:VAL:HG22	1:B:384:ASN:HD22	1.69	0.57
1:B:362:ARG:CZ	1:B:386:PHE:HD1	2.18	0.57
1:B:136:ARG:HG3	1:B:138:THR:CG2	2.34	0.57
1:B:500:ILE:HG21	2:B:601:TRT:C8	2.35	0.57
1:B:454:ARG:NH2	1:B:472:LEU:HG	2.20	0.57
1:A:496:PHE:CD1	2:A:601:TRT:C8	2.89	0.56
1:A:258:PHE:O	1:A:259:LEU:CD1	2.54	0.56
1:A:42:THR:HG23	1:A:42:THR:O	2.05	0.56
1:A:477:LEU:HG	1:A:481:LEU:HD22	1.86	0.56
1:B:362:ARG:HG3	1:B:363:GLY:N	2.20	0.55
1:A:252:HIS:HD2	1:A:256:ARG:NH2	2.05	0.55
1:B:75:LYS:HE2	1:B:119:LYS:CD	2.37	0.55
1:B:473:MET:HE2	1:B:476:TYR:HD2	1.71	0.55
1:A:53:LYS:HE3	1:A:75:LYS:O	2.07	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149:GLN:NE2	1:A:157:LEU:HD11	2.23	0.54
1:A:176:VAL:HG22	1:A:384:ASN:HD22	1.72	0.54
1:A:75:LYS:HE2	1:A:119:LYS:CD	2.37	0.54
1:B:394:GLN:HE22	1:B:444:LEU:N	2.03	0.54
1:A:496:PHE:HE1	2:A:601:TRT:H8C2	1.70	0.54
1:A:444:LEU:HB3	2:A:602:TRT:H5C2	1.88	0.53
2:A:601:TRT:C4	2:A:601:TRT:C7	2.75	0.53
1:B:199:PRO:O	1:B:203:GLU:HG3	2.08	0.53
2:B:602:TRT:C8	2:B:602:TRT:C2	2.30	0.53
1:A:444:LEU:HB3	2:A:602:TRT:C5	2.38	0.53
1:A:176:VAL:H	1:A:384:ASN:ND2	2.07	0.53
1:A:428:ASP:OD2	1:A:429:LEU:HD13	2.08	0.53
1:B:430:LEU:HD22	5:B:894:HOH:O	2.08	0.52
1:B:252:HIS:HD2	1:B:256:ARG:NH2	2.08	0.52
1:B:477:LEU:HG	1:B:481:LEU:HD22	1.91	0.52
1:B:149:GLN:NE2	1:B:157:LEU:HD11	2.23	0.52
1:A:152:GLN:HB2	1:A:153:PRO:CD	2.39	0.52
1:A:220:LYS:HA	1:A:225:ARG:HH11	1.75	0.52
1:A:482:TYR:HD1	1:A:485:MET:HE3	1.74	0.52
2:A:601:TRT:C7	2:A:601:TRT:C2	2.70	0.52
1:B:444:LEU:HB3	2:B:604:TRT:C2	2.40	0.52
1:A:394:GLN:HE22	1:A:444:LEU:N	2.02	0.51
1:B:482:TYR:HD1	1:B:485:MET:HE3	1.74	0.51
1:B:152:GLN:NE2	1:B:153:PRO:HD2	2.26	0.51
2:B:603:TRT:H7C1	2:B:603:TRT:C4	2.23	0.51
1:A:133:ASN:HD22	1:A:138:THR:HG23	1.75	0.51
1:B:447:LEU:HD21	1:B:481:LEU:HD23	1.92	0.51
1:B:292:HIS:CE1	1:B:454:ARG:HG3	2.46	0.50
1:B:138:THR:HG21	1:B:166:GLU:OE1	2.11	0.50
2:B:604:TRT:H13	2:B:604:TRT:C17	2.41	0.50
1:A:234:VAL:HG12	1:A:339:THR:HG21	1.94	0.50
1:A:199:PRO:O	1:A:203:GLU:HG3	2.12	0.50
1:B:362:ARG:CZ	1:B:386:PHE:CD1	2.95	0.50
1:B:362:ARG:HG2	1:B:386:PHE:CD1	2.47	0.50
1:A:96:SER:HB2	1:A:101:THR:HB	1.92	0.49
1:A:301:HIS:ND1	1:A:301:HIS:N	2.60	0.49
1:A:447:LEU:HD11	2:A:602:TRT:H7C2	1.93	0.49
1:A:256:ARG:HD2	5:A:894:HOH:O	2.13	0.49
1:B:362:ARG:NE	1:B:386:PHE:HD1	2.10	0.49
1:B:214:LYS:HD3	5:B:878:HOH:O	2.12	0.49
1:A:339:THR:O	1:A:340:GLY:O	2.30	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:603:TRT:H7C3	2:B:603:TRT:H4C3	1.90	0.48
1:A:252:HIS:HD2	1:A:256:ARG:HH21	1.61	0.48
1:B:269:HIS:HE1	5:B:900:HOH:O	1.95	0.48
1:A:496:PHE:CD1	2:A:601:TRT:H8C1	2.48	0.48
1:B:96:SER:HB2	1:B:101:THR:HB	1.94	0.48
2:B:602:TRT:H2C2	2:B:602:TRT:H8C2	1.80	0.48
1:A:238:PRO:O	1:A:242:GLU:HG3	2.14	0.47
1:A:392:THR:HB	3:A:603:FAD:O2	2.13	0.47
1:B:133:ASN:HD22	1:B:138:THR:HG23	1.79	0.47
1:B:392:THR:HB	3:B:607:FAD:O2	2.15	0.47
1:B:444:LEU:HB3	2:B:604:TRT:C8	2.42	0.47
1:B:49:GLN:OE1	1:B:49:GLN:HA	2.14	0.47
1:A:496:PHE:CD1	2:A:601:TRT:H8C3	2.49	0.47
1:A:136:ARG:HG3	1:A:138:THR:CG2	2.38	0.47
1:A:454:ARG:NH2	1:A:472:LEU:HG	2.30	0.47
1:A:66:ILE:HG13	1:A:88:PHE:HB2	1.97	0.47
2:B:601:TRT:H161	2:B:601:TRT:H191	1.34	0.47
1:A:42:THR:O	1:A:42:THR:CG2	2.63	0.46
1:B:362:ARG:NE	1:B:386:PHE:CD1	2.84	0.46
1:A:179:GLU:O	1:A:341:ASN:HB3	2.15	0.46
2:A:602:TRT:C4	2:A:602:TRT:C10	2.91	0.46
1:B:319:LYS:HG3	5:B:912:HOH:O	2.14	0.46
1:A:94:LEU:N	1:A:95:PRO:CD	2.79	0.46
1:B:66:ILE:HG13	1:B:88:PHE:HB2	1.96	0.46
1:B:416:PHE:CZ	1:B:430:LEU:HB3	2.51	0.46
1:B:299:LYS:HG2	1:B:301:HIS:CE1	2.50	0.46
1:B:42:THR:O	1:B:42:THR:HG23	2.16	0.46
1:A:63:TRP:CD2	1:A:393:ALA:HB1	2.51	0.46
1:B:295:ASN:ND2	5:B:786:HOH:O	2.48	0.46
1:B:446:ALA:C	1:B:447:LEU:HG	2.36	0.46
1:B:210:ALA:HB2	1:B:511:LYS:HE3	1.96	0.46
1:B:238:PRO:O	1:B:242:GLU:HG3	2.15	0.46
1:A:44:LYS:NZ	1:A:157:LEU:O	2.47	0.45
1:B:358:ASN:N	1:B:358:ASN:HD22	2.13	0.45
1:A:394:GLN:NE2	1:A:444:LEU:HB2	2.31	0.45
1:B:252:HIS:HD2	1:B:256:ARG:HH21	1.63	0.45
1:A:269:HIS:CD2	1:A:301:HIS:HE1	2.28	0.45
1:A:260:PRO:HG3	5:A:798:HOH:O	2.17	0.45
1:A:239:THR:HG23	3:A:603:FAD:HM73	1.98	0.45
1:B:442:ASN:O	1:B:444:LEU:HD13	2.17	0.45
1:B:480:ILE:HG13	2:B:603:TRT:H4C1	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:94:LEU:N	1:B:95:PRO:CD	2.79	0.44
2:B:603:TRT:H7C3	2:B:603:TRT:C4	2.43	0.44
2:B:604:TRT:H14	2:B:604:TRT:C3	2.47	0.44
1:A:152:GLN:HB2	1:A:153:PRO:HD3	1.99	0.44
1:A:358:ASN:N	1:A:358:ASN:HD22	2.16	0.44
1:A:416:PHE:CZ	1:A:430:LEU:HB3	2.52	0.44
1:A:152:GLN:O	1:A:153:PRO:C	2.56	0.44
1:A:210:ALA:HB2	1:A:511:LYS:HE3	1.99	0.44
1:A:343:ALA:HA	5:A:710:HOH:O	2.17	0.44
1:A:393:ALA:HB2	3:A:603:FAD:H2'	2.00	0.43
1:B:394:GLN:NE2	1:B:444:LEU:HB2	2.33	0.43
1:A:480:ILE:HG13	2:A:601:TRT:H2C2	2.01	0.43
1:B:499:TRP:CE3	2:B:603:TRT:H7C2	2.52	0.43
1:B:500:ILE:HD13	2:B:601:TRT:H8C2	1.94	0.43
1:B:239:THR:HG23	3:B:607:FAD:HM73	2.00	0.43
1:A:494:LYS:NZ	5:A:899:HOH:O	2.52	0.43
1:A:163:GLU:HA	1:A:164:PRO:HD3	1.90	0.42
1:B:251:VAL:HG21	1:B:266:VAL:HG21	2.01	0.42
1:B:496:PHE:CZ	1:B:500:ILE:HD11	2.54	0.42
1:A:94:LEU:O	1:A:98:PRO:HD3	2.20	0.42
1:A:376:ASN:O	1:A:427:ILE:HD12	2.19	0.42
1:A:453:GLU:HG3	1:A:475:PHE:CE2	2.54	0.42
1:A:447:LEU:HD21	1:A:481:LEU:HD23	2.02	0.42
1:A:278:LEU:HD13	1:A:456:ILE:HD11	2.02	0.42
1:A:473:MET:HE2	1:A:476:TYR:CD2	2.48	0.42
1:A:170:ASP:O	1:A:377:ASN:OD1	2.39	0.41
1:B:270:LEU:HD23	1:B:270:LEU:HA	1.87	0.41
1:B:496:PHE:HD1	2:B:603:TRT:H8C1	1.81	0.41
1:A:252:HIS:CD2	1:A:256:ARG:HH21	2.39	0.41
1:B:444:LEU:HD23	2:B:604:TRT:H2C1	2.01	0.41
1:B:137:ASN:OD1	1:B:377:ASN:ND2	2.54	0.41
1:B:176:VAL:H	1:B:384:ASN:ND2	2.19	0.41
1:B:320:HIS:NE2	1:B:326:THR:OG1	2.52	0.41
1:B:473:MET:HE2	1:B:476:TYR:CD2	2.54	0.41
1:B:194:PHE:O	1:B:200:ASN:HB3	2.21	0.40
1:A:99:VAL:CG1	1:A:247:LEU:HD23	2.51	0.40
1:A:259:LEU:HD12	1:A:259:LEU:HA	1.85	0.40
1:B:63:TRP:CD2	1:B:393:ALA:HB1	2.57	0.40
1:B:94:LEU:O	1:B:98:PRO:HD3	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37:PRO:O	1:B:340:GLY:N[6_555]	1.92	0.28

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	466/502 (93%)	446 (96%)	18 (4%)	2 (0%)	34 48
1	B	459/502 (91%)	442 (96%)	16 (4%)	1 (0%)	47 62
All	All	925/1004 (92%)	888 (96%)	34 (4%)	3 (0%)	41 55

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	340	GLY
1	A	41	LYS
1	B	297	SER

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	399/427 (93%)	375 (94%)	24 (6%)	19 31
1	B	392/427 (92%)	365 (93%)	27 (7%)	15 25
All	All	791/854 (93%)	740 (94%)	51 (6%)	17 28

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	SER
1	A	44	LYS
1	A	150	LEU
1	A	155	ASN
1	A	188	VAL
1	A	202	LEU
1	A	218	LEU
1	A	226	ARG
1	A	256	ARG
1	A	259	LEU
1	A	270	LEU
1	A	295	ASN
1	A	301	HIS
1	A	326	THR
1	A	358	ASN
1	A	389	LEU
1	A	412	GLN
1	A	429	LEU
1	A	430	LEU
1	A	432	GLU
1	A	444	LEU
1	A	472	LEU
1	A	473	MET
1	A	481	LEU
1	B	52	ASP
1	B	102	VAL
1	B	150	LEU
1	B	152	GLN
1	B	155	ASN
1	B	188	VAL
1	B	196	LYS
1	B	202	LEU
1	B	218	LEU
1	B	256	ARG
1	B	270	LEU
1	B	295	ASN
1	B	326	THR
1	B	341	ASN
1	B	342	LYS
1	B	358	ASN
1	B	362	ARG
1	B	389	LEU
1	B	412	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	429	LEU
1	B	430	LEU
1	B	432	GLU
1	B	444	LEU
1	B	447	LEU
1	B	472	LEU
1	B	473	MET
1	B	481	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	149	GLN
1	A	156	HIS
1	A	161	GLN
1	A	252	HIS
1	A	269	HIS
1	A	301	HIS
1	A	313	GLN
1	A	358	ASN
1	A	384	ASN
1	A	394	GLN
1	A	435	ASN
1	B	71	HIS
1	B	149	GLN
1	B	152	GLN
1	B	155	ASN
1	B	156	HIS
1	B	160	HIS
1	B	161	GLN
1	B	252	HIS
1	B	269	HIS
1	B	301	HIS
1	B	341	ASN
1	B	358	ASN
1	B	384	ASN
1	B	394	GLN
1	B	435	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

Of 18 ligands modelled in this entry, 10 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	FAD	B	607	4	53,58,58	1.17	4 (7%)	68,89,89	1.38	11 (16%)
2	TRT	A	602	-	20,20,25	0.62	1 (5%)	28,28,33	0.96	1 (3%)
2	TRT	B	604	-	20,20,25	0.62	1 (5%)	28,28,33	0.96	1 (3%)
2	TRT	B	601	-	20,20,25	0.61	1 (5%)	28,28,33	2.56	5 (17%)
3	FAD	A	603	4	53,58,58	1.19	4 (7%)	68,89,89	1.41	10 (14%)
2	TRT	B	602	-	20,20,25	0.61	1 (5%)	28,28,33	2.55	5 (17%)
2	TRT	A	601	-	16,16,25	0.65	1 (6%)	24,24,33	1.06	1 (4%)
2	TRT	B	603	-	20,20,25	0.64	1 (5%)	28,28,33	0.97	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	B	607	4	-	5/30/50/50	0/6/6/6
2	TRT	A	602	-	-	14/18/18/23	0/1/1/1
2	TRT	B	604	-	-	7/18/18/23	0/1/1/1
2	TRT	B	601	-	-	9/18/18/23	0/1/1/1
3	FAD	A	603	4	-	4/30/50/50	0/6/6/6
2	TRT	B	602	-	-	16/18/18/23	0/1/1/1
2	TRT	A	601	-	-	5/14/14/23	0/1/1/1
2	TRT	B	603	-	-	7/18/18/23	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	603	FAD	C4X-N5	4.23	1.39	1.30
3	B	607	FAD	C4X-N5	3.83	1.38	1.30
3	B	607	FAD	C2A-N3A	3.65	1.38	1.32
3	A	603	FAD	C2A-N3A	3.10	1.37	1.32
3	B	607	FAD	C2A-N1A	2.50	1.38	1.33
3	B	607	FAD	C10-N1	2.50	1.38	1.33
3	A	603	FAD	C2A-N1A	2.49	1.38	1.33
3	A	603	FAD	C10-N1	2.43	1.38	1.33
2	A	601	TRT	C6-C9	-2.24	1.50	1.53
2	B	603	TRT	C6-C9	-2.23	1.50	1.53
2	B	602	TRT	C6-C9	-2.18	1.50	1.53
2	B	601	TRT	C6-C9	-2.16	1.50	1.53
2	A	602	TRT	C6-C9	-2.14	1.50	1.53
2	B	604	TRT	C6-C9	-2.12	1.50	1.53

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	602	TRT	C3-C1-C2	-7.40	85.91	108.97
2	B	601	TRT	C3-C1-C4	-7.39	85.96	108.97
2	B	601	TRT	C3-C1-C2	-7.38	85.98	108.97
2	B	602	TRT	C3-C1-C4	-7.35	86.07	108.97
3	A	603	FAD	N3A-C2A-N1A	-5.79	119.63	128.68
3	B	607	FAD	N3A-C2A-N1A	-5.72	119.73	128.68
2	B	601	TRT	C3-C1-C5	-5.37	85.95	110.57
2	B	602	TRT	C3-C1-C5	-5.37	85.97	110.57
2	A	601	TRT	C1-C5-C6	-4.03	109.40	123.91
2	B	601	TRT	C1-C5-C6	-4.02	109.45	123.91
2	B	603	TRT	C1-C5-C6	-4.00	109.50	123.91

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	602	TRT	C1-C5-C6	-3.93	109.77	123.91
2	B	602	TRT	C1-C5-C6	-3.92	109.82	123.91
2	B	604	TRT	C1-C5-C6	-3.90	109.86	123.91
2	B	601	TRT	C4-C1-C2	3.39	119.52	108.97
2	B	602	TRT	C4-C1-C2	3.38	119.49	108.97
3	A	603	FAD	O4B-C1B-C2B	-3.01	102.52	106.93
3	A	603	FAD	O4-C4-C4X	-2.87	119.00	126.60
3	A	603	FAD	C4X-C4-N3	2.86	120.44	113.19
3	B	607	FAD	C4-N3-C2	-2.82	120.42	125.64
3	A	603	FAD	C4-N3-C2	-2.82	120.44	125.64
3	B	607	FAD	C4X-C4-N3	2.65	119.92	113.19
3	B	607	FAD	C4'-C3'-C2'	-2.45	108.26	113.36
3	B	607	FAD	C4X-C10-N10	2.39	119.98	116.48
3	A	603	FAD	C4X-C10-N10	2.37	119.95	116.48
3	A	603	FAD	C4'-C3'-C2'	-2.36	108.46	113.36
3	B	607	FAD	O4B-C1B-C2B	-2.30	103.56	106.93
3	B	607	FAD	O4-C4-C4X	-2.29	120.53	126.60
3	B	607	FAD	C10-C4X-N5	-2.20	120.19	124.86
3	B	607	FAD	P-O3P-PA	-2.15	125.44	132.83
3	B	607	FAD	C1B-N9A-C4A	-2.14	122.88	126.64
3	B	607	FAD	C9A-C5X-N5	-2.13	120.11	122.43
3	A	603	FAD	O5'-C5'-C4'	-2.10	103.77	109.36
3	A	603	FAD	P-O3P-PA	-2.06	125.77	132.83
3	A	603	FAD	C1B-N9A-C4A	-2.03	123.07	126.64

There are no chirality outliers.

All (67) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	602	TRT	C1-C5-C6-C9
2	A	602	TRT	C1-C5-C6-C7
2	B	602	TRT	C1-C5-C6-C9
2	B	602	TRT	C1-C5-C6-C8
2	B	603	TRT	C1-C5-C6-C9
2	B	601	TRT	C16-C17-O18-C19
2	A	601	TRT	C13-C12-O15-C16
2	A	601	TRT	C11-C12-O15-C16
2	B	603	TRT	C1-C5-C6-C7
2	B	601	TRT	C2-C1-C5-C6
2	B	603	TRT	O15-C16-C17-O18
2	B	601	TRT	C13-C12-O15-C16
2	B	602	TRT	C3-C1-C5-C6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	B	604	TRT	C2-C1-C5-C6
2	B	604	TRT	C4-C1-C5-C6
2	B	604	TRT	C3-C1-C5-C6
2	B	601	TRT	C11-C12-O15-C16
2	A	602	TRT	C1-C5-C6-C8
2	B	602	TRT	C13-C12-O15-C16
2	B	602	TRT	C11-C12-O15-C16
2	A	602	TRT	O15-C16-C17-O18
2	B	602	TRT	O15-C16-C17-O18
2	B	601	TRT	O15-C16-C17-O18
2	B	602	TRT	C1-C5-C6-C7
2	B	602	TRT	C2-C1-C5-C6
2	B	601	TRT	C5-C6-C9-C10
2	B	603	TRT	C11-C12-O15-C16
2	B	603	TRT	C13-C12-O15-C16
2	B	601	TRT	C5-C6-C9-C14
2	B	602	TRT	C5-C6-C9-C10
2	B	603	TRT	C1-C5-C6-C8
2	A	601	TRT	C5-C6-C9-C14
2	A	601	TRT	C5-C6-C9-C10
2	B	602	TRT	C5-C6-C9-C14
2	A	602	TRT	C17-C16-O15-C12
3	B	607	FAD	O3'-C3'-C4'-O4'
2	A	602	TRT	C20-C19-O18-C17
2	B	603	TRT	C20-C19-O18-C17
2	A	602	TRT	C5-C6-C9-C10
2	B	604	TRT	C11-C12-O15-C16
3	B	607	FAD	C2'-C3'-C4'-O4'
2	A	601	TRT	C1-C5-C6-C7
2	B	604	TRT	C13-C12-O15-C16
2	A	602	TRT	C13-C12-O15-C16
2	B	602	TRT	C20-C19-O18-C17
3	A	603	FAD	C2'-C3'-C4'-O4'
2	B	604	TRT	C1-C5-C6-C8
2	A	602	TRT	C11-C12-O15-C16
3	B	607	FAD	O3'-C3'-C4'-C5'
3	A	603	FAD	O3'-C3'-C4'-O4'
2	A	602	TRT	C5-C6-C9-C14
2	B	601	TRT	C1-C5-C6-C9
2	A	602	TRT	C7-C6-C9-C14
2	A	602	TRT	C7-C6-C9-C10
2	B	602	TRT	C16-C17-O18-C19

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	B	607	FAD	P-O3P-PA-O1A
3	A	603	FAD	O3'-C3'-C4'-C5'
2	A	602	TRT	C8-C6-C9-C10
2	B	602	TRT	C7-C6-C9-C14
2	B	602	TRT	C8-C6-C9-C14
3	B	607	FAD	O4B-C4B-C5B-O5B
2	A	602	TRT	C8-C6-C9-C14
2	B	602	TRT	C7-C6-C9-C10
2	B	601	TRT	C3-C1-C5-C6
2	B	604	TRT	C16-C17-O18-C19
3	A	603	FAD	O4B-C4B-C5B-O5B
2	B	602	TRT	C8-C6-C9-C10


There are no ring outliers.


8 monomers are involved in 109 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	607	FAD	2	0
2	A	602	TRT	19	0
2	B	604	TRT	17	0
2	B	601	TRT	16	0
3	A	603	FAD	3	0
2	B	602	TRT	8	0
2	A	601	TRT	25	0
2	B	603	TRT	20	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	A	470/502 (93%)	-0.08	11 (2%)	60	58	20, 37, 86, 137	0
1	B	463/502 (92%)	0.15	33 (7%)	16	14	18, 41, 90, 138	0
All	All	933/1004 (92%)	0.03	44 (4%)	31	30	18, 39, 90, 138	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	415	ASN	5.7
1	B	162	ALA	5.2
1	B	42	THR	5.2
1	A	152	GLN	4.8
1	B	463	LYS	4.6
1	A	323	GLY	4.5
1	B	417	GLN	4.4
1	B	429	LEU	4.3
1	B	355	PRO	4.2
1	A	325	ILE	4.2
1	B	433	GLU	4.0
1	B	416	PHE	3.8
1	A	322	ASP	3.6
1	B	413	ILE	3.6
1	B	324	LYS	3.5
1	B	351	PHE	3.4
1	B	135	ASP	3.3
1	B	436	PHE	3.2
1	A	417	GLN	3.2
1	B	464	ARG	3.2
1	B	386	PHE	3.0
1	A	319	LYS	3.0
1	B	430	LEU	3.0
1	B	376	ASN	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	437	LYS	2.9
1	B	388	GLY	2.9
1	B	414	PRO	2.9
1	B	50	HIS	2.8
1	A	324	LYS	2.8
1	A	387	ALA	2.7
1	B	52	ASP	2.6
1	A	326	THR	2.6
1	A	463	LYS	2.6
1	B	411	ALA	2.5
1	B	412	GLN	2.4
1	B	354	ILE	2.3
1	B	43	MET	2.3
1	B	136	ARG	2.1
1	B	321	GLU	2.1
1	B	462	GLY	2.1
1	B	389	LEU	2.1
1	B	221	GLY	2.1
1	B	466	PHE	2.1
1	A	341	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	TRT	A	602	20/25	0.60	0.40	2,63,97,104	0
2	TRT	B	604	20/25	0.71	0.33	56,81,106,124	0
2	TRT	B	601	20/25	0.79	0.42	62,92,123,139	0


*Continued on next page...*


*Continued from previous page...*


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	MG	B	611	1/1	0.79	0.29	62,62,62,62	0
4	MG	B	606	1/1	0.82	0.12	67,67,67,67	0
2	TRT	B	603	20/25	0.83	0.36	32,70,107,121	0
2	TRT	B	602	20/25	0.83	0.52	73,102,149,157	0
2	TRT	A	601	16/25	0.90	0.25	52,76,104,115	0
4	MG	A	607	1/1	0.92	0.31	54,54,54,54	0
4	MG	B	609	1/1	0.96	0.20	54,54,54,54	0
4	MG	B	608	1/1	0.96	0.12	56,56,56,56	0
4	MG	A	606	1/1	0.97	0.14	36,36,36,36	0
3	FAD	B	607	53/53	0.97	0.13	14,30,42,44	0
3	FAD	A	603	53/53	0.98	0.14	15,25,36,41	0
4	MG	B	610	1/1	0.98	0.19	57,57,57,57	0
4	MG	A	604	1/1	0.98	0.16	43,43,43,43	0
4	MG	B	605	1/1	0.99	0.07	15,15,15,15	0
4	MG	A	605	1/1	0.99	0.19	40,40,40,40	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.











## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.