



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 15, 2026 – 01:01 PM UTC

PDB ID : 9GDF / pdb_00009gdf
Title : Chloride bound structure of oxidized ba3-type cytochrome c oxidase confirmed by single-wavelength anomalous diffraction
Authors : Kabbinala, A.; Johannesson, J.; Finke, D.
Deposited on : 2024-08-05
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	9078 (2.30-2.26)
Clashscore	190562	9802 (2.30-2.26)
Ramachandran outliers	187476	9690 (2.30-2.26)
Sidechain outliers	187428	9691 (2.30-2.26)
RSRZ outliers	180081	9085 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	569	<div> <div>2%</div> <div>88%</div> <div>7%</div> <div>..</div> </div>
2	B	168	<div> <div>%</div> <div>92%</div> <div>7%</div> <div>.</div> </div>
3	C	34	<div> <div>3%</div> <div>85%</div> <div>6%</div> <div>9%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	HAS	A	603	X	-	-	-

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 6402 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	554	Total	C	N	O	S	0	0	0
			4368	2963	698	691	16			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	initiating methionine	UNP Q5SJ79
A	-5	HIS	-	expression tag	UNP Q5SJ79
A	-4	HIS	-	expression tag	UNP Q5SJ79
A	-3	HIS	-	expression tag	UNP Q5SJ79
A	-2	HIS	-	expression tag	UNP Q5SJ79
A	-1	HIS	-	expression tag	UNP Q5SJ79
A	0	HIS	-	expression tag	UNP Q5SJ79
A	1	HIS	-	expression tag	UNP Q5SJ79

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	167	Total	C	N	O	S	0	0	0
			1301	846	216	235	4			


- Molecule 3 is a protein called Cytochrome c oxidase polypeptide 2A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	31	Total	C	N	O	0	0	0
			241	169	37	35			

- Molecule 4 is COPPER (II) ION (CCD ID: CU) (formula: Cu) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	Cu			0	0
			1	1				

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: C₃₄H₃₂FeN₄O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	0

- Molecule 6 is HEME-AS (CCD ID: HAS) (formula: C₅₄H₆₄FeN₄O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	Fe	N	O	
			65	54	1	4	6	

- Molecule 7 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			23	19	4		
7	A	1	Total	C	O	0	0
			18	14	4		
7	A	1	Total	C	O	0	0
			17	13	4		
7	A	1	Total	C	O	0	0
			15	11	4		
7	A	1	Total	C	O	0	0
			18	14	4		
7	A	1	Total	C	O	0	0
			15	11	4		
7	A	1	Total	C	O	0	0
			20	16	4		
7	A	1	Total	C	O	0	0
			21	17	4		
7	A	1	Total	C		0	0
			9	9			
7	A	1	Total	C		0	0
			9	9			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			24	20	4		
7	A	1	Total	C	O	0	0
			15	11	4		
7	B	1	Total	C	O	0	0
			20	18	2		
7	B	1	Total	C	O	0	0
			25	21	4		
7	B	1	Total	C	O	0	0
			24	20	4		

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	2	Total	Cl	0	0
			2	2		

- Molecule 9 is DINUCLEAR COPPER ION (CCD ID: CUA) (formula: Cu₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	1	Total	Cu	0	0
			2	2		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	70	Total 70	O 70	0	0
10	B	36	Total 36	O 36	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome c oxidase subunit 1



- Molecule 2: Cytochrome c oxidase subunit 2



- Molecule 3: Cytochrome c oxidase polypeptide 2A



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	143.69Å 98.34Å 94.08Å 90.00° 127.58° 90.00°	Depositor
Resolution (Å)	74.54 – 2.28 74.54 – 2.28	Depositor EDS
% Data completeness (in resolution range)	94.3 (74.54-2.28) 94.4 (74.54-2.28)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.11 (at 2.27Å)	Xtriage
Refinement program	REFMAC 5.8.0419	Depositor
R, R_{free}	0.153 , 0.197 0.167 , 0.203	Depositor DCC
R_{free} test set	2187 reflections (4.62%)	wwPDB-VP
Wilson B-factor (Å ²)	44.7	Xtriage
Anisotropy	0.136	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 45.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6402	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OLC, CUA, CL, CU, HEM, HAS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/4525	1.03	3/6213 (0.0%)
2	B	0.61	0/1338	1.01	1/1828 (0.1%)
3	C	0.58	0/247	0.99	0/335
All	All	0.62	0/6110	1.02	4/8376 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	233	HIS	CA-CB-CG	-13.33	100.47	113.80
1	A	462	HIS	CA-CB-CG	-7.08	106.72	113.80
2	B	111	ASP	CA-CB-CG	5.84	118.44	112.60
1	A	385	PHE	CA-CB-CG	5.28	119.08	113.80

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	233	HIS	Sidechain
1	A	325	ARG	Sidechain
1	A	337	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	450	ARG	Sidechain
1	A	517	ASP	Peptide
1	A	526	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4368	0	4467	32	0
2	B	1301	0	1278	7	0
3	C	241	0	267	1	0
4	A	1	0	0	0	0
5	A	43	0	30	2	0
6	A	65	0	62	0	0
7	A	204	0	283	7	0
7	B	69	0	103	5	0
8	A	2	0	0	0	0
9	B	2	0	0	0	0
10	A	70	0	0	5	0
10	B	36	0	0	1	0
All	All	6402	0	6490	42	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:462:HIS:H	1:A:462:HIS:CD2	1.84	0.91
5:A:602:HEM:HBC2	5:A:602:HEM:HMC1	1.61	0.80
1:A:517:ASP:O	1:A:520:LEU:HG	1.88	0.72
1:A:515:PRO:O	1:A:516:GLU:HB3	1.94	0.68
1:A:462:HIS:HB3	10:A:770:HOH:O	1.94	0.67
1:A:233:HIS:CD2	1:A:233:HIS:C	2.72	0.67
2:B:32:LEU:HD21	7:B:203:OLC:H7A	1.79	0.64
1:A:462:HIS:CD2	1:A:462:HIS:N	2.62	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:518:ARG:HH11	1:A:518:ARG:HG3	1.69	0.57
1:A:517:ASP:N	1:A:517:ASP:OD1	2.39	0.55
1:A:548:GLN:NE2	10:A:704:HOH:O	2.39	0.55
1:A:168:ARG:HH22	7:A:607:OLC:H2A	1.73	0.54
1:A:341:TRP:CD1	7:A:611:OLC:H21A	2.47	0.50
7:A:614:OLC:H6	3:C:25:GLY:HA3	1.93	0.50
2:B:52:ARG:HG2	10:B:336:HOH:O	2.10	0.49
1:A:168:ARG:HH12	7:A:607:OLC:H5A	1.77	0.49
1:A:392:LEU:HD22	1:A:392:LEU:O	2.14	0.48
2:B:37:LEU:HD13	7:B:201:OLC:H6A	1.96	0.47
5:A:602:HEM:HBC2	5:A:602:HEM:CMC	2.37	0.46
1:A:321:GLU:HA	1:A:335:TRP:CE3	2.51	0.46
1:A:362:GLY:HA3	10:A:742:HOH:O	2.16	0.46
1:A:168:ARG:HH22	7:A:607:OLC:C2	2.28	0.46
1:A:292:PRO:HB2	7:B:201:OLC:H5A	1.97	0.45
1:A:449:ARG:HG3	1:A:450:ARG:HG3	1.98	0.45
1:A:518:ARG:HG3	1:A:518:ARG:NH1	2.30	0.45
1:A:277:THR:N	1:A:278:PRO:CD	2.80	0.45
1:A:405:LEU:HD21	1:A:492:LEU:HD23	1.99	0.45
1:A:168:ARG:HH12	7:A:607:OLC:C5	2.31	0.44
10:A:710:HOH:O	2:B:8:HIS:HE1	2.01	0.43
1:A:157:TRP:HA	1:A:160:ILE:HD12	2.01	0.43
1:A:251:LEU:HA	1:A:254:GLN:HE21	1.83	0.43
2:B:144:GLU:HG2	2:B:165:VAL:HG22	2.00	0.43
1:A:229:TRP:CE3	1:A:232:GLY:HA3	2.54	0.42
1:A:382:PRO:HA	1:A:385:PHE:CE2	2.54	0.42
2:B:18:TRP:HA	7:B:204:OLC:H7A	2.01	0.42
1:A:107:TRP:CZ2	7:A:606:OLC:H22	2.55	0.42
2:B:35:TYR:OH	7:B:203:OLC:H24A	2.20	0.42
1:A:220:ASP:HB3	1:A:223:VAL:HG12	2.01	0.42
1:A:302:THR:O	1:A:305:VAL:HG12	2.21	0.41
1:A:526:ARG:NH2	10:A:706:HOH:O	2.53	0.41
1:A:230:TRP:C	1:A:230:TRP:CD1	2.99	0.41
1:A:445:LEU:O	1:A:446:ASN:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	552/569 (97%)	526 (95%)	23 (4%)	3 (0%)	24	29
2	B	165/168 (98%)	162 (98%)	3 (2%)	0	100	100
3	C	29/34 (85%)	29 (100%)	0	0	100	100
All	All	746/771 (97%)	717 (96%)	26 (4%)	3 (0%)	30	36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	516	GLU
1	A	369	PHE
1	A	515	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	447/463 (96%)	429 (96%)	18 (4%)	28	40
2	B	136/138 (99%)	133 (98%)	3 (2%)	45	62
3	C	24/27 (89%)	23 (96%)	1 (4%)	26	37
All	All	607/628 (97%)	585 (96%)	22 (4%)	31	44

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	SER
1	A	25	LEU
1	A	54	LEU
1	A	57	ARG
1	A	58	LEU
1	A	215	LEU
1	A	230	TRP
1	A	262	ASP
1	A	326	LEU
1	A	392	LEU
1	A	425	VAL
1	A	462	HIS
1	A	475	ILE
1	A	493	LEU
1	A	495	ARG
1	A	516	GLU
1	A	517	ASP
1	A	520	LEU
2	B	26	LEU
2	B	58	VAL
2	B	158	GLN
3	C	17	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	76	ASN
1	A	254	GLN
1	A	455	GLN
1	A	462	HIS
2	B	8	HIS
2	B	60	GLN
2	B	91	GLN
2	B	158	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 21 ligands modelled in this entry, 3 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	OLC	A	608	-	17,17,24	0.37	0	18,18,25	0.39	0
6	HAS	A	603	1	72,72,72	2.27	24 (33%)	87,109,109	2.46	33 (37%)
7	OLC	A	612	-	8,8,24	0.35	0	7,7,25	0.25	0
7	OLC	B	203	-	24,24,24	0.27	0	25,25,25	0.38	0
7	OLC	B	201	-	19,19,24	0.33	0	19,19,25	0.36	0
7	OLC	A	605	-	17,17,24	0.27	0	18,18,25	0.36	0
7	OLC	A	610	-	19,19,24	0.39	0	20,20,25	0.46	0
7	OLC	A	606	-	16,16,24	0.33	0	17,17,25	0.35	0
7	OLC	A	615	-	14,14,24	0.25	0	15,15,25	0.49	0
7	OLC	A	607	-	14,14,24	0.44	0	15,15,25	0.45	0
7	OLC	A	611	-	20,20,24	0.29	0	21,21,25	0.46	0
7	OLC	A	614	-	23,23,24	0.26	0	24,24,25	0.33	0
5	HEM	A	602	1	50,50,50	1.76	12 (24%)	67,82,82	1.81	19 (28%)
7	OLC	A	604	-	22,22,24	0.36	0	23,23,25	0.59	0
7	OLC	A	613	-	8,8,24	0.34	0	7,7,25	0.32	0
7	OLC	B	204	-	23,23,24	0.32	0	24,24,25	0.34	0
7	OLC	A	609	-	14,14,24	0.30	0	15,15,25	0.41	0
9	CUA	B	202	2	0,1,1	-	-	-	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	OLC	A	608	-	-	8/17/17/24	-
6	HAS	A	603	1	1/1/8/18	5/42/82/82	-
7	OLC	A	612	-	-	4/6/6/24	-
7	OLC	B	203	-	-	10/24/24/24	-
7	OLC	B	201	-	-	6/18/18/24	-
7	OLC	A	605	-	-	6/17/17/24	-
7	OLC	A	610	-	-	8/19/19/24	-
7	OLC	A	606	-	-	9/16/16/24	-
7	OLC	A	615	-	-	7/14/14/24	-
7	OLC	A	607	-	-	8/14/14/24	-
7	OLC	A	611	-	-	11/20/20/24	-
7	OLC	A	614	-	-	13/23/23/24	-
5	HEM	A	602	1	-	1/14/54/54	-
7	OLC	A	604	-	-	8/22/22/24	-
7	OLC	A	613	-	-	4/6/6/24	-
7	OLC	B	204	-	-	9/23/23/24	-
7	OLC	A	609	-	-	7/14/14/24	-

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	602	HEM	C1B-NB	-5.17	1.31	1.40
6	A	603	HAS	FE-NB	4.96	2.10	1.94
6	A	603	HAS	FE-NC	4.74	2.10	1.95
5	A	602	HEM	C4D-ND	-4.70	1.32	1.40
6	A	603	HAS	C3B-C2B	4.60	1.45	1.34
6	A	603	HAS	CHC-C1C	4.52	1.49	1.39
6	A	603	HAS	C4A-NA	-4.51	1.31	1.39
6	A	603	HAS	CHA-C4D	4.45	1.49	1.39
6	A	603	HAS	C2A-C3A	4.15	1.45	1.36
6	A	603	HAS	CHB-C1D	4.09	1.46	1.38
6	A	603	HAS	CHC-C4B	3.97	1.46	1.38
6	A	603	HAS	C4B-C3B	3.94	1.51	1.44
5	A	602	HEM	FE-NB	3.89	2.06	1.94
6	A	603	HAS	FE-NA	3.70	2.07	1.95
6	A	603	HAS	FE-ND	3.60	2.06	1.94
6	A	603	HAS	C1C-NC	-3.47	1.33	1.39
6	A	603	HAS	C4C-NC	-3.42	1.33	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	603	HAS	C1D-ND	-3.30	1.34	1.40
6	A	603	HAS	C2D-C3D	3.22	1.44	1.37
6	A	603	HAS	CHA-C1A	3.11	1.44	1.38
5	A	602	HEM	C4B-NB	-3.08	1.32	1.38
6	A	603	HAS	CHD-C4A	3.08	1.44	1.38
6	A	603	HAS	C4B-NB	-3.01	1.35	1.40
5	A	602	HEM	FE-NC	2.85	2.04	1.95
5	A	602	HEM	C4D-C3D	2.84	1.49	1.45
6	A	603	HAS	C1B-C2B	2.79	1.50	1.44
6	A	603	HAS	C4D-ND	-2.66	1.33	1.38
5	A	602	HEM	C1C-C2C	-2.58	1.40	1.45
5	A	602	HEM	CMD-C2D	2.43	1.55	1.50
6	A	603	HAS	C1A-NA	-2.41	1.35	1.39
5	A	602	HEM	C3C-C4C	-2.36	1.41	1.46
5	A	602	HEM	CMB-C2B	2.27	1.55	1.50
5	A	602	HEM	C1C-NC	-2.23	1.35	1.39
5	A	602	HEM	C4C-NC	-2.18	1.35	1.39
6	A	603	HAS	C14-C15	2.09	1.37	1.33
6	A	603	HAS	O1A-CGA	2.01	1.28	1.22

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	603	HAS	C3C-C4C-NC	7.80	116.37	109.80
6	A	603	HAS	C2A-C1A-NA	7.42	117.49	110.32
5	A	602	HEM	CHC-C4B-NB	7.24	132.21	124.42
6	A	603	HAS	C3B-C4B-NB	6.28	117.06	109.84
6	A	603	HAS	C2D-C3D-C4D	-5.75	102.27	106.43
6	A	603	HAS	C2B-C1B-NB	5.43	116.18	109.90
6	A	603	HAS	C1A-C2A-C3A	-5.27	100.17	107.11
6	A	603	HAS	C3C-C2C-C1C	-4.84	101.47	107.17
6	A	603	HAS	C3D-C4D-ND	3.97	114.19	110.35
6	A	603	HAS	C4B-C3B-C2B	-3.76	101.11	107.44
6	A	603	HAS	O1A-CGA-CBA	-3.52	111.92	123.09
6	A	603	HAS	CMA-C3A-C4A	3.36	130.65	124.73
6	A	603	HAS	C2C-C1C-NC	3.32	115.46	110.14
6	A	603	HAS	C4C-C3C-C2C	-3.20	103.32	107.30
5	A	602	HEM	CMD-C2D-C1D	3.20	130.03	125.03
6	A	603	HAS	CAD-C3D-C4D	3.06	130.02	124.70
6	A	603	HAS	CHA-C1A-C2A	-3.00	120.12	124.86
6	A	603	HAS	CAA-CBA-CGA	-3.00	105.71	113.67
5	A	602	HEM	CHD-C1D-C2D	-2.98	120.32	125.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	602	HEM	CHC-C4B-C3B	-2.98	119.13	125.07
5	A	602	HEM	C4C-C3C-C2C	2.90	109.33	106.81
6	A	603	HAS	CAA-C2A-C1A	2.82	130.59	124.85
5	A	602	HEM	C1B-NB-C4B	2.80	108.52	105.21
6	A	603	HAS	C1B-C2B-C3B	-2.79	103.56	106.80
6	A	603	HAS	C4B-NB-C1B	-2.71	102.00	105.21
5	A	602	HEM	O2A-CGA-CBA	2.67	122.44	114.00
6	A	603	HAS	C1D-C2D-C3D	-2.61	104.88	107.28
6	A	603	HAS	C3A-C4A-NA	2.60	114.44	109.64
5	A	602	HEM	CHD-C4C-NC	2.56	127.24	124.45
6	A	603	HAS	CMB-C2B-C1B	2.52	128.97	125.03
5	A	602	HEM	C2D-C1D-ND	2.50	112.80	109.90
6	A	603	HAS	CMC-C2C-C3C	2.40	132.19	126.55
6	A	603	HAS	O2A-CGA-O1A	2.39	129.47	123.33
5	A	602	HEM	CHA-C4D-ND	2.36	127.29	124.37
5	A	602	HEM	CAA-C2A-C1A	2.30	129.43	124.94
5	A	602	HEM	C4C-NC-C1C	2.30	109.57	105.82
6	A	603	HAS	OMD-CMD-C2D	-2.27	120.49	125.62
5	A	602	HEM	O2D-CGD-O1D	-2.27	117.50	123.33
6	A	603	HAS	C31-C30-C29	-2.27	115.86	122.66
5	A	602	HEM	CHA-C4D-C3D	-2.22	121.13	125.23
6	A	603	HAS	CHB-C1B-NB	-2.21	122.05	124.42
6	A	603	HAS	CAD-CBD-CGD	-2.20	107.82	113.67
5	A	602	HEM	CHD-C1D-ND	2.20	126.79	124.42
5	A	602	HEM	CAD-C3D-C4D	2.18	128.49	124.70
5	A	602	HEM	CHC-C1C-NC	-2.15	122.11	124.45
6	A	603	HAS	C25-C23-C24	2.12	118.91	115.23
5	A	602	HEM	O1A-CGA-CBA	-2.10	116.43	123.09
6	A	603	HAS	CHB-C1B-C2B	-2.09	121.72	125.03
6	A	603	HAS	CHC-C1C-C2C	-2.07	121.43	127.43
5	A	602	HEM	O2D-CGD-CBD	2.06	120.52	114.00
6	A	603	HAS	CHC-C4B-C3B	-2.05	120.63	125.80
6	A	603	HAS	CHC-C4B-NB	-2.01	121.88	124.37

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	A	603	HAS	NA

All (124) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	606	OLC	O20-C21-C22-C24
7	A	606	OLC	O20-C21-C22-O23
7	A	607	OLC	C21-C22-C24-O25
7	A	607	OLC	O20-C21-C22-O23
7	A	608	OLC	C21-C22-C24-O25
7	A	610	OLC	C21-C22-C24-O25
7	A	614	OLC	C21-C22-C24-O25
7	A	614	OLC	O23-C22-C24-O25
7	B	203	OLC	C21-C22-C24-O25
7	A	615	OLC	O20-C21-C22-O23
7	B	204	OLC	O19-C1-O20-C21
7	A	606	OLC	C2-C1-O20-C21
7	B	204	OLC	C2-C1-O20-C21
7	A	614	OLC	O20-C21-C22-C24
7	B	203	OLC	O20-C21-C22-C24
7	A	607	OLC	C2-C3-C4-C5
7	A	609	OLC	O20-C21-C22-O23
7	B	203	OLC	O20-C21-C22-O23
7	A	606	OLC	O19-C1-O20-C21
7	A	605	OLC	O23-C22-C24-O25
7	A	608	OLC	O23-C22-C24-O25
7	A	611	OLC	C1-C2-C3-C4
7	B	204	OLC	C1-C2-C3-C4
7	A	610	OLC	O20-C21-C22-O23
7	A	614	OLC	O20-C21-C22-O23
7	A	615	OLC	C2-C1-O20-C21
7	A	606	OLC	C1-C2-C3-C4
7	A	607	OLC	O20-C21-C22-C24
7	A	609	OLC	O20-C21-C22-C24
7	A	610	OLC	O20-C21-C22-C24
7	A	614	OLC	C1-C2-C3-C4
7	A	605	OLC	C21-C22-C24-O25
7	A	611	OLC	C21-C22-C24-O25
7	A	613	OLC	C11-C12-C13-C14
7	A	615	OLC	O19-C1-O20-C21
7	A	607	OLC	O23-C22-C24-O25
7	A	611	OLC	O23-C22-C24-O25
7	B	203	OLC	O23-C22-C24-O25
7	A	610	OLC	C3-C4-C5-C6
7	B	201	OLC	C4-C5-C6-C7
7	B	204	OLC	C13-C14-C15-C16
7	A	604	OLC	C12-C13-C14-C15
7	A	611	OLC	C4-C5-C6-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	B	204	OLC	C5-C6-C7-C8
7	A	615	OLC	O20-C21-C22-C24
7	B	201	OLC	C3-C4-C5-C6
7	B	203	OLC	C11-C12-C13-C14
7	A	608	OLC	C4-C5-C6-C7
7	A	610	OLC	C4-C5-C6-C7
7	A	613	OLC	C14-C15-C16-C17
7	A	608	OLC	C1-C2-C3-C4
7	B	204	OLC	C3-C4-C5-C6
7	B	203	OLC	C6-C7-C8-C9
7	A	610	OLC	O23-C22-C24-O25
7	A	611	OLC	O20-C21-C22-O23
7	A	614	OLC	C11-C12-C13-C14
7	A	610	OLC	C5-C6-C7-C8
7	A	614	OLC	C12-C13-C14-C15
7	A	604	OLC	C10-C11-C12-C13
7	A	606	OLC	C6-C7-C8-C9
7	A	606	OLC	C3-C4-C5-C6
7	A	610	OLC	C2-C3-C4-C5
7	A	612	OLC	C11-C12-C13-C14
7	A	604	OLC	C11-C12-C13-C14
7	A	609	OLC	C2-C3-C4-C5
7	A	614	OLC	C6-C7-C8-C9
7	A	607	OLC	C3-C4-C5-C6
7	A	604	OLC	O20-C21-C22-O23
7	A	609	OLC	C4-C5-C6-C7
7	A	611	OLC	C2-C3-C4-C5
7	A	613	OLC	C10-C11-C12-C13
7	B	204	OLC	C2-C3-C4-C5
7	A	608	OLC	C6-C7-C8-C9
7	B	203	OLC	C5-C6-C7-C8
7	A	612	OLC	C12-C13-C14-C15
7	B	201	OLC	C11-C10-C9-C8
7	A	609	OLC	C2-C1-O20-C21
7	A	605	OLC	C2-C1-O20-C21
7	A	609	OLC	O19-C1-O20-C21
7	B	201	OLC	C11-C12-C13-C14
7	A	611	OLC	C6-C7-C8-C9
7	A	615	OLC	C3-C4-C5-C6
7	A	605	OLC	O19-C1-O20-C21
7	A	611	OLC	O20-C21-C22-C24
7	A	615	OLC	C5-C6-C7-C8

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	A	611	OLC	C9-C10-C11-C12
7	B	203	OLC	C7-C8-C9-C10
7	A	607	OLC	C4-C5-C6-C7
7	A	611	OLC	C5-C6-C7-C8
7	A	613	OLC	C13-C14-C15-C16
7	A	607	OLC	C5-C6-C7-C8
7	B	203	OLC	C4-C5-C6-C7
7	A	612	OLC	C14-C15-C16-C17
7	A	614	OLC	C3-C4-C5-C6
7	A	605	OLC	C5-C6-C7-C8
7	B	201	OLC	C9-C10-C11-C12
7	A	614	OLC	C13-C14-C15-C16
7	A	611	OLC	C7-C8-C9-C10
7	B	204	OLC	C7-C8-C9-C10
7	A	608	OLC	C5-C6-C7-C8
6	A	603	HAS	CAA-CBA-CGA-O1A
7	B	201	OLC	C2-C3-C4-C5
7	A	604	OLC	C9-C10-C11-C12
7	A	615	OLC	C4-C5-C6-C7
7	B	203	OLC	C13-C14-C15-C16
7	A	606	OLC	C7-C8-C9-C10
7	A	614	OLC	C10-C11-C12-C13
6	A	603	HAS	CAA-CBA-CGA-O2A
7	A	604	OLC	C7-C8-C9-C10
7	B	204	OLC	C11-C12-C13-C14
6	A	603	HAS	CAD-CBD-CGD-O1D
7	A	604	OLC	O20-C21-C22-C24
7	A	614	OLC	C9-C10-C11-C12
6	A	603	HAS	C3D-C2D-CMD-OMD
7	A	606	OLC	C2-C3-C4-C5
7	A	612	OLC	C15-C16-C17-C18
7	A	608	OLC	O20-C1-C2-C3
6	A	603	HAS	CAD-CBD-CGD-O2D
7	A	605	OLC	C3-C4-C5-C6
7	A	604	OLC	C4-C5-C6-C7
7	A	614	OLC	C5-C6-C7-C8
7	A	608	OLC	O19-C1-C2-C3
5	A	602	HEM	CAA-CBA-CGA-O2A
7	A	609	OLC	C1-C2-C3-C4


There are no ring outliers.


8 monomers are involved in 14 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	B	203	OLC	2	0
7	B	201	OLC	2	0
7	A	606	OLC	1	0
7	A	607	OLC	4	0
7	A	611	OLC	1	0
7	A	614	OLC	1	0
5	A	602	HEM	2	0
7	B	204	OLC	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
























Ligand CUA B 202			
 Bond lengths		 Bond angles	
 Torsions		 Rings	

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	554/569 (97%)	0.01	10 (1%) 67 69	34, 44, 72, 122	0
2	B	167/168 (99%)	-0.13	1 (0%) 85 86	36, 45, 72, 125	0
3	C	31/34 (91%)	-0.03	1 (3%) 50 52	38, 43, 54, 80	0
All	All	752/771 (97%)	-0.03	12 (1%) 70 72	34, 44, 72, 125	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	513	SER	6.6
2	B	2	VAL	6.0
1	A	331	GLY	3.5
1	A	520	LEU	3.5
1	A	332	LEU	2.8
1	A	512	ILE	2.7
1	A	516	GLU	2.4
3	C	34	GLY	2.3
1	A	333	PHE	2.2
1	A	401	LEU	2.2
1	A	489	PHE	2.2
1	A	330	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	OLC	A	607	15/25	0.80	0.20	49,73,86,98	0
7	OLC	A	615	15/25	0.81	0.23	69,97,129,137	0
7	OLC	A	612	9/25	0.84	0.34	78,78,85,87	0
7	OLC	A	613	9/25	0.85	0.26	65,71,79,84	0
7	OLC	A	611	21/25	0.85	0.23	67,83,100,118	0
7	OLC	B	204	24/25	0.85	0.23	66,89,114,116	0
7	OLC	A	610	20/25	0.86	0.24	81,92,101,112	0
7	OLC	A	606	17/25	0.87	0.21	67,80,105,107	0
7	OLC	B	201	20/25	0.88	0.21	67,78,96,98	0
7	OLC	A	608	18/25	0.88	0.25	63,95,121,124	0
7	OLC	A	605	18/25	0.89	0.17	68,73,95,97	0
7	OLC	A	609	15/25	0.90	0.21	71,78,106,110	0
7	OLC	A	614	24/25	0.91	0.17	63,82,101,106	0
7	OLC	B	203	25/25	0.92	0.17	66,79,98,104	0
7	OLC	A	604	23/25	0.93	0.15	48,60,89,94	0
6	HAS	A	603	65/65	0.98	0.06	29,37,52,58	0
5	HEM	A	602	43/43	0.98	0.06	30,35,39,50	0
8	CL	A	616	1/1	0.99	0.09	48,48,48,48	0
8	CL	A	617	1/1	0.99	0.02	47,47,47,47	0
9	CUA	B	202	2/2	0.99	0.03	37,37,37,48	0
4	CU	A	601	1/1	1.00	0.01	38,38,38,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around OLC A 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 615:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 612:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 613:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 611:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around OLC B 204:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 610:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around OLC B 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 609:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 614:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC B 203:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 604:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HAS A 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL A 616:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL A 617:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CUA B 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CU A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.