



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 05:37 AM UTC

PDB ID : 9H03 / pdb_00009h03
EMDB ID : EMD-51451
Title : NMHase, dihydrouridine, 2.1A, CC_mask=0.7859
Authors : Toedtli, P.; Rudolph, M.G.
Deposited on : 2024-10-07
Resolution : 2.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB/EMDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	229148	23984
Ramachandran outliers	224038	23583
Sidechain outliers	223484	23102

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	1288	 88% 11% ..
1	B	1288	 91% 8% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 19564 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called N-Methylhydantoinase.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1277	Total	C	N	O	S	0	0
			9772	6134	1691	1908	39		
1	B	1277	Total	C	N	O	S	0	0
			9772	6134	1691	1908	39		

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
2	A	1	Total	Ca	0
			1	1	
2	B	1	Total	Ca	0
			1	1	

- Molecule 3 is DIHYDROPYRIMIDINE-2,4(1H,3H)-DIONE (CCD ID: DUC) (formula: C₄H₆N₂O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
3	A	1	Total	C	N	O	0
			8	4	2	2	
3	B	1	Total	C	N	O	0
			8	4	2	2	


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		AltConf
4	A	1	Total	O	0
			1	1	
4	B	1	Total	O	0
			1	1	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: N-Methylhydantoinase



- Molecule 1: N-Methylhydantoinase



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	430323	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	JEOL CRYO ARM 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	39	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DUC, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/9965	0.48	1/13529 (0.0%)
1	B	0.31	0/9965	0.47	1/13529 (0.0%)
All	All	0.31	0/19930	0.47	2/27058 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	92	ILE	N-CA-C	-6.34	106.79	112.12
1	B	92	ILE	N-CA-C	-6.33	106.80	112.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9772	0	9572	69	0
1	B	9772	0	9572	49	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	8	0	6	0	0
3	B	8	0	6	0	0
4	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	1	0	0	0	0
All	All	19564	0	19156	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:386:ARG:NH1	1:A:668:THR:OG1	2.14	0.79
1:A:1255:TYR:O	1:A:1277:ARG:NH1	2.25	0.69
1:B:742:LEU:HD11	1:B:888:ALA:HB1	1.75	0.69
1:B:810:GLU:OE2	1:B:901:ARG:NH2	2.26	0.68
1:A:177:ARG:NH1	1:A:180:GLU:OE2	2.28	0.67
1:B:98:HIS:O	1:B:98:HIS:ND1	2.27	0.65
1:A:98:HIS:O	1:A:98:HIS:ND1	2.27	0.65
1:A:220:VAL:HG21	1:A:259:PRO:HB3	1.77	0.64
1:A:106:LEU:O	1:A:1095:TYR:OH	2.16	0.64
1:A:742:LEU:HD21	1:A:888:ALA:HB1	1.82	0.61
1:A:431:THR:HG21	1:A:467:GLU:HG2	1.82	0.61
1:B:128:GLU:HG3	1:B:141:LEU:HD12	1.81	0.61
1:A:1102:ASP:OD1	1:A:1102:ASP:N	2.34	0.59
1:A:1168:GLU:HG3	1:A:1169:ARG:HG3	1.85	0.58
1:A:13:THR:HG1	1:A:32:SER:HG	1.51	0.57
1:A:731:ILE:HD11	1:A:1088:LEU:HD13	1.87	0.57
1:B:731:ILE:HD11	1:B:1088:LEU:HD13	1.87	0.57
1:A:719:MET:HB2	1:A:884:ALA:HB1	1.87	0.56
1:B:272:ILE:HD11	1:B:306:LEU:HD11	1.88	0.56
1:A:1211:GLN:HG2	1:A:1212:ALA:H	1.70	0.56
1:A:743:PHE:CE2	1:A:749:VAL:HG22	2.41	0.56
1:A:1191:LYS:O	1:A:1198:GLU:HA	2.06	0.56
1:B:832:MET:HE1	1:B:841:GLU:HA	1.88	0.56
1:A:832:MET:HE1	1:A:841:GLU:HA	1.87	0.55
1:B:1170:HIS:CD2	1:B:1187:ALA:HB3	2.42	0.55
1:B:743:PHE:CE2	1:B:749:VAL:HG22	2.41	0.55
1:A:1170:HIS:CD2	1:A:1187:ALA:HB3	2.41	0.55
1:B:1168:GLU:HG3	1:B:1169:ARG:HG3	1.89	0.54
1:B:382:MET:HE3	1:B:459:LEU:HD11	1.89	0.54
1:A:383:ARG:HB2	1:A:386:ARG:HG3	1.89	0.54
1:B:1102:ASP:N	1:B:1102:ASP:OD1	2.35	0.54
1:B:1140:ALA:O	1:B:1146:ARG:NH1	2.41	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:PRO:HA	1:A:114:THR:HG22	1.91	0.53
1:B:1193:PRO:HG3	1:B:1217:GLN:HB2	1.91	0.52
1:B:743:PHE:CD2	1:B:749:VAL:HG22	2.45	0.52
1:A:743:PHE:CD2	1:A:749:VAL:HG22	2.45	0.51
1:A:1192:ASN:O	1:A:1198:GLU:HG2	2.10	0.51
1:B:1062:THR:HG22	1:B:1098:ARG:HG2	1.92	0.51
1:B:220:VAL:HG11	1:B:259:PRO:HB3	1.94	0.50
1:B:329:ASP:OD2	1:B:437:ASN:ND2	2.45	0.50
1:A:272:ILE:HD11	1:A:306:LEU:HD11	1.94	0.50
1:A:289:LEU:HD12	1:A:298:ILE:HG12	1.94	0.50
1:A:760:MET:HE1	1:A:994:ARG:HD2	1.95	0.49
1:A:1062:THR:HG22	1:A:1098:ARG:HG2	1.94	0.49
1:A:944:ASN:O	1:A:944:ASN:ND2	2.44	0.49
1:A:989:PHE:O	1:A:993:THR:OG1	2.28	0.49
1:B:83:MET:HE2	1:B:85:THR:HB	1.95	0.48
1:A:1138:ASP:N	1:A:1138:ASP:OD1	2.46	0.48
1:B:1098:ARG:NH2	1:B:1102:ASP:O	2.47	0.48
1:B:201:TYR:CE2	1:B:1121:GLU:HG2	2.49	0.48
1:A:785:LEU:HD12	1:A:801:ILE:HG12	1.94	0.48
1:A:963:THR:HA	1:A:1018:LYS:O	2.13	0.48
1:B:193:LEU:O	1:B:197:ILE:HG12	2.13	0.48
1:A:193:LEU:O	1:A:197:ILE:HG12	2.13	0.48
1:B:900:GLY:O	1:B:903:SER:OG	2.23	0.48
1:A:83:MET:HE2	1:A:85:THR:HB	1.95	0.47
1:B:618:SER:OG	1:B:621:ASN:OD1	2.32	0.47
1:B:719:MET:HB2	1:B:884:ALA:HB1	1.96	0.47
1:A:950:PRO:HD2	1:A:970:SER:HB3	1.96	0.47
1:A:1102:ASP:HA	1:A:1145:TYR:HB3	1.96	0.47
1:A:1140:ALA:HB2	1:A:1149:ILE:HG12	1.97	0.47
1:A:1129:ARG:O	1:A:1156:THR:HG22	2.15	0.47
1:B:1129:ARG:O	1:B:1156:THR:HG22	2.15	0.47
1:A:857:GLN:O	1:A:861:ILE:HG12	2.15	0.47
1:B:1140:ALA:H	1:B:1146:ARG:NH2	2.13	0.46
1:A:991:PHE:CZ	1:A:995:MET:HE2	2.50	0.46
1:A:1095:TYR:CD1	1:A:1104:PRO:HD2	2.51	0.46
1:B:1192:ASN:O	1:B:1198:GLU:HG2	2.14	0.46
1:A:989:PHE:HA	1:A:992:ILE:HG22	1.97	0.46
1:A:1098:ARG:NH1	1:A:1102:ASP:O	2.49	0.46
1:B:828:PHE:HB2	1:B:832:MET:HG3	1.98	0.46
1:B:1069:ILE:HD11	1:B:1090:VAL:HG13	1.98	0.46
1:B:431:THR:HG21	1:B:467:GLU:HG2	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:544:ASP:OD2	1:B:598:ARG:NH1	2.49	0.45
1:B:989:PHE:HA	1:B:992:ILE:HG22	1.98	0.45
1:A:844:ILE:HD11	1:B:866:ASN:HB3	1.99	0.45
1:A:1069:ILE:HD11	1:A:1090:VAL:HG13	1.98	0.45
1:A:669:THR:HG21	1:A:685:LEU:HD11	1.99	0.45
1:B:1102:ASP:HA	1:B:1145:TYR:HB3	1.99	0.45
1:A:331:ILE:HG22	1:A:333:ALA:H	1.81	0.45
1:A:177:ARG:O	1:A:180:GLU:HG3	2.17	0.44
1:A:828:PHE:HB2	1:A:832:MET:HG3	1.98	0.44
1:A:1136:ARG:HD3	1:A:1222:SER:OG	2.18	0.44
1:B:201:TYR:HE2	1:B:1121:GLU:HG2	1.82	0.44
1:B:1023:LYS:HG3	1:B:1030:ASN:OD1	2.18	0.44
1:B:1187:ALA:HB2	1:B:1221:PRO:HD3	1.99	0.44
1:A:1172:SER:OG	1:A:1173:ASP:N	2.47	0.43
1:A:1187:ALA:HB2	1:A:1221:PRO:HD3	2.00	0.43
1:A:1193:PRO:HG3	1:A:1217:GLN:HB2	1.99	0.43
1:B:445:PRO:HB2	1:B:468:LEU:O	2.19	0.43
1:B:1051:ARG:HD3	1:B:1176:TRP:CD2	2.53	0.43
1:A:851:TYR:CE1	1:A:856:ARG:HG3	2.53	0.43
1:A:991:PHE:HZ	1:A:995:MET:HE2	1.83	0.43
1:B:931:TYR:HB2	1:B:955:VAL:HG22	2.01	0.43
1:A:1146:ARG:HG2	1:A:1147:GLY:O	2.19	0.42
1:B:1138:ASP:N	1:B:1138:ASP:OD1	2.49	0.42
1:A:128:GLU:HA	1:A:139:VAL:HB	2.01	0.42
1:A:124:LEU:HD13	1:A:149:ARG:HG3	2.02	0.42
1:A:45:ILE:HG21	1:A:56:LEU:HD21	2.00	0.42
1:A:941:ASP:N	1:A:941:ASP:OD1	2.52	0.42
1:B:1216:LEU:HD12	1:B:1216:LEU:HA	1.89	0.42
1:A:1228:ASP:O	1:A:1231:LYS:HG2	2.19	0.42
1:B:912:ILE:HD12	1:B:1011:GLU:HB2	2.01	0.42
1:A:860:LEU:O	1:A:864:ILE:HG12	2.20	0.41
1:A:436:GLN:O	1:A:440:ARG:NH1	2.53	0.41
1:B:716:ALA:O	1:B:719:MET:HG2	2.20	0.41
1:A:958:GLU:N	1:A:958:GLU:OE1	2.53	0.41
1:A:1195:ARG:NH1	1:A:1213:GLY:O	2.48	0.41
1:A:420:LEU:O	1:A:424:GLN:HG2	2.20	0.41
1:A:41:VAL:HG21	1:A:64:HIS:CE1	2.55	0.41
1:A:833:VAL:HG22	1:A:1166:GLU:OE1	2.21	0.41
1:A:445:PRO:O	1:A:470:VAL:HG22	2.20	0.41
1:B:926:ILE:HD11	1:B:997:PHE:CE1	2.56	0.41
1:B:731:ILE:O	1:B:735:SER:HB2	2.22	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:989:PHE:O	1:B:993:THR:OG1	2.28	0.40
1:A:723:LEU:HD23	1:A:738:LEU:HD13	2.03	0.40
1:B:958:GLU:OE1	1:B:958:GLU:N	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1273/1288 (99%)	1209 (95%)	64 (5%)	0	100	100
1	B	1273/1288 (99%)	1216 (96%)	57 (4%)	0	100	100
All	All	2546/2576 (99%)	2425 (95%)	121 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1030/1039 (99%)	995 (97%)	35 (3%)	32	35
1	B	1030/1039 (99%)	995 (97%)	35 (3%)	32	35
All	All	2060/2078 (99%)	1990 (97%)	70 (3%)	33	35

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	GLU
1	A	198	VAL
1	A	249	MET
1	A	297	ASP
1	A	303	GLN
1	A	338	ILE
1	A	341	VAL
1	A	352	GLN
1	A	431	THR
1	A	581	GLU
1	A	600	GLU
1	A	685	LEU
1	A	697	GLU
1	A	724	PHE
1	A	738	LEU
1	A	750	LEU
1	A	784	ILE
1	A	785	LEU
1	A	807	HIS
1	A	832	MET
1	A	940	ASP
1	A	944	ASN
1	A	970	SER
1	A	982	GLU
1	A	996	MET
1	A	1017	LEU
1	A	1038	ARG
1	A	1068	HIS
1	A	1102	ASP
1	A	1121	GLU
1	A	1124	TRP
1	A	1151	ILE
1	A	1152	VAL
1	A	1171	ASP
1	A	1218	ILE
1	B	229	GLU
1	B	240	ILE
1	B	249	MET
1	B	250	VAL
1	B	297	ASP
1	B	298	ILE
1	B	303	GLN
1	B	338	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	346	VAL
1	B	431	THR
1	B	472	HIS
1	B	473	VAL
1	B	546	ARG
1	B	581	GLU
1	B	592	VAL
1	B	595	ILE
1	B	629	VAL
1	B	724	PHE
1	B	738	LEU
1	B	784	ILE
1	B	807	HIS
1	B	832	MET
1	B	901	ARG
1	B	943	ARG
1	B	947	LYS
1	B	982	GLU
1	B	1017	LEU
1	B	1038	ARG
1	B	1068	HIS
1	B	1086	VAL
1	B	1102	ASP
1	B	1152	VAL
1	B	1171	ASP
1	B	1211	GLN
1	B	1218	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	ASN
1	A	280	GLN
1	A	320	GLN
1	A	352	GLN
1	A	570	GLN
1	A	579	HIS
1	A	596	ASN
1	A	664	GLN
1	A	839	GLN
1	A	1010	ASN
1	A	1091	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1099	GLN
1	B	71	ASN
1	B	174	HIS
1	B	280	GLN
1	B	352	GLN
1	B	570	GLN
1	B	579	HIS
1	B	664	GLN
1	B	713	ASN
1	B	748	ASN
1	B	1091	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	DUC	B	1302	2	8,8,8	0.26	0	10,10,10	0.30	0
3	DUC	A	1302	2	8,8,8	0.23	0	10,10,10	0.34	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DUC	B	1302	2	-	-	0/1/1/1
3	DUC	A	1302	2	-	-	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.



There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.