



## Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 11:40 AM UTC

PDB ID : 9H1Q / pdb\_00009h1q  
EMDB ID : EMD-51770  
Title : Structure of the borna disease virus 1 replication core complex - reaction complex  
Authors : Keown, J.R.; Carrique, L.; Grimes, J.M.  
Deposited on : 2024-10-10  
Resolution : 2.95 Å(reported)  
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49



# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	13114 ( 2.45 - 3.45 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1756	 53% 13% 35%
2	B	217	 18% 5% 77%
2	C	217	 13% 1% 84%
2	D	217	 10% 6% 84%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	E	217	 A horizontal bar chart showing the quality of chain E. The bar is divided into three segments: a green segment on the left labeled '12%', a yellow segment in the middle, and a grey segment on the right labeled '84%'. A small black dot is located on the yellow segment.

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 20850 atoms, of which 10537 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-directed RNA polymerase L.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	1150	Total	C	H	N	O	S	0	0
			18372	5864	9250	1556	1651	51		

There are 45 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-44	MET	-	initiating methionine	UNP P52639
A	-43	TRP	-	expression tag	UNP P52639
A	-42	SER	-	expression tag	UNP P52639
A	-41	HIS	-	expression tag	UNP P52639
A	-40	PRO	-	expression tag	UNP P52639
A	-39	GLN	-	expression tag	UNP P52639
A	-38	PHE	-	expression tag	UNP P52639
A	-37	GLU	-	expression tag	UNP P52639
A	-36	LYS	-	expression tag	UNP P52639
A	-35	GLY	-	expression tag	UNP P52639
A	-34	GLY	-	expression tag	UNP P52639
A	-33	GLY	-	expression tag	UNP P52639
A	-32	SER	-	expression tag	UNP P52639
A	-31	GLY	-	expression tag	UNP P52639
A	-30	GLY	-	expression tag	UNP P52639
A	-29	GLY	-	expression tag	UNP P52639
A	-28	SER	-	expression tag	UNP P52639
A	-27	GLY	-	expression tag	UNP P52639
A	-26	GLY	-	expression tag	UNP P52639
A	-25	SER	-	expression tag	UNP P52639
A	-24	SER	-	expression tag	UNP P52639
A	-23	ALA	-	expression tag	UNP P52639
A	-22	TRP	-	expression tag	UNP P52639
A	-21	SER	-	expression tag	UNP P52639
A	-20	HIS	-	expression tag	UNP P52639
A	-19	PRO	-	expression tag	UNP P52639
A	-18	GLN	-	expression tag	UNP P52639
A	-17	PHE	-	expression tag	UNP P52639

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-16	GLU	-	expression tag	UNP P52639
A	-15	LYS	-	expression tag	UNP P52639
A	-14	HIS	-	expression tag	UNP P52639
A	-13	HIS	-	expression tag	UNP P52639
A	-12	HIS	-	expression tag	UNP P52639
A	-11	HIS	-	expression tag	UNP P52639
A	-10	HIS	-	expression tag	UNP P52639
A	-9	HIS	-	expression tag	UNP P52639
A	-8	HIS	-	expression tag	UNP P52639
A	-7	HIS	-	expression tag	UNP P52639
A	-6	GLU	-	expression tag	UNP P52639
A	-5	ASN	-	expression tag	UNP P52639
A	-4	LEU	-	expression tag	UNP P52639
A	-3	TYR	-	expression tag	UNP P52639
A	-2	PHE	-	expression tag	UNP P52639
A	-1	GLN	-	expression tag	UNP P52639
A	0	GLY	-	expression tag	UNP P52639

- Molecule 2 is a protein called Phosphoprotein.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	B	50	Total	C	H	N	O	S	0	0
			779	240	402	60	70	7		
2	C	34	Total	C	H	N	O	S	0	0
			566	172	295	42	51	6		
2	D	34	Total	C	H	N	O	S	0	0
			566	172	295	42	51	6		
2	E	34	Total	C	H	N	O	S	0	0
			566	172	295	42	51	6		

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-15	MET	-	initiating methionine	UNP P0C799
B	-14	HIS	-	expression tag	UNP P0C799
B	-13	HIS	-	expression tag	UNP P0C799
B	-12	HIS	-	expression tag	UNP P0C799
B	-11	HIS	-	expression tag	UNP P0C799
B	-10	HIS	-	expression tag	UNP P0C799
B	-9	HIS	-	expression tag	UNP P0C799
B	-8	HIS	-	expression tag	UNP P0C799
B	-7	HIS	-	expression tag	UNP P0C799

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	GLU	-	expression tag	UNP P0C799
B	-5	ASN	-	expression tag	UNP P0C799
B	-4	LEU	-	expression tag	UNP P0C799
B	-3	TYR	-	expression tag	UNP P0C799
B	-2	PHE	-	expression tag	UNP P0C799
B	-1	GLN	-	expression tag	UNP P0C799
B	0	GLY	-	expression tag	UNP P0C799
C	-15	MET	-	initiating methionine	UNP P0C799
C	-14	HIS	-	expression tag	UNP P0C799
C	-13	HIS	-	expression tag	UNP P0C799
C	-12	HIS	-	expression tag	UNP P0C799
C	-11	HIS	-	expression tag	UNP P0C799
C	-10	HIS	-	expression tag	UNP P0C799
C	-9	HIS	-	expression tag	UNP P0C799
C	-8	HIS	-	expression tag	UNP P0C799
C	-7	HIS	-	expression tag	UNP P0C799
C	-6	GLU	-	expression tag	UNP P0C799
C	-5	ASN	-	expression tag	UNP P0C799
C	-4	LEU	-	expression tag	UNP P0C799
C	-3	TYR	-	expression tag	UNP P0C799
C	-2	PHE	-	expression tag	UNP P0C799
C	-1	GLN	-	expression tag	UNP P0C799
C	0	GLY	-	expression tag	UNP P0C799
D	-15	MET	-	initiating methionine	UNP P0C799
D	-14	HIS	-	expression tag	UNP P0C799
D	-13	HIS	-	expression tag	UNP P0C799
D	-12	HIS	-	expression tag	UNP P0C799
D	-11	HIS	-	expression tag	UNP P0C799
D	-10	HIS	-	expression tag	UNP P0C799
D	-9	HIS	-	expression tag	UNP P0C799
D	-8	HIS	-	expression tag	UNP P0C799
D	-7	HIS	-	expression tag	UNP P0C799
D	-6	GLU	-	expression tag	UNP P0C799
D	-5	ASN	-	expression tag	UNP P0C799
D	-4	LEU	-	expression tag	UNP P0C799
D	-3	TYR	-	expression tag	UNP P0C799
D	-2	PHE	-	expression tag	UNP P0C799
D	-1	GLN	-	expression tag	UNP P0C799
D	0	GLY	-	expression tag	UNP P0C799
E	-15	MET	-	initiating methionine	UNP P0C799
E	-14	HIS	-	expression tag	UNP P0C799
E	-13	HIS	-	expression tag	UNP P0C799

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-12	HIS	-	expression tag	UNP P0C799
E	-11	HIS	-	expression tag	UNP P0C799
E	-10	HIS	-	expression tag	UNP P0C799
E	-9	HIS	-	expression tag	UNP P0C799
E	-8	HIS	-	expression tag	UNP P0C799
E	-7	HIS	-	expression tag	UNP P0C799
E	-6	GLU	-	expression tag	UNP P0C799
E	-5	ASN	-	expression tag	UNP P0C799
E	-4	LEU	-	expression tag	UNP P0C799
E	-3	TYR	-	expression tag	UNP P0C799
E	-2	PHE	-	expression tag	UNP P0C799
E	-1	GLN	-	expression tag	UNP P0C799
E	0	GLY	-	expression tag	UNP P0C799


- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
3	A	1	Total	Zn	0
			1	1	

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: RNA-directed RNA polymerase L





[illegible]

- Molecule 2: Phosphoprotein

Chain B:  18% 5% 77%

[illegible]

- Molecule 2: Phosphoprotein

Chain C:  13% 1% 84%

THR	GLU	GLN	MET
PRO	ALA	HIS	HIS
GLN	GLY	LEU	HIS
LEU	PHE	LYS	HIS
PRO	GLU	ASP	HIS
SER	SER	LEU	HIS
ALA	LEU	ARG	HIS
PRO	SER	LYS	HIS
THR	ALA	ASN	HIS
THR	LEU	PRO	GLU
ASP	GLN	SER	ASN
GLU	VAL	MET	LEU
TRP	GLU	ILE	TYP
ASP	THR	SER	PHE
ILE	ILE	GLN	GLN
ILE	GLN	PRO	GLY
PRO	THR	ASP	MET
	ALA	ALA	THR
	GLN	ARG	THR
	ARG	THR	ANG
	CYS	GLY	PRO
	ASP	ARG	SER
	HIS	GLU	SER
	SER	GLN	LEU
	ASP	LEU	VAL
	SER	ASN	ASP
	ILE	ASN	SER
	ARG	ASP	LEU
	I133	GLU	LEU
	L134	LEU	ASP
	S144	ILE	GLU
	S147	LYS	GLU
	T147	LEU	ASP
	M156	VAL	PRO
	V159	THR	GLN
	V159	GLU	THR
	Y163	LEU	LEU
	Y163	ALA	ARG
	T166	GLN	GLU
	ALA	ASN	ARG
	VAL	SER	PRO
	GLY	MET	GLY
	THR	ILE	SER
	SER	GLU	ARG
	ALA	ALA	ARG
	PRO	GLU	PRO
	LEU	VAL	ARG
	LEU	ARG	VAL
	PRO	GLY	PRO
	PRO	THR	VAL
	SER	LEU	ASN
	HIS	GLY	ALA
	PRO	ASP	LEU
	ALA	ILE	THR
	PRO	SER	GLN
	PRO	ALA	THR
	ARG	ARG	ASP
	T15	THR	VAL


- Molecule 2: Phosphoprotein

Chain D:  10% 6% 84%

MET	HIS	HIS	HIS	HIS	HIS	HIS	HIS	HIS	HIS	GLU	GLU	ASN	ASN	TYR	PHE	GLN	GLY	MET	ALA	ALA	THR	ARG	ARG	PRO	PRO	SER	SER	LEU	LEU	GLU	GLU	ASP	ASP	GLU	GLU	GLU	ASP	ASP	PRO	PRO	GLN	THR	THR	LEU	ARG	ARG	ARG	GLU	GLU	ARG	ARG	PRO	PRO	GLY	SER	SER	PRO	PRO	ARG	ARG	PRO	PRO	ARG	ARG	ALA	ALA	LEU	LEU	THR	THR	GLN	GLN	PRO	PRO	VAL	VAL	VAL	ASP
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 2: Phosphoprotein

Chain E:  12% 84%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	264568	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1400	Depositor
Maximum defocus (nm)	2600	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.589	Depositor
Minimum map value	-0.275	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.019	Depositor
Recommended contour level	0.0504	Depositor
Map size ( $\text{\AA}$ )	238.592, 238.592, 238.592	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.932, 0.932, 0.932	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.19	0/9333	0.30	0/12680
2	B	0.16	0/383	0.30	0/516
2	C	0.12	0/271	0.26	0/358
2	D	0.13	0/271	0.26	0/358
2	E	0.14	0/271	0.31	0/358
All	All	0.18	0/10529	0.30	0/14270

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9122	9250	9223	148	0
2	B	377	402	401	11	0
2	C	271	295	295	6	0
2	D	271	295	295	10	0
2	E	271	295	295	5	0
3	A	1	0	0	0	0
All	All	10313	10537	10509	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 8.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:568:ARG:NE	2:B:157:GLU:OE1	2.02	0.90
1:A:993:CYS:SG	1:A:1212:THR:OG1	2.31	0.89
1:A:1100:ARG:NH2	1:A:1219:SER:O	2.13	0.82
1:A:168:ASP:OD1	1:A:169:THR:N	2.15	0.80
1:A:125:LEU:HD11	1:A:773:ILE:HD12	1.64	0.77
1:A:150:ARG:NH2	1:A:152:GLY:O	2.17	0.77
2:D:144:SER:O	2:D:147:THR:OG1	2.01	0.77
2:E:147:THR:O	2:E:151:THR:OG1	2.02	0.76
1:A:251:SER:OG	1:A:702:ASP:OD2	2.05	0.73
1:A:464:ARG:NH1	2:B:179:PRO:O	2.22	0.73
1:A:357:CYS:SG	1:A:362:LYS:NZ	2.59	0.72
1:A:1027:SER:OG	1:A:1203:PRO:O	2.06	0.72
1:A:411:ARG:NE	1:A:607:GLU:OE1	2.22	0.71
1:A:480:GLU:N	1:A:480:GLU:OE1	2.23	0.70
1:A:452:LEU:HD21	1:A:499:ILE:HD11	1.73	0.69
2:B:151:THR:HG23	2:C:156:MET:CE	2.22	0.68
1:A:1227:GLU:N	1:A:1227:GLU:OE1	2.27	0.67
1:A:418:TYR:O	1:A:433:ARG:NH2	2.28	0.67
1:A:42:SER:O	1:A:43:SER:OG	2.12	0.66
1:A:477:VAL:HG22	1:A:490:PHE:O	1.98	0.64
1:A:572:GLN:OE1	2:B:153:LYS:NZ	2.31	0.64
1:A:595:GLN:O	1:A:595:GLN:HG3	1.97	0.63
1:A:501:GLN:NE2	1:A:626:MET:SD	2.71	0.63
1:A:821:LEU:HD23	1:A:998:ALA:HB1	1.79	0.63
1:A:477:VAL:HG12	1:A:595:GLN:CD	2.24	0.63
2:D:160:ASP:OD1	2:D:161:LEU:N	2.32	0.62
1:A:611:ASP:OD2	1:A:614:THR:OG1	2.16	0.62
1:A:1020:GLU:O	1:A:1209:SER:OG	2.17	0.62
1:A:226:HIS:HE1	1:A:230:PHE:CE2	2.18	0.62
1:A:826:ALA:HB2	1:A:994:THR:HG21	1.82	0.61
1:A:1047:LEU:HD23	1:A:1200:ILE:HD11	1.82	0.61
1:A:516:LEU:O	1:A:520:SER:N	2.32	0.61
1:A:226:HIS:CE1	1:A:230:PHE:CE2	2.89	0.60
1:A:513:MET:SD	1:A:523:MET:HE1	2.41	0.60
1:A:557:GLY:O	1:A:559:ARG:NH1	2.35	0.60
1:A:336:GLU:OE1	1:A:518:THR:OG1	2.10	0.60
1:A:437:ARG:NH1	1:A:441:SER:OG	2.34	0.60
1:A:409:SER:OG	1:A:413:ASP:OD2	2.15	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:151:THR:HG23	2:C:156:MET:HE1	1.84	0.59
1:A:931:LEU:HD12	1:A:931:LEU:O	2.02	0.59
1:A:900:GLN:OE1	1:A:1235:TRP:NE1	2.36	0.59
1:A:1215:GLU:N	1:A:1215:GLU:OE1	2.37	0.58
2:B:141:LEU:O	2:B:144:SER:OG	2.15	0.58
1:A:70:ARG:NH1	1:A:220:ASP:O	2.37	0.57
1:A:312:MET:HE1	1:A:476:LEU:HD11	1.86	0.57
1:A:519:HIS:O	1:A:522:THR:HG22	2.03	0.57
1:A:40:LEU:CD2	1:A:173:LEU:HD23	2.34	0.57
1:A:40:LEU:HD22	1:A:173:LEU:HD23	1.85	0.57
2:D:150:GLU:N	2:D:150:GLU:OE1	2.38	0.56
1:A:103:HIS:NE2	1:A:1192:SER:OG	2.32	0.55
1:A:921:ARG:NH1	1:A:924:ASP:OD1	2.39	0.55
1:A:1100:ARG:HD2	1:A:1102:VAL:HG23	1.88	0.55
1:A:651:ASN:O	1:A:652:ILE:C	2.50	0.55
1:A:1027:SER:HA	1:A:1030:ALA:HB2	1.88	0.55
1:A:753:ALA:O	1:A:758:THR:OG1	2.24	0.54
1:A:103:HIS:CE1	1:A:1192:SER:HG	2.25	0.54
1:A:358:ASP:OD1	1:A:360:SER:N	2.36	0.54
1:A:1005:THR:HG23	1:A:1006:TRP:CD1	2.43	0.54
1:A:617:VAL:O	1:A:617:VAL:HG13	2.07	0.53
1:A:279:LEU:HD23	1:A:283:LEU:HD23	1.91	0.52
1:A:216:ILE:HA	1:A:294:TRP:HH2	1.75	0.52
1:A:965:GLU:OE2	1:A:968:ARG:NH2	2.43	0.52
1:A:786:ASP:O	1:A:789:LEU:N	2.43	0.51
2:D:152:MET:O	2:D:156:MET:N	2.43	0.51
1:A:78:VAL:N	1:A:126:GLU:OE2	2.44	0.51
1:A:747:THR:HG23	1:A:809:LEU:HD11	1.92	0.51
1:A:939:SER:O	1:A:943:LEU:HD23	2.11	0.51
1:A:104:MET:HE1	1:A:761:TRP:CE2	2.46	0.51
1:A:264:GLU:N	1:A:264:GLU:OE1	2.44	0.50
1:A:419:ASN:OD1	1:A:421:ALA:N	2.44	0.50
1:A:1151:VAL:O	1:A:1151:VAL:HG12	2.10	0.50
1:A:36:VAL:O	1:A:40:LEU:HD23	2.12	0.50
1:A:643:LEU:HD13	1:A:650:PHE:CB	2.42	0.50
1:A:979:ASP:OD1	1:A:980:THR:N	2.45	0.50
1:A:1089:ASP:OD1	1:A:1090:THR:N	2.45	0.50
1:A:403:SER:O	1:A:444:VAL:HG23	2.11	0.49
1:A:837:VAL:HG13	1:A:841:LEU:HD23	1.93	0.49
1:A:237:PHE:HB3	1:A:238:PRO:HD3	1.95	0.49
1:A:831:LEU:O	1:A:835:THR:HG22	2.13	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1089:ASP:HA	1:A:1092:VAL:HG12	1.95	0.49
1:A:444:VAL:HG11	1:A:950:VAL:CG2	2.43	0.48
1:A:1205:LEU:H	1:A:1205:LEU:HD23	1.79	0.48
1:A:582:THR:HG23	1:A:583:GLY:N	2.28	0.48
1:A:332:ILE:HB	1:A:641:ILE:HD11	1.95	0.47
1:A:1002:ARG:HA	1:A:1005:THR:HG22	1.96	0.47
1:A:1001:LEU:O	1:A:1005:THR:HG22	2.14	0.47
1:A:501:GLN:O	1:A:505:GLU:HG2	2.16	0.46
1:A:392:LEU:HD21	1:A:579:PHE:CE2	2.51	0.46
1:A:579:PHE:O	1:A:582:THR:HG22	2.16	0.46
1:A:1152:ASN:OD1	1:A:1153:ILE:N	2.48	0.46
1:A:69:PHE:CD1	1:A:154:MET:HE1	2.50	0.46
1:A:655:GLN:N	1:A:655:GLN:OE1	2.49	0.46
1:A:546:VAL:HG11	1:A:705:TYR:HB3	1.97	0.46
1:A:403:SER:OG	1:A:404:ASP:N	2.49	0.46
1:A:566:ILE:HD12	1:A:634:LEU:HD21	1.98	0.46
1:A:1097:TYR:CD1	1:A:1102:VAL:HG11	2.51	0.46
1:A:1151:VAL:HG11	1:A:1187:CYS:SG	2.55	0.46
1:A:245:MET:HE1	1:A:699:TRP:CE3	2.51	0.46
1:A:1151:VAL:O	1:A:1151:VAL:CG1	2.64	0.45
1:A:33:GLY:HA3	1:A:298:GLU:OE2	2.16	0.45
1:A:175:THR:OG1	1:A:178:HIS:ND1	2.47	0.45
1:A:92:LEU:CD1	1:A:112:VAL:HG21	2.47	0.45
1:A:704:LEU:HD11	1:A:711:LEU:HD12	1.98	0.45
1:A:596:ASP:HB3	1:A:599:ASN:HB3	1.99	0.44
1:A:1233:ALA:O	1:A:1234:GLU:HB3	2.17	0.44
2:D:155:MET:CE	2:E:156:MET:HE1	2.48	0.44
1:A:279:LEU:HD23	1:A:283:LEU:CD2	2.48	0.44
2:B:155:MET:HE1	2:C:159:VAL:HG11	1.99	0.44
1:A:1017:PHE:CE2	1:A:1019:ALA:HB3	2.52	0.44
1:A:232:ILE:O	1:A:236:ILE:HG13	2.18	0.44
2:D:148:MET:HA	2:D:151:THR:HG22	1.99	0.44
1:A:769:CYS:O	1:A:773:ILE:HG12	2.18	0.43
1:A:1100:ARG:O	1:A:1100:ARG:HD3	2.18	0.43
1:A:197:VAL:HG22	1:A:209:LEU:HD22	2.00	0.43
1:A:494:THR:HG22	1:A:495:LEU:N	2.34	0.43
1:A:238:PRO:HB2	1:A:260:PHE:CZ	2.54	0.43
1:A:1091:LEU:CD2	1:A:1115:LEU:HD11	2.49	0.43
2:B:158:LYS:HD2	2:C:163:TYR:CD2	2.53	0.43
1:A:45:LEU:H	1:A:45:LEU:HD12	1.83	0.43
1:A:691:HIS:O	1:A:692:ASN:C	2.62	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1004:LEU:C	1:A:1004:LEU:HD23	2.43	0.43
1:A:96:VAL:HG11	1:A:105:THR:HB	2.00	0.43
1:A:786:ASP:O	1:A:787:GLU:C	2.62	0.43
1:A:936:TYR:HD1	1:A:1236:LEU:HD12	1.83	0.43
1:A:63:CYS:HA	1:A:298:GLU:OE1	2.19	0.43
1:A:687:ARG:NH2	1:A:692:ASN:OD1	2.52	0.42
2:C:144:SER:O	2:C:147:THR:OG1	2.26	0.42
1:A:299:ILE:H	1:A:299:ILE:HD12	1.84	0.42
1:A:1047:LEU:HD11	1:A:1157:TRP:CD1	2.54	0.42
1:A:313:ARG:NH2	1:A:610:GLU:OE2	2.48	0.42
2:D:143:ARG:O	2:D:147:THR:HG23	2.19	0.42
2:D:148:MET:O	2:D:152:MET:HG2	2.19	0.42
2:E:137:ASN:OD1	2:E:137:ASN:N	2.52	0.42
1:A:113:ARG:O	1:A:117:THR:HG23	2.19	0.42
1:A:912:ARG:O	1:A:915:SER:OG	2.29	0.42
1:A:539:ILE:HG23	1:A:540:THR:N	2.34	0.42
1:A:898:PHE:CZ	1:A:1236:LEU:HD11	2.55	0.42
2:B:137:ASN:O	2:B:141:LEU:HD23	2.19	0.42
1:A:245:MET:HE1	1:A:699:TRP:CD2	2.54	0.42
1:A:290:VAL:O	1:A:290:VAL:HG23	2.20	0.42
1:A:412:ARG:NH2	1:A:438:SER:OG	2.53	0.41
1:A:1086:LEU:HA	1:A:1089:ASP:OD2	2.20	0.41
2:D:151:THR:HG23	2:D:152:MET:N	2.35	0.41
1:A:215:MET:HE1	1:A:287:VAL:HG22	2.03	0.41
1:A:378:TRP:CE2	1:A:641:ILE:HD12	2.55	0.41
1:A:936:TYR:CD1	1:A:1236:LEU:HD12	2.56	0.41
1:A:1052:LEU:HA	1:A:1154:LEU:HD21	2.03	0.41
1:A:1191:ASP:OD1	1:A:1195:ARG:NE	2.54	0.41
2:B:136:GLU:OE1	2:B:136:GLU:N	2.46	0.41
1:A:68:LEU:HD11	1:A:167:ILE:HG12	2.01	0.41
1:A:396:PRO:HD2	1:A:455:ILE:HD13	2.03	0.41
1:A:1100:ARG:CD	1:A:1102:VAL:HG23	2.49	0.41
2:D:157:GLU:OE1	2:D:157:GLU:N	2.51	0.41
2:E:141:LEU:O	2:E:144:SER:OG	2.22	0.41
1:A:505:GLU:OE1	1:A:629:LYS:HG2	2.21	0.41
1:A:512:VAL:HG13	1:A:513:MET:N	2.36	0.41
1:A:262:ILE:N	1:A:263:PRO:HD2	2.36	0.41
1:A:276:LEU:HD13	1:A:287:VAL:HG11	2.03	0.41
2:B:158:LYS:O	2:B:162:LEU:HD23	2.20	0.41
1:A:1087:VAL:O	1:A:1091:LEU:HD23	2.21	0.40
2:C:134:LEU:H	2:C:134:LEU:HD23	1.86	0.40

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:ASP:HB3	1:A:67:LEU:HD12	2.02	0.40
1:A:105:THR:O	1:A:109:TYR:CD2	2.74	0.40
1:A:322:LEU:HD22	1:A:562:LEU:HB2	2.03	0.40
1:A:566:ILE:HD12	1:A:634:LEU:CD2	2.51	0.40
1:A:900:GLN:OE1	1:A:1235:TRP:CD1	2.75	0.40
1:A:1010:LEU:HD23	1:A:1010:LEU:C	2.47	0.40
1:A:981:THR:HG22	1:A:982:GLU:N	2.36	0.40
1:A:1113:ARG:HD3	1:A:1231:ARG:O	2.20	0.40
1:A:1179:PHE:CD1	1:A:1179:PHE:C	3.00	0.40
1:A:859:LEU:HB2	1:A:1006:TRP:CH2	2.55	0.40
2:E:155:MET:O	2:E:158:LYS:HG2	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1138/1756 (65%)	1082 (95%)	56 (5%)	0	100	100
2	B	48/217 (22%)	44 (92%)	4 (8%)	0	100	100
2	C	32/217 (15%)	32 (100%)	0	0	100	100
2	D	32/217 (15%)	32 (100%)	0	0	100	100
2	E	32/217 (15%)	31 (97%)	1 (3%)	0	100	100
All	All	1282/2624 (49%)	1221 (95%)	61 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1011/1528 (66%)	1011 (100%)	0	100	100
2	B	44/196 (22%)	44 (100%)	0	100	100
2	C	32/196 (16%)	32 (100%)	0	100	100
2	D	32/196 (16%)	32 (100%)	0	100	100
2	E	32/196 (16%)	32 (100%)	0	100	100
All	All	1151/2312 (50%)	1151 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	226	HIS
1	A	327	HIS
1	A	1025	HIS
1	A	1050	HIS
1	A	1094	HIS
1	A	1106	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-51770. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


### 6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 120




Y Index: 124




Z Index: 104


### 6.3.2 Raw map



X Index: 120



Y Index: 124




Z Index: 0

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0504. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

## 6.6 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 136 nm<sup>3</sup>; this corresponds to an approximate mass of 123 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.339 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.339  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.95	-	-
Author-provided FSC curve	2.95	3.24	2.97
Unmasked-calculated*	3.79	4.27	3.86

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.79 differs from the reported value 2.95 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-51770 and PDB model 9H1Q. Per-residue inclusion information can be found in section 3 on page 8.


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.0504 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0504).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.



9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0504) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.9510	<div></div> 0.4670
A	<div></div> 0.9640	<div></div> 0.4880
B	<div></div> 0.9650	<div></div> 0.4660
C	<div></div> 0.8470	<div></div> 0.1990
D	<div></div> 0.7460	<div></div> 0.1560
E	<div></div> 0.8510	<div></div> 0.3390

