Full wwPDB X-ray Structure Validation Report (i)

Jun 25, 2024 – 09:55 AM EDT

PDB ID	:	6H2R
Title	:	Sulfolobus solfataricus 2-keto-3-deoxygluconate aldolase T157V/D181Q/A198L variant
Authors	:	Crennell, S.J.; Danson, M.J.; Royer, S.
Deposited on	:	2018-07-16
Resolution	:	1.57 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5534 (1.60-1.56)
Clashscore	141614	5861 (1.60-1.56)
Ramachandran outliers	138981	5708 (1.60-1.56)
Sidechain outliers	138945	5703 (1.60-1.56)
RSRZ outliers	127900	5431 (1.60-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	293	.% 88% 12%
1	B	293	2% 90% 10%
1	C	293	3% 88% 12%
1	D	293	2% 85% 15%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	IPA	A	302	-	-	X	-
2	IPA	B	301	-	-	X	-
2	IPA	D	301	-	-	X	-

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 21725 atoms, of which 10400 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2-dehydro-3-deoxy-phosphogluconate/2-dehydro-3-deoxy-6-phosphogalactonate aldolase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	293	5162	1637	2619	420	478	8	0	25	0
1	B	292	4996	1589	2535	403	463	6	0	19	0
1	C	293	5022	1593	2552	408	462	7	0	17	0
1	D	293	5007	1593	2538	400	468	8	0	18	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	157	VAL	THR	engineered mutation	UNP O54288
A	181	GLN	ASP	engineered mutation	UNP O54288
A	198	LEU	ALA	engineered mutation	UNP O54288
B	157	VAL	THR	engineered mutation	UNP O54288
B	181	GLN	ASP	engineered mutation	UNP O54288
B	198	LEU	ALA	engineered mutation	UNP O54288
C	157	VAL	THR	engineered mutation	UNP O54288
C	181	GLN	ASP	engineered mutation	UNP O54288
C	198	LEU	ALA	engineered mutation	UNP O54288
D	157	VAL	THR	engineered mutation	UNP O54288
D	181	GLN	ASP	engineered mutation	UNP O54288
D	198	LEU	ALA	engineered mutation	UNP O54288

- Molecule 2 is ISOPROPYL ALCOHOL (three-letter code: IPA) (formula: C_3H_8O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
2	A	1	12	3	8	1	0	0
			Total	C	H	O		
2	A	1	12	3	8	1	0	0
			Total	C	H	O		
2	B	1	12	3	8	1	0	0
			Total	C	H	O		
2	C	1	12	3	8	1	0	0
			Total	C	H	O		
2	C	1	12	3	8	1	0	0
			Total	C	H	O		
2	D	1	12	3	8	1	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
3	A	1	28	6	16	6	0	1
			Total	C	H	O		
3	B	1	28	6	16	6	0	1
			Total	C	H	O		
3	C	1	24	6	12	6	0	1
			Total	C	H	O		
3	D	1	28	6	16	6	0	1
			Total	C	H	O		
3	D	1	14	3	8	3	0	0

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			10	2	6	2		
4	D	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 5 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: $C_6H_{14}O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	H	O	0	0
			24	6	14	4		
5	C	1	Total	C	H	O	0	0
			24	6	14	4		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	344	Total	O	0	0
			344	344		
6	B	304	Total	O	0	0
			304	304		
6	C	301	Total	O	0	0
			301	301		
6	D	327	Total	O	0	0
			327	327		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 2-dehydro-3-deoxy-phosphogluconate/2-dehydro-3-deoxy-6-phosphogalactonate aldolase

Chain A:



• Molecule 1: 2-dehydro-3-deoxy-phosphogluconate/2-dehydro-3-deoxy-6-phosphogalactonate aldolase

Chain B:





• Molecule 1: 2-dehydro-3-deoxy-phosphogluconate/2-dehydro-3-deoxy-6-phosphogalactonate aldolase

Chain C:



• Molecule 1: 2-dehydro-3-deoxy-phosphogluconate/2-dehydro-3-deoxy-6-phosphogalactonate aldolase

Chain D:


P2
E3
I4
I9
T10
P11
K20
H26
R32
F39
T43
T44
E57
N67
Q72
D90
F91
D92
Y99
M107
S108
E109
E121
Y130
N131
Y132
P133
T134
K143
K155
D156
V157
I158
E159
N160
I161
M182
A185
T186
V187
A188
S189

T190
G191
L192
L198
T207
K212
R217
E221
A222
L223
E234
N245
L257
K293
E294

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	76.35Å 86.91Å 91.98Å 90.00° 95.79° 90.00°	Depositor
Resolution (Å)	61.58 – 1.57 61.58 – 1.57	Depositor EDS
% Data completeness (in resolution range)	97.8 (61.58-1.57) 95.7 (61.58-1.57)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.82 (at 1.58Å)	Xtriage
Refinement program	PHENIX (1.13_2998: ???)	Depositor
R, R_{free}	0.148 , 0.175 0.148 , 0.175	Depositor DCC
R_{free} test set	8108 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å^2)	16.4	Xtriage
Anisotropy	0.077	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.42 , 54.8	EDS
L-test for twinning[2]	$< \|L\| > = 0.46$, $< L^2 > = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.97	EDS
Total number of atoms	21725	wwPDB-VP
Average B, all atoms (Å^2)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.41% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, IPA, PGE, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| >5$	RMSZ	$\#\|Z\| >5$
1	A	0.51	0/2605	0.61	0/3517
1	B	0.48	0/2530	0.57	0/3420
1	C	0.46	0/2524	0.57	0/3409
1	D	0.48	0/2524	0.60	0/3411
All	All	0.48	0/10183	0.59	0/13757

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2543	2619	2588	40	0
1	B	2461	2535	2510	33	0
1	C	2470	2552	2536	33	0
1	D	2469	2538	2518	41	0
2	A	8	16	15	8	0
2	B	4	8	8	6	0
2	C	8	16	16	3	0
2	D	4	8	7	7	0
3	A	12	16	16	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	12	16	16	0	0
3	C	12	12	16	1	0
3	D	18	24	24	1	0
4	A	4	6	6	3	0
4	D	4	6	6	0	0
5	B	10	14	14	0	0
5	C	10	14	14	0	0
6	A	344	0	0	14	2
6	B	304	0	0	14	0
6	C	301	0	0	18	5
6	D	327	0	0	13	3
All	All	11325	10400	10310	139	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:245[A]:ASN:OD1	6:D:401:HOH:O	1.71	1.06
1:B:198[A]:LEU:O	6:B:401:HOH:O	1.82	0.97
1:C:198[B]:LEU:O	6:C:401:HOH:O	1.84	0.95
1:B:245[A]:ASN:ND2	6:B:403:HOH:O	2.05	0.89
1:D:159:GLU:OE1	6:D:402:HOH:O	1.92	0.88
1:D:143[A]:LYS:NZ	6:D:403:HOH:O	2.05	0.88
1:A:67[B]:ASN:OD1	6:A:401:HOH:O	1.94	0.84
1:C:237:ARG:NH1	6:C:403:HOH:O	2.13	0.81
1:B:285:LYS:NZ	6:B:405:HOH:O	2.14	0.79
1:A:57[B]:GLU:OE2	6:A:402:HOH:O	2.02	0.78
1:A:198:LEU:O	6:A:403:HOH:O	2.02	0.78
1:C:272:GLU:OE1	6:C:402:HOH:O	2.02	0.77
1:C:83[B]:ARG:NH2	6:C:405:HOH:O	2.17	0.76
1:B:245[B]:ASN:ND2	6:B:403:HOH:O	2.18	0.75
1:A:121[B]:GLU:OE2	6:A:404:HOH:O	2.04	0.74
1:B:280:GLU:OE1	6:B:402:HOH:O	2.04	0.74
1:B:198[B]:LEU:HD23	1:B:198[B]:LEU:N	2.03	0.72
1:B:159[A]:GLU:OE2	6:B:404:HOH:O	2.06	0.72
1:A:21[B]:GLU:OE2	6:A:405:HOH:O	2.06	0.72
1:D:121:GLU:OE2	6:D:404:HOH:O	2.07	0.72
1:D:198:LEU:HG	2:D:301:IPA:H33	1.71	0.72
1:C:198[A]:LEU:O	6:C:401:HOH:O	2.09	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:234[A]:GLU:OE2	6:D:405:HOH:O	2.10	0.69
1:C:17[B]:ARG:NE	6:C:410:HOH:O	2.28	0.67
1:B:43:THR:HB	2:B:301:IPA:H13	1.77	0.65
1:C:44:THR:OG1	2:C:302:IPA:H12	1.96	0.65
1:C:270:GLU:OE1	1:C:273:ARG:NH2	2.27	0.65
1:B:44:THR:OG1	2:B:301:IPA:H12	1.96	0.65
1:D:294:GLU:OE1	6:D:407:HOH:O	2.14	0.64
1:B:198[B]:LEU:HD22	2:B:301:IPA:C3	2.27	0.64
1:D:109:GLU:OE2	6:D:406:HOH:O	2.14	0.64
1:A:44:THR:H	2:A:302:IPA:C1	2.11	0.64
1:C:3:GLU:OE1	6:C:404:HOH:O	2.15	0.64
1:D:43:THR:HB	2:D:301:IPA:H13	1.81	0.63
1:D:187:VAL:O	6:D:408:HOH:O	2.16	0.63
1:D:44:THR:OG1	2:D:301:IPA:H12	1.99	0.63
1:C:184:ILE:HD11	1:C:219:ILE:HG23	1.81	0.61
1:D:44:THR:H	2:D:301:IPA:C1	2.13	0.61
1:A:17[B]:ARG:NH2	6:A:413:HOH:O	2.28	0.60
1:A:191:GLY:HA2	1:D:223:LEU:HD11	1.84	0.60
1:A:238:ILE:HD13	1:A:278:LYS:HE3	1.82	0.60
1:A:57[B]:GLU:OE2	6:A:406:HOH:O	2.17	0.60
1:D:221[B]:GLU:OE2	6:D:409:HOH:O	2.16	0.59
1:B:198[B]:LEU:HD22	2:B:301:IPA:H31	1.85	0.59
1:C:43:THR:HB	2:C:302:IPA:H13	1.85	0.58
1:B:44:THR:H	2:B:301:IPA:C1	2.17	0.58
1:A:161[B]:ILE:HD11	1:A:192:LEU:HD11	1.85	0.58
1:A:198:LEU:HG	2:A:302:IPA:C3	2.34	0.58
1:A:189:SER:HB2	1:D:217:ARG:HH12	1.70	0.57
1:A:198:LEU:HG	2:A:302:IPA:H33	1.87	0.57
1:A:44:THR:OG1	2:A:302:IPA:H12	2.05	0.57
1:C:44:THR:H	2:C:302:IPA:C1	2.18	0.56
1:B:182:MET:SD	1:C:161:ILE:HG13	2.46	0.55
1:D:9:ILE:HD11	1:D:245[A]:ASN:HB3	1.87	0.55
1:B:198[A]:LEU:HD23	6:B:641:HOH:O	2.07	0.55
1:A:198:LEU:HD11	2:A:302:IPA:H31	1.89	0.54
1:A:223[B]:LEU:HD11	1:D:191[B]:GLY:HA2	1.90	0.54
1:B:249:THR:HG21	1:B:257:LEU:HD22	1.90	0.53
1:B:161:ILE:HG13	1:C:182:MET:SD	2.48	0.53
1:D:182[B]:MET:HG3	1:D:185:ALA:HB3	1.89	0.53
1:A:4[A]:ILE:HD13	1:A:207[A]:THR:HG22	1.89	0.53
3:D:303:GOL:O1	6:D:410:HOH:O	2.18	0.52
1:A:17[B]:ARG:NE	6:A:413:HOH:O	2.42	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:217:ARG:NH2	6:C:413:HOH:O	2.33	0.52
1:A:110:LYS:NZ	6:A:411:HOH:O	2.25	0.52
1:C:132[B]:TYR:CE2	1:C:157:VAL:HG11	2.45	0.52
1:C:114:LYS:NZ	6:C:414:HOH:O	2.34	0.51
1:B:139:ASP:O	6:B:406:HOH:O	2.19	0.51
1:D:20:LYS:NZ	1:D:57[B]:GLU:OE2	2.35	0.51
1:C:17[B]:ARG:NH2	6:C:410:HOH:O	2.44	0.50
1:B:198[B]:LEU:HD22	2:B:301:IPA:H33	1.93	0.50
1:D:198:LEU:HD12	1:D:198:LEU:N	2.27	0.50
1:B:198[B]:LEU:O	6:B:401:HOH:O	2.20	0.50
1:A:283[A]:ARG:NH2	6:A:414:HOH:O	2.31	0.49
1:D:198:LEU:HD11	2:D:301:IPA:H31	1.93	0.49
1:A:3:GLU:OE2	6:A:407:HOH:O	2.19	0.49
1:C:17[A]:ARG:NH2	6:C:423:HOH:O	2.46	0.49
1:B:68[A]:LYS:NZ	6:B:417:HOH:O	2.44	0.48
1:A:132[A]:TYR:CE1	1:A:134:THR:OG1	2.66	0.48
1:D:130:TYR:OH	2:D:301:IPA:O2	2.20	0.48
1:C:105:PRO:O	6:C:406:HOH:O	2.20	0.47
1:B:221[A]:GLU:OE2	6:B:407:HOH:O	2.21	0.47
1:A:188:ALA:O	1:A:189:SER:OG	2.29	0.46
1:D:32:ARG:NH1	6:D:416:HOH:O	2.39	0.46
1:D:67:ASN:HB2	1:D:92:ASP:O	2.15	0.46
1:C:17[B]:ARG:CZ	6:C:410:HOH:O	2.64	0.46
1:C:132[A]:TYR:CE1	1:C:134:THR:OG1	2.69	0.45
1:A:43:THR:HB	2:A:302:IPA:H13	1.97	0.45
1:A:198:LEU:HD12	1:A:198:LEU:N	2.32	0.45
3:C:303[A]:GOL:H11	1:D:107[A]:MET:HA	1.98	0.45
1:C:249:THR:HG21	1:C:257:LEU:HD22	1.99	0.45
1:C:17[A]:ARG:NE	6:C:423:HOH:O	2.50	0.45
1:B:44:THR:HG23	6:B:403:HOH:O	2.17	0.44
1:A:182[A]:MET:SD	1:D:161:ILE:HG13	2.57	0.44
1:A:231:GLU:OE2	6:A:408:HOH:O	2.21	0.44
1:A:217:ARG:CG	1:D:217:ARG:NE	2.81	0.44
1:A:44:THR:H	2:A:302:IPA:H11	1.81	0.44
1:A:271:GLU:OE2	1:B:110:LYS:HE2	2.18	0.44
1:B:198[A]:LEU:HD11	6:B:403:HOH:O	2.18	0.43
1:D:11:PRO:HG3	1:D:257[B]:LEU:HD22	2.00	0.43
1:D:32:ARG:NE	6:D:429:HOH:O	2.51	0.43
1:C:110:LYS:NZ	6:C:430:HOH:O	2.52	0.43
1:B:198[B]:LEU:HD23	1:B:198[B]:LEU:H	1.81	0.43
1:D:132[A]:TYR:CE1	1:D:134:THR:OG1	2.71	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:189:SER:CB	1:D:217:ARG:HH12	2.32	0.43
1:D:39:PHE:CE1	1:D:155:LYS:HE3	2.53	0.43
1:B:198[B]:LEU:N	1:B:198[B]:LEU:CD2	2.74	0.43
1:C:17[A]:ARG:CZ	6:C:423:HOH:O	2.67	0.43
1:C:4[A]:ILE:HD12	1:C:207[A]:THR:HG22	2.01	0.43
1:B:67:ASN:HB2	1:B:92:ASP:O	2.19	0.43
1:B:32:ARG:NH1	6:B:421:HOH:O	2.46	0.42
1:D:26:HIS:HB2	1:D:257[B]:LEU:HD21	2.00	0.42
1:D:234[A]:GLU:HG2	6:D:413:HOH:O	2.19	0.42
1:A:125:HIS:ND1	4:A:304:EDO:C2	2.83	0.42
1:B:132[B]:TYR:CE2	1:B:157:VAL:HG11	2.54	0.42
1:D:257[B]:LEU:HD23	1:D:257[B]:LEU:HA	1.94	0.42
1:D:132[B]:TYR:CE2	1:D:157:VAL:HG11	2.54	0.42
1:D:198:LEU:HG	2:D:301:IPA:C3	2.45	0.42
1:C:67[A]:ASN:HB2	1:C:92:ASP:O	2.20	0.41
1:D:4[A]:ILE:HD13	1:D:207[A]:THR:HG22	2.01	0.41
1:C:57[A]:GLU:CD	6:C:411:HOH:O	2.58	0.41
1:C:245[A]:ASN:ND2	6:C:428:HOH:O	2.51	0.41
1:C:183:LEU:HD11	1:C:207[B]:THR:HG22	2.02	0.41
1:D:2:PRO:CB	1:D:187:VAL:O	2.69	0.41
1:A:249:THR:HG21	1:A:257:LEU:HD22	2.02	0.41
1:A:182[B]:MET:CG	1:A:185:ALA:HB3	2.50	0.41
1:A:198:LEU:CD1	2:A:302:IPA:H31	2.51	0.41
1:B:132[A]:TYR:CE1	1:B:134:THR:OG1	2.73	0.41
1:A:39:PHE:CE1	1:A:155:LYS:HE3	2.55	0.41
1:A:125:HIS:HA	4:A:304:EDO:H21	2.03	0.41
1:B:160:ASN:OD1	1:B:162:ILE:HG22	2.21	0.41
1:A:198:LEU:N	1:A:198:LEU:CD1	2.84	0.41
4:A:304:EDO:O2	6:A:409:HOH:O	2.22	0.41
1:B:161:ILE:HD11	1:B:192:LEU:HD11	2.02	0.41
1:B:217[B]:ARG:HE	1:C:217:ARG:HG2	1.85	0.41
1:A:198:LEU:HB3	6:A:422:HOH:O	2.21	0.40
1:C:262:PRO:HB3	1:C:265:PHE:CE1	2.56	0.40
1:D:190[B]:THR:HG23	1:D:192:LEU:N	2.37	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:597:HOH:O	6:C:442:HOH:O[1_455]	1.97	0.23

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:453:HOH:O	6:C:510:HOH:O[1_455]	2.06	0.14
6:C:568:HOH:O	6:D:429:HOH:O[2_656]	2.07	0.13
6:C:445:HOH:O	6:D:632:HOH:O[2_656]	2.17	0.03
6:C:674:HOH:O	6:D:445:HOH:O[2_656]	2.19	0.01

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	317/293 (108%)	311 (98%)	6 (2%)	0	100	100
1	B	309/293 (106%)	300 (97%)	9 (3%)	0	100	100
1	C	308/293 (105%)	299 (97%)	9 (3%)	0	100	100
1	D	309/293 (106%)	305 (99%)	4 (1%)	0	100	100
All	All	1243/1172 (106%)	1215 (98%)	28 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	284/259 (110%)	280 (99%)	4 (1%)	67	45
1	B	276/259 (107%)	273 (99%)	3 (1%)	73	55
1	C	275/259 (106%)	270 (98%)	5 (2%)	59	34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	276/259 (107%)	271 (98%)	5 (2%)	59	34
All	All	1111/1036 (107%)	1094 (98%)	17 (2%)	67	42

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	72	GLN
1	A	99	TYR
1	A	283[A]	ARG
1	A	283[B]	ARG
1	B	72	GLN
1	B	99	TYR
1	B	138	LYS
1	C	72	GLN
1	C	99	TYR
1	C	187	VAL
1	C	198[A]	LEU
1	C	198[B]	LEU
1	D	72	GLN
1	D	90	ASP
1	D	99	TYR
1	D	212[A]	LYS
1	D	212[B]	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	GOL	D	302[A]	-	5,5,5	0.95	0	5,5,5	1.14	0
2	IPA	A	302	-	3,3,3	0.79	0	3,3,3	1.09	0
2	IPA	A	301	-	3,3,3	0.47	0	3,3,3	0.27	0
4	EDO	A	304	-	3,3,3	0.54	0	2,2,2	0.37	0
3	GOL	C	303[B]	-	5,5,5	0.84	0	5,5,5	0.99	0
4	EDO	D	304	-	3,3,3	0.57	0	2,2,2	0.03	0
3	GOL	A	303[B]	-	5,5,5	0.81	0	5,5,5	1.06	0
5	PGE	B	303	-	9,9,9	0.40	0	8,8,8	0.34	0
2	IPA	D	301	-	3,3,3	0.90	0	3,3,3	0.99	0
3	GOL	B	302[B]	-	5,5,5	0.82	0	5,5,5	0.95	0
3	GOL	C	303[A]	-	5,5,5	0.78	0	5,5,5	1.07	0
5	PGE	C	304	-	9,9,9	0.42	0	8,8,8	0.30	0
3	GOL	A	303[A]	-	5,5,5	0.66	0	5,5,5	1.04	0
2	IPA	C	301	-	3,3,3	0.51	0	3,3,3	0.37	0
2	IPA	B	301	-	3,3,3	0.54	0	3,3,3	0.33	0
3	GOL	D	303	-	5,5,5	0.71	0	5,5,5	0.93	0
3	GOL	D	302[B]	-	5,5,5	0.75	0	5,5,5	1.12	1 (20%)
3	GOL	B	302[A]	-	5,5,5	0.74	0	5,5,5	1.01	0
2	IPA	C	302	-	3,3,3	0.61	0	3,3,3	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	D	303	-	-	0/4/4/4	-
5	PGE	B	303	-	-	5/7/7/7	-
3	GOL	A	303[A]	-	-	0/4/4/4	-
3	GOL	B	302[A]	-	-	2/4/4/4	-
3	GOL	D	302[A]	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	A	304	-	-	1/1/1/1	-
3	GOL	C	303[B]	-	-	0/4/4/4	-
4	EDO	D	304	-	-	1/1/1/1	-
3	GOL	A	303[B]	-	-	0/4/4/4	-
3	GOL	B	302[B]	-	-	0/4/4/4	-
3	GOL	C	303[A]	-	-	2/4/4/4	-
3	GOL	D	302[B]	-	-	2/4/4/4	-
5	PGE	C	304	-	-	4/7/7/7	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	D	302[B]	GOL	C3-C2-C1	-2.02	103.85	111.70

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	302[A]	GOL	O1-C1-C2-C3
3	C	303[A]	GOL	O1-C1-C2-C3
3	B	302[A]	GOL	O1-C1-C2-O2
5	B	303	PGE	O2-C3-C4-O3
3	D	302[B]	GOL	O1-C1-C2-C3
4	A	304	EDO	O1-C1-C2-O2
4	D	304	EDO	O1-C1-C2-O2
5	C	304	PGE	O2-C3-C4-O3
5	B	303	PGE	C1-C2-O2-C3
5	B	303	PGE	C6-C5-O3-C4
3	C	303[A]	GOL	O1-C1-C2-O2
5	C	304	PGE	C6-C5-O3-C4
5	B	303	PGE	C3-C4-O3-C5
5	C	304	PGE	C3-C4-O3-C5
3	D	302[B]	GOL	O1-C1-C2-O2
5	C	304	PGE	C1-C2-O2-C3
5	B	303	PGE	C4-C3-O2-C2

There are no ring outliers.

7 monomers are involved in 29 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	302	IPA	8	0
4	A	304	EDO	3	0
2	D	301	IPA	7	0
3	C	303[A]	GOL	1	0
2	B	301	IPA	6	0
3	D	303	GOL	1	0
2	C	302	IPA	3	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	293/293 (100%)	-0.30	3 (1%)	82	83	10, 17, 36, 72	0
1	B	292/293 (99%)	-0.20	6 (2%)	63	65	11, 20, 45, 80	0
1	C	293/293 (100%)	-0.11	10 (3%)	45	46	12, 21, 55, 83	0
1	D	293/293 (100%)	-0.35	6 (2%)	65	66	11, 18, 39, 78	0
All	All	1171/1172 (99%)	-0.24	25 (2%)	63	65	10, 19, 44, 83	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	189	SER	6.7
1	D	187	VAL	6.0
1	B	198[A]	LEU	6.0
1	C	294	GLU	4.7
1	C	187	VAL	4.5
1	C	198[A]	LEU	4.3
1	C	189	SER	3.9
1	B	187	VAL	3.7
1	C	293	LYS	3.4
1	A	294	GLU	3.3
1	D	294	GLU	3.3
1	A	293	LYS	3.2
1	D	293	LYS	3.2
1	B	293	LYS	3.1
1	C	287	VAL	3.0
1	B	287	VAL	2.9
1	D	189	SER	2.9
1	A	198	LEU	2.9
1	C	292	LEU	2.9
1	D	190[A]	THR	2.9
1	C	219	ILE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	190	THR	2.6
1	C	290	LYS	2.5
1	C	214	ALA	2.1
1	D	191[A]	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
5	PGE	C	304	10/10	0.81	0.13	26,42,48,52	0
5	PGE	B	303	10/10	0.83	0.14	30,43,52,53	0
2	IPA	A	301	4/4	0.83	0.09	30,37,44,53	0
3	GOL	D	303	6/6	0.84	0.21	39,49,65,78	0
4	EDO	D	304	4/4	0.84	0.19	31,39,47,47	0
3	GOL	D	302[A]	6/6	0.85	0.13	20,31,39,40	14
3	GOL	D	302[B]	6/6	0.85	0.13	20,31,38,39	14
3	GOL	A	303[A]	6/6	0.88	0.12	18,29,37,37	14
3	GOL	A	303[B]	6/6	0.88	0.12	18,30,37,37	14
3	GOL	B	302[A]	6/6	0.89	0.13	21,28,37,37	14
3	GOL	B	302[B]	6/6	0.89	0.13	19,27,39,39	14
2	IPA	C	301	4/4	0.90	0.11	32,42,52,53	0
3	GOL	C	303[A]	6/6	0.91	0.10	20,28,38,38	11
3	GOL	C	303[B]	6/6	0.91	0.10	21,28,33,36	13
2	IPA	B	301	4/4	0.93	0.15	11,27,65,65	0
2	IPA	C	302	4/4	0.93	0.15	14,28,69,69	0
4	EDO	A	304	4/4	0.94	0.14	20,36,56,56	0
2	IPA	D	301	4/4	0.94	0.17	9,21,75,75	0
2	IPA	A	302	4/4	0.97	0.14	9,19,72,72	0

6.5 Other polymers (i)

There are no such residues in this entry.