



## Full wwPDB EM Validation Report ⓘ

Mar 20, 2026 – 05:35 AM UTC

PDB ID : 9HEJ / pdb\_00009hej  
EMDB ID : EMD-52078  
Title : Dimeric CD163 bound to human haptoglobin-haemoglobin complex  
Authors : Zhou, R.X.; Higgins, M.K.  
Deposited on : 2024-11-14  
Resolution : 2.82 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11795 ( 2.32 - 3.32 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1156	
1	B	1156	
2	D	142	
3	E	147	

Continued on next page...

Mol	Chain	Length	Quality of chain
4	F	347	
4	G	347	
5	C	2	
5	H	2	

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 15177 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Scavenger receptor cysteine-rich type 1 protein M130.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	748	Total	C	N	O	S	0	0
			5661	3476	1022	1101	62		
1	B	631	Total	C	N	O	S	0	0
			4780	2939	868	920	53		

- Molecule 2 is a protein called Hemoglobin subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	141	Total	C	N	O	S	0	0
			1069	685	187	194	3		

- Molecule 3 is a protein called Hemoglobin subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	142	Total	C	N	O	S	0	0
			1084	698	188	195	3		

- Molecule 4 is a protein called Isoform 2 of Haptoglobin.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	F	292	Total	C	N	O	S	0	0
			2303	1465	390	436	12		
4	G	9	Total	C	N	O		0	0
			69	46	11	12			

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
5	C	2	Total	C	N	O	0	0
			28	16	2	10		
5	H	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula:  $C_8H_{15}NO_6$ ).




Mol	Chain	Residues	Atoms				AltConf
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	A	1	Total	C	N	O	0
			14	8	1	5	
6	B	1	Total	C	N	O	0
			14	8	1	5	
6	F	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
7	A	6	Total	Ca	0
			6	6	
7	B	3	Total	Ca	0
			3	3	

- Molecule 8 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula:



Mol	Chain	Residues	Atoms					AltConf
8	D	1	Total 43	C 34	Fe 1	N 4	O 4	0
8	E	1	Total 43	C 34	Fe 1	N 4	O 4	0

- OXY
- O1 O = O O2

Mol	Chain	Residues	Atoms	AltConf
9	D	1	Total O 2 2	0

*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Residues	Atoms		AltConf
9	E	1	Total	O	0
			2	2	






- Molecule 1: Scavenger receptor cysteine-rich type 1 protein M130










- Molecule 2: Hemoglobin subunit alpha




- Molecule 3: Hemoglobin subunit beta



- Molecule 4: Isoform 2 of Haptoglobin



- Molecule 4: Isoform 2 of Haptoglobin



LEU	THR	GLY	ALA	THR	LEU	ILE	GLN	GLY	TRP	VAL	SER	THR	LEU	VAL	ASN	THR	ALA	LYS	ASN	MET	PRO	ILE	PHE	LEU	ASN	HIS	PRO	SER	GLY	ASN	ALA	THR	ALA	VAL	LYS	ASP	ILE	ASP	LYS	THR	LEU	THR	LEU	TYR	TRP	GLY	VAL	ARG	ASN	LYS	GLN	ALA	ASN	PHE	LYS	VAL	GLU	THR	ILE	GLU	LYS	HIS	VAL	PRO	ASN	TYR	PRO	VAL	SER	GLN	
VAL	ASP	ILE	GLY	LEU	ILE	LYS	LEU	ASN	GLN	LYS	VAL	SER	THR	VAL	ASN	THR	GLY	ARG	VAL	MET	PRO	PRO	ILE	CYS	LEU	PRO	PRO	SER	GLY	LYS	ASP	TYR	ALA	GLY	VAL	GLY	ARG	ILE	VAL	VAL	THR	TRP	GLY	VAL	ARG	ASN	LYS	GLN	ALA	ASN	PHE	LYS	VAL	GLU	THR	ILE	GLU	LYS	HIS	VAL	PRO	VAL	SER	GLN							
ASP	GLN	ASP	GLN	CYS	ILE	ARG	HIS	TYR	GLU	GLY	THR	SER	THR	VAL	PRO	GLU	LYS	THR	LYS	THR	PRO	PRO	LYS	SER	PRO	PRO	VAL	GLY	VAL	GLN	ASP	THR	ILE	ASN	GLU	HIS	THR	PHE	VAL	CYS	TYR	GLY	ASP	ALA	GLY	THR	LEU	TYR	TRP	GLY	VAL	ARG	ASN	LYS	GLN	ALA	ASN	PHE	LYS	VAL	GLU	THR	ILE	GLU	LYS	HIS	VAL	PRO	VAL	SER	GLN
GLU	GLU	ASP	THR	TRP	TYR	ALA	THR	GLY	ILE	LEU	SER	PHE	ASP	LYS	SER	CYS	ALA	VAL	ALA	VAL	ALA	GLU	TYR	GLY	VAL	TYR	VAL	LYS	VAL	VAL	THR	SER	ILE	ASN	GLU	HIS	THR	PHE	VAL	CYS	TYR	GLY	ASP	ALA	GLY	THR	LEU	TYR	TRP	GLY	VAL	ARG	ASN	LYS	GLN	ALA	ASN	PHE	LYS	VAL	GLU	THR	ILE	GLU	LYS	HIS	VAL	PRO	VAL	SER	GLN

● Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 

100%

NAG1
NAG2

● Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 

50%

50%

50%

NAG1
NAG2

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	456124	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	41.68	Depositor
Minimum defocus (nm)	400	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.832	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.08	Depositor
Map size (Å)	425.984, 425.984, 425.984	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.832, 0.832, 0.832	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAG, OXY, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.17	0/5791	0.43	0/7844
1	B	0.15	0/4890	0.40	0/6625
2	D	0.15	0/1097	0.32	0/1491
3	E	0.15	0/1112	0.30	0/1512
4	F	0.16	0/2357	0.37	0/3199
4	G	0.11	0/72	0.33	0/98
All	All	0.16	0/15319	0.40	0/20769

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5661	0	5272	101	0
1	B	4780	0	4476	77	0
2	D	1069	0	1070	10	0
3	E	1084	0	1077	8	0
4	F	2303	0	2261	25	0
4	G	69	0	64	2	0
5	C	28	0	25	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	H	28	0	25	0	0
6	A	28	0	26	0	0
6	B	14	0	13	0	0
6	F	14	0	13	0	0
7	A	6	0	0	0	0
7	B	3	0	0	0	0
8	D	43	0	30	0	0
8	E	43	0	30	2	0
9	D	2	0	0	0	0
9	E	2	0	0	0	0
All	All	15177	0	14382	221	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (221) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:431:GLN:HE22	1:B:433:THR:HG23	1.50	0.77
1:A:857:GLU:N	1:A:857:GLU:OE1	2.21	0.72
1:B:658:HIS:HD2	1:B:659:MET:H	1.35	0.72
1:B:911:GLU:O	1:B:913:ARG:NH1	2.22	0.71
1:B:582:GLU:HB2	1:B:599:LYS:HD3	1.73	0.70
1:B:446:GLU:OE2	1:B:446:GLU:N	2.26	0.68
1:B:412:ARG:NH2	1:B:444:GLY:O	2.26	0.67
1:A:873:GLY:C	1:A:874:LYS:HE2	2.20	0.67
1:B:840:GLU:N	1:B:840:GLU:OE2	2.29	0.66
1:B:406:GLU:N	1:B:406:GLU:OE1	2.28	0.66
1:A:656:GLU:OE2	1:A:656:GLU:N	2.29	0.66
1:B:637:ARG:O	1:B:637:ARG:NH1	2.29	0.65
1:B:437:LEU:HD11	1:B:455:TRP:HE3	1.60	0.65
1:B:904:GLN:N	1:B:904:GLN:OE1	2.29	0.64
8:E:201:HEM:HMC2	8:E:201:HEM:HBC2	1.80	0.63
1:B:736:HIS:NE2	1:B:737:GLU:OE1	2.32	0.62
1:A:562:ARG:NH1	1:A:566:THR:HG21	2.15	0.62
1:A:494:LYS:NZ	1:A:496:GLY:O	2.31	0.62
1:A:273:THR:HG22	1:A:274:GLU:H	1.65	0.61
1:B:658:HIS:CD2	1:B:659:MET:H	2.16	0.61
4:F:340:VAL:O	4:F:344:ILE:HG13	2.01	0.60
1:B:676:GLN:N	1:B:676:GLN:OE1	2.35	0.60
1:A:944:ILE:O	1:A:951:GLY:N	2.33	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:870:ALA:HB2	1:A:926:ASP:O	2.02	0.60
1:A:438:PHE:CZ	1:A:460:LEU:HB2	2.37	0.59
1:A:463:ASP:OD1	1:A:463:ASP:N	2.36	0.59
1:B:851:GLY:HA2	1:B:888:MET:HE2	1.85	0.59
1:B:658:HIS:CD2	1:B:659:MET:N	2.71	0.58
1:A:399:ASP:HA	1:A:402:TRP:HB2	1.86	0.57
1:B:371:LEU:HB3	1:B:450:TRP:CE2	2.39	0.57
1:B:745:ASP:O	1:B:748:TRP:HB2	2.04	0.57
4:F:124:HIS:CE1	4:F:148:ASN:HB2	2.39	0.57
1:A:1006:TRP:CD1	1:A:1006:TRP:N	2.69	0.57
1:A:873:GLY:O	1:A:874:LYS:HE2	2.03	0.57
1:A:426:VAL:HG12	1:A:426:VAL:O	2.05	0.57
1:B:396:LYS:HE3	1:B:467:GLU:HG2	1.88	0.56
1:A:491:VAL:HG21	1:A:515:LEU:HD11	1.86	0.56
2:D:134:SER:O	2:D:138:THR:HG23	2.05	0.56
1:A:952:THR:HG22	1:A:953:VAL:H	1.72	0.55
2:D:5:PRO:O	2:D:9:THR:HG23	2.07	0.55
1:B:437:LEU:HD11	1:B:455:TRP:CE3	2.41	0.55
4:F:123:HIS:NE2	4:F:148:ASN:OD1	2.35	0.55
3:E:18:LYS:NZ	3:E:122:GLU:OE1	2.40	0.55
1:A:619:VAL:HG21	1:A:652:CYS:HB3	1.89	0.55
1:A:349:GLU:OE1	1:A:349:GLU:N	2.39	0.54
1:A:562:ARG:HH11	1:A:566:THR:HG21	1.71	0.54
1:B:390:ILE:HG13	1:B:391:GLN:HG2	1.89	0.54
1:B:729:ALA:HB3	1:B:821:PHE:HD1	1.73	0.54
1:A:941:ARG:HD2	1:A:943:GLU:HG2	1.90	0.54
1:A:975:ALA:HA	1:A:1028:CYS:HB2	1.89	0.54
1:A:227:ILE:O	1:A:227:ILE:HD12	2.08	0.53
1:A:227:ILE:HD11	1:A:239:LYS:HB2	1.90	0.53
1:A:655:THR:N	1:A:656:GLU:OE2	2.42	0.53
1:B:766:ILE:HD13	1:B:845:GLY:HA3	1.91	0.53
1:B:859:THR:HG22	1:B:895:CYS:H	1.73	0.53
1:A:438:PHE:CE1	1:A:460:LEU:HB2	2.44	0.53
1:A:425:GLN:HB3	1:A:427:TYR:CE1	2.44	0.52
1:A:512:ALA:HB2	1:A:527:ILE:HD11	1.92	0.52
1:A:1002:GLU:HB3	1:A:1007:ASP:OD2	2.09	0.52
1:B:439:LEU:HD21	1:B:449:LEU:HD21	1.90	0.52
2:D:95:ASP:OD1	2:D:97:VAL:HG23	2.09	0.52
1:B:888:MET:HE3	1:B:919:GLU:HB3	1.92	0.52
1:A:612:TRP:CZ3	1:A:616:ASP:HB3	2.45	0.52
1:A:941:ARG:CD	1:A:943:GLU:HG2	2.40	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:826:LEU:HB2	1:B:835:CYS:HA	1.92	0.52
1:A:488:SER:HB2	1:A:576:VAL:HG13	1.91	0.52
1:B:494:LYS:HB2	1:B:499:TRP:CH2	2.45	0.51
1:A:609:ASN:HA	1:A:612:TRP:HB2	1.92	0.51
1:B:270:ASP:OD2	1:B:278:ARG:NH1	2.43	0.51
1:A:882:LYS:HB3	1:A:922:TRP:CZ2	2.45	0.51
4:F:266:LYS:NZ	4:F:266:LYS:HB3	2.26	0.51
1:A:882:LYS:HB3	1:A:922:TRP:HZ2	1.76	0.51
1:A:175:LYS:HZ2	1:A:175:LYS:HB3	1.76	0.50
1:A:891:ASP:OD1	1:A:892:ASN:N	2.44	0.50
1:B:582:GLU:HG3	1:B:599:LYS:HE3	1.92	0.50
1:B:852:LYS:NZ	1:B:875:ILE:HG21	2.26	0.50
1:A:928:LYS:HE3	1:A:945:TRP:O	2.11	0.50
4:F:68:LEU:HD23	4:F:74:TRP:CE2	2.46	0.50
1:A:929:ILE:O	1:A:930:ARG:HD3	2.12	0.50
1:A:1021:LYS:O	1:A:1021:LYS:HG2	2.12	0.50
1:B:781:ILE:HG23	1:B:806:GLN:HG2	1.93	0.50
1:A:612:TRP:CD1	1:A:678:ALA:HB1	2.47	0.50
1:B:729:ALA:HB3	1:B:821:PHE:CD1	2.47	0.50
1:B:766:ILE:CD1	1:B:845:GLY:HA3	2.42	0.50
1:A:527:ILE:C	1:A:528:LEU:HD23	2.37	0.50
4:F:134:ASN:OD1	4:F:137:TRP:HB2	2.12	0.50
1:B:743:ILE:HG23	1:B:783:LEU:HB2	1.94	0.49
1:A:476:ARG:NH1	1:A:543:GLU:OE1	2.45	0.49
1:A:412:ARG:NH1	1:A:446:GLU:O	2.44	0.49
1:B:387:GLU:OE2	1:B:394:LEU:HD13	2.13	0.49
4:F:60:THR:HG21	4:F:84:PRO:HA	1.93	0.49
1:A:421:LYS:HB3	1:A:471:THR:HG22	1.94	0.49
1:A:488:SER:OG	1:A:576:VAL:HG22	2.13	0.49
1:A:650:PHE:HD2	1:A:664:VAL:HG22	1.77	0.49
1:B:431:GLN:NE2	1:B:433:THR:HG23	2.25	0.49
1:B:757:CYS:O	1:B:762:CYS:N	2.46	0.49
2:D:22:ALA:HB1	2:D:64:ALA:HB1	1.95	0.49
1:A:650:PHE:CE2	1:A:659:MET:HE1	2.48	0.48
1:B:410:VAL:HG22	1:B:449:LEU:HD12	1.95	0.48
1:B:892:ASN:O	1:B:907:SER:OG	2.24	0.48
1:A:189:ASN:OD1	1:A:192:HIS:ND1	2.44	0.48
1:B:385:THR:HG21	1:B:396:LYS:NZ	2.29	0.48
1:B:792:GLU:OE1	1:B:792:GLU:N	2.45	0.48
4:F:90:CYS:HB2	4:F:207:CYS:HB3	1.53	0.47
4:F:48:VAL:HB	4:G:44:VAL:HG13	1.96	0.47

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:106:LEU:O	2:D:110:LEU:HD13	2.13	0.47
1:A:209:SER:OG	1:A:213:ASN:HB3	2.13	0.47
1:A:540:ILE:HD12	1:A:540:ILE:O	2.15	0.47
3:E:19:VAL:HG22	3:E:119:PHE:HZ	1.79	0.47
1:A:962:ASP:OD1	1:A:963:ALA:N	2.48	0.47
1:A:1019:GLY:N	1:A:1022:GLU:OE2	2.44	0.47
1:A:950:TRP:O	1:A:990:PRO:HD2	2.15	0.46
2:D:84:LEU:HD12	2:D:84:LEU:H	1.80	0.46
1:B:619:VAL:HG23	1:B:656:GLU:O	2.14	0.46
1:A:166:ASN:HD21	1:A:261:GLY:HA3	1.80	0.46
1:A:491:VAL:CG1	1:A:502:ILE:HD11	2.46	0.46
1:B:822:MET:HA	1:B:842:PHE:O	2.15	0.46
1:A:502:ILE:HD12	1:A:502:ILE:O	2.15	0.46
1:A:508:SER:OG	1:A:510:GLU:OE1	2.21	0.46
1:B:647:ARG:HB3	1:B:669:ALA:HB3	1.98	0.46
1:B:821:PHE:C	1:B:821:PHE:CD2	2.93	0.46
4:F:63:ASP:OD1	4:F:64:GLY:N	2.49	0.46
1:A:941:ARG:HG2	1:A:942:VAL:N	2.29	0.46
1:B:673:PRO:HB2	1:B:676:GLN:OE1	2.16	0.46
1:A:851:GLY:HA3	1:A:891:ASP:HA	1.97	0.46
1:B:824:LEU:HD23	1:B:867:LEU:HD21	1.97	0.46
1:B:851:GLY:HA3	1:B:891:ASP:O	2.16	0.46
1:A:653:THR:N	1:A:656:GLU:OE1	2.49	0.46
4:F:71:GLU:N	4:F:71:GLU:OE1	2.49	0.45
1:B:734:ILE:HD12	1:B:734:ILE:O	2.16	0.45
1:A:376:ARG:HB3	1:A:430:ILE:HD12	1.98	0.45
4:F:342:LYS:NZ	4:F:342:LYS:HB3	2.32	0.45
4:F:240:VAL:HG13	4:F:242:LEU:HD13	1.98	0.45
1:B:579:ARG:HB3	1:B:658:HIS:CE1	2.51	0.45
4:F:256:GLY:HA2	4:F:266:LYS:HD3	1.99	0.45
1:B:592:CYS:HB3	1:B:682:CYS:HB2	1.99	0.45
1:A:647:ARG:NH2	1:A:907:SER:O	2.39	0.45
1:A:945:TRP:HD1	1:A:950:TRP:CD1	2.35	0.45
1:B:371:LEU:HD12	1:B:450:TRP:CH2	2.51	0.45
1:A:886:ILE:HD12	1:A:886:ILE:HA	1.88	0.44
1:A:958:TRP:CZ2	1:A:1024:ALA:HB1	2.52	0.44
1:A:583:ILE:HD12	1:A:620:LEU:HD13	1.99	0.44
1:B:884:MET:HB2	1:B:886:ILE:HG23	2.00	0.44
1:A:825:ARG:HG2	1:A:826:LEU:N	2.33	0.44
1:B:292:ASP:HA	1:B:361:ALA:HB2	1.98	0.44
3:E:100:ASP:OD1	3:E:101:PRO:HD2	2.18	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:102:GLU:OE1	3:E:105:ARG:NH1	2.51	0.44
1:A:996:VAL:HG12	1:A:1010:ALA:HB2	2.00	0.44
1:A:842:PHE:HB2	1:A:847:TRP:CE3	2.53	0.43
1:B:371:LEU:HD13	1:B:371:LEU:HA	1.81	0.43
1:B:385:THR:HG21	1:B:396:LYS:HZ2	1.84	0.43
3:E:94:CYS:O	3:E:98:HIS:ND1	2.51	0.43
4:F:144:ASN:N	4:F:144:ASN:HD22	2.15	0.43
1:A:223:PHE:CD2	1:A:226:LEU:HD21	2.53	0.43
1:A:890:VAL:HG12	1:A:891:ASP:N	2.34	0.43
2:D:95:ASP:OD1	4:F:227:ARG:NH2	2.51	0.43
3:E:69:LEU:HD12	3:E:69:LEU:HA	1.81	0.43
4:F:206:ILE:O	4:F:206:ILE:HG23	2.18	0.43
1:B:573:VAL:HG22	1:B:574:GLY:H	1.83	0.43
1:B:646:TRP:HA	1:B:646:TRP:CE3	2.54	0.43
1:B:616:ASP:HA	1:B:619:VAL:HG12	1.99	0.43
4:F:95:ASN:OD1	4:F:95:ASN:N	2.51	0.43
1:A:426:VAL:O	1:A:426:VAL:CG1	2.67	0.43
1:B:648:HIS:HA	1:B:666:ALA:HB2	2.00	0.43
1:B:748:TRP:HE3	1:B:768:ALA:HB1	1.83	0.43
1:A:838:ARG:HB2	1:A:922:TRP:CE2	2.53	0.43
1:A:825:ARG:NH1	1:A:840:GLU:OE1	2.52	0.43
1:A:913:ARG:NH2	1:A:919:GLU:OE2	2.45	0.43
1:B:295:TRP:NE1	1:B:362:GLY:O	2.51	0.43
1:A:544:GLU:OE1	1:A:562:ARG:NE	2.51	0.42
1:A:1021:LYS:HE2	1:A:1021:LYS:HB3	1.62	0.42
1:B:341:ALA:HB3	1:B:344:GLN:OE1	2.18	0.42
1:B:735:TYR:HD1	1:B:740:TRP:CD1	2.37	0.42
8:E:201:HEM:HBB2	8:E:201:HEM:HMB2	2.01	0.42
1:A:476:ARG:HH12	1:A:543:GLU:CD	2.26	0.42
1:A:952:THR:HG22	1:A:953:VAL:N	2.33	0.42
4:F:94:LYS:HD3	4:F:201:GLU:HG3	2.01	0.42
1:A:848:GLY:HA3	1:A:889:TRP:CD1	2.54	0.42
1:B:620:LEU:HD13	1:B:659:MET:HG2	2.01	0.42
1:A:209:SER:OG	1:A:210:GLY:N	2.52	0.42
1:B:477:GLU:O	1:B:493:VAL:HA	2.19	0.42
1:B:548:GLU:HG3	1:B:551:GLU:CD	2.44	0.42
1:A:163:ARG:HE	1:A:163:ARG:HB3	1.59	0.42
1:A:842:PHE:HA	1:A:847:TRP:HA	2.02	0.42
4:F:50:TYR:OH	4:G:37:PRO:O	2.27	0.42
1:A:896:PRO:HD3	1:A:906:PRO:HD2	2.02	0.42
1:B:296:ASP:OD1	1:B:297:SER:N	2.53	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:F:242:LEU:HG	4:F:283:GLY:O	2.20	0.42
1:B:821:PHE:CE2	1:B:823:SER:HB2	2.55	0.41
1:B:781:ILE:HD12	1:B:781:ILE:HA	1.90	0.41
4:F:93:PRO:HB2	4:F:113:SER:HB2	2.02	0.41
1:A:668:GLY:O	1:A:910:TRP:N	2.53	0.41
1:A:842:PHE:HB2	1:A:847:TRP:CZ3	2.56	0.41
2:D:117:GLU:OE1	2:D:122:VAL:HG11	2.20	0.41
1:A:475:HIS:O	1:A:476:ARG:HD2	2.20	0.41
1:A:542:ALA:O	1:A:562:ARG:HG2	2.20	0.41
1:A:579:ARG:CD	1:A:658:HIS:HB3	2.51	0.41
1:B:735:TYR:CZ	1:B:738:GLY:HA2	2.55	0.41
1:A:481:VAL:O	1:A:490:ARG:N	2.54	0.41
1:A:490:ARG:NH2	1:A:492:GLU:OE2	2.54	0.41
1:B:579:ARG:HB3	1:B:658:HIS:ND1	2.34	0.41
1:A:273:THR:OG1	1:A:391:GLN:HG2	2.20	0.41
1:B:404:LEU:HA	1:B:407:ALA:HB3	2.03	0.41
2:D:30:LEU:HD23	2:D:30:LEU:HA	1.91	0.41
2:D:97:VAL:HG22	4:F:231:PHE:O	2.21	0.41
4:F:141:THR:O	4:F:144:ASN:HB2	2.21	0.41
1:A:425:GLN:HB3	1:A:427:TYR:HE1	1.86	0.41
4:F:257:SER:O	4:F:263:LYS:HE2	2.21	0.41
1:A:223:PHE:HB3	1:A:226:LEU:HD13	2.04	0.40
1:A:504:ASP:HB2	1:A:573:VAL:HB	2.03	0.40
1:B:390:ILE:HD12	1:B:391:GLN:H	1.86	0.40
1:A:544:GLU:HG3	1:A:562:ARG:HH21	1.86	0.40
1:A:955:ASP:OD1	1:A:955:ASP:C	2.64	0.40
3:E:19:VAL:HG22	3:E:119:PHE:CZ	2.56	0.40
1:A:349:GLU:O	1:A:353:HIS:NE2	2.54	0.40
1:B:481:VAL:HG13	1:B:482:GLY:N	2.36	0.40
3:E:7:GLU:O	3:E:10:SER:OG	2.32	0.40
1:A:668:GLY:HA2	1:A:908:SER:O	2.22	0.40
1:A:227:ILE:CD1	1:A:239:LYS:HB2	2.52	0.40
1:A:438:PHE:CD1	1:A:460:LEU:HD12	2.56	0.40
1:B:854:SER:HB3	1:B:892:ASN:HB2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	744/1156 (64%)	692 (93%)	52 (7%)	0	100	100
1	B	627/1156 (54%)	587 (94%)	40 (6%)	0	100	100
2	D	139/142 (98%)	136 (98%)	3 (2%)	0	100	100
3	E	140/147 (95%)	139 (99%)	1 (1%)	0	100	100
4	F	288/347 (83%)	280 (97%)	8 (3%)	0	100	100
4	G	7/347 (2%)	7 (100%)	0	0	100	100
All	All	1945/3295 (59%)	1841 (95%)	104 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	611/953 (64%)	600 (98%)	11 (2%)	51	80
1	B	514/953 (54%)	505 (98%)	9 (2%)	51	80
2	D	113/114 (99%)	112 (99%)	1 (1%)	70	89
3	E	114/119 (96%)	111 (97%)	3 (3%)	40	73
4	F	252/294 (86%)	245 (97%)	7 (3%)	38	71
4	G	7/294 (2%)	7 (100%)	0	100	100
All	All	1611/2727 (59%)	1580 (98%)	31 (2%)	49	79

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	213	ASN
1	A	231	ASN
1	A	232	GLU
1	A	276	SER
1	A	297	SER
1	A	386	VAL
1	A	502	ILE
1	A	539	GLN
1	A	579	ARG
1	A	611	HIS
1	A	996	VAL
1	B	371	LEU
1	B	387	GLU
1	B	416	CYS
1	B	515	LEU
1	B	548	GLU
1	B	577	CYS
1	B	745	ASP
1	B	754	HIS
1	B	767	ASN
2	D	39	THR
3	E	3	HIS
3	E	45	SER
3	E	115	LEU
4	F	59	ARG
4	F	68	LEU
4	F	87	GLU
4	F	95	ASN
4	F	128	THR
4	F	133	ILE
4	F	286	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	358	ASN
1	A	425	GLN
1	A	550	HIS
1	A	648	HIS
1	A	688	GLN
1	A	904	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	306	GLN
1	B	347	HIS
1	B	391	GLN
2	D	79	ASN
2	D	98	ASN
3	E	103	ASN
3	E	132	GLN
4	F	144	ASN
4	F	249	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	NAG	C	1	5,1	14,14,15	0.93	1 (7%)	17,19,21	1.69	2 (11%)
5	NAG	C	2	5	14,14,15	0.75	0	17,19,21	1.04	1 (5%)
5	NAG	H	1	5,1	14,14,15	0.73	0	17,19,21	1.00	2 (11%)
5	NAG	H	2	5	14,14,15	0.72	0	17,19,21	0.86	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	C	1	5,1	-	3/6/23/26	0/1/1/1
5	NAG	C	2	5	-	0/6/23/26	0/1/1/1
5	NAG	H	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	H	2	5	-	1/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	1	NAG	O5-C1	-2.17	1.40	1.43

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	1	NAG	C4-C3-C2	4.88	118.17	111.02
5	H	1	NAG	O5-C1-C2	-2.77	107.00	111.29
5	C	1	NAG	C2-N2-C7	2.51	126.26	122.90
5	H	1	NAG	O4-C4-C3	-2.05	105.55	110.38
5	C	2	NAG	C1-O5-C5	2.03	114.91	112.19

There are no chirality outliers.


All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	H	1	NAG	O5-C5-C6-O6
5	H	2	NAG	O5-C5-C6-O6
5	C	1	NAG	O5-C5-C6-O6
5	H	1	NAG	C4-C5-C6-O6
5	C	1	NAG	C3-C2-N2-C7
5	C	1	NAG	C4-C5-C6-O6


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.







## 5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 9 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	NAG	B	1201	1	14,14,15	0.72	0	17,19,21	1.16	1 (5%)
9	OXY	D	202	-	1,1,1	0.16	0	-		
6	NAG	A	1202	1	14,14,15	0.69	0	17,19,21	0.81	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	HEM	E	201	3	50,50,50	1.39	8 (16%)	67,82,82	0.98	2 (2%)
8	HEM	D	201	2	50,50,50	1.40	8 (16%)	67,82,82	1.07	4 (5%)
6	NAG	A	1201	1	14,14,15	0.76	0	17,19,21	0.80	0
6	NAG	F	401	4	14,14,15	0.73	0	17,19,21	0.80	0
9	OXY	E	202	-	1,1,1	0.16	0	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	1201	1	-	4/6/23/26	0/1/1/1
6	NAG	A	1202	1	-	1/6/23/26	0/1/1/1
8	HEM	E	201	3	-	2/14/54/54	-
8	HEM	D	201	2	-	0/14/54/54	-
6	NAG	A	1201	1	-	0/6/23/26	0/1/1/1
6	NAG	F	401	4	-	1/6/23/26	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	D	201	HEM	FE-NA	3.27	2.05	1.95
8	D	201	HEM	FE-NB	3.16	2.04	1.94
8	D	201	HEM	FE-ND	3.15	2.04	1.94
8	E	201	HEM	FE-NB	3.14	2.04	1.94
8	E	201	HEM	CAB-C3B	3.04	1.55	1.47
8	E	201	HEM	FE-NA	3.02	2.05	1.95
8	E	201	HEM	CAC-C3C	3.00	1.55	1.47
8	D	201	HEM	CAC-C3C	2.98	1.55	1.47
8	D	201	HEM	CAB-C3B	2.97	1.55	1.47
8	E	201	HEM	FE-ND	2.92	2.03	1.94
8	D	201	HEM	FE-NC	2.73	2.04	1.95
8	E	201	HEM	FE-NC	2.73	2.04	1.95
8	D	201	HEM	CMC-C2C	2.02	1.54	1.50
8	E	201	HEM	CMD-C2D	2.01	1.54	1.50
8	D	201	HEM	C2A-C3A	-2.00	1.33	1.38
8	E	201	HEM	CMC-C2C	2.00	1.54	1.50

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	1201	NAG	C2-N2-C7	3.11	127.07	122.90
8	D	201	HEM	C3B-C2B-C1B	2.37	108.19	106.41
8	D	201	HEM	C4D-ND-C1D	2.33	107.97	105.21
8	E	201	HEM	C4D-ND-C1D	2.10	107.69	105.21
8	D	201	HEM	C1B-NB-C4B	2.07	107.66	105.21
8	D	201	HEM	C3D-C4D-ND	-2.04	107.93	110.17
8	E	201	HEM	C2A-C1A-NA	-2.02	107.91	110.15

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	B	1201	NAG	O5-C5-C6-O6
6	B	1201	NAG	C4-C5-C6-O6
6	A	1202	NAG	O5-C5-C6-O6
6	F	401	NAG	O5-C5-C6-O6
6	B	1201	NAG	C3-C2-N2-C7
8	E	201	HEM	CAD-CBD-CGD-O1D
6	B	1201	NAG	C1-C2-N2-C7
8	E	201	HEM	CAD-CBD-CGD-O2D


There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	E	201	HEM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-52078. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y



Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)

### 6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


### 6.2.2 Raw map



X Index: 256



Y Index: 256



Z Index: 256

The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)

### 6.3.1 Primary map



X Index: 239




Y Index: 290




Z Index: 325


### 6.3.2 Raw map



X Index: 245



Y Index: 265




Z Index: 224

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.08. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 89  $\text{nm}^3$ ; this corresponds to an approximate mass of 81 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.355  $\text{\AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.355  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.82	-	-
Author-provided FSC curve	2.82	3.21	2.84
Unmasked-calculated*	3.36	3.96	3.38

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.36 differs from the reported value 2.82 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-52078 and PDB model 9HEJ. Per-residue inclusion information can be found in section [3](#) on page [8](#).


### 9.1 Map-model overlay [i](#)



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.08 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.08).

## 9.4 Atom inclusion ⓘ



At the recommended contour level, 82% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.08) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.7410	<div></div> 0.4110
A	<div></div> 0.7460	<div></div> 0.4080
B	<div></div> 0.6190	<div></div> 0.2990
C	<div></div> 0.8570	<div></div> 0.4640
D	<div></div> 0.8870	<div></div> 0.5530
E	<div></div> 0.8820	<div></div> 0.5440
F	<div></div> 0.8440	<div></div> 0.5200
G	<div></div> 0.7650	<div></div> 0.3690
H	<div></div> 0.5000	<div></div> 0.2270

1.0

0.0

<0.0