



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 06:19 AM UTC

PDB ID : 7HKV / pdb\_00007hkv  
Title : Group deposition for crystallographic fragment screening of the NS5 RNA-dependent RNA polymerase from Dengue virus serotype 2 – Crystal structure of the NS5 RNA-dependent RNA polymerase from Dengue virus serotype 2 in complex with Z300245038 (DNV2\_NS5A-x0749)  
Authors : Saini, M.; Chopra, A.; Aschenbrenner, J.C.; Marples, P.G.; Balcomb, B.H.; Fearon, D.; von Delft, F.; Ruiz, F.X.; Arnold, E.  
Deposited on : 2024-10-15  
Resolution : 1.86 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.86 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	637	<div> <div>16%</div> <div>76%</div> <div>14%</div> <div>9%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	PO4	A	1008	-	-	X	-

## 2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 5350 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Genome polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	582	4833	3042	869	888	34	0	9	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	264	GLY	-	expression tag	UNP Q91H74
A	265	PRO	-	expression tag	UNP Q91H74

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		

- Molecule 3 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	1
			24	12	2	8	2		

- Molecule 4 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula:  $C_2H_6OS$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	A	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula:  $C_4H_{10}O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		
5	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula:  $O_4P$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	P	0	0
			5	4	1		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	P	0	0
			5	4	1		

- Molecule 7 is N-[(3-fluorophenyl)methyl]-N-methylsulfuric diamide (CCD ID: O0P) (formula: C<sub>8</sub>H<sub>11</sub>FN<sub>2</sub>O<sub>2</sub>S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
7	A	1	Total	C	F	N	O	S	0	0
			14	8	1	2	2	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	434	Total	O	0	0
			434	434		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Genome polypeptide





## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	82.39Å 116.01Å 147.85Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	58.07 – 1.86 58.07 – 1.86	Depositor EDS
% Data completeness (in resolution range)	95.6 (58.07-1.86) 95.6 (58.07-1.86)	Depositor EDS
$R_{merge}$	0.30	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.06 (at 1.86Å)	Xtriage
Refinement program	REFMAC 5.8.0267, REFMAC5	Depositor
R, $R_{free}$	0.202 , 0.251 0.225 , 0.267	Depositor DCC
$R_{free}$ test set	3097 reflections (5.18%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.8	Xtriage
Anisotropy	0.325	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 69.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5350	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.50% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MES, PO4, PEG, ZN, DMS, OOP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.08	3/4940 (0.1%)	1.40	3/6659 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	378	ALA	C-O	5.29	1.30	1.24
1	A	650	VAL	N-CA	5.16	1.50	1.46
1	A	815	ARG	C-O	5.12	1.30	1.24

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	360	ASP	CA-CB-CG	5.46	118.06	112.60
1	A	541	ARG	CB-CA-C	-5.11	102.09	110.72
1	A	483	PHE	CA-CB-CG	-5.08	108.72	113.80

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4833	0	4732	48	0
2	A	2	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	24	0	26	0	0
4	A	12	0	18	3	0
5	A	21	0	30	0	0
6	A	10	0	0	4	0
7	A	14	0	0	0	0
8	A	434	0	0	8	3
All	All	5350	0	4806	51	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (51) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:530:MET:HE2	1:A:706:VAL:HG21	1.28	1.11
1:A:664:ASP:OD1	6:A:1008:PO4:O4	1.97	0.83
4:A:1004:DMS:H11	8:A:1283:HOH:O	1.92	0.69
1:A:664:ASP:OD1	6:A:1008:PO4:P	2.52	0.67
1:A:534:ASP:OD1	6:A:1008:PO4:O4	2.14	0.66
1:A:580:VAL:HG21	1:A:593:ILE:HD11	1.84	0.59
1:A:530:MET:CE	1:A:706:VAL:HG21	2.20	0.58
4:A:1004:DMS:C1	8:A:1283:HOH:O	2.51	0.56
1:A:447:CYS:SG	1:A:450:CYS:HB2	2.46	0.55
1:A:381:LEU:HD11	1:A:615:MET:HE2	1.89	0.54
1:A:698[B]:ARG:NH2	1:A:698[B]:ARG:HG2	2.24	0.53
1:A:452:TYR:CZ	1:A:600:GLY:O	2.62	0.52
1:A:834:GLU:OE2	1:A:890:ARG:NE	2.40	0.52
1:A:819:GLN:NE2	8:A:1123:HOH:O	2.43	0.51
1:A:818:ILE:HD13	1:A:824:MET:HE3	1.92	0.51
1:A:534:ASP:OD1	6:A:1008:PO4:P	2.68	0.50
1:A:454:MET:HB3	1:A:580:VAL:HG13	1.93	0.50
1:A:733:GLU:O	1:A:737:ARG:HG3	2.12	0.49
1:A:302:THR:OG1	1:A:360:ASP:OD1	2.29	0.49
1:A:475:TRP:CE3	1:A:600:GLY:HA3	2.47	0.49
1:A:531:TYR:OH	1:A:672:ASP:OD1	2.31	0.48
1:A:431:PHE:O	1:A:434:LEU:HB2	2.14	0.48
1:A:312:LYS:O	1:A:313:GLN:HB2	2.13	0.48
1:A:477:MET:SD	1:A:482:ARG:NH1	2.87	0.48
1:A:524:LYS:NZ	8:A:1128:HOH:O	2.47	0.46
1:A:658:MET:HG2	1:A:667:VAL:HG13	1.96	0.46
1:A:399:PHE:O	1:A:403:VAL:HG13	2.16	0.46

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:698[B]:ARG:CG	1:A:698[B]:ARG:HH21	2.29	0.46
1:A:303:TRP:CE3	1:A:593:ILE:HD12	2.51	0.46
1:A:698[B]:ARG:HG2	8:A:1364:HOH:O	2.16	0.45
1:A:452:TYR:O	1:A:578:VAL:HA	2.15	0.45
4:A:1004:DMS:H12	8:A:1300:HOH:O	2.16	0.45
1:A:698[B]:ARG:HG2	1:A:698[B]:ARG:HH21	1.82	0.44
1:A:355:PHE:O	1:A:358:LYS:HB3	2.17	0.44
1:A:454:MET:HE2	1:A:475:TRP:NE1	2.33	0.44
1:A:826:ASP:OD1	1:A:826:ASP:C	2.60	0.44
1:A:582:ARG:O	1:A:588:THR:HA	2.18	0.44
1:A:313:GLN:O	1:A:314:THR:C	2.61	0.43
1:A:793:THR:O	1:A:794:THR:C	2.60	0.43
1:A:321:VAL:HG11	1:A:326:ARG:CZ	2.48	0.43
1:A:337:MET:HG2	8:A:1362:HOH:O	2.19	0.43
1:A:408:ALA:HB2	1:A:793:THR:HG22	2.00	0.43
1:A:305:TYR:HE1	1:A:591:ASP:OD1	2.02	0.43
1:A:528:GLY:O	1:A:668:LYS:HE3	2.19	0.42
1:A:770:ARG:HD2	1:A:851:ILE:HD13	2.01	0.41
1:A:400:THR:O	1:A:403:VAL:HG22	2.20	0.41
1:A:411:ALA:HB2	1:A:479:LEU:HD13	2.03	0.41
1:A:650:VAL:O	1:A:654:ARG:HG2	2.20	0.40
1:A:745:GLY:N	8:A:1146:HOH:O	2.54	0.40
1:A:419:TRP:HH2	1:A:434:LEU:HD12	1.87	0.40
1:A:513:HIS:CD2	1:A:514:LYS:HG2	2.55	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:1112:HOH:O	8:A:1112:HOH:O[2_445]	1.80	0.40
8:A:1290:HOH:O	8:A:1436:HOH:O[2_545]	1.95	0.25
8:A:1424:HOH:O	8:A:1505:HOH:O[2_445]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	577/637 (91%)	543 (94%)	28 (5%)	6 (1%)	12 4

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	313	GLN
1	A	294	TYR
1	A	408	ALA
1	A	747	SER
1	A	406	ASN
1	A	420	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	519/554 (94%)	490 (94%)	29 (6%)	19 6

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	274	LEU
1	A	297	ASP
1	A	312	LYS
1	A	356	LYS
1	A	359	VAL
1	A	403	VAL
1	A	405	SER
1	A	406	ASN
1	A	413	PHE
1	A	426	VAL
1	A	427	GLU
1	A	428	ASP
1	A	438	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	446	LYS
1	A	482	ARG
1	A	580	VAL
1	A	589	VAL
1	A	634	HIS
1	A	635	LEU
1	A	638	THR
1	A	641	ILE
1	A	687	VAL
1	A	693	GLN
1	A	698[A]	ARG
1	A	698[B]	ARG
1	A	705	GLN
1	A	830	VAL
1	A	841	LYS
1	A	887	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	288	HIS
1	A	693	GLN
1	A	760	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 2 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	DMS	A	1004	-	3,3,3	0.23	0	3,3,3	0.32	0
3	MES	A	1003[B]	-	12,12,12	0.71	0	15,16,16	0.28	0
5	PEG	A	1011	-	6,6,6	0.16	0	5,5,5	0.10	0
4	DMS	A	1006	-	3,3,3	0.26	0	3,3,3	0.27	0
6	PO4	A	1008	-	4,4,4	2.33	1 (25%)	6,6,6	0.98	0
5	PEG	A	1009	-	6,6,6	0.13	0	5,5,5	0.09	0
4	DMS	A	1005	-	3,3,3	0.29	0	3,3,3	0.07	0
6	PO4	A	1010	-	4,4,4	1.05	1 (25%)	6,6,6	0.36	0
5	PEG	A	1007	-	6,6,6	0.14	0	5,5,5	0.08	0
3	MES	A	1003[A]	-	12,12,12	0.71	0	15,16,16	0.55	0
7	OOP	A	1012	-	11,14,14	0.47	0	14,20,20	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	A	1011	-	-	2/4/4/4	-
3	MES	A	1003[B]	-	-	5/6/14/14	0/1/1/1
5	PEG	A	1009	-	-	1/4/4/4	-
5	PEG	A	1007	-	-	1/4/4/4	-
3	MES	A	1003[A]	-	-	3/6/14/14	0/1/1/1
7	OOP	A	1012	-	-	1/8/10/10	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1008	PO4	P-O1	3.53	1.58	1.50
6	A	1010	PO4	P-O1	2.04	1.55	1.50

There are no bond angle outliers.

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1003[A]	MES	C7-C8-S-O2S
3	A	1003[A]	MES	C7-C8-S-O3S
3	A	1003[B]	MES	C8-C7-N4-C3
3	A	1003[B]	MES	C7-C8-S-O2S
3	A	1003[B]	MES	C7-C8-S-O3S
5	A	1007	PEG	C4-C3-O2-C2
5	A	1009	PEG	O2-C3-C4-O4
5	A	1011	PEG	O2-C3-C4-O4
3	A	1003[B]	MES	C8-C7-N4-C5
3	A	1003[A]	MES	C7-C8-S-O1S
3	A	1003[B]	MES	C7-C8-S-O1S
5	A	1011	PEG	C4-C3-O2-C2
7	A	1012	OOP	C1-N-S-O1


There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1004	DMS	3	0
6	A	1008	PO4	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	582/637 (91%)	1.26	105 (18%) 3 3	8, 45, 121, 161	31 (5%)

All (105) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	748	LEU	15.6
1	A	512[A]	LEU	14.5
1	A	801[A]	HIS	14.0
1	A	747	SER	11.3
1	A	746	TRP	11.1
1	A	698[A]	ARG	10.8
1	A	741[A]	SER	10.8
1	A	763[A]	SER	10.3
1	A	719[A]	LYS	9.9
1	A	513	HIS	9.5
1	A	716	LEU	9.4
1	A	525	LYS	9.4
1	A	551[A]	GLU	9.0
1	A	785[A]	SER	8.9
1	A	657	ARG	8.8
1	A	864[A]	GLN	8.5
1	A	705	GLN	8.4
1	A	838	TYR	8.2
1	A	745	GLY	8.1
1	A	701	ASN	8.1
1	A	702	ASP	8.0
1	A	851	ILE	7.6
1	A	524	LYS	7.5
1	A	699	GLY	7.4
1	A	334	ILE	7.3
1	A	526	GLU	7.0
1	A	839	LEU	6.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	878	GLU	6.5
1	A	792	ARG	6.3
1	A	799	ALA	6.1
1	A	841	LYS	5.8
1	A	750	GLU	5.4
1	A	419	TRP	5.0
1	A	355	PHE	4.9
1	A	359	VAL	4.9
1	A	600	GLY	4.8
1	A	589	VAL	4.8
1	A	412	ILE	4.5
1	A	317	ALA	4.1
1	A	407	ALA	4.0
1	A	475	TRP	3.7
1	A	794	THR	3.7
1	A	413	PHE	3.7
1	A	410	GLY	3.5
1	A	473	ALA	3.5
1	A	294	TYR	3.2
1	A	791	SER	3.2
1	A	309	TYR	3.2
1	A	293	HIS	3.1
1	A	476	TYR	3.1
1	A	455	MET	3.1
1	A	363	THR	3.1
1	A	411	ALA	3.1
1	A	303	TRP	3.0
1	A	409	LEU	3.0
1	A	593	ILE	3.0
1	A	793	THR	2.9
1	A	284	ILE	2.9
1	A	592	ILE	2.9
1	A	790	THR	2.8
1	A	288	HIS	2.8
1	A	889	PHE	2.8
1	A	305	TYR	2.8
1	A	474	ILE	2.8
1	A	314	THR	2.7
1	A	634	HIS	2.7
1	A	274	LEU	2.7
1	A	584	THR	2.7
1	A	800	THR	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	403	VAL	2.6
1	A	426	VAL	2.6
1	A	281	ILE	2.6
1	A	830	VAL	2.6
1	A	308	SER	2.6
1	A	478	TRP	2.5
1	A	846	TRP	2.5
1	A	428	ASP	2.5
1	A	427	GLU	2.4
1	A	583	PRO	2.4
1	A	399	PHE	2.3
1	A	441	LEU	2.3
1	A	635	LEU	2.3
1	A	449	THR	2.3
1	A	408	ALA	2.3
1	A	534	ASP	2.3
1	A	882	TYR	2.3
1	A	304	ALA	2.3
1	A	319	SER	2.3
1	A	298	HIS	2.3
1	A	277	ILE	2.2
1	A	356	LYS	2.2
1	A	358	LYS	2.2
1	A	454	MET	2.2
1	A	431	PHE	2.2
1	A	742	GLN	2.2
1	A	422	ALA	2.2
1	A	439	ARG	2.2
1	A	555	ASN	2.1
1	A	638	THR	2.1
1	A	435	VAL	2.1
1	A	637	VAL	2.1
1	A	479	LEU	2.1
1	A	649	ARG	2.1
1	A	360	ASP	2.0
1	A	290	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ


There are no oligosaccharides in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	PEG	A	1009	7/7	0.64	0.36	118,124,126,129	7
5	PEG	A	1007	7/7	0.72	0.30	67,69,71,71	7
6	PO4	A	1008	5/5	0.77	0.14	43,52,63,76	0
6	PO4	A	1010	5/5	0.80	0.14	99,106,118,134	0
4	DMS	A	1005	4/4	0.83	0.20	79,95,100,104	0
5	PEG	A	1011	7/7	0.88	0.13	71,78,81,83	0
7	O0P	A	1012	14/14	0.88	0.17	42,46,52,53	14
4	DMS	A	1006	4/4	0.95	0.10	57,61,64,64	0
3	MES	A	1003[A]	12/12	0.96	0.37	29,33,35,35	12
3	MES	A	1003[B]	12/12	0.96	0.37	901,911,970,974	12
4	DMS	A	1004	4/4	0.97	0.10	48,50,50,52	0
2	ZN	A	1002	1/1	1.00	0.05	59,59,59,59	0
2	ZN	A	1001	1/1	1.00	0.03	29,29,29,29	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers ⓘ

There are no such residues in this entry.