



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:22 AM UTC

PDB ID : 7HZY / pdb_00007hzy
Title : PanDDA analysis group deposition – Crystal structure of Enterococcus faecium VatD in complex with ZINC000002977810
Authors : Asthana, P.; Fraser, J.S.
Deposited on : 2025-01-25
Resolution : 2.03 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.03 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	13299 (2.04-2.00)
Clashscore	190562	1022 (2.02-2.02)
Ramachandran outliers	187476	1014 (2.02-2.02)
Sidechain outliers	187428	1014 (2.02-2.02)
RSRZ outliers	180081	13314 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	209	<div> <div>4%</div> <div>76%</div> <div>20%</div> <div>..</div> </div>
1	B	209	<div> <div>2%</div> <div>72%</div> <div>24%</div> <div>..</div> </div>
1	C	209	<div> <div>4%</div> <div>69%</div> <div>27%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	2AK	B	302[B]	-	-	X	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 10113 atoms, of which 5056 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Streptogramin A acetyltransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	203	Total	C	H	N	O	S	0	15	0
			3423	1104	1718	280	312	9			
1	B	203	Total	C	H	N	O	S	0	8	0
			3321	1068	1667	273	305	8			
1	C	202	Total	C	H	N	O	S	0	8	0
			3295	1061	1653	271	302	8			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP P50870
B	1	GLY	-	expression tag	UNP P50870
C	1	GLY	-	expression tag	UNP P50870

- Molecule 2 is 7-bromo-5-methyl-1H-indole-2,3-dione (CCD ID: 2AK) (formula: C₉H₆BrNO₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	Br	C	H	N	O	0	1
			19	1	9	6	1	2		
2	B	1	Total	Br	C	H	N	O	0	1
			19	1	9	6	1	2		
2	B	1	Total	Br	C	H	N	O	0	1
			19	1	9	6	1	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	6	Total	O	0	6
			6	6		
3	B	5	Total	O	0	5
			5	5		
3	C	6	Total	O	0	6
			6	6		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Streptogramin A acetyltransferase



• Molecule 1: Streptogramin A acetyltransferase



• Molecule 1: Streptogramin A acetyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	44.02Å 101.98Å 147.51Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.19 – 2.03 48.19 – 2.03	Depositor EDS
% Data completeness (in resolution range)	99.7 (48.19-2.03) 99.7 (48.19-2.03)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.07 (at 2.03Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.226 , 0.293 0.228 , 0.294	Depositor DCC
R_{free} test set	2175 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	53.8	Xtriage
Anisotropy	0.149	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 38.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10113	wwPDB-VP
Average B, all atoms (Å ²)	79.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 2AK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.66	0/1763	0.83	0/2391
1	B	0.83	0/1709	0.90	0/2316
1	C	0.66	0/1690	0.76	0/2290
All	All	0.72	0/5162	0.83	0/6997

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1705	1718	1705	42	0
1	B	1654	1667	1657	38	0
1	C	1642	1653	1645	55	0
2	A	13	6	6	0	0
2	B	26	12	12	6	0
3	A	6	0	0	0	0
3	B	5	0	0	0	0
3	C	6	0	0	3	0
All	All	5057	5056	5025	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 13.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:98:TRP:O	3:C:301[B]:HOH:O	1.75	1.04
1:A:6:MET:O	1:A:6:MET:HE3	1.65	0.96
1:A:111[B]:LYS:HD3	1:A:131:GLY:HA3	1.65	0.79
1:A:139:ILE:HD12	1:A:155[B]:LEU:HD21	1.67	0.77
1:A:181:TRP:O	1:A:189:ILE:HD11	1.86	0.76
1:C:196:ILE:HG12	1:C:201:ILE:HD13	1.68	0.75
1:A:139:ILE:HD12	1:A:155[B]:LEU:CD2	2.19	0.71
1:C:185:PRO:HD2	1:C:188:ILE:HD12	1.74	0.70
1:C:101:HIS:HB2	3:C:301[B]:HOH:O	1.91	0.70
1:C:10:PRO:HG3	1:C:19:PHE:CD2	2.28	0.69
1:C:175:GLN:O	1:C:179:ILE:HG23	1.93	0.68
2:B:302[B]:2AK:BR1	1:C:155[B]:LEU:HD21	2.49	0.68
1:A:139:ILE:HB	1:A:155[B]:LEU:CD2	2.25	0.67
1:A:198:ASP:OD2	1:A:200:SER:OG	2.15	0.65
1:C:18:GLN:HB3	1:C:23:ILE:HD12	1.79	0.64
1:C:57:LEU:HD22	1:C:110[A]:ILE:HD11	1.79	0.64
1:B:164:ILE:HG22	1:B:165:LYS:HG2	1.80	0.63
1:A:99:GLU:OE1	1:A:99:GLU:N	2.19	0.63
1:C:114:THR:C	1:C:115:ILE:HD13	2.22	0.63
1:A:24:LEU:HD12	1:A:32:VAL:HG21	1.80	0.63
1:C:168:PHE:HB2	1:C:173:ILE:CD1	2.29	0.62
1:A:139:ILE:HB	1:A:155[B]:LEU:HD23	1.83	0.61
1:A:186:ILE:HG13	1:A:190:ASN:OD1	2.01	0.60
2:B:302[B]:2AK:BR1	1:C:155[B]:LEU:HD11	2.57	0.60
1:C:195:LYS:CB	1:C:201:ILE:HG23	2.33	0.58
1:A:155[A]:LEU:HD13	1:A:165:LYS:HE2	1.86	0.58
1:B:111[B]:LYS:HD2	1:B:130:PRO:HB2	1.86	0.57
1:C:168:PHE:HB2	1:C:173:ILE:HD11	1.86	0.57
1:A:11:ILE:HD13	1:C:93:LEU:O	2.04	0.56
1:C:195:LYS:HB3	1:C:201:ILE:HG23	1.86	0.56
1:A:155[A]:LEU:CD1	1:A:165:LYS:HE2	2.37	0.55
1:B:123:GLY:O	1:B:126:VAL:HG23	2.07	0.55
1:B:147[B]:VAL:HG11	2:B:301[B]:2AK:C6	2.37	0.55
1:C:9:TYR:CG	1:C:15:LYS:HD3	2.42	0.54
1:C:10:PRO:HG3	1:C:19:PHE:CE2	2.43	0.53
1:B:102:MET:HG3	1:B:103:PRO:HD2	1.91	0.53
1:C:169:ASP:O	1:C:173:ILE:HD13	2.09	0.52
1:B:81:ASN:CG	1:B:111[B]:LYS:HE3	2.35	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:45:THR:OG1	1:C:47:ASP:OD2	2.22	0.51
1:A:139:ILE:HB	1:A:155[B]:LEU:HD22	1.93	0.51
1:B:154:MET:HE3	1:B:163:GLU:HB3	1.93	0.50
1:C:110[A]:ILE:HG23	1:C:112[A]:GLY:H	1.77	0.50
1:C:9:TYR:CE1	1:C:18:GLN:HG2	2.47	0.50
1:A:159:ASN:OD1	1:A:159:ASN:C	2.53	0.50
1:A:111[B]:LYS:CD	1:A:130:PRO:O	2.60	0.49
1:C:34:GLU:O	1:C:35:TYR:HB2	2.10	0.49
1:A:66:PHE:O	1:A:119:ASP:HA	2.12	0.49
1:A:192:ASN:HB3	1:A:201:ILE:CD1	2.43	0.49
1:B:10:PRO:HG3	1:B:19:PHE:CE2	2.47	0.49
1:C:24:LEU:HD12	1:C:32:VAL:HG21	1.94	0.49
1:B:25:GLU:O	1:B:26:LYS:HB2	2.13	0.49
1:B:81:ASN:ND2	1:B:111[B]:LYS:HE3	2.28	0.49
1:B:184:TRP:CE3	1:B:188:ILE:HG22	2.48	0.49
1:C:18:GLN:HB3	1:C:23:ILE:CD1	2.43	0.48
1:B:129:MET:HB3	1:B:130:PRO:CD	2.43	0.48
1:B:122:ILE:HD13	1:B:128:ILE:HD11	1.95	0.48
1:C:168:PHE:HB2	1:C:173:ILE:HD12	1.96	0.48
1:A:115:ILE:HD12	1:A:133:LYS:HD2	1.95	0.47
1:C:8:MET:HG2	1:C:23:ILE:HG13	1.96	0.47
1:B:104:LYS:O	1:B:105:LEU:C	2.58	0.47
1:B:101:HIS:CG	1:C:193:ILE:HG21	2.50	0.47
2:B:301[B]:2AK:C9	2:B:302[B]:2AK:BR1	3.18	0.47
1:B:25:GLU:CD	1:B:26:LYS:HE2	2.40	0.47
1:B:175:GLN:O	1:B:179:ILE:HD13	2.14	0.47
1:A:111[B]:LYS:HD2	1:A:130:PRO:O	2.16	0.46
1:A:181:TRP:HE3	1:A:189:ILE:HD12	1.80	0.46
1:A:99:GLU:H	1:A:99:GLU:CD	2.16	0.46
1:A:106:ASP:N	1:A:106:ASP:OD1	2.44	0.46
1:A:109[A]:PRO:O	1:A:110[A]:ILE:C	2.58	0.46
2:B:301[B]:2AK:C8	2:B:302[B]:2AK:BR1	3.19	0.46
1:B:66:PHE:O	1:B:119:ASP:HA	2.16	0.46
1:C:9:TYR:CD1	1:C:15:LYS:HD3	2.51	0.46
1:C:101:HIS:CD2	3:C:301[B]:HOH:O	2.69	0.46
1:A:187:ASP:O	1:A:191:GLU:OE2	2.34	0.46
1:B:98:TRP:N	1:B:99:GLU:OE2	2.48	0.46
1:B:151:ALA:HB1	1:B:152:PRO:CD	2.45	0.46
1:C:102:MET:HG3	1:C:103:PRO:HD2	1.98	0.46
1:C:173:ILE:HD12	1:C:173:ILE:N	2.30	0.46
1:C:110[B]:ILE:N	1:C:110[B]:ILE:HD13	2.30	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:115:ILE:HG12	1:C:133:LYS:HE3	1.99	0.45
1:A:10:PRO:HG3	1:A:19:PHE:CD2	2.51	0.45
1:A:20:ILE:HG22	1:A:24:LEU:HD12	1.98	0.45
1:B:111[B]:LYS:CD	1:B:130:PRO:HB2	2.47	0.45
1:B:129:MET:HB3	1:B:130:PRO:HD2	1.98	0.45
1:B:4:ASN:OD1	1:B:4:ASN:C	2.60	0.44
1:B:115:ILE:HD12	1:B:133:LYS:HE3	1.99	0.44
1:A:34:GLU:O	1:A:35:TYR:HB2	2.18	0.44
1:C:144:SER:OG	1:C:157[B]:GLY:HA2	2.17	0.44
1:B:81:ASN:OD1	1:B:111[B]:LYS:HE3	2.18	0.44
1:C:16:SER:O	1:C:18:GLN:HG3	2.18	0.44
1:C:27:LEU:HD23	1:C:27:LEU:HA	1.90	0.44
1:A:203:ARG:HH11	1:A:203:ARG:HG2	1.83	0.43
1:B:24:LEU:HD12	1:B:32:VAL:HG21	2.00	0.43
1:C:195:LYS:HA	1:C:198:ASP:OD1	2.18	0.43
1:C:169:ASP:O	1:C:173:ILE:CD1	2.66	0.43
1:A:184:TRP:CE3	1:A:189:ILE:HD13	2.54	0.43
1:C:18:GLN:HE22	1:C:45:THR:HA	1.83	0.43
1:C:20:ILE:CG2	1:C:32:VAL:HG11	2.49	0.43
1:C:44:GLU:HB2	1:C:48:LYS:HD3	2.01	0.43
1:B:56:ILE:HD12	1:B:56:ILE:HA	1.85	0.42
1:A:115:ILE:HB	1:A:133:LYS:HD2	2.02	0.42
1:A:190:ASN:ND2	1:C:98:TRP:HE1	2.18	0.42
1:B:92:ASN:ND2	1:B:92:ASN:C	2.77	0.42
1:C:38:TYR:CE2	1:C:40:SER:HA	2.54	0.42
1:A:194:ASP:OD1	1:C:101:HIS:ND1	2.53	0.42
1:B:151:ALA:HB1	1:B:152:PRO:HD2	2.01	0.42
1:B:159:ASN:C	1:B:159:ASN:OD1	2.61	0.42
1:C:188:ILE:O	1:C:192:ASN:ND2	2.52	0.42
1:A:192:ASN:HB3	1:A:201:ILE:HD11	2.02	0.42
1:B:97:GLY:C	1:B:99:GLU:OE2	2.62	0.42
1:B:8:MET:HG3	1:B:23:ILE:HD11	2.01	0.42
1:B:111[B]:LYS:HE2	2:B:302[B]:2AK:O10	2.19	0.42
1:B:115:ILE:HB	1:B:133:LYS:HD2	2.01	0.42
1:C:9:TYR:CD1	1:C:15:LYS:HA	2.55	0.42
1:A:18:GLN:HE22	1:A:45:THR:HA	1.86	0.41
1:A:196:ILE:HG13	1:A:201:ILE:HD13	2.02	0.41
1:A:10:PRO:HG3	1:A:19:PHE:CE2	2.55	0.41
1:A:192:ASN:O	1:A:193:ILE:C	2.62	0.41
1:C:195:LYS:HB2	1:C:201:ILE:HG23	2.02	0.41
1:C:28:GLU:O	1:C:29:ASN:HB2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:98:TRP:O	1:C:99:GLU:C	2.63	0.41
1:A:109[A]:PRO:O	1:A:111[A]:LYS:HG3	2.20	0.41
1:A:121[B]:TRP:CZ3	1:C:82:HIS:HB2	2.56	0.41
1:B:45:THR:OG1	1:B:47:ASP:OD1	2.29	0.41
1:C:107:GLN:C	1:C:109[B]:PRO:HD3	2.46	0.40
1:C:172:THR:HG23	1:C:202:ILE:HD13	2.03	0.40
1:B:8:MET:HG3	1:B:23:ILE:CG1	2.52	0.40
1:B:134:ILE:HD13	1:B:134:ILE:HG21	1.78	0.40
1:C:108:LEU:N	1:C:109[B]:PRO:HD3	2.36	0.40
1:C:110[B]:ILE:HG22	1:C:112[B]:GLY:H	1.86	0.40
1:A:20:ILE:CG2	1:A:24:LEU:HD12	2.52	0.40
1:B:49:GLN:HB3	1:B:73:VAL:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	216/209 (103%)	203 (94%)	12 (6%)	1 (0%)	24	17
1	B	209/209 (100%)	195 (93%)	13 (6%)	1 (0%)	24	17
1	C	208/209 (100%)	199 (96%)	8 (4%)	1 (0%)	24	17
All	All	633/627 (101%)	597 (94%)	33 (5%)	3 (0%)	24	17

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	117	GLY
1	B	42	ASN
1	C	90	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/182 (103%)	180 (96%)	8 (4%)	26	19
1	B	184/182 (101%)	178 (97%)	6 (3%)	33	29
1	C	180/182 (99%)	177 (98%)	3 (2%)	53	53
All	All	552/546 (101%)	535 (97%)	17 (3%)	40	31

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	ILE
1	A	18	GLN
1	A	110[A]	ILE
1	A	110[B]	ILE
1	A	155[A]	LEU
1	A	155[B]	LEU
1	A	171	ASP
1	A	199	ASN
1	B	7	LYS
1	B	16	SER
1	B	42	ASN
1	B	92	ASN
1	B	120	VAL
1	B	178	ASP
1	C	110[A]	ILE
1	C	110[B]	ILE
1	C	132	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	96	ASN
1	A	162	ASN
1	A	170	GLN
1	A	190	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	92	ASN
1	B	143	ASN
1	B	170	GLN
1	C	162	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	2AK	B	301[B]	-	14,14,14	3.98	8 (57%)	20,21,21	2.78	6 (30%)
2	2AK	A	301[B]	-	14,14,14	3.70	7 (50%)	20,21,21	3.19	8 (40%)
2	2AK	B	302[B]	-	14,14,14	3.39	6 (42%)	20,21,21	3.13	10 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2AK	B	301[B]	-	-	-	0/2/2/2
2	2AK	A	301[B]	-	-	-	0/2/2/2
2	2AK	B	302[B]	-	-	-	0/2/2/2

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301[B]	2AK	C8-N7	9.05	1.45	1.36
2	B	301[B]	2AK	C8-N7	8.68	1.45	1.36
2	B	302[B]	2AK	C8-N7	8.25	1.44	1.36
2	B	301[B]	2AK	C6-N7	7.45	1.54	1.38
2	A	301[B]	2AK	C6-N7	6.64	1.52	1.38
2	B	302[B]	2AK	C6-N7	6.49	1.52	1.38
2	B	301[B]	2AK	C8-C9	-6.38	1.47	1.56
2	A	301[B]	2AK	C8-C9	-5.80	1.48	1.56
2	B	302[B]	2AK	C8-C9	-4.33	1.50	1.56
2	B	301[B]	2AK	C4-C3	3.68	1.44	1.39
2	A	301[B]	2AK	C1-C9	3.15	1.55	1.48
2	B	301[B]	2AK	O11-C8	-2.95	1.18	1.23
2	B	302[B]	2AK	C1-C9	2.85	1.54	1.48
2	B	302[B]	2AK	O11-C8	-2.68	1.18	1.23
2	B	301[B]	2AK	C1-C9	2.56	1.53	1.48
2	B	301[B]	2AK	BR1-C5	2.50	1.95	1.89
2	A	301[B]	2AK	C2-C1	2.41	1.43	1.39
2	A	301[B]	2AK	O11-C8	-2.24	1.19	1.23
2	B	301[B]	2AK	C4-C5	2.11	1.42	1.38
2	B	302[B]	2AK	C2-C3	2.09	1.42	1.39
2	A	301[B]	2AK	O10-C9	-2.07	1.19	1.23

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301[B]	2AK	C1-C9-C8	8.83	108.85	105.00
2	B	301[B]	2AK	C1-C9-C8	8.35	108.65	105.00
2	B	302[B]	2AK	C1-C9-C8	7.62	108.33	105.00
2	A	301[B]	2AK	C12-C3-C4	-6.70	111.85	120.92
2	B	302[B]	2AK	C6-N7-C8	-6.37	107.97	110.85
2	B	302[B]	2AK	O11-C8-C9	5.33	130.62	125.88
2	B	301[B]	2AK	C6-N7-C8	-5.22	108.49	110.85
2	B	302[B]	2AK	O10-C9-C8	5.11	128.04	123.78
2	A	301[B]	2AK	C12-C3-C2	4.73	127.32	120.92
2	A	301[B]	2AK	C6-N7-C8	-4.29	108.91	110.85
2	B	301[B]	2AK	BR1-C5-C4	4.06	125.68	118.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301[B]	2AK	BR1-C5-C6	-3.26	115.23	119.58
2	A	301[B]	2AK	C2-C1-C9	3.16	136.21	129.46
2	A	301[B]	2AK	O11-C8-C9	2.94	128.49	125.88
2	B	301[B]	2AK	C12-C3-C2	-2.89	117.00	120.92
2	B	302[B]	2AK	C2-C1-C9	2.88	135.62	129.46
2	B	302[B]	2AK	O11-C8-N7	-2.66	122.06	126.30
2	B	301[B]	2AK	C9-C8-N7	2.62	107.67	106.03
2	A	301[B]	2AK	C2-C3-C4	2.45	120.83	118.11
2	B	302[B]	2AK	BR1-C5-C6	-2.38	116.40	119.58
2	B	302[B]	2AK	BR1-C5-C4	2.11	122.12	118.28
2	B	302[B]	2AK	C9-C8-N7	2.06	107.31	106.03
2	B	302[B]	2AK	C1-C6-N7	2.02	110.73	108.13
2	A	301[B]	2AK	O10-C9-C8	2.01	125.45	123.78

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301[B]	2AK	3	0
2	B	302[B]	2AK	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	203/209 (97%)	0.32	9 (4%)	39 38	29, 72, 109, 127	12 (5%)
1	B	203/209 (97%)	0.13	4 (1%)	65 65	23, 65, 108, 128	6 (2%)
1	C	202/209 (96%)	0.33	8 (3%)	42 41	32, 79, 119, 140	6 (2%)
All	All	608/627 (96%)	0.26	21 (3%)	47 46	23, 72, 112, 140	24 (3%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	110[A]	ILE	11.8
1	A	108[A]	LEU	8.5
1	A	111[A]	LYS	7.7
1	C	111[A]	LYS	4.7
1	B	108	LEU	4.1
1	C	110[A]	ILE	3.6
1	B	148[A]	LYS	3.4
1	A	155[A]	LEU	3.4
1	B	109	PRO	2.8
1	B	105	LEU	2.7
1	C	181	TRP	2.6
1	A	105	LEU	2.6
1	A	177	LEU	2.6
1	C	109[A]	PRO	2.5
1	C	189	ILE	2.3
1	A	176	LEU	2.2
1	C	35	TYR	2.2
1	C	98	TRP	2.2
1	C	184	TRP	2.1
1	A	189	ILE	2.1
1	A	17	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	2AK	B	301[B]	13/13	0.63	0.22	75,91,104,172	19
2	2AK	B	302[B]	13/13	0.66	0.23	77,102,127,272	19
2	2AK	A	301[B]	13/13	0.75	0.20	69,96,119,349	19

6.5 Other polymers [i](#)

There are no such residues in this entry.