



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 27, 2025 – 08:09 PM JST

PDB ID : 9KBE / pdb_00009kbe
Title : Crystal structure of mycolic acid transporter MmpL3 from Mycobacterium smegmatis complexed with indolcarboxamide
Authors : Murakami, S.; Okada, U.; Yamashita, E.; Pieroni, M.; Carosati, E.
Deposited on : 2024-10-30
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1881 (2.16-2.16)
Clashscore	180529	2047 (2.16-2.16)
Ramachandran outliers	177936	2027 (2.16-2.16)
Sidechain outliers	177891	2026 (2.16-2.16)
RSRZ outliers	164620	1882 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	779	<div> <div>21%</div> <div>80%</div> <div>12%</div> <div>7%</div> </div>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5866 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Trehalose monomycolate exporter MmpL3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	725	5535	3587	916	1004	28	0	0	0

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	774	HIS	-	expression tag	UNP A0QP27
A	775	HIS	-	expression tag	UNP A0QP27
A	776	HIS	-	expression tag	UNP A0QP27
A	777	HIS	-	expression tag	UNP A0QP27
A	778	HIS	-	expression tag	UNP A0QP27
A	779	HIS	-	expression tag	UNP A0QP27

- Molecule 2 is N-cycloheptyl-4,6-dimethyl-1H-indole-2-carboxamide (CCD ID: A1L5O) (formula: $C_{18}H_{24}N_2O$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			21	18	2	1		

- Molecule 3 is DODECYL-BETA-D-MALTOSE (CCD ID: LMT) (formula: $C_{24}H_{46}O_{11}$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			35	24	11		
3	A	1	Total	C	O	0	0
			35	24	11		
3	A	1	Total	C	O	0	0
			35	24	11		
3	A	1	Total	C	O	0	0
			35	24	11		
3	A	1	Total	C	O	0	0
			35	24	11		
3	A	1	Total	C	O	0	0
			35	24	11		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	100	Total	O	0	0
			100	100		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Trehalose monomycolate exporter MmpL3



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	84.29Å 105.34Å 89.47Å 90.00° 114.52° 90.00°	Depositor
Resolution (Å)	43.42 – 2.15 43.42 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.8 (43.42-2.15) 100.0 (43.42-2.15)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.53 (at 2.14Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.216 , 0.242 0.218 , 0.244	Depositor DCC
R_{free} test set	3861 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	57.8	Xtriage
Anisotropy	0.327	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 55.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5866	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1L5O, LMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.14	0/5645	0.31	0/7681

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5535	0	5720	60	0
2	A	21	0	0	1	0
3	A	210	0	275	10	0
4	A	100	0	0	0	0
All	All	5866	0	5995	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:650:LEU:HD22	1:A:720:ARG:HG3	1.71	0.72
3:A:2002:LMT:H22	3:A:2006:LMT:H121	1.74	0.69
1:A:197:VAL:HG13	1:A:685:ILE:HD12	1.75	0.68
1:A:585:SER:HA	1:A:738:ALA:HB2	1.78	0.66
1:A:197:VAL:HG11	1:A:255:ILE:HD13	1.78	0.65
1:A:588:LEU:HD21	1:A:728:MET:HE3	1.78	0.64
1:A:606:ILE:HG22	1:A:610:MET:HE2	1.81	0.61
1:A:591:LYS:NZ	1:A:647:GLU:OE2	2.35	0.59
1:A:395:ASN:HD21	1:A:669:ARG:HD2	1.69	0.58
1:A:650:LEU:HD11	1:A:654:MET:HE3	1.85	0.57
3:A:2007:LMT:H2'	3:A:2007:LMT:H42	1.86	0.56
1:A:119:ASP:OD1	1:A:121:THR:OG1	2.20	0.54
1:A:312:LEU:O	1:A:316:THR:HG23	2.07	0.54
1:A:302:VAL:HG23	1:A:303:PRO:HD3	1.92	0.52
1:A:463:ARG:HG3	1:A:542:ILE:HG22	1.90	0.52
1:A:683:ALA:HA	1:A:712:LEU:HD11	1.91	0.52
1:A:390:TRP:O	1:A:394:VAL:HG23	2.10	0.52
1:A:610:MET:HE1	1:A:710:ILE:HD11	1.93	0.51
1:A:603:THR:HG22	1:A:710:ILE:HG22	1.92	0.51
1:A:306:LEU:HD11	1:A:570:ILE:HD12	1.93	0.51
1:A:297:ILE:HG21	1:A:323:VAL:HG11	1.92	0.50
1:A:193:ALA:O	1:A:197:VAL:HG23	2.12	0.49
1:A:410:VAL:O	1:A:414:LEU:HG	2.13	0.49
1:A:652:SER:O	1:A:655:VAL:N	2.46	0.48
1:A:353:LEU:HA	1:A:356:ILE:HG13	1.94	0.48
1:A:389:PHE:C	1:A:389:PHE:CD1	2.91	0.48
1:A:241:PHE:O	1:A:244:PRO:HD2	2.12	0.48
1:A:680:THR:HG23	3:A:2005:LMT:H31	1.96	0.48
1:A:389:PHE:C	1:A:389:PHE:HD1	2.22	0.48
1:A:727:VAL:O	1:A:731:LEU:HD12	2.14	0.48
1:A:261:ILE:HD11	1:A:334:LEU:HG	1.96	0.47
1:A:387:ARG:NH1	1:A:388:GLY:HA2	2.29	0.47
1:A:40:GLN:HG2	1:A:145:ASP:OD1	2.15	0.47
1:A:395:ASN:ND2	1:A:669:ARG:HD2	2.30	0.46
1:A:579:MET:HE1	1:A:592:ALA:HB3	1.97	0.46
1:A:186:GLN:OE1	1:A:243:GLN:HG2	2.16	0.46
1:A:388:GLY:O	1:A:392:ARG:N	2.41	0.46
1:A:311:PHE:O	1:A:315:ILE:HG12	2.15	0.46
1:A:657:ALA:HA	1:A:660:ARG:HE	1.80	0.45
3:A:2004:LMT:H82	3:A:2004:LMT:H51	1.46	0.45
1:A:474:ILE:O	1:A:478:ARG:HG3	2.17	0.45
3:A:2006:LMT:H3'	3:A:2006:LMT:H1B	1.69	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:392:ARG:O	1:A:396:VAL:HG23	2.18	0.43
1:A:261:ILE:HG13	1:A:262:VAL:N	2.32	0.43
1:A:596:SER:HG	1:A:643:SER:HG	1.65	0.43
1:A:658:ARG:NH2	1:A:733:ASP:OD1	2.51	0.43
1:A:632:ILE:HA	1:A:635:ILE:HG22	2.00	0.43
1:A:348:LEU:HD22	1:A:352:THR:HG21	2.00	0.43
1:A:453:ARG:HD2	3:A:2006:LMT:H123	2.00	0.43
3:A:2005:LMT:H101	3:A:2005:LMT:H71	1.77	0.43
1:A:442:GLN:NE2	3:A:2006:LMT:H123	2.34	0.42
1:A:253:ILE:HG22	2:A:2001:A1L5O:C07	2.49	0.42
1:A:583:PHE:CZ	1:A:651:VAL:HB	2.54	0.42
1:A:691:GLY:O	1:A:694:VAL:HG22	2.20	0.42
1:A:187:LYS:HD2	1:A:187:LYS:C	2.45	0.42
1:A:187:LYS:HE3	1:A:188:ARG:HG3	2.01	0.42
1:A:280:ARG:HG2	1:A:284:MET:HE3	2.01	0.42
1:A:107:GLY:O	1:A:138:PRO:HD2	2.19	0.42
1:A:188:ARG:HH22	1:A:696:SER:HA	1.85	0.42
1:A:717:THR:HG22	3:A:2005:LMT:H41	2.02	0.41
1:A:389:PHE:HD1	1:A:389:PHE:O	2.03	0.41
1:A:529:LYS:HA	1:A:529:LYS:HD3	1.73	0.41
1:A:351:THR:HA	1:A:354:LEU:HB3	2.03	0.41
3:A:2006:LMT:H1B	3:A:2006:LMT:H6'2	1.88	0.41
1:A:599:THR:O	1:A:603:THR:HG23	2.21	0.40
1:A:461:MET:HE1	1:A:474:ILE:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	721/779 (93%)	713 (99%)	8 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	592/643 (92%)	580 (98%)	12 (2%)	50 55

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	199	VAL
1	A	261	ILE
1	A	333	VAL
1	A	350	VAL
1	A	351	THR
1	A	352	THR
1	A	354	LEU
1	A	384	GLU
1	A	409	LEU
1	A	643	SER
1	A	663	SER
1	A	751	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	HIS
1	A	40	GLN
1	A	87	GLN
1	A	395	ASN
1	A	421	GLN
1	A	504	ASN
1	A	517	GLN
1	A	625	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	LMT	A	2006	-	36,36,36	1.14	4 (11%)	47,47,47	1.03	1 (2%)
2	A1L5O	A	2001	-	21,23,23	1.46	2 (9%)	26,32,32	1.62	5 (19%)
3	LMT	A	2007	-	36,36,36	1.11	5 (13%)	47,47,47	0.94	1 (2%)
3	LMT	A	2003	-	36,36,36	1.13	4 (11%)	47,47,47	0.98	1 (2%)
3	LMT	A	2005	-	36,36,36	1.15	5 (13%)	47,47,47	0.95	2 (4%)
3	LMT	A	2004	-	36,36,36	1.17	6 (16%)	47,47,47	0.98	2 (4%)
3	LMT	A	2002	-	36,36,36	1.10	3 (8%)	47,47,47	0.98	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LMT	A	2006	-	-	15/21/61/61	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1L5O	A	2001	-	-	1/5/17/17	0/3/3/3
3	LMT	A	2007	-	-	13/21/61/61	0/2/2/2
3	LMT	A	2003	-	-	4/21/61/61	0/2/2/2
3	LMT	A	2005	-	-	4/21/61/61	0/2/2/2
3	LMT	A	2004	-	-	9/21/61/61	0/2/2/2
3	LMT	A	2002	-	-	7/21/61/61	0/2/2/2

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	A1L5O	C09-N11	5.16	1.45	1.34
3	A	2005	LMT	O3'-C3'	-2.74	1.36	1.43
3	A	2006	LMT	O3'-C3'	-2.61	1.36	1.43
3	A	2007	LMT	O3'-C3'	-2.53	1.37	1.43
3	A	2004	LMT	O3'-C3'	-2.53	1.37	1.43
3	A	2003	LMT	O3'-C3'	-2.52	1.37	1.43
3	A	2002	LMT	O3'-C3'	-2.52	1.37	1.43
3	A	2004	LMT	O2B-C2B	-2.47	1.37	1.43
3	A	2004	LMT	O2'-C2'	-2.41	1.37	1.43
3	A	2005	LMT	O2B-C2B	-2.38	1.37	1.43
3	A	2004	LMT	O3B-C3B	-2.36	1.37	1.43
3	A	2002	LMT	O3B-C3B	-2.32	1.37	1.43
3	A	2002	LMT	O2B-C2B	-2.31	1.37	1.43
3	A	2003	LMT	O3B-C3B	-2.31	1.37	1.43
3	A	2003	LMT	O2'-C2'	-2.30	1.37	1.43
3	A	2005	LMT	O3B-C3B	-2.29	1.37	1.43
3	A	2007	LMT	O2'-C2'	-2.25	1.37	1.43
3	A	2006	LMT	O2'-C2'	-2.24	1.37	1.43
3	A	2003	LMT	O2B-C2B	-2.23	1.37	1.43
3	A	2006	LMT	O2B-C2B	-2.21	1.37	1.43
3	A	2007	LMT	O3B-C3B	-2.18	1.37	1.43
3	A	2006	LMT	O3B-C3B	-2.16	1.37	1.43
2	A	2001	A1L5O	O10-C09	-2.15	1.18	1.23
3	A	2005	LMT	O4'-C4B	-2.15	1.37	1.43
3	A	2005	LMT	O2'-C2'	-2.13	1.38	1.43
3	A	2004	LMT	O4'-C4B	-2.13	1.38	1.43
3	A	2004	LMT	O1'-C1'	-2.11	1.36	1.40
3	A	2007	LMT	O2B-C2B	-2.07	1.38	1.43
3	A	2007	LMT	O4'-C4B	-2.04	1.38	1.43

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2001	A1L5O	C04-C03-C02	-5.31	119.89	123.17
3	A	2002	LMT	C1'-O5'-C5'	-3.14	107.53	113.69
3	A	2004	LMT	C1'-O5'-C5'	-2.95	107.91	113.69
2	A	2001	A1L5O	C08-C09-N11	2.82	120.44	115.20
3	A	2006	LMT	C1'-O5'-C5'	-2.79	108.22	113.69
2	A	2001	A1L5O	C12-N11-C09	-2.65	118.88	122.55
3	A	2005	LMT	C3'-C4'-C5'	-2.54	105.09	110.93
2	A	2001	A1L5O	C08-N19-C20	2.36	109.37	104.45
2	A	2001	A1L5O	C03-C04-C06	2.35	120.10	117.78
3	A	2005	LMT	C1'-O5'-C5'	-2.27	109.23	113.69
3	A	2003	LMT	C3'-C4'-C5'	-2.17	105.96	110.93
3	A	2004	LMT	C3'-C4'-C5'	-2.08	106.17	110.93
3	A	2007	LMT	C3'-C4'-C5'	-2.07	106.17	110.93

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	2002	LMT	C2'-C1'-O1'-C1
3	A	2002	LMT	O5'-C1'-O1'-C1
3	A	2004	LMT	O5'-C1'-O1'-C1
3	A	2004	LMT	C2-C1-O1'-C1'
3	A	2006	LMT	C2-C1-O1'-C1'
3	A	2007	LMT	O5'-C1'-O1'-C1
3	A	2007	LMT	C5'-C4'-O1B-C1B
3	A	2006	LMT	C3'-C4'-O1B-C1B
3	A	2007	LMT	C4B-C5B-C6B-O6B
3	A	2007	LMT	O5B-C5B-C6B-O6B
3	A	2003	LMT	C4'-C5'-C6'-O6'
3	A	2006	LMT	C4B-C5B-C6B-O6B
3	A	2007	LMT	O1'-C1-C2-C3
3	A	2003	LMT	O1'-C1-C2-C3
3	A	2004	LMT	C11-C10-C9-C8
3	A	2002	LMT	C2-C3-C4-C5
3	A	2004	LMT	C2'-C1'-O1'-C1
3	A	2007	LMT	C2'-C1'-O1'-C1
3	A	2004	LMT	C7-C8-C9-C10
3	A	2006	LMT	C3-C4-C5-C6
3	A	2006	LMT	C5-C6-C7-C8
3	A	2006	LMT	C6-C7-C8-C9
3	A	2002	LMT	C7-C8-C9-C10
3	A	2007	LMT	C2-C1-O1'-C1'
3	A	2005	LMT	C4-C5-C6-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	2002	LMT	C5-C6-C7-C8
3	A	2006	LMT	C7-C8-C9-C10
3	A	2003	LMT	O5'-C5'-C6'-O6'
3	A	2006	LMT	C4-C5-C6-C7
3	A	2006	LMT	C2'-C1'-O1'-C1
3	A	2006	LMT	O5'-C5'-C6'-O6'
3	A	2006	LMT	C4'-C5'-C6'-O6'
3	A	2002	LMT	C3-C4-C5-C6
3	A	2006	LMT	C9-C10-C11-C12
3	A	2002	LMT	C9-C10-C11-C12
3	A	2003	LMT	C9-C10-C11-C12
3	A	2007	LMT	C9-C10-C11-C12
3	A	2007	LMT	C1-C2-C3-C4
3	A	2006	LMT	O5B-C5B-C6B-O6B
3	A	2006	LMT	C11-C10-C9-C8
3	A	2006	LMT	C2-C3-C4-C5
3	A	2004	LMT	C5-C6-C7-C8
3	A	2004	LMT	O1'-C1-C2-C3
3	A	2007	LMT	O5'-C5'-C6'-O6'
3	A	2005	LMT	C5-C6-C7-C8
3	A	2004	LMT	C1-C2-C3-C4
3	A	2007	LMT	C6-C7-C8-C9
3	A	2005	LMT	C3-C4-C5-C6
3	A	2005	LMT	C7-C8-C9-C10
2	A	2001	A1L5O	C07-C08-C09-O10
3	A	2007	LMT	C3-C4-C5-C6
3	A	2007	LMT	C7-C8-C9-C10
3	A	2004	LMT	C3-C4-C5-C6


There are no ring outliers.




6 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	2006	LMT	5	0
2	A	2001	A1L5O	1	0
3	A	2007	LMT	1	0
3	A	2005	LMT	3	0
3	A	2004	LMT	1	0
3	A	2002	LMT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	725/779 (93%)	1.19	161 (22%) 3 4	52, 73, 132, 191	0

All (161) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	660	ARG	10.1
1	A	730	LEU	8.2
1	A	642	LEU	7.4
1	A	726	ALA	7.2
1	A	241	PHE	6.6
1	A	402	ILE	6.2
1	A	635	ILE	6.2
1	A	639	ILE	6.1
1	A	397	VAL	6.0
1	A	189	ALA	6.0
1	A	725	PRO	5.9
1	A	737	TRP	5.8
1	A	727	VAL	5.7
1	A	636	ILE	5.6
1	A	486	GLY	5.6
1	A	659	GLU	5.6
1	A	723	LEU	5.5
1	A	240	PHE	5.5
1	A	751	LEU	5.3
1	A	646	TYR	5.3
1	A	708	LEU	5.1
1	A	586	VAL	5.0
1	A	651	VAL	5.0
1	A	400	ARG	4.9
1	A	656	GLU	4.9
1	A	353	LEU	4.8
1	A	657	ALA	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	661	GLY	4.8
1	A	354	LEU	4.7
1	A	23	LEU	4.6
1	A	632	ILE	4.6
1	A	191	VAL	4.5
1	A	248	LEU	4.5
1	A	638	VAL	4.2
1	A	647	GLU	4.2
1	A	678	LEU	4.1
1	A	740	ARG	3.9
1	A	399	LYS	3.9
1	A	351	THR	3.8
1	A	523	ARG	3.8
1	A	741	TRP	3.8
1	A	641	GLY	3.8
1	A	190	GLU	3.8
1	A	583	PHE	3.7
1	A	491	ASP	3.6
1	A	389	PHE	3.6
1	A	505	ASP	3.6
1	A	1	MET	3.6
1	A	21	VAL	3.6
1	A	587	VAL	3.5
1	A	738	ALA	3.5
1	A	492	ASN	3.5
1	A	729	LYS	3.5
1	A	22	ALA	3.5
1	A	748	LYS	3.4
1	A	599	THR	3.4
1	A	745	VAL	3.4
1	A	284	MET	3.4
1	A	385	VAL	3.4
1	A	580	PHE	3.4
1	A	600	LEU	3.4
1	A	711	ALA	3.3
1	A	19	VAL	3.3
1	A	504	ASN	3.3
1	A	749	LEU	3.3
1	A	401	PRO	3.2
1	A	521	GLU	3.2
1	A	7	ARG	3.2
1	A	728	MET	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	203	PHE	3.1
1	A	465	ASP	3.1
1	A	352	THR	3.1
1	A	261	ILE	3.1
1	A	643	SER	3.1
1	A	350	VAL	3.1
1	A	247	THR	3.0
1	A	525	ASP	2.9
1	A	686	LEU	2.9
1	A	199	VAL	2.9
1	A	356	ILE	2.9
1	A	590	ILE	2.9
1	A	724	VAL	2.8
1	A	585	SER	2.8
1	A	179	THR	2.8
1	A	672	THR	2.8
1	A	703	TYR	2.8
1	A	403	ALA	2.8
1	A	545	PHE	2.8
1	A	455	GLU	2.8
1	A	4	TRP	2.8
1	A	25	LEU	2.8
1	A	637	ALA	2.8
1	A	404	PHE	2.8
1	A	163	GLY	2.8
1	A	187	LYS	2.7
1	A	542	ILE	2.7
1	A	165	ASP	2.7
1	A	524	ASN	2.7
1	A	633	GLY	2.7
1	A	20	MET	2.7
1	A	92	GLU	2.7
1	A	731	LEU	2.7
1	A	631	MET	2.6
1	A	390	TRP	2.6
1	A	722	PHE	2.6
1	A	662	MET	2.6
1	A	252	GLY	2.5
1	A	695	PHE	2.5
1	A	194	ILE	2.5
1	A	578	LEU	2.5
1	A	185	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	253	ILE	2.5
1	A	720	ARG	2.5
1	A	427	ILE	2.4
1	A	485	SER	2.4
1	A	693	PHE	2.4
1	A	269	ILE	2.4
1	A	581	LEU	2.4
1	A	712	LEU	2.4
1	A	413	VAL	2.4
1	A	393	LEU	2.4
1	A	396	VAL	2.4
1	A	228	ILE	2.4
1	A	195	PRO	2.3
1	A	235	PHE	2.3
1	A	409	LEU	2.3
1	A	324	MET	2.3
1	A	205	PHE	2.3
1	A	522	ASN	2.3
1	A	606	ILE	2.3
1	A	160	GLN	2.3
1	A	249	ILE	2.2
1	A	543	GLU	2.2
1	A	183	GLY	2.2
1	A	561	PHE	2.2
1	A	640	TRP	2.2
1	A	171	LEU	2.2
1	A	113	LYS	2.2
1	A	496	LYS	2.2
1	A	186	GLN	2.2
1	A	563	LYS	2.2
1	A	168	LEU	2.1
1	A	576	THR	2.1
1	A	43	PHE	2.1
1	A	320	ILE	2.1
1	A	557	ILE	2.1
1	A	560	LEU	2.1
1	A	91	THR	2.1
1	A	387	ARG	2.1
1	A	677	ARG	2.1
1	A	537	GLN	2.1
1	A	595	MET	2.1
1	A	700	MET	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	71	ALA	2.0
1	A	732	GLY	2.0
1	A	29	VAL	2.0
1	A	540	HIS	2.0
1	A	73	LEU	2.0
1	A	196	LEU	2.0
1	A	182	ILE	2.0
1	A	321	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	LMT	A	2007	35/35	0.75	0.17	87,131,151,157	0
3	LMT	A	2006	35/35	0.82	0.22	76,130,157,158	0
3	LMT	A	2005	35/35	0.86	0.15	83,102,119,126	0
3	LMT	A	2002	35/35	0.87	0.19	72,91,104,111	0
3	LMT	A	2004	35/35	0.95	0.10	59,76,93,100	0
2	A1L5O	A	2001	21/21	0.96	0.12	64,77,86,91	0
3	LMT	A	2003	35/35	0.96	0.11	56,77,94,99	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around LMT A 2007:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT A 2006:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT A 2005:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around LMT A 2002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LMT A 2004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1L5O A 2001:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LMT A 2003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.