wwPDB X-ray Structure Validation Summary Report (i)

Feb 3, 2024 – 05:34 PM EST

PDB ID	:	1KP8
Title	:	Structural Basis for GroEL-assisted Protein Folding from the Crystal Structure of (GroEL-KMgATP)14 at 2.0 A Resolution
Authors	:	Wang, J.
Deposited on	:	2001-12-30
Resolution	:	2.00 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	547	13% 63% 30% • •
1	B	547	23% 64% 29% • •
1	C	547	21% 64% 29% • •
1	D	547	6% 67% 27% • •
1	E	547	18% 64% 29% • •

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	547	21% 66% 27%
1	G	547	8% 65% 28%
1	H	547	11% 65% 29%
1	I	547	15% 65% 28%
1	J	547	16% 65% 28%
1	K	547	25% 64% 29%
1	L	547	16% 64% 29%
1	M	547	25% 64% 29%
1	N	547	12% 67% 26%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	J	4020	-	-	-	X
2	SO4	K	4021	-	-	-	X

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 57085 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called groEL protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	525	3855	2399	664	772	20	0	0	0
1	B	525	3855	2399	664	772	20	0	0	0
1	C	525	3855	2399	664	772	20	0	0	0
1	D	525	3855	2399	664	772	20	0	0	0
1	E	525	3855	2399	664	772	20	0	0	0
1	F	525	3855	2399	664	772	20	0	0	0
1	G	525	3855	2399	664	772	20	0	0	0
1	H	525	3855	2399	664	772	20	0	0	0
1	I	525	3855	2399	664	772	20	0	0	0
1	J	525	3855	2399	664	772	20	0	0	0
1	K	525	3855	2399	664	772	20	0	0	0
1	L	525	3855	2399	664	772	20	0	0	0
1	M	525	3855	2399	664	772	20	0	0	0
1	N	525	3855	2399	664	772	20	0	0	0

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
A	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
B	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
B	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
B	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
C	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
C	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
C	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
D	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
D	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
D	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
E	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
E	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
E	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
F	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
F	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
F	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
G	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
G	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
G	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
H	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
H	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
H	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
I	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
I	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
I	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
J	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
J	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
J	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
K	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
K	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
K	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
L	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
L	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
L	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
M	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
M	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
M	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5
N	13	GLY	ARG	SEE REMARK 999	UNP P0A6F5
N	126	VAL	ALA	SEE REMARK 999	UNP P0A6F5
N	434	ALA	GLU	SEE REMARK 999	UNP P0A6F5

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	O	S			
2	A	1	5	4	1		0	0
			Total	O	S			
2	A	1	5	4	1		0	0
			Total	O	S			
2	A	1	5	4	1		0	0
			Total	O	S			
2	B	1	5	4	1		0	0
			Total	O	S			
2	B	1	5	4	1		0	0
			Total	O	S			
2	C	1	5	4	1		0	0
			Total	O	S			
2	C	1	5	4	1		0	0
			Total	O	S			
2	E	1	5	4	1		0	0
			Total	O	S			
2	E	1	5	4	1		0	0
			Total	O	S			
2	F	1	5	4	1		0	0
			Total	O	S			
2	G	1	5	4	1		0	0
			Total	O	S			
2	H	1	5	4	1		0	0
			Total	O	S			
2	H	1	5	4	1		0	0
			Total	O	S			
2	J	1	5	4	1		0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	J	1	Total O S 5 4 1	0	0
2	K	1	Total O S 5 4 1	0	0
2	K	1	Total O S 5 4 1	0	0
2	L	1	Total O S 5 4 1	0	0
2	M	1	Total O S 5 4 1	0	0
2	M	1	Total O S 5 4 1	0	0
2	N	1	Total O S 5 4 1	0	0
2	N	1	Total O S 5 4 1	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0
3	C	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0
3	E	1	Total Mg 1 1	0	0
3	F	1	Total Mg 1 1	0	0
3	G	1	Total Mg 1 1	0	0
3	H	1	Total Mg 1 1	0	0
3	I	1	Total Mg 1 1	0	0
3	J	1	Total Mg 1 1	0	0
3	K	1	Total Mg 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	L	1	Total Mg 1 1	0	0
3	M	1	Total Mg 1 1	0	0
3	N	1	Total Mg 1 1	0	0

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total K 1 1	0	0
4	B	1	Total K 1 1	0	0
4	C	1	Total K 1 1	0	0
4	D	2	Total K 2 2	0	0
4	E	2	Total K 2 2	0	0
4	F	1	Total K 1 1	0	0
4	G	1	Total K 1 1	0	0
4	H	1	Total K 1 1	0	0
4	I	1	Total K 1 1	0	0
4	J	1	Total K 1 1	0	0
4	K	1	Total K 1 1	0	0
4	L	1	Total K 1 1	0	0
4	M	1	Total K 1 1	0	0
4	N	1	Total K 1 1	0	0

- Molecule 5 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (three-letter code: AGS) (formula: $C_{10}H_{16}N_5O_{12}P_3S$).

AGS



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
5	A	1	31	10	5	12	3	1	0	0
5	B	1	31	10	5	12	3	1	0	0
5	C	1	31	10	5	12	3	1	0	0
5	D	1	31	10	5	12	3	1	0	0
5	E	1	31	10	5	12	3	1	0	0
5	F	1	31	10	5	12	3	1	0	0
5	G	1	31	10	5	12	3	1	0	0
5	H	1	31	10	5	12	3	1	0	0
5	I	1	31	10	5	12	3	1	0	0
5	J	1	31	10	5	12	3	1	0	0
5	K	1	31	10	5	12	3	1	0	0
5	L	1	31	10	5	12	3	1	0	0
5	M	1	31	10	5	12	3	1	0	0
5	N	1	31	10	5	12	3	1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	156	Total O 156 156	0	0
6	B	214	Total O 214 214	0	0
6	C	149	Total O 149 149	0	0
6	D	261	Total O 261 261	0	0
6	E	217	Total O 217 217	0	0
6	F	200	Total O 200 200	0	0
6	G	269	Total O 269 269	0	0
6	H	204	Total O 204 204	0	0
6	I	145	Total O 145 145	0	0
6	J	139	Total O 139 139	0	0
6	K	133	Total O 133 133	0	0
6	L	163	Total O 163 163	0	0
6	M	138	Total O 138 138	0	0
6	N	153	Total O 153 153	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: groEL protein

Chain A:



- Molecule 1: groEL protein

Chain B:





• Molecule 1: groEL protein

Chain C:



• Molecule 1: groEL protein

Chain D:





• Molecule 1: groEL protein

Chain E:



• Molecule 1: groEL protein

Chain F:





• Molecule 1: groEL protein

Chain G:



• Molecule 1: groEL protein

Chain H:



• Molecule 1: groEL protein

Chain I:



• Molecule 1: groEL protein

Chain J:



• Molecule 1: groEL protein

Chain K:



- Molecule 1: groEL protein

Chain L:



- Molecule 1: groEL protein

Chain M:



• Molecule 1: groEL protein

Chain N:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	135.57Å 260.11Å 150.20Å 90.00° 101.14° 90.00°	Depositor
Resolution (Å)	39.89 – 2.00 39.89 – 2.00	Depositor EDS
% Data completeness (in resolution range)	78.9 (39.89-2.00) 79.1 (39.89-2.00)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	0.57 (at 2.00Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.243 , 0.258 0.229 , 0.246	Depositor DCC
R_{free} test set	12780 reflections (1.98%)	wwPDB-VP
Wilson B-factor (Å^2)	30.6	Xtriage
Anisotropy	0.362	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 60.3	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	57085	wwPDB-VP
Average B, all atoms (Å^2)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: AGS, SO4, MG, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.32	0/3883	0.55	0/5243
1	B	0.35	0/3883	0.57	1/5243 (0.0%)
1	C	0.32	0/3883	0.55	0/5243
1	D	0.36	0/3883	0.58	0/5243
1	E	0.34	0/3883	0.57	0/5243
1	F	0.32	0/3883	0.55	0/5243
1	G	0.36	0/3883	0.58	0/5243
1	H	0.33	0/3883	0.56	0/5243
1	I	0.30	0/3883	0.55	0/5243
1	J	0.30	0/3883	0.54	0/5243
1	K	0.30	0/3883	0.54	0/5243
1	L	0.32	0/3883	0.55	0/5243
1	M	0.30	0/3883	0.54	0/5243
1	N	0.31	0/3883	0.55	0/5243
All	All	0.32	0/54362	0.55	1/73402 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	510	VAL	CB-CA-C	-5.51	100.94	111.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3855	0	3982	161	0
1	B	3855	0	3982	170	0
1	C	3855	0	3982	153	0
1	D	3855	0	3982	146	0
1	E	3855	0	3982	154	0
1	F	3855	0	3982	136	0
1	G	3855	0	3982	153	1
1	H	3855	0	3982	149	0
1	I	3855	0	3982	150	0
1	J	3855	0	3982	149	0
1	K	3855	0	3982	154	0
1	L	3855	0	3982	149	0
1	M	3855	0	3982	151	0
1	N	3855	0	3982	145	1
2	A	15	0	0	0	0
2	B	10	0	0	0	0
2	C	10	0	0	0	0
2	E	10	0	0	1	0
2	F	5	0	0	0	0
2	G	5	0	0	0	0
2	H	10	0	0	0	0
2	J	10	0	0	0	0
2	K	10	0	0	0	0
2	L	5	0	0	0	0
2	M	10	0	0	0	0
2	N	10	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	J	1	0	0	0	0
3	K	1	0	0	0	0
3	L	1	0	0	0	0
3	M	1	0	0	0	0
3	N	1	0	0	0	0
4	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	2	0	0	0	0
4	E	2	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	H	1	0	0	0	0
4	I	1	0	0	0	0
4	J	1	0	0	0	0
4	K	1	0	0	0	0
4	L	1	0	0	0	0
4	M	1	0	0	0	0
4	N	1	0	0	0	0
5	A	31	0	12	3	0
5	B	31	0	12	4	0
5	C	31	0	12	3	0
5	D	31	0	12	4	0
5	E	31	0	12	4	0
5	F	31	0	12	3	0
5	G	31	0	12	4	0
5	H	31	0	12	4	0
5	I	31	0	12	4	0
5	J	31	0	12	3	0
5	K	31	0	12	5	0
5	L	31	0	12	5	0
5	M	31	0	12	5	0
5	N	31	0	12	4	0
6	A	156	0	0	7	0
6	B	214	0	0	8	0
6	C	149	0	0	9	0
6	D	261	0	0	19	0
6	E	217	0	0	12	0
6	F	200	0	0	5	0
6	G	269	0	0	12	0
6	H	204	0	0	8	0
6	I	145	0	0	5	0
6	J	139	0	0	2	0
6	K	133	0	0	0	0
6	L	163	0	0	9	0
6	M	138	0	0	6	0
6	N	153	0	0	7	0
All	All	57085	0	55916	2099	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

The worst 5 of 2099 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:1:AGS:PG	5:B:1:AGS:S1G	1.50	1.50
5:A:1:AGS:PG	5:A:1:AGS:S1G	1.50	1.49
5:H:1:AGS:S1G	5:H:1:AGS:PG	1.49	1.49
5:M:1:AGS:PG	5:M:1:AGS:S1G	1.49	1.48
5:D:551:AGS:PG	5:D:551:AGS:S1G	1.48	1.48

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:315:GLU:OE2	1:N:338:GLU:OE1[1_554]	2.17	0.03

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	523/547 (96%)	487 (93%)	27 (5%)	9 (2%)	9 4
1	B	523/547 (96%)	487 (93%)	24 (5%)	12 (2%)	6 2
1	C	523/547 (96%)	488 (93%)	24 (5%)	11 (2%)	7 2
1	D	523/547 (96%)	492 (94%)	22 (4%)	9 (2%)	9 4
1	E	523/547 (96%)	485 (93%)	27 (5%)	11 (2%)	7 2
1	F	523/547 (96%)	487 (93%)	24 (5%)	12 (2%)	6 2
1	G	523/547 (96%)	489 (94%)	23 (4%)	11 (2%)	7 2
1	H	523/547 (96%)	487 (93%)	24 (5%)	12 (2%)	6 2
1	I	523/547 (96%)	486 (93%)	27 (5%)	10 (2%)	8 3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	J	523/547 (96%)	486 (93%)	25 (5%)	12 (2%)	6	2
1	K	523/547 (96%)	484 (92%)	29 (6%)	10 (2%)	8	3
1	L	523/547 (96%)	488 (93%)	23 (4%)	12 (2%)	6	2
1	M	523/547 (96%)	487 (93%)	25 (5%)	11 (2%)	7	2
1	N	523/547 (96%)	487 (93%)	26 (5%)	10 (2%)	8	3
All	All	7322/7658 (96%)	6820 (93%)	350 (5%)	152 (2%)	7	2

5 of 152 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	183	LEU
1	E	183	LEU
1	A	183	LEU
1	A	256	GLY
1	A	271	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	404/413 (98%)	394 (98%)	10 (2%)	47	49
1	B	404/413 (98%)	397 (98%)	7 (2%)	60	65
1	C	404/413 (98%)	396 (98%)	8 (2%)	55	58
1	D	404/413 (98%)	394 (98%)	10 (2%)	47	49
1	E	404/413 (98%)	397 (98%)	7 (2%)	60	65
1	F	404/413 (98%)	396 (98%)	8 (2%)	55	58
1	G	404/413 (98%)	395 (98%)	9 (2%)	52	55
1	H	404/413 (98%)	397 (98%)	7 (2%)	60	65
1	I	404/413 (98%)	395 (98%)	9 (2%)	52	55
1	J	404/413 (98%)	397 (98%)	7 (2%)	60	65
1	K	404/413 (98%)	396 (98%)	8 (2%)	55	58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	404/413 (98%)	394 (98%)	10 (2%)	47	49
1	M	404/413 (98%)	396 (98%)	8 (2%)	55	58
1	N	404/413 (98%)	396 (98%)	8 (2%)	55	58
All	All	5656/5782 (98%)	5540 (98%)	116 (2%)	53	57

5 of 116 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	404	ARG
1	N	94	VAL
1	I	289	LEU
1	N	75	LYS
1	L	499	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 126 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	265	ASN
1	M	265	ASN
1	H	351	GLN
1	M	229	ASN
1	N	146	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 66 ligands modelled in this entry, 30 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
5	AGS	E	1	4,3	26,33,33	3.96	3 (11%)	26,52,52	1.13	2 (7%)
2	SO4	M	4013	-	4,4,4	1.58	1 (25%)	6,6,6	1.15	0
2	SO4	J	4019	-	4,4,4	1.52	1 (25%)	6,6,6	1.12	0
5	AGS	C	1	4,3	26,33,33	3.87	2 (7%)	26,52,52	1.12	2 (7%)
5	AGS	N	1	4,3	26,33,33	3.90	3 (11%)	26,52,52	1.11	2 (7%)
2	SO4	M	4014	-	4,4,4	1.55	1 (25%)	6,6,6	1.13	0
5	AGS	H	1	4,3	26,33,33	3.85	1 (3%)	26,52,52	1.18	2 (7%)
2	SO4	E	4006	-	4,4,4	1.53	1 (25%)	6,6,6	1.12	0
2	SO4	A	4008	-	4,4,4	1.52	1 (25%)	6,6,6	1.13	0
2	SO4	C	4011	-	4,4,4	1.53	1 (25%)	6,6,6	1.13	0
2	SO4	J	4020	-	4,4,4	1.54	1 (25%)	6,6,6	1.13	0
2	SO4	B	4009	-	4,4,4	1.52	1 (25%)	6,6,6	1.11	0
5	AGS	A	1	4,3	26,33,33	3.76	1 (3%)	26,52,52	1.20	2 (7%)
2	SO4	A	4007	-	4,4,4	1.50	1 (25%)	6,6,6	1.16	0
2	SO4	G	4002	-	4,4,4	1.53	1 (25%)	6,6,6	1.17	0
5	AGS	J	1	4,3	26,33,33	3.88	4 (15%)	26,52,52	1.11	2 (7%)
2	SO4	K	4022	-	4,4,4	1.51	1 (25%)	6,6,6	1.14	0
5	AGS	D	551	4,3	26,33,33	3.96	5 (19%)	26,52,52	1.07	1 (3%)
5	AGS	F	1	4,3	26,33,33	3.86	3 (11%)	26,52,52	1.04	1 (3%)
2	SO4	K	4021	-	4,4,4	1.56	1 (25%)	6,6,6	1.14	0
2	SO4	N	4016	-	4,4,4	1.53	1 (25%)	6,6,6	1.14	0
2	SO4	A	4001	-	4,4,4	1.52	1 (25%)	6,6,6	1.16	0
2	SO4	H	4018	-	4,4,4	1.53	1 (25%)	6,6,6	1.11	0
5	AGS	B	1	4,3	26,33,33	3.81	2 (7%)	26,52,52	1.12	2 (7%)
5	AGS	G	1	4,3	26,33,33	3.99	2 (7%)	26,52,52	1.18	2 (7%)
5	AGS	L	1	4,3	26,33,33	3.85	2 (7%)	26,52,52	1.11	2 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
5	AGS	M	1	4,3	26,33,33	3.86	1 (3%)	26,52,52	1.11	2 (7%)
2	SO4	C	4012	-	4,4,4	1.56	1 (25%)	6,6,6	1.16	0
2	SO4	E	4005	-	4,4,4	1.43	1 (25%)	6,6,6	1.16	0
5	AGS	K	1	4,3	26,33,33	3.88	4 (15%)	26,52,52	1.08	2 (7%)
2	SO4	L	4003	-	4,4,4	1.52	1 (25%)	6,6,6	1.16	0
2	SO4	N	4015	-	4,4,4	1.54	1 (25%)	6,6,6	1.16	0
2	SO4	B	4010	-	4,4,4	1.54	1 (25%)	6,6,6	1.13	0
2	SO4	H	4017	-	4,4,4	1.53	1 (25%)	6,6,6	1.14	0
2	SO4	F	4004	-	4,4,4	1.45	1 (25%)	6,6,6	1.18	0
5	AGS	I	1	4,3	26,33,33	3.89	2 (7%)	26,52,52	1.09	2 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	AGS	B	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	E	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	A	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	G	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	J	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	L	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	M	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	K	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	C	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	D	551	4,3	-	3/17/38/38	0/3/3/3
5	AGS	F	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	N	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	H	1	4,3	-	3/17/38/38	0/3/3/3
5	AGS	I	1	4,3	-	3/17/38/38	0/3/3/3

The worst 5 of 57 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	1	AGS	PG-S1G	-19.57	1.48	1.90
5	E	1	AGS	PG-S1G	-19.49	1.48	1.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	551	AGS	PG-S1G	-19.39	1.48	1.90
5	N	1	AGS	PG-S1G	-19.10	1.49	1.90
5	I	1	AGS	PG-S1G	-19.09	1.49	1.90

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
5	H	1	AGS	C5-C6-N6	3.11	125.08	120.35
5	M	1	AGS	C5-C6-N6	3.10	125.06	120.35
5	G	1	AGS	C5-C6-N6	3.06	125.00	120.35
5	A	1	AGS	C5-C6-N6	2.95	124.83	120.35
5	L	1	AGS	C5-C6-N6	2.85	124.69	120.35

There are no chirality outliers.

5 of 42 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	1	AGS	PB-O3B-PG-O2G
5	A	1	AGS	PB-O3B-PG-O3G
5	B	1	AGS	PB-O3B-PG-O2G
5	B	1	AGS	PB-O3B-PG-O3G
5	C	1	AGS	PB-O3B-PG-O2G

There are no ring outliers.

15 monomers are involved in 56 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	E	1	AGS	4	0
5	C	1	AGS	3	0
5	N	1	AGS	4	0
5	H	1	AGS	4	0
5	A	1	AGS	3	0
5	J	1	AGS	3	0
5	D	551	AGS	4	0
5	F	1	AGS	3	0
5	B	1	AGS	4	0
5	G	1	AGS	4	0
5	L	1	AGS	5	0
5	M	1	AGS	5	0
2	E	4005	SO4	1	0
5	K	1	AGS	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	I	1	AGS	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand AGS E 1



Ligand AGS C 1



Ligand AGS N 1



Ligand AGS H 1



Ligand AGS A 1



Ligand AGS J 1



Ligand AGS D 551



Bond lengths



Bond angles



Torsions



Rings

Ligand AGS F 1



Ligand AGS B 1



Ligand AGS G 1



Ligand AGS L 1



Ligand AGS M 1



Ligand AGS K 1



Ligand AGS I 1



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	525/547 (95%)	0.72	69 (13%)	3	3	28, 64, 121, 132	0
1	B	525/547 (95%)	1.34	126 (24%)	0	0	24, 59, 149, 159	0
1	C	525/547 (95%)	1.15	115 (21%)	0	0	29, 71, 141, 152	0
1	D	525/547 (95%)	0.47	31 (5%)	22	21	25, 48, 99, 115	0
1	E	525/547 (95%)	0.99	99 (18%)	1	1	23, 55, 134, 145	0
1	F	525/547 (95%)	1.27	115 (21%)	0	0	27, 66, 150, 159	0
1	G	525/547 (95%)	0.58	43 (8%)	11	11	26, 50, 113, 126	0
1	H	525/547 (95%)	0.64	61 (11%)	4	4	26, 56, 118, 130	0
1	I	525/547 (95%)	0.96	81 (15%)	2	1	31, 69, 132, 143	0
1	J	525/547 (95%)	1.02	89 (16%)	1	1	31, 73, 138, 146	0
1	K	525/547 (95%)	1.43	139 (26%)	0	0	31, 78, 151, 159	0
1	L	525/547 (95%)	0.90	90 (17%)	1	1	29, 66, 136, 149	0
1	M	525/547 (95%)	1.35	136 (25%)	0	0	30, 77, 152, 160	0
1	N	525/547 (95%)	0.71	63 (12%)	4	3	28, 65, 118, 129	0
All	All	7350/7658 (95%)	0.97	1257 (17%)	1	1	23, 60, 140, 160	0

The worst 5 of 1257 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	349	ILE	13.6
1	F	309	LEU	12.7
1	K	270	ILE	12.2
1	K	271	VAL	12.0
1	K	305	ILE	11.7

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	SO4	K	4021	5/5	0.55	0.44	137,138,139,139	0
2	SO4	H	4017	5/5	0.68	0.33	145,146,146,146	0
2	SO4	C	4012	5/5	0.70	0.27	141,141,141,142	0
2	SO4	M	4014	5/5	0.74	0.24	142,142,143,143	0
2	SO4	J	4020	5/5	0.75	0.47	160,160,160,160	0
2	SO4	E	4006	5/5	0.75	0.33	118,119,119,120	0
2	SO4	L	4003	5/5	0.75	0.25	130,131,132,132	0
2	SO4	H	4018	5/5	0.75	0.33	125,125,126,126	0
2	SO4	A	4008	5/5	0.77	0.36	150,150,150,150	0
2	SO4	M	4013	5/5	0.81	0.23	126,126,127,127	0
2	SO4	G	4002	5/5	0.82	0.27	128,128,129,129	0
2	SO4	C	4011	5/5	0.83	0.29	137,137,137,138	0
2	SO4	N	4016	5/5	0.83	0.26	137,137,137,138	0
2	SO4	F	4004	5/5	0.84	0.31	137,138,138,138	0
2	SO4	B	4010	5/5	0.84	0.29	137,137,137,138	0
2	SO4	A	4007	5/5	0.84	0.27	128,129,129,129	0
2	SO4	K	4022	5/5	0.84	0.27	145,146,146,146	0
2	SO4	N	4015	5/5	0.85	0.27	132,133,133,133	0
2	SO4	A	4001	5/5	0.86	0.24	119,120,120,120	0
2	SO4	B	4009	5/5	0.86	0.28	118,119,119,120	0
2	SO4	E	4005	5/5	0.87	0.35	140,141,141,141	0
2	SO4	J	4019	5/5	0.89	0.23	123,124,124,124	0
3	MG	L	550	1/1	0.92	0.12	31,31,31,31	0
5	AGS	D	551	31/31	0.94	0.16	25,31,39,41	0
3	MG	B	550	1/1	0.95	0.14	31,31,31,31	0
5	AGS	F	1	31/31	0.95	0.14	34,37,44,45	0
5	AGS	G	1	31/31	0.95	0.14	25,32,40,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
5	AGS	J	1	31/31	0.95	0.13	39,42,53,54	0
5	AGS	K	1	31/31	0.95	0.13	37,40,51,54	0
5	AGS	L	1	31/31	0.95	0.14	34,37,45,48	0
5	AGS	M	1	31/31	0.95	0.14	38,42,50,52	0
4	K	N	549	1/1	0.96	0.13	41,41,41,41	0
5	AGS	A	1	31/31	0.96	0.12	35,38,42,44	0
5	AGS	H	1	31/31	0.96	0.13	30,34,38,42	0
5	AGS	I	1	31/31	0.96	0.14	37,41,48,51	0
5	AGS	B	1	31/31	0.96	0.12	31,37,48,50	0
5	AGS	C	1	31/31	0.96	0.14	37,41,49,52	0
3	MG	A	550	1/1	0.96	0.18	31,31,31,31	0
5	AGS	E	1	31/31	0.96	0.12	27,30,34,37	0
5	AGS	N	1	31/31	0.96	0.14	35,39,47,48	0
3	MG	G	550	1/1	0.97	0.19	29,29,29,29	0
3	MG	K	550	1/1	0.97	0.12	35,35,35,35	0
3	MG	D	550	1/1	0.97	0.14	29,29,29,29	0
3	MG	N	550	1/1	0.97	0.20	34,34,34,34	0
4	K	C	549	1/1	0.97	0.12	45,45,45,45	0
4	K	K	549	1/1	0.97	0.12	46,46,46,46	0
3	MG	F	550	1/1	0.97	0.13	30,30,30,30	0
4	K	G	549	1/1	0.98	0.15	39,39,39,39	0
4	K	H	549	1/1	0.98	0.15	41,41,41,41	0
3	MG	E	550	1/1	0.98	0.10	24,24,24,24	0
3	MG	H	550	1/1	0.98	0.15	26,26,26,26	0
3	MG	M	550	1/1	0.98	0.19	38,38,38,38	0
3	MG	I	550	1/1	0.98	0.17	34,34,34,34	0
4	K	B	549	1/1	0.98	0.12	38,38,38,38	0
3	MG	J	550	1/1	0.98	0.13	37,37,37,37	0
4	K	D	549	1/1	0.98	0.14	34,34,34,34	0
4	K	I	549	1/1	0.99	0.18	43,43,43,43	0
4	K	J	549	1/1	0.99	0.14	47,47,47,47	0
3	MG	C	550	1/1	0.99	0.15	36,36,36,36	0
4	K	L	549	1/1	0.99	0.15	39,39,39,39	0
4	K	M	549	1/1	0.99	0.14	45,45,45,45	0
4	K	E	549	1/1	0.99	0.08	31,31,31,31	0
4	K	E	4007	1/1	0.99	0.11	36,36,36,36	0
4	K	F	549	1/1	0.99	0.11	41,41,41,41	0
4	K	A	549	1/1	0.99	0.12	40,40,40,40	0
4	K	D	1	1/1	0.99	0.12	30,30,30,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.

Electron density around AGS D 551:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS F 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS G 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS J 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS K 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS L 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS M 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS A 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS H 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS I 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS B 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS C 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS E 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around AGS N 1:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers (i)

There are no such residues in this entry.