



wwPDB EM Validation Summary Report ⓘ

Mar 27, 2025 – 02:45 PM EDT

PDB ID : 9NLE
EMDB ID : EMD-29398
Title : E. coli initiation complex with EQ2-EttA in Hydrolytic 1 conformation
Authors : Singh, S.; Hunt, J.F.
Deposited on : 2025-03-03
Resolution : 3.20 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev117
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.41.4


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	220	<div> <div>89%</div> <div>77% 23%</div> </div>
2	13	142	<div> <div>6%</div> <div>77% 23%</div> </div>
3	14	122	<div> <div>8%</div> <div>75% 25%</div> </div>
4	15	143	<div> <div>82%</div> <div>17%</div> </div>
5	16	136	<div> <div>5%</div> <div>76% 24%</div> </div>
6	17	120	<div> <div>82%</div> <div>18%</div> </div>
7	18	116	<div> <div>11%</div> <div>80% 19%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	19	114	
9	2	271	
10	20	117	
11	21	103	
12	22	110	
13	23	93	
14	24	102	
15	25	94	
16	27	76	
17	28	77	
18	29	63	
19	3	209	
20	30	58	
21	31	66	
22	32	56	
23	33	50	
24	34	46	
25	35	64	
26	36	38	
27	4	201	
28	5	177	
29	6	176	
30	9	149	
31	E	552	
32	M	9	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	R1	2903	
34	R2	119	
35	R3	1531	
36	T	77	
37	sb	218	
38	sc	206	
39	sd	205	
40	se	157	
41	sf	100	
42	sg	151	
43	sh	129	
44	si	127	
45	sj	98	
46	sk	116	
47	sl	123	
48	sm	114	
49	sn	100	
50	so	88	
51	sp	82	
52	sq	80	
53	sr	65	
54	ss	79	
55	st	85	
56	su	70	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
36	H2U	T	20	X	-	-	-
36	4OC	T	32	X	-	-	-
36	MUM	T	54	X	-	-	-
36	PSU	T	55	X	-	-	-
36	4SU	T	8	X	-	-	-

2 Entry composition [i](#)

There are 60 unique types of molecules in this entry. The entry contains 150106 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Large ribosomal subunit protein uL1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	220	Total	C	N	O	S	0	0
			1353	804	270	277	2		

- Molecule 2 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	13	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 3 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	14	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 4 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	15	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 5 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	16	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 6 is a protein called Large ribosomal subunit protein bL17.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	17	120	Total	C	N	O	S	0	0
			960	593	196	166	5		

- Molecule 7 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	18	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 8 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	19	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 9 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	2	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 10 is a protein called Large ribosomal subunit protein bL20.

Mol	Chain	Residues	Atoms				AltConf	Trace
10	20	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 11 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	21	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 12 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	22	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 13 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	23	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 14 is a protein called Large ribosomal subunit protein uL24.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	24	102	Total	C	N	O		
			779	492	146	141	0	0

- Molecule 15 is a protein called Large ribosomal subunit protein bL25.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	25	94	Total	C	N	O	S		
			753	479	137	134	3	0	0

- Molecule 16 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	27	76	Total	C	N	O	S		
			582	360	117	104	1	0	0

- Molecule 17 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	28	77	Total	C	N	O	S		
			625	388	129	106	2	0	0

- Molecule 18 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	29	63	Total	C	N	O	S		
			509	313	99	95	2	0	0

- Molecule 19 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	3	209	Total	C	N	O	S		
			1565	979	288	294	4	0	0

- Molecule 20 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	30	58	Total	C	N	O	S		
			449	281	87	79	2	0	0

- Molecule 21 is a protein called Large ribosomal subunit protein bL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	31	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 22 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	32	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 23 is a protein called Large ribosomal subunit protein bL33.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	33	50	Total	C	N	O	0	0
			409	263	75	71		

- Molecule 24 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	34	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 25 is a protein called Large ribosomal subunit protein bL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	35	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 26 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	36	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 27 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	4	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 28 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	5	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 29 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	6	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 30 is a protein called Large ribosomal subunit protein bL9.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	9	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 31 is a protein called Energy-dependent translational throttle protein EttA.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	E	552	Total	C	N	O	S	0	0
			4360	2745	774	829	12		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	188	GLN	GLU	conflict	UNP P0A9W3
E	341	SER	ASP	conflict	UNP P0A9W3
E	470	GLN	GLU	conflict	UNP P0A9W3

- Molecule 32 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	M	9	Total	C	N	O	P	0	0
			195	88	40	58	9		

- Molecule 33 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	R1	2903	Total	C	N	O	P	0	0
			62318	27801	11467	20148	2902		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R1	1847	G	A	conflict	GB 2019144442

- Molecule 34 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	R2	119	Total	C	N	O	P	0	0
			2546	1135	466	827	118		

- Molecule 35 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	R3	1531	Total	C	N	O	P	0	0
			32850	14652	6028	10640	1530		

- Molecule 36 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
36	T	77	Total	C	N	O	P	S	0	0
			1639	734	294	534	76	1		

- Molecule 37 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	sb	218	Total	C	N	O	S	0	0
			1704	1081	305	311	7		

- Molecule 38 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	sc	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 39 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	sd	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 40 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	se	157	Total	C	N	O	S	0	0
			1156	719	218	213	6		

- Molecule 41 is a protein called 30S ribosomal protein S6, non-modified isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	sf	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 42 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	sg	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 43 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	sh	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 44 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	si	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 45 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	sj	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 46 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	sk	116	Total	C	N	O	S	0	0
			869	535	173	158	3		

- Molecule 47 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	sl	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 48 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	sm	114	Total	C	N	O	S	0	0
			883	546	178	156	3		

- Molecule 49 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	sn	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 50 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	so	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 51 is a protein called Small ribosomal subunit protein bS16.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	sp	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 52 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	sq	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 53 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	sr	65	Total	C	N	O	S	0	0
			535	339	100	95	1		

- Molecule 54 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	ss	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 55 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	st	85	Total	C	N	O	S	0	0
			665	411	137	114	3		


- Molecule 56 is a protein called Small ribosomal subunit protein bS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	su	70	Total	C	N	O	S	0	0
			590	366	125	98	1		

- Molecule 57 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
57	15	1	Total	Mg	0
			1	1	
57	17	1	Total	Mg	0
			1	1	
57	M	1	Total	Mg	0
			1	1	
57	R1	204	Total	Mg	0
			204	204	
57	R3	89	Total	Mg	0
			89	89	
57	sn	1	Total	Mg	0
			1	1	
57	sq	1	Total	Mg	0
			1	1	

- Molecule 58 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).




Mol	Chain	Residues	Atoms					AltConf
58	E	1	Total 31	C 10	N 5	O 13	P 3	0
58	E	1	Total 31	C 10	N 5	O 13	P 3	0

- Molecule 59 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	AltConf
59	E	2	Total Na 2 2	0

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: $\text{C}_6\text{H}_{11}\text{NO}_3\text{S}$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	T	1	10	6	1	2	1	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Large ribosomal subunit protein uL1



- Molecule 2: Large ribosomal subunit protein uL13





- Molecule 3: 50S ribosomal protein L14









- Molecule 4: 50S ribosomal protein L15





- Molecule 5: 50S ribosomal protein L16





- Molecule 6: Large ribosomal subunit protein bL17




- Molecule 7: Large ribosomal subunit protein uL18




- Molecule 8: 50S ribosomal protein L19




- Molecule 9: 50S ribosomal protein L2








- Molecule 10: Large ribosomal subunit protein bL20





- Molecule 11: Large ribosomal subunit protein bL21





- Molecule 12: Large ribosomal subunit protein uL22



- Molecule 13: Large ribosomal subunit protein uL23




- Molecule 14: Large ribosomal subunit protein uL24




- Molecule 15: Large ribosomal subunit protein bL25







- Molecule 16: Large ribosomal subunit protein bL27




- Molecule 17: 50S ribosomal protein L28




- Molecule 18: Large ribosomal subunit protein uL29




- Molecule 19: 50S ribosomal protein L3




- Molecule 20: 50S ribosomal protein L30




- Molecule 21: Large ribosomal subunit protein bL31




- Molecule 22: 50S ribosomal protein L32




- Molecule 23: Large ribosomal subunit protein bL33




- Molecule 24: 50S ribosomal protein L34




- Molecule 25: Large ribosomal subunit protein bL35




- Molecule 26: 50S ribosomal protein L36





- Molecule 27: Large ribosomal subunit protein uL4








• Molecule 28: 50S ribosomal protein L5




• Molecule 29: Large ribosomal subunit protein uL6




• Molecule 30: Large ribosomal subunit protein bL9





• Molecule 31: Energy-dependent translational throttle protein EttA




• Molecule 32: mRNA




• Molecule 33: 23S ribosomal RNA







U2698	C2591	U2474	G2383	C2285	A2184	G2123	U2039	A1918	G1810	U1716	U1594	G1500
C2699	G2592	C2475	U2384	G2286	U2185	G2124	C2043	A1919	G1811	A1717	C1595	A1504
A2700	U2476	A2476	C2385	A2287	G2186	G2125	C2043	U1923	C1816	U1720	A1596	A1505
U2707	U2477	U2477	A2386	G2288	U2187	A2126	C2047	C1924	G1817	G1721	A1597	U1506
G2714	U2478	U2478	G2389	G2289	U2188	G2127	G2048	A1927	U1818	A1722	G1601	C1507
C2715	G2484	U2484	U2390	U2291	U2189	C2128	U2051	A1928	A1819	G1723	U1608	A1508
U2716	U2484	U2484	U2292	U2292	G2190	U2130	A2055	G1929	U1820	G1724	G1604	G1510
C2723	G2494	U2494	A2297	A2297	A2191	U2131	C2055	G1930	U1827	U1729	C1607	G1511
U2724	G2495	U2495	U2396	U2396	A2192	U2132	G2056	A1936	G1828	C1730	A1608	A1515
A2725	C2496	U2496	U2401	U2401	G2193	G2133	A2057	A1937	U1733	U1733	A1609	A1522
U2726	A2497	U2497	U2402	U2402	U2194	A2134	G2058	A1938	G1734	U1735	A1610	U1523
A2727	G2502	U2502	A2406	A2406	A2198	A2135	A2059	A1939	C1837	U1736	C1615	G1524
U2728	U2503	U2503	A2407	A2407	G2203	G2136	A2060	U1943	C1838	U1737	U1622	G1527
A2729	U2504	U2504	U2408	U2408	G2204	U2137	A2061	A1952	G1847	G1738	G1631	A1528
U2732	G2505	U2505	G2409	G2409	G2204	G2138	A2062	U1955	A1848	A1745	A1634	A1532
A2733	G2506	U2506	A2410	A2410	C2208	U2139	A2066	A1966	U1859	U1746	A1635	C1533
U2738	C2507	U2507	A2412	A2412	G2217	U2140	C2067	C1967	U1854	U1747	U1636	U1534
U2739	U2508	U2508	U2417	U2417	G2218	G2141	U2068	U1971	A1755	C1748	A1637	A1535
G2744	C2512	U2512	G2415	G2415	U2219	A2142	U2069	A1972	A1756	U1758	G1645	U1536
C2745	U2513	U2513	G2416	G2416	G2224	C2145	A2080	U1991	A1757	U1758	C1646	C1537
U2746	C2514	U2514	C2417	C2417	G2225	C2146	A2082	U1991	A1758	C1764	U1647	U1538
G2747	G2515	U2515	U2423	U2423	U2229	A2147	C2073	A1970	U1864	U1764	G1649	U1539
A2748	C2516	U2516	G2424	G2424	G2230	G2148	A2081	U1971	U1865	C1771	A1654	G1540
U2751	G2517	U2517	A2425	A2425	U2233	U2149	U2082	U1972	U1866	A1772	C1541	C1542
U2755	C2518	U2518	G2426	G2426	G2234	U2151	A2086	U1991	A1867	A1773	G1543	G1544
U2756	U2519	U2519	U2427	U2427	G2235	G2152	U2087	U1991	U1868	G1776	G1657	U1544
C2757	C2520	U2520	G2428	G2428	G2236	G2153	U2087	U1991	U1869	U1779	U1674	U1554
U2758	G2521	U2521	A2430	A2430	U2237	C2159	U2089	A2009	C1870	C1675	C1675	C1558
U2759	U2522	U2522	U2434	U2434	G2238	G2160	G2100	U1882	A1871	A1784	G1682	A1566
C2762	C2523	U2523	A2435	A2435	G2239	C2161	A2101	U1883	A1872	U1791	U1683	A1569
A2765	G2524	U2524	G2436	G2436	U2243	U2162	G2102	A2013	A1873	G1792	G1684	A1570
U2773	U2525	U2525	U2439	U2439	U2244	A2163	G2103	A2014	A1884	C1793	A1690	A1571
C2774	C2526	U2526	U2440	U2440	U2245	C2164	C2104	A2015	A1889	A1794	A1572	U1578
U2775	G2527	U2527	C2442	C2442	U2246	C2165	G2107	U2016	A1890	U1796	U1693	U1579
A2778	U2528	U2528	C2443	C2443	U2247	U2166	U2108	U2022	A1900	C1797	C1704	C1582
U2779	C2529	U2529	A2448	A2448	U2248	U2167	U2109	G2024	A1906	U1798	A1705	A1583
C2788	U2530	U2530	U2455	U2455	U2249	U2168	G2110	U2025	G1910	G1799	U1709	U1584
C2789	G2531	U2531	G2456	G2456	U2250	U2169	G2111	U2026	U1911	C1800	G1710	A1585
U2790	C2532	U2532	U2457	U2457	U2251	G2169	G2112	A2030	A1912	A1801	A1711	C1586
G2791	U2533	U2533	A2461	A2461	U2252	A2170	G2115	A2031	A1913	A1802	U1712	U1587
A2792	C2534	U2534	C2462	C2462	U2253	A2171	G2116	G2032	A1914	A1803	U1713	A1590
C2793	U2535	U2535	U2463	U2463	U2254	U2172	G2117	A2033	U1915	A1808	U1714	A1591
U2797	G2536	U2536	A2464	A2464	U2255	U2173	G2118	U2034	A1916	A1809	G1715	C1592
U2798	C2537	U2537	C2467	C2467	U2256	C2174	U2119	G2038	U1917	U1917		A1593
A2799	U2538	U2538	A2468	A2468	U2257	C2175	A2118					
U2800	G2539	U2539	A2469	A2469	U2258	A2176	A2119					
G2803	U2540	U2540	G2470	G2470	U2259	C2177	G2120					
U2804	C2541	U2541	U2471	U2471	U2260	C2178	G2121					
	U2542	U2542	U2472	U2472	U2261	C2179	U2122					
	G2543	U2543	U2473	U2473	U2262	U2180	U2182					
	C2544	U2544	U2474	U2474	U2263	U2181	U2183					
	U2545	U2545	U2475	U2475	U2264	U2182	U2184					
	C2546	U2546	U2476	U2476	U2265	U2183	U2185					
	U2547	U2547	U2477	U2477	U2266	U2184	U2186					
	C2548	U2548	U2478	U2478	U2267	U2185	U2187					
	U2549	U2549	U2479	U2479	U2268	U2186	U2188					
	C2550	U2550	U2480	U2480	U2269	U2187	U2189					
	U2551	U2551	U2481	U2481	U2270	U2188	U2190					
	C2552	U2552	U2482	U2482	U2271	U2189	U2191					
	U2553	U2553	U2483	U2483	U2272	U2190	U2192					
	C2554	U2554	U2484	U2484	U2273	U2191	U2193					
	U2555	U2555	U2485	U2485	U2274	U2192	U2194					
	C2556	U2556	U2486	U2486	U2275	U2193	U2195					
	U2557	U2557	U2487	U2487	U2276	U2194	U2196					
	C2558	U2558	U2488	U2488	U2277	U2195	U2197					
	U2559	U2559	U2489	U2489	U2278	U2196	U2198					
	C2560	U2560	U2490	U2490	U2279	U2197	U2199					
	U2561	U2561	U2491	U2491	U2280	U2198	U2200					
	C2562	U2562	U2492	U2492	U2281	U2199	U2201					
	U2563	U2563	U2493	U2493	U2282	U2200	U2202					
	C2564	U2564	U2494	U2494	U2283	U2201	U2203					
	U2565	U2565	U2495	U2495	U2284	U2202	U2204					
	C2566	U2566	U2496	U2496	U2285	U2203	U2205					
	U2567	U2567	U2497	U2497	U2286	U2204	U2206					
	C2568	U2568	U2498	U2498	U2287	U2205	U2207					
	U2569	U2569	U2499	U2499	U2288	U2206	U2208					
	C2570	U2570	U2500	U2500	U2289	U2207	U2209					
	U2571	U2571	G2581	G2581	U2290	U2208	U2210					
	C2572	U2572	G2582	G2582	U2291	U2209	U2211					
	U2573	U2573	G2583	G2583	U2292	U2210	U2212					
	C2574	U2574	G2584	G2584	U2293	U2211	U2213					
	U2575	U2575	G2585	G2585	U2294	U2212	U2214					
	C2576	U2576	G2586	G2586	U2295	U2213	U2215					
	U2577	U2577	G2587	G2587	U2296	U2214	U2216					
	C2578	U2578	G2588	G2588	U2297	U2215	U2217					
	U2579	U2579	G2589	G2589	U2298	U2216	U2218					
	C2580	U2580	G2590	G2590	U2299	U2217	U2219					
	U2581	U2581	G2591	G2591	U2300	U2218	U2220					
	C2582	U2582	G2592	G2592	U2301	U2219	U2221					
	U2583	U2583	G2593	G2593	U2302	U2220	U2222					
	C2584	U2584	G2594	G2594	U2303	U2221	U2223					
	U2585	U2585	G2595	G2595	U2304	U2222	U2224					
	C2586	U2586	G2596	G2596	U2305	U2223	U2225					
	U2587	U2587	G2597	G2597	U2306	U2224	U2226					
	C2588	U2588	G2598	G2598	U2307	U2225	U2227					
	U2589	U2589	G2599	G2599	U2308	U2226	U2228					
	C2590	U2590	G2600	G2600	U2309	U2227	U2229					
	U2591	U2591	G2601	G2601	U2310	U2228	U2230					
	C2592	U2592	G2602	G2602	U2311	U2229	U2231					
	U2593	U2593	G2603	G2603	U2312	U2230	U2232					
	C2594	U2594	G2604	G2604	U2313	U2231	U2233					
	U2595	U2595	G2605	G2605	U2314	U2232	U2234					
	C2596	U2596	G2606	G2606	U2315	U2233	U2235					
	U2597	U2597	G2607	G2607	U2316	U2234	U2236					
	C2598	U2598	G2608	G2608	U2317	U2235	U2237					
	U2599	U2599	G2609	G2609	U2318	U2236	U2238					
	C2600	U2600	G2610	G2610	U2319	U2237	U2239					
	U2601	U2601	G2611	G2611	U2320	U2238	U2240					
	C2602	U2602	G2612	G2612	U2321	U2239	U2241					
	U2603	U2603	G2613	G2613	U2322	U2240	U2242					
	C2604	U2604	G2614	G2614	U2323	U2241	U2243					
	U2605	U2605	G2615	G2615	U2324	U2242	U2244					
	C2606	U2606	G2616	G2616	U2325	U2243	U2245					
	U2607	U2607	G2617									




• Molecule 34: 5S ribosomal RNA




• Molecule 35: 16S ribosomal RNA







- Molecule 38: Small ribosomal subunit protein uS3




- Molecule 39: 30S ribosomal protein S4




- Molecule 40: Small ribosomal subunit protein uS5



- Molecule 41: 30S ribosomal protein S6, non-modified isoform




- Molecule 42: 30S ribosomal protein S7




- Molecule 43: 30S ribosomal protein S8








- Molecule 44: Small ribosomal subunit protein uS9




- Molecule 45: 30S ribosomal protein S10




- Molecule 46: Small ribosomal subunit protein uS11



- Molecule 47: Small ribosomal subunit protein uS12




- Molecule 48: 30S ribosomal protein S13




- Molecule 49: Small ribosomal subunit protein uS14







- Molecule 50: Small ribosomal subunit protein uS15




- Molecule 51: Small ribosomal subunit protein bS16




- Molecule 52: Small ribosomal subunit protein uS17




- Molecule 53: 30S ribosomal protein S18




- Molecule 54: 30S ribosomal protein S19



- Molecule 55: 30S ribosomal protein S20



- Molecule 56: Small ribosomal subunit protein bS21



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	60175	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	64	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.569	Depositor
Minimum map value	-1.287	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.123	Depositor
Recommended contour level	0.45	Depositor
Map size (Å)	380.0, 380.0, 380.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.95, 0.95, 0.95	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MUM, ATP, PSU, 4OC, 4SU, NA, MG, FME, H2U

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	1	0.24	0/1361	0.54	0/1796
2	13	0.27	0/1152	0.50	0/1551
3	14	0.26	0/947	0.61	0/1268
4	15	0.27	0/1054	0.58	0/1403
5	16	0.27	0/1093	0.58	0/1460
6	17	0.26	0/973	0.58	0/1301
7	18	0.26	0/902	0.56	0/1209
8	19	0.27	0/929	0.57	0/1242
9	2	0.28	0/2121	0.58	0/2852
10	20	0.28	0/960	0.52	0/1278
11	21	0.29	0/829	0.61	0/1107
12	22	0.26	0/864	0.53	0/1156
13	23	0.27	0/744	0.53	0/994
14	24	0.26	0/787	0.51	0/1051
15	25	0.27	0/766	0.52	0/1025
16	27	0.28	0/589	0.56	0/779
17	28	0.25	0/635	0.58	0/848
18	29	0.25	0/510	0.50	0/677
19	3	0.27	0/1586	0.54	0/2134
20	30	0.25	0/453	0.54	0/605
21	31	0.24	0/531	0.49	0/709
22	32	0.26	0/450	0.56	0/599
23	33	0.26	0/416	0.51	0/554
24	34	0.25	0/380	0.63	0/498
25	35	0.26	0/513	0.54	0/676
26	36	0.28	0/303	0.58	0/397
27	4	0.26	0/1571	0.51	0/2113
28	5	0.27	0/1434	0.55	0/1926
29	6	0.27	0/1343	0.55	0/1816
30	9	0.26	0/1122	0.55	0/1515
31	E	0.27	0/4441	0.54	1/5993 (0.0%)
32	M	0.20	0/219	0.69	0/339

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	R1	0.31	0/69797	0.80	24/108890 (0.0%)
34	R2	0.27	0/2847	0.85	3/4440 (0.1%)
35	R3	0.29	0/36782	0.83	24/57377 (0.0%)
36	T	0.26	0/1716	0.81	0/2672
37	sb	0.26	0/1735	0.52	0/2338
38	sc	0.25	0/1651	0.53	0/2225
39	sd	0.25	0/1665	0.56	1/2227 (0.0%)
40	se	0.27	0/1169	0.62	1/1573 (0.1%)
41	sf	0.26	0/835	0.62	1/1128 (0.1%)
42	sg	0.29	0/1195	0.53	0/1602
43	sh	0.27	0/989	0.54	0/1326
44	si	0.26	0/1034	0.63	0/1375
45	sj	0.24	0/796	0.58	0/1077
46	sk	0.28	0/885	0.56	0/1195
47	sl	0.25	0/969	0.61	0/1300
48	sm	0.26	0/892	0.62	0/1193
49	sn	0.26	0/817	0.64	1/1088 (0.1%)
50	so	0.24	0/722	0.52	0/964
51	sp	0.31	0/659	0.64	0/884
52	sq	0.26	0/657	0.57	0/881
53	sr	0.27	0/544	0.56	0/731
54	ss	0.26	0/652	0.54	0/877
55	st	0.24	0/671	0.49	0/888
56	su	0.76	2/598 (0.3%)	0.95	4/792 (0.5%)
All	All	0.30	2/162255 (0.0%)	0.75	60/241914 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
13	23	0	1
24	34	0	1
29	6	0	1
30	9	0	1
31	E	0	1
36	T	8	0
39	sd	0	1
40	se	0	1
41	sf	0	2
47	sl	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
49	sn	0	2
All	All	8	12

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
56	su	11	PRO	CG-CD	-14.80	1.01	1.50
56	su	11	PRO	N-CD	6.44	1.56	1.47

The worst 5 of 60 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
56	su	11	PRO	N-CD-CG	-12.71	84.14	103.20
56	su	11	PRO	CA-N-CD	-11.42	95.52	111.50
31	E	67	PRO	CA-N-CD	-10.18	97.25	111.50
56	su	11	PRO	CA-CB-CG	-7.70	89.36	104.00
35	R3	5	U	C2-N1-C1'	7.53	126.73	117.70

5 of 8 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
36	T	8	4SU	C2',C1'
36	T	20	H2U	C2'
36	T	32	4OC	C2'
36	T	54	MUM	C4',C5,C3'
36	T	55	PSU	C4'

5 of 12 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
13	23	37	ASP	Peptide
24	34	44	VAL	Peptide
29	6	12	ALA	Peptide
30	9	8	LYS	Peptide
31	E	16	PRO	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	1353	0	1159	35	0
2	13	1129	0	1162	27	0
3	14	938	0	1012	20	0
4	15	1045	0	1117	22	0
5	16	1074	0	1157	21	0
6	17	960	0	1000	12	0
7	18	892	0	923	15	0
8	19	917	0	965	16	0
9	2	2082	0	2157	42	0
10	20	947	0	1022	12	0
11	21	816	0	839	20	0
12	22	857	0	922	18	0
13	23	738	0	807	15	0
14	24	779	0	834	7	0
15	25	753	0	780	21	0
16	27	582	0	599	20	0
17	28	625	0	655	14	0
18	29	509	0	543	8	0
19	3	1565	0	1616	35	0
20	30	449	0	491	10	0
21	31	522	0	524	11	0
22	32	444	0	461	12	0
23	33	409	0	440	9	0
24	34	377	0	418	5	0
25	35	504	0	574	11	0
26	36	302	0	343	8	0
27	4	1552	0	1619	25	0
28	5	1410	0	1447	38	0
29	6	1323	0	1374	32	0
30	9	1111	0	1148	29	0
31	E	4360	0	4336	98	0
32	M	195	0	99	0	0
33	R1	62318	0	31345	703	0
34	R2	2546	0	1292	35	0
35	R3	32850	0	16534	357	0
36	T	1639	0	831	28	0
37	sb	1704	0	1732	0	0
38	sc	1624	0	1699	0	0
39	sd	1643	0	1710	0	0
40	se	1156	0	1199	0	0
41	sf	817	0	808	0	0
42	sg	1181	0	1238	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
43	sh	979	0	1034	0	0
44	si	1022	0	1070	0	0
45	sj	786	0	828	0	0
46	sk	869	0	878	0	0
47	sl	955	0	1019	0	0
48	sm	883	0	944	0	0
49	sn	805	0	847	0	0
50	so	714	0	737	0	0
51	sp	649	0	666	0	0
52	sq	648	0	691	0	0
53	sr	535	0	552	0	0
54	ss	637	0	665	0	0
55	st	665	0	714	0	0
56	su	590	0	629	0	0
57	15	1	0	0	0	0
57	17	1	0	0	0	0
57	M	1	0	0	0	0
57	R1	204	0	0	0	0
57	R3	89	0	0	0	0
57	sn	1	0	0	0	0
57	sq	1	0	0	0	0
58	E	62	0	22	3	0
59	E	2	0	0	0	0
60	T	10	0	10	0	0
All	All	150106	0	102237	1638	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 1638 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
35:R3:1130:A:HO2'	35:R3:1131:G:H8	1.02	0.95
35:R3:359:G:HO2'	35:R3:360:G:H8	0.98	0.95
33:R1:132:G:H1	33:R1:146:A:H62	0.94	0.92
33:R1:2099:U:H3	33:R1:2190:G:H1	0.92	0.89
33:R1:1043:C:O2	33:R1:1112:G:N2	2.05	0.89

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	218/220 (99%)	196 (90%)	22 (10%)	0	100	100
2	13	140/142 (99%)	138 (99%)	2 (1%)	0	100	100
3	14	120/122 (98%)	108 (90%)	12 (10%)	0	100	100
4	15	141/143 (99%)	130 (92%)	11 (8%)	0	100	100
5	16	134/136 (98%)	127 (95%)	7 (5%)	0	100	100
6	17	118/120 (98%)	109 (92%)	9 (8%)	0	100	100
7	18	114/116 (98%)	110 (96%)	4 (4%)	0	100	100
8	19	112/114 (98%)	101 (90%)	11 (10%)	0	100	100
9	2	269/271 (99%)	253 (94%)	16 (6%)	0	100	100
10	20	115/117 (98%)	115 (100%)	0	0	100	100
11	21	101/103 (98%)	88 (87%)	13 (13%)	0	100	100
12	22	108/110 (98%)	100 (93%)	8 (7%)	0	100	100
13	23	91/93 (98%)	82 (90%)	9 (10%)	0	100	100
14	24	100/102 (98%)	87 (87%)	13 (13%)	0	100	100
15	25	92/94 (98%)	89 (97%)	3 (3%)	0	100	100
16	27	74/76 (97%)	69 (93%)	5 (7%)	0	100	100
17	28	75/77 (97%)	74 (99%)	1 (1%)	0	100	100
18	29	61/63 (97%)	60 (98%)	1 (2%)	0	100	100
19	3	207/209 (99%)	195 (94%)	12 (6%)	0	100	100
20	30	56/58 (97%)	53 (95%)	3 (5%)	0	100	100
21	31	64/66 (97%)	55 (86%)	9 (14%)	0	100	100
22	32	54/56 (96%)	51 (94%)	3 (6%)	0	100	100
23	33	48/50 (96%)	48 (100%)	0	0	100	100
24	34	44/46 (96%)	40 (91%)	4 (9%)	0	100	100
25	35	62/64 (97%)	59 (95%)	3 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	36	36/38 (95%)	34 (94%)	2 (6%)	0	100	100
27	4	199/201 (99%)	188 (94%)	11 (6%)	0	100	100
28	5	175/177 (99%)	161 (92%)	14 (8%)	0	100	100
29	6	174/176 (99%)	159 (91%)	15 (9%)	0	100	100
30	9	147/149 (99%)	135 (92%)	10 (7%)	2 (1%)	9	40
31	E	550/552 (100%)	508 (92%)	41 (8%)	1 (0%)	44	75
37	sb	216/218 (99%)	194 (90%)	21 (10%)	1 (0%)	25	60
38	sc	204/206 (99%)	197 (97%)	7 (3%)	0	100	100
39	sd	203/205 (99%)	185 (91%)	18 (9%)	0	100	100
40	se	155/157 (99%)	135 (87%)	18 (12%)	2 (1%)	10	41
41	sf	98/100 (98%)	83 (85%)	14 (14%)	1 (1%)	13	47
42	sg	149/151 (99%)	142 (95%)	7 (5%)	0	100	100
43	sh	127/129 (98%)	121 (95%)	6 (5%)	0	100	100
44	si	125/127 (98%)	102 (82%)	22 (18%)	1 (1%)	16	51
45	sj	96/98 (98%)	88 (92%)	7 (7%)	1 (1%)	13	47
46	sk	114/116 (98%)	103 (90%)	11 (10%)	0	100	100
47	sl	121/123 (98%)	92 (76%)	29 (24%)	0	100	100
48	sm	112/114 (98%)	99 (88%)	13 (12%)	0	100	100
49	sn	98/100 (98%)	78 (80%)	20 (20%)	0	100	100
50	so	86/88 (98%)	83 (96%)	3 (4%)	0	100	100
51	sp	80/82 (98%)	71 (89%)	9 (11%)	0	100	100
52	sq	78/80 (98%)	67 (86%)	11 (14%)	0	100	100
53	sr	63/65 (97%)	61 (97%)	2 (3%)	0	100	100
54	ss	77/79 (98%)	71 (92%)	6 (8%)	0	100	100
55	st	83/85 (98%)	82 (99%)	1 (1%)	0	100	100
56	su	68/70 (97%)	64 (94%)	3 (4%)	1 (2%)	8	38
All	All	6352/6454 (98%)	5840 (92%)	502 (8%)	10 (0%)	45	75

5 of 10 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
31	E	17	PRO
30	9	8	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
44	si	91	GLU
37	sb	18	GLN
40	se	122	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	106/171 (62%)	103 (97%)	3 (3%)	38	68
2	13	116/116 (100%)	115 (99%)	1 (1%)	75	89
3	14	103/103 (100%)	99 (96%)	4 (4%)	27	60
4	15	102/102 (100%)	101 (99%)	1 (1%)	73	87
5	16	109/109 (100%)	106 (97%)	3 (3%)	38	68
6	17	100/100 (100%)	96 (96%)	4 (4%)	27	59
7	18	86/86 (100%)	83 (96%)	3 (4%)	31	63
8	19	99/99 (100%)	98 (99%)	1 (1%)	73	87
9	2	216/216 (100%)	210 (97%)	6 (3%)	38	68
10	20	89/89 (100%)	87 (98%)	2 (2%)	47	73
11	21	84/84 (100%)	82 (98%)	2 (2%)	44	71
12	22	93/93 (100%)	90 (97%)	3 (3%)	34	65
13	23	80/80 (100%)	79 (99%)	1 (1%)	65	83
14	24	83/83 (100%)	80 (96%)	3 (4%)	30	62
15	25	78/78 (100%)	73 (94%)	5 (6%)	14	46
16	27	58/58 (100%)	56 (97%)	2 (3%)	32	63
17	28	67/67 (100%)	66 (98%)	1 (2%)	60	81
18	29	55/55 (100%)	53 (96%)	2 (4%)	30	62
19	3	164/164 (100%)	157 (96%)	7 (4%)	25	57
20	30	48/48 (100%)	46 (96%)	2 (4%)	25	58
21	31	59/59 (100%)	56 (95%)	3 (5%)	20	53

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	32	47/47 (100%)	47 (100%)	0	100	100
23	33	45/45 (100%)	44 (98%)	1 (2%)	47	73
24	34	38/38 (100%)	38 (100%)	0	100	100
25	35	51/51 (100%)	49 (96%)	2 (4%)	27	60
26	36	34/34 (100%)	33 (97%)	1 (3%)	37	67
27	4	165/165 (100%)	164 (99%)	1 (1%)	84	92
28	5	148/148 (100%)	144 (97%)	4 (3%)	40	69
29	6	137/137 (100%)	130 (95%)	7 (5%)	20	53
30	9	114/114 (100%)	110 (96%)	4 (4%)	31	63
31	E	461/464 (99%)	441 (96%)	20 (4%)	25	57
37	sb	180/180 (100%)	173 (96%)	7 (4%)	27	60
38	sc	170/170 (100%)	164 (96%)	6 (4%)	31	63
39	sd	172/172 (100%)	167 (97%)	5 (3%)	37	67
40	se	119/119 (100%)	118 (99%)	1 (1%)	79	90
41	sf	87/87 (100%)	82 (94%)	5 (6%)	17	50
42	sg	124/124 (100%)	123 (99%)	1 (1%)	79	90
43	sh	104/104 (100%)	103 (99%)	1 (1%)	73	87
44	si	105/105 (100%)	100 (95%)	5 (5%)	21	55
45	sj	86/86 (100%)	80 (93%)	6 (7%)	12	42
46	sk	89/89 (100%)	86 (97%)	3 (3%)	32	63
47	sl	103/103 (100%)	98 (95%)	5 (5%)	21	54
48	sm	92/92 (100%)	89 (97%)	3 (3%)	33	64
49	sn	83/83 (100%)	80 (96%)	3 (4%)	30	62
50	so	76/76 (100%)	75 (99%)	1 (1%)	65	83
51	sp	65/65 (100%)	60 (92%)	5 (8%)	10	39
52	sq	74/74 (100%)	72 (97%)	2 (3%)	40	69
53	sr	56/56 (100%)	54 (96%)	2 (4%)	30	62
54	ss	70/70 (100%)	69 (99%)	1 (1%)	62	82
55	st	65/65 (100%)	64 (98%)	1 (2%)	60	81
56	su	60/60 (100%)	56 (93%)	4 (7%)	13	44
All	All	5215/5283 (99%)	5049 (97%)	166 (3%)	36	65

5 of 166 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
39	sd	193	ASP
47	sl	110	LYS
41	sf	72	ASP
45	sj	16	ARG
50	so	61	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 13 such sidechains are listed below:

Mol	Chain	Res	Type
37	sb	41	ASN
40	se	81	GLN
50	so	34	GLN
47	sl	58	ASN
50	so	19	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
32	M	8/9 (88%)	0	0
33	R1	2902/2903 (99%)	570 (19%)	20 (0%)
34	R2	118/119 (99%)	19 (16%)	0
35	R3	1529/1531 (99%)	399 (26%)	23 (1%)
36	T	74/77 (96%)	19 (25%)	3 (4%)
All	All	4631/4639 (99%)	1007 (21%)	46 (0%)

5 of 1007 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
33	R1	2	G
33	R1	5	A
33	R1	10	A
33	R1	15	G
33	R1	34	U

5 of 46 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
35	R3	461	A
35	R3	685	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
35	R3	497	G
35	R3	588	G
35	R3	837	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
36	MUM	T	54	36	18,22,22	3.27	6 (33%)	19,32,32	2.11	5 (26%)
36	PSU	T	55	36	18,21,22	2.30	8 (44%)	21,30,33	1.85	3 (14%)
36	4SU	T	8	36	18,21,22	3.72	7 (38%)	25,30,33	2.41	6 (24%)
36	4OC	T	32	36	20,23,24	2.53	5 (25%)	25,32,35	0.94	1 (4%)
36	H2U	T	20	36	18,21,22	4.50	5 (27%)	19,30,33	4.25	6 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
36	MUM	T	54	36	3/3/9/10	4/7/41/41	0/2/2/2
36	PSU	T	55	36	1/1/5/5	3/7/25/26	0/2/2/2
36	4SU	T	8	36	2/2/5/5	2/7/25/26	0/2/2/2
36	4OC	T	32	36	1/1/5/6	1/9/29/30	0/2/2/2
36	H2U	T	20	36	1/1/8/9	6/7/38/39	0/2/2/2

The worst 5 of 31 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
36	T	54	MUM	C6-N1	-11.96	1.32	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
36	T	8	4SU	O2-C2	10.81	1.42	1.23
36	T	20	H2U	C2-N1	10.53	1.50	1.35
36	T	20	H2U	O4-C4	10.12	1.43	1.23
36	T	32	4OC	O2-C2	8.92	1.40	1.23

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
36	T	20	H2U	O2-C2-N1	-12.74	107.78	123.10
36	T	20	H2U	O4-C4-N3	-7.30	109.04	120.30
36	T	8	4SU	C4-N3-C2	-7.25	120.36	127.31
36	T	20	H2U	O2-C2-N3	-6.81	108.94	121.49
36	T	20	H2U	O4-C4-C5	-6.39	109.11	122.20

5 of 8 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
36	T	20	H2U	C2'
36	T	32	4OC	C2'
36	T	54	MUM	C4'
36	T	54	MUM	C5
36	T	54	MUM	C3'

5 of 16 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
36	T	20	H2U	O4'-C4'-C5'-O5'
36	T	20	H2U	O4'-C1'-N1-C2
36	T	20	H2U	O4'-C1'-N1-C6
36	T	54	MUM	O4'-C4'-C5'-O5'
36	T	54	MUM	C3'-C4'-C5'-O5'

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
36	T	55	PSU	2	0
36	T	8	4SU	1	0
36	T	32	4OC	1	0
36	T	20	H2U	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 303 ligands modelled in this entry, 300 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
60	FME	T	101	36	8,9,10	0.98	0	8,9,11	0.98	0
58	ATP	E	602	59	28,33,33	0.81	0	34,52,52	0.62	1 (2%)
58	ATP	E	601	-	28,33,33	0.70	0	34,52,52	0.88	2 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	FME	T	101	36	-	1/7/9/11	-
58	ATP	E	602	59	-	2/18/38/38	0/3/3/3
58	ATP	E	601	-	-	9/18/38/38	0/3/3/3

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	E	601	ATP	C4'-O4'-C1'	-3.69	106.55	109.92
58	E	602	ATP	C5-C6-N6	2.31	123.83	120.31
58	E	601	ATP	C5-C6-N6	2.29	123.79	120.31

There are no chirality outliers.

5 of 12 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
58	E	601	ATP	C5'-O5'-PA-O1A
58	E	601	ATP	C5'-O5'-PA-O2A
58	E	601	ATP	C5'-O5'-PA-O3A
58	E	601	ATP	O4'-C4'-C5'-O5'
58	E	601	ATP	C3'-C4'-C5'-O5'


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	E	602	ATP	2	0
58	E	601	ATP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
35	R3	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	R3	210:C	O3'	211:G	P	5.77
1	R3	460:A	O3'	461:A	P	5.31


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-29398. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 210




Y Index: 152




Z Index: 179


6.3.2 Raw map



X Index: 209



Y Index: 152




Z Index: 178


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.45. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 718 nm³; this corresponds to an approximate mass of 648 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.87	5.65	4.02

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.87 differs from the reported value 3.2 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-29398 and PDB model 9NLE. Per-residue inclusion information can be found in section 3 on page 17.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.45 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.45).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary













































The table lists the average atom inclusion at the recommended contour level (0.45) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7550	 0.5270
1	 0.1410	 0.3250
13	 0.7490	 0.5720
14	 0.6870	 0.5630
15	 0.7460	 0.5630
16	 0.7000	 0.5620
17	 0.7800	 0.5740
18	 0.6580	 0.5300
19	 0.6820	 0.5680
2	 0.7370	 0.5840
20	 0.8010	 0.5790
21	 0.7190	 0.5520
22	 0.6930	 0.5630
23	 0.6450	 0.5400
24	 0.6190	 0.5280
25	 0.6650	 0.5350
27	 0.7350	 0.5710
28	 0.7140	 0.5730
29	 0.5940	 0.5020
3	 0.7350	 0.5670
30	 0.7190	 0.5700
31	 0.2290	 0.4060
32	 0.7220	 0.5690
33	 0.6630	 0.5600
34	 0.7720	 0.5890
35	 0.7760	 0.5950
36	 0.7190	 0.5650
4	 0.6700	 0.5430
5	 0.4620	 0.4850
6	 0.5400	 0.4890
9	 0.2010	 0.4060
E	 0.5150	 0.5040
M	 0.5920	 0.5400
R1	 0.8420	 0.5360
R2	 0.8050	 0.4950



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
R3	 0.8140	 0.5180
T	 0.6180	 0.4590
sb	 0.5300	 0.4760
sc	 0.5870	 0.5330
sd	 0.6000	 0.5170
se	 0.6520	 0.5380
sf	 0.6070	 0.4990
sg	 0.5510	 0.5170
sh	 0.6650	 0.5520
si	 0.6040	 0.5060
sj	 0.4780	 0.4800
sk	 0.6500	 0.5510
sl	 0.6080	 0.5380
sm	 0.5600	 0.5070
sn	 0.5900	 0.4860
so	 0.6620	 0.5510
sp	 0.6540	 0.5300
sq	 0.6080	 0.5350
sr	 0.6610	 0.5360
ss	 0.5470	 0.4920
st	 0.6490	 0.5380
su	 0.4790	 0.5150