



wwPDB EM Validation Summary Report ⓘ

Jun 26, 2025 – 03:02 PM EDT

PDB ID : 9NO7 / pdb_00009no7
EMDB ID : EMD-49594
Title : Cryo-EM structure of the wild-type *Thermus thermophilus* 70S ribosome in complex with mRNA, A-site Q230-N5-methylated Release Factor 1, and P-site 2'-deoxy-A76-fMEAAAKC-peptidyl-tRNA_{cys} at 2.13Å resolution
Authors : Aleksandrova, E.V.; Syroegin, E.A.; Basu, R.S.; Vassilevski, A.A.; Gagnon, M.G.; Polikanov, Y.S.
Deposited on : 2025-03-08
Resolution : 2.13 Å (reported)
Based on initial model : 9MTP

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2915	
2	B	121	
3	D	276	
4	E	206	
5	F	210	
6	G	182	
7	H	180	

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	I	148	
9	N	140	
10	O	122	
11	P	150	
12	Q	141	
13	R	118	
14	S	112	
15	T	146	
16	U	118	
17	V	101	
18	W	113	
19	X	96	
20	Y	110	
21	Z	206	
22	0	85	
23	1	98	
24	2	72	
25	3	60	
26	4	71	
27	5	60	
28	6	54	
29	7	49	
30	8	65	
31	9	37	
32	a	1521	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	b	256	
34	c	239	
35	d	209	
36	e	162	
37	f	101	
38	g	156	
39	h	138	
40	i	128	
41	j	105	
42	k	129	
43	l	132	
44	m	126	
45	n	61	
46	o	89	
47	p	88	
48	q	105	
49	r	88	
50	s	93	
51	t	106	
52	u	27	
53	v	24	
54	w	354	
55	x	74	
56	z	7	

2 Entry composition

There are 61 unique types of molecules in this entry. The entry contains 148436 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	2734	Total	C	N	O	P	0	0
			58906	26221	11028	18923	2734		

- Molecule 2 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	120	Total	C	N	O	P	0	0
			2577	1146	476	835	120		

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	D	273	Total	C	N	O	S	0	0
			2117	1337	419	358	3		

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	E	204	Total	C	N	O	S	0	0
			1559	985	298	270	6		

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	F	202	Total	C	N	O	S	0	0
			1583	1009	297	275	2		

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	G	181	Total	C	N	O	S	0	0
			1429	916	256	253	4		

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	H	174	Total	C	N	O	S	0	0
			1330	845	248	236	1		

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	I	146	Total	C	N	O	S	0	0
			952	608	166	177	1		

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	N	140	Total	C	N	O	S	0	0
			1111	715	207	185	4		

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	O	122	Total	C	N	O	S	0	0
			922	581	170	168	3		

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	P	149	Total	C	N	O	S	0	0
			1088	677	220	188	3		

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	Q	141	Total	C	N	O	S	0	0
			1110	709	206	188	7		

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	R	118	Total	C	N	O	S	0	0
			964	602	203	158	1		

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	S	110	Total	C	N	O		
			865	545	173	147	0	0

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	T	131	Total	C	N	O	S	
			1084	676	223	184	1	0

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	U	116	Total	C	N	O	S	
			959	608	201	149	1	0

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	V	101	Total	C	N	O	S	
			771	495	140	135	1	0

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	W	110	Total	C	N	O	S	
			863	545	167	149	2	0

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms				AltConf	Trace
19	X	95	Total	C	N	O	S	
			750	488	135	126	1	0

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	Y	107	Total	C	N	O	S	
			792	508	150	128	6	0

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	Z	153	Total	C	N	O	S	0	0
			1236	792	221	221	2		

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	0	77	Total	C	N	O	S	0	0
			608	375	129	103	1		

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	1	97	Total	C	N	O	S	0	0
			747	470	147	129	1		

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	2	70	Total	C	N	O	S	0	0
			588	365	118	103	2		

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	3	57	Total	C	N	O	0	0
			452	288	88	76		

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	4	69	Total	C	N	O	S	0	0
			462	290	80	87	5		

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	5	59	Total	C	N	O	S	0	0
			455	285	89	76	5		

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	6	53	Total	C	N	O	S	0	0
			453	281	91	77	4		

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	7	47	Total	C	N	O	S	0	0
			409	251	102	54	2		

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	8	64	Total	C	N	O	S	0	0
			517	331	102	82	2		

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	9	37	Total	C	N	O	S	0	0
			307	188	68	47	4		

- Molecule 32 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	a	1487	Total	C	N	O	P	0	0
			31971	14236	5931	10317	1487		

- Molecule 33 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	b	231	Total	C	N	O	S	0	0
			1825	1168	327	326	4		

- Molecule 34 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	c	206	Total	C	N	O	S	0	0
			1524	957	297	269	1		

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	d	208	Total	C	N	O	S	0	0
			1634	1029	314	284	7		

- Molecule 36 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	e	149	Total	C	N	O	S	0	0
			1130	714	213	199	4		

- Molecule 37 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	f	100	Total	C	N	O	S	0	0
			810	514	144	149	3		

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	g	154	Total	C	N	O	S	0	0
			1184	737	232	209	6		

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	h	137	Total	C	N	O	S	0	0
			1084	687	207	188	2		

- Molecule 40 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	i	127	Total	C	N	O		0	0
			976	617	192	167			

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	j	97	Total	C	N	O		0	0
			695	431	137	127			

- Molecule 42 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	k	114	Total	C	N	O	S	0	0
			825	514	154	154	3		

- Molecule 43 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	l	121	Total	C	N	O	S	0	0
			927	583	184	158	2		

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	m	118	Total	C	N	O	S	0	0
			919	566	190	161	2		

- Molecule 45 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	n	60	Total	C	N	O	S	0	0
			474	300	98	72	4		

- Molecule 46 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	o	88	Total	C	N	O	S	0	0
			718	451	141	124	2		

- Molecule 47 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	p	82	Total	C	N	O	S	0	0
			670	424	132	113	1		

- Molecule 48 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	q	99	Total	C	N	O	S	0	0
			815	523	150	140	2		

- Molecule 49 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
49	r	68	Total	C	N	O	0	0
			545	350	105	90		

- Molecule 50 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	s	83	Total	C	N	O	S	0	0
			631	404	115	111	1		

- Molecule 51 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	t	95	Total	C	N	O	S	0	0
			688	424	150	112	2		

- Molecule 52 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				AltConf	Trace
52	u	23	Total	C	N	O	0	0
			199	122	48	29		

- Molecule 53 is a RNA chain called CYS-Stop mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	v	9	Total	C	N	O	P	0	0
			191	86	34	62	9		

- Molecule 54 is a protein called Peptide chain release factor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	w	249	Total	C	N	O	S	0	0
			1939	1199	360	371	9		

- Molecule 55 is a RNA chain called P-site Peptidyl-tRNA fMEAAAKC-tRNA^{cys} RNA-part.

Mol	Chain	Residues	Atoms						AltConf	Trace
55	x	73	Total	C	N	O	P	S	0	0
			1556	695	278	509	73	1		

- Molecule 56 is a protein called P-site Peptidyl-tRNA fMEAAAKC-tRNA^{cys} Peptide-part.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	z	5	Total	C	N	O	S	0	0
			30	18	6	5	1		

- Molecule 57 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
57	A	1296	Total	Mg	0
			1296	1296	
57	B	15	Total	Mg	0
			15	15	
57	D	22	Total	Mg	0
			22	22	
57	E	22	Total	Mg	0
			22	22	
57	F	15	Total	Mg	0
			15	15	
57	G	1	Total	Mg	0
			1	1	
57	N	4	Total	Mg	0
			4	4	
57	O	5	Total	Mg	0
			5	5	
57	P	8	Total	Mg	0
			8	8	
57	Q	4	Total	Mg	0
			4	4	
57	R	7	Total	Mg	0
			7	7	
57	S	1	Total	Mg	0
			1	1	
57	T	2	Total	Mg	0
			2	2	
57	U	7	Total	Mg	0
			7	7	
57	V	5	Total	Mg	0
			5	5	
57	W	3	Total	Mg	0
			3	3	
57	X	5	Total	Mg	0
			5	5	
57	Y	1	Total	Mg	0
			1	1	
57	0	6	Total	Mg	0
			6	6	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
57	1	4	Total 4	Mg 4	0
57	3	2	Total 2	Mg 2	0
57	5	11	Total 11	Mg 11	0
57	6	2	Total 2	Mg 2	0
57	7	5	Total 5	Mg 5	0
57	8	5	Total 5	Mg 5	0
57	a	205	Total 205	Mg 205	0
57	e	1	Total 1	Mg 1	0
57	h	1	Total 1	Mg 1	0
57	k	1	Total 1	Mg 1	0
57	m	1	Total 1	Mg 1	0
57	n	1	Total 1	Mg 1	0
57	q	2	Total 2	Mg 2	0
57	v	4	Total 4	Mg 4	0
57	w	1	Total 1	Mg 1	0
57	x	10	Total 10	Mg 10	0


- Molecule 58 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
58	A	51	Total 51	K 51	0
58	Q	1	Total 1	K 1	0

- Molecule 59 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
59	Y	1	Total	Zn	0
			1	1	
59	4	1	Total	Zn	0
			1	1	
59	5	1	Total	Zn	0
			1	1	
59	6	1	Total	Zn	0
			1	1	
59	9	1	Total	Zn	0
			1	1	
59	n	1	Total	Zn	0
			1	1	

- Molecule 60 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).



Mol	Chain	Residues	Atoms			AltConf
60	d	1	Total	Fe	S	0
			8	4	4	

- Molecule 61 is water.

Mol	Chain	Residues	Atoms		AltConf
61	A	3537	Total	O	0
			3537	3537	
61	B	19	Total	O	0
			19	19	
61	D	74	Total	O	0
			74	74	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
61	E	35	Total 35	O 35	0
61	F	39	Total 39	O 39	0
61	I	1	Total 1	O 1	0
61	N	14	Total 14	O 14	0
61	O	15	Total 15	O 15	0
61	P	46	Total 46	O 46	0
61	Q	22	Total 22	O 22	0
61	R	24	Total 24	O 24	0
61	S	3	Total 3	O 3	0
61	T	13	Total 13	O 13	0
61	U	37	Total 37	O 37	0
61	V	12	Total 12	O 12	0
61	W	19	Total 19	O 19	0
61	X	13	Total 13	O 13	0
61	Y	1	Total 1	O 1	0
61	Z	3	Total 3	O 3	0
61	0	13	Total 13	O 13	0
61	1	6	Total 6	O 6	0
61	2	4	Total 4	O 4	0
61	3	5	Total 5	O 5	0
61	5	16	Total 16	O 16	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
61	6	3	Total 3	O 3	0
61	7	15	Total 15	O 15	0
61	8	16	Total 16	O 16	0
61	9	5	Total 5	O 5	0
61	a	648	Total 648	O 648	0
61	b	1	Total 1	O 1	0
61	d	3	Total 3	O 3	0
61	e	4	Total 4	O 4	0
61	g	1	Total 1	O 1	0
61	h	3	Total 3	O 3	0
61	i	2	Total 2	O 2	0
61	j	2	Total 2	O 2	0
61	k	1	Total 1	O 1	0
61	l	17	Total 17	O 17	0
61	n	1	Total 1	O 1	0
61	o	1	Total 1	O 1	0
61	q	3	Total 3	O 3	0
61	r	1	Total 1	O 1	0
61	t	1	Total 1	O 1	0
61	v	10	Total 10	O 10	0
61	w	20	Total 20	O 20	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
61	x	30	Total	O	0
			30	30	

- Molecule 4: 50S ribosomal protein L3

Chain E:  95%





- Molecule 5: 50S ribosomal protein L4

Chain F:  86%





- Molecule 6: 50S ribosomal protein L5

Chain G:  79%




- Molecule 7: 50S ribosomal protein L6

Chain H:  77%





- Molecule 8: 50S ribosomal protein L9

Chain I:  87%




- Molecule 9: 50S ribosomal protein L13

Chain N:  88%



- Molecule 10: 50S ribosomal protein L14

Chain O:  88% 12%




- Molecule 11: 50S ribosomal protein L15

Chain P:  91% 9%




- Molecule 12: 50S ribosomal protein L16

Chain Q:  94% 6%




- Molecule 13: 50S ribosomal protein L17

Chain R:  92% 8%




- Molecule 14: 50S ribosomal protein L18

Chain S:  87% 12%



- Molecule 15: 50S ribosomal protein L19

Chain T:  82% 8% 10%




- Molecule 16: 50S ribosomal protein L20

Chain U:  92% 7%



- Molecule 17: 50S ribosomal protein L21

Chain V:  92% 7% .




- Molecule 18: 50S ribosomal protein L22

Chain W:  89% 8% .




- Molecule 19: 50S ribosomal protein L23

Chain X:  88% 10% ..




- Molecule 20: 50S ribosomal protein L24

Chain Y:  88% 8% . .




- Molecule 21: 50S ribosomal protein L25

Chain Z:  28% 56% 16% . 26%




- Molecule 22: 50S ribosomal protein L27

Chain 0:  86% 5% 9%



- Molecule 23: 50S ribosomal protein L28

Chain 1:  81% 18% .



- Molecule 24: 50S ribosomal protein L29

Chain 2: 86% 11% .




- Molecule 25: 50S ribosomal protein L30

Chain 3: 87% 8% 5%



- Molecule 26: 50S ribosomal protein L31

Chain 4: 82% 14% . .



- Molecule 27: 50S ribosomal protein L32

Chain 5: 82% 17% .



- Molecule 28: 50S ribosomal protein L33

Chain 6: 89% 9% .




- Molecule 29: 50S ribosomal protein L34

Chain 7: 84% 12% .




- Molecule 30: 50S ribosomal protein L35

Chain 8: 80% 18% .




• Molecule 33: 30S ribosomal protein S2

Chain b: 67% 23% 10%




• Molecule 34: 30S ribosomal protein S3

Chain c: 73% 12% 14%



• Molecule 35: 30S ribosomal protein S4

Chain d: 84% 16%




• Molecule 36: 30S ribosomal protein S5

Chain e: 73% 19% 8%




ALA
HIS
ALA
GLN
ALA
GLN
GLY

• Molecule 37: 30S ribosomal protein S6

Chain f:  83% 16%


M1 R2 V6 L19 A20 A21 E22 K23 E24 R28 E31 R36 E42 D55 P56 V65 E69 V90 R100 ALA

• Molecule 38: 30S ribosomal protein S7

Chain g:  83% 15%

MET A2 R3 N28 M31 R32 D33 K36 N37 R41 I49 F62 V66 P71 V75 R76 S77 V80 A83 N84 Y85 E113 V118 R119 I120 A121 H122 M125 M144 R155 TRP

• Molecule 39: 30S ribosomal protein S8

Chain h:  84% 15%


MET L2 L10 L14 R18 V26 E34 R37 R41 E42 K46 K64 E77 Q78 I83 I86 R105 I111 L119 E123 I134 C135 E136 V137 W138

• Molecule 40: 30S ribosomal protein S9

Chain i:  73% 25%


MET E2 Q3 Y4 Y5 G6 T7 G8 R9 R10 V14 A15 R16 V17 F18 L19 R20 K25 V26 T27 F33 V41 R42 A46 A55 H58 F59 D60 GLY A61 V62 I63 S71 D75 A76 I77 K78 R104 E110 R111 K112 K113 K116 R128

• Molecule 41: 30S ribosomal protein S10

Chain j:  78% 14% 8%


MET PRO LYS L4 R5 R9 G10 F11 S19 ARG I38 F39 L40 L65 H68 H69 R70 L71 V72 N78 I82 E95 I98 I99 T100 VAL GLY GLY ARG

• Molecule 42: 30S ribosomal protein S11

Chain k:  78% 9% 12%


MET ALA LYS LYS PRO SER LYS LYS VAL LYS ARG Q13 V14 A15 S16 I48 G49 Y50 Q62 L63 A69 M73 V82 Q83 A97 I108 N117 R126 LYS ALA SER

• Molecule 43: 30S ribosomal protein S12

Chain l:  83% 8% 8%




- Molecule 44: 30S ribosomal protein S13





- Molecule 45: 30S ribosomal protein S14 type Z





- Molecule 46: 30S ribosomal protein S15



- Molecule 47: 30S ribosomal protein S16



- Molecule 48: 30S ribosomal protein S17




- Molecule 49: 30S ribosomal protein S18




- Molecule 50: 30S ribosomal protein S19






- Molecule 51: 30S ribosomal protein S20

Chain t: 77% 12% 10%




- Molecule 52: 30S ribosomal protein Thx

Chain u: 74% 11% 15%






- Molecule 53: CYS-Stop mRNA

Chain v: 33% 63%




- Molecule 54: Peptide chain release factor 1

Chain w: 56% 14% 30%




- Molecule 55: P-site Peptidyl-tRNA fMEAAAKC-tRNAcys RNA-part

Chain x: 62% 35%



- Molecule 56: P-site Peptidyl-tRNA fMEAAAKC-tRNAcys Peptide-part



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	617938	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	39.7153	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.441	Depositor
Minimum map value	-0.124	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	431.2576, 431.2576, 431.2576	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8423, 0.8423, 0.8423	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 4SU, H2U, MIA, MG, 5MC, OMG, OMC, SF4, OMU, 2MG, 4OC, 0TD, MA6, K, ZN, MEQ, 2MA, M2G, G7M, 5MU, UR3, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.20	1/65713 (0.0%)	0.33	0/102569
2	B	0.14	0/2882	0.25	0/4494
3	D	0.15	0/2167	0.34	0/2922
4	E	0.15	0/1592	0.34	0/2149
5	F	0.17	0/1618	0.31	0/2191
6	G	0.11	0/1454	0.27	0/1964
7	H	0.13	0/1356	0.30	0/1834
8	I	0.11	0/965	0.29	0/1331
9	N	0.17	0/1138	0.40	1/1535 (0.1%)
10	O	0.14	0/932	0.30	0/1257
11	P	0.15	0/1104	0.35	0/1475
12	Q	0.15	0/1131	0.30	0/1513
13	R	0.14	0/978	0.29	0/1307
14	S	0.11	0/875	0.27	0/1167
15	T	0.13	0/1098	0.29	0/1469
16	U	0.14	0/977	0.28	0/1301
17	V	0.14	0/782	0.29	0/1049
18	W	0.13	0/873	0.28	0/1174
19	X	0.14	0/764	0.30	0/1025
20	Y	0.12	0/805	0.31	0/1078
21	Z	0.11	0/1263	0.29	0/1712
22	0	0.12	0/616	0.26	0/821
23	1	0.15	0/754	0.30	0/1005
24	2	0.11	0/590	0.22	0/781
25	3	0.12	0/456	0.29	0/612
26	4	0.11	0/471	0.41	0/644
27	5	0.15	0/469	0.35	0/635
28	6	0.13	0/460	0.29	0/613
29	7	0.16	0/417	0.33	0/550
30	8	0.15	0/525	0.31	0/691
31	9	0.14	0/310	0.27	0/407

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	a	0.16	0/35488	0.30	0/55383
33	b	0.13	0/1860	0.34	0/2517
34	c	0.11	0/1548	0.27	0/2097
35	d	0.12	0/1664	0.27	0/2238
36	e	0.15	0/1146	0.36	0/1546
37	f	0.13	0/823	0.33	0/1115
38	g	0.16	0/1201	0.37	1/1619 (0.1%)
39	h	0.12	0/1104	0.28	0/1488
40	i	0.13	0/995	0.32	0/1338
41	j	0.12	0/707	0.32	0/961
42	k	0.12	0/840	0.28	0/1140
43	l	0.13	0/932	0.32	0/1253
44	m	0.11	0/929	0.30	0/1250
45	n	0.12	0/483	0.27	0/645
46	o	0.13	0/729	0.26	0/973
47	p	0.13	0/686	0.33	0/927
48	q	0.13	0/828	0.31	0/1108
49	r	0.11	0/550	0.24	0/734
50	s	0.13	0/646	0.34	0/877
51	t	0.16	0/689	0.34	0/911
52	u	0.09	0/203	0.19	0/266
53	v	0.19	0/213	0.39	0/329
54	w	0.15	0/1956	0.31	0/2634
55	x	0.19	0/1578	0.28	0/2452
56	z	0.17	0/29	0.45	0/37
All	All	0.17	1/153362 (0.0%)	0.32	2/229113 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
11	P	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	2552	OMU	O3'-P	5.01	1.61	1.56

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	N	11	PRO	CA-N-CD	-8.75	99.75	112.00
38	g	71	PRO	CA-N-CD	-6.23	103.28	112.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	P	35	HIS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	58906	0	29692	290	0
2	B	2577	0	1305	13	0
3	D	2117	0	2191	18	0
4	E	1559	0	1618	5	0
5	F	1583	0	1625	13	0
6	G	1429	0	1447	21	0
7	H	1330	0	1407	21	0
8	I	952	0	852	9	0
9	N	1111	0	1173	10	0
10	O	922	0	974	9	0
11	P	1088	0	1135	9	0
12	Q	1110	0	1157	5	0
13	R	964	0	1029	4	0
14	S	865	0	912	8	0
15	T	1084	0	1136	7	0
16	U	959	0	1019	6	0
17	V	771	0	830	6	0
18	W	863	0	916	5	0
19	X	750	0	814	6	0
20	Y	792	0	853	7	0
21	Z	1236	0	1232	23	0
22	0	608	0	622	3	0
23	1	747	0	811	12	0
24	2	588	0	643	4	0
25	3	452	0	504	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
26	4	462	0	384	6	0
27	5	455	0	465	7	0
28	6	453	0	473	4	0
29	7	409	0	454	4	0
30	8	517	0	582	8	0
31	9	307	0	335	6	0
32	a	31971	0	16158	291	0
33	b	1825	0	1835	33	0
34	c	1524	0	1487	20	0
35	d	1634	0	1637	26	0
36	e	1130	0	1176	20	0
37	f	810	0	804	11	0
38	g	1184	0	1170	15	0
39	h	1084	0	1121	14	0
40	i	976	0	966	23	0
41	j	695	0	622	9	0
42	k	825	0	819	9	0
43	l	927	0	979	6	0
44	m	919	0	951	11	0
45	n	474	0	485	1	0
46	o	718	0	745	8	0
47	p	670	0	666	5	0
48	q	815	0	876	10	0
49	r	545	0	603	9	0
50	s	631	0	618	10	0
51	t	688	0	747	8	0
52	u	199	0	208	2	0
53	v	191	0	97	0	0
54	w	1939	0	1927	28	0
55	x	1556	0	790	14	0
56	z	30	0	32	2	0
57	0	6	0	0	0	0
57	1	4	0	0	0	0
57	3	2	0	0	0	0
57	5	11	0	0	0	0
57	6	2	0	0	0	0
57	7	5	0	0	0	0
57	8	5	0	0	0	0
57	A	1296	0	0	0	0
57	B	15	0	0	0	0
57	D	22	0	0	0	0
57	E	22	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	F	15	0	0	0	0
57	G	1	0	0	0	0
57	N	4	0	0	0	0
57	O	5	0	0	0	0
57	P	8	0	0	0	0
57	Q	4	0	0	0	0
57	R	7	0	0	0	0
57	S	1	0	0	0	0
57	T	2	0	0	0	0
57	U	7	0	0	0	0
57	V	5	0	0	0	0
57	W	3	0	0	0	0
57	X	5	0	0	0	0
57	Y	1	0	0	0	0
57	a	205	0	0	0	0
57	e	1	0	0	0	0
57	h	1	0	0	0	0
57	k	1	0	0	0	0
57	m	1	0	0	0	0
57	n	1	0	0	0	0
57	q	2	0	0	0	0
57	v	4	0	0	0	0
57	w	1	0	0	0	0
57	x	10	0	0	0	0
58	A	51	0	0	0	0
58	Q	1	0	0	0	0
59	4	1	0	0	0	0
59	5	1	0	0	0	0
59	6	1	0	0	0	0
59	9	1	0	0	0	0
59	Y	1	0	0	0	0
59	n	1	0	0	0	0
60	d	8	0	0	0	0
61	0	13	0	0	0	0
61	1	6	0	0	1	0
61	2	4	0	0	0	0
61	3	5	0	0	0	0
61	5	16	0	0	0	0
61	6	3	0	0	0	0
61	7	15	0	0	0	0
61	8	16	0	0	0	0
61	9	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
61	A	3537	0	0	16	0
61	B	19	0	0	0	0
61	D	74	0	0	1	0
61	E	35	0	0	0	0
61	F	39	0	0	1	0
61	I	1	0	0	0	0
61	N	14	0	0	0	0
61	O	15	0	0	0	0
61	P	46	0	0	0	0
61	Q	22	0	0	0	0
61	R	24	0	0	0	0
61	S	3	0	0	0	0
61	T	13	0	0	0	0
61	U	37	0	0	0	0
61	V	12	0	0	0	0
61	W	19	0	0	0	0
61	X	13	0	0	1	0
61	Y	1	0	0	0	0
61	Z	3	0	0	0	0
61	a	648	0	0	8	0
61	b	1	0	0	0	0
61	d	3	0	0	0	0
61	e	4	0	0	0	0
61	g	1	0	0	0	0
61	h	3	0	0	0	0
61	i	2	0	0	1	0
61	j	2	0	0	0	0
61	k	1	0	0	0	0
61	l	17	0	0	0	0
61	n	1	0	0	0	0
61	o	1	0	0	0	0
61	q	3	0	0	0	0
61	r	1	0	0	0	0
61	t	1	0	0	0	0
61	v	10	0	0	0	0
61	w	20	0	0	0	0
61	x	30	0	0	0	0
All	All	148436	0	96109	1025	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 1025 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
40:i:26:VAL:HG23	40:i:61:ALA:HB3	1.51	0.93
1:A:881:G:H1	1:A:895:U:H3	1.09	0.88
49:r:53:ARG:HG2	49:r:63:GLN:HG3	1.60	0.83
1:A:2100:G:H1	1:A:2189:U:H3	1.24	0.81
1:A:2102:U:H3	1:A:2187:G:H1	1.27	0.80

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	D	271/276 (98%)	267 (98%)	4 (2%)	0	100	100
4	E	202/206 (98%)	195 (96%)	7 (4%)	0	100	100
5	F	200/210 (95%)	197 (98%)	3 (2%)	0	100	100
6	G	179/182 (98%)	169 (94%)	10 (6%)	0	100	100
7	H	172/180 (96%)	165 (96%)	7 (4%)	0	100	100
8	I	144/148 (97%)	141 (98%)	3 (2%)	0	100	100
9	N	138/140 (99%)	135 (98%)	3 (2%)	0	100	100
10	O	120/122 (98%)	117 (98%)	3 (2%)	0	100	100
11	P	147/150 (98%)	143 (97%)	4 (3%)	0	100	100
12	Q	139/141 (99%)	133 (96%)	6 (4%)	0	100	100
13	R	116/118 (98%)	115 (99%)	1 (1%)	0	100	100
14	S	108/112 (96%)	105 (97%)	3 (3%)	0	100	100
15	T	129/146 (88%)	128 (99%)	1 (1%)	0	100	100
16	U	114/118 (97%)	114 (100%)	0	0	100	100
17	V	99/101 (98%)	95 (96%)	4 (4%)	0	100	100
18	W	108/113 (96%)	108 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
19	X	93/96 (97%)	92 (99%)	1 (1%)	0	100	100
20	Y	105/110 (96%)	101 (96%)	4 (4%)	0	100	100
21	Z	147/206 (71%)	140 (95%)	7 (5%)	0	100	100
22	0	75/85 (88%)	74 (99%)	1 (1%)	0	100	100
23	1	95/98 (97%)	93 (98%)	2 (2%)	0	100	100
24	2	68/72 (94%)	68 (100%)	0	0	100	100
25	3	55/60 (92%)	54 (98%)	1 (2%)	0	100	100
26	4	67/71 (94%)	50 (75%)	16 (24%)	1 (2%)	8	3
27	5	57/60 (95%)	56 (98%)	1 (2%)	0	100	100
28	6	51/54 (94%)	49 (96%)	2 (4%)	0	100	100
29	7	45/49 (92%)	45 (100%)	0	0	100	100
30	8	62/65 (95%)	62 (100%)	0	0	100	100
31	9	35/37 (95%)	35 (100%)	0	0	100	100
33	b	229/256 (90%)	213 (93%)	16 (7%)	0	100	100
34	c	204/239 (85%)	196 (96%)	7 (3%)	1 (0%)	25	20
35	d	206/209 (99%)	203 (98%)	3 (2%)	0	100	100
36	e	147/162 (91%)	142 (97%)	5 (3%)	0	100	100
37	f	98/101 (97%)	98 (100%)	0	0	100	100
38	g	152/156 (97%)	143 (94%)	9 (6%)	0	100	100
39	h	135/138 (98%)	133 (98%)	2 (2%)	0	100	100
40	i	125/128 (98%)	119 (95%)	6 (5%)	0	100	100
41	j	95/105 (90%)	91 (96%)	4 (4%)	0	100	100
42	k	112/129 (87%)	109 (97%)	3 (3%)	0	100	100
43	l	118/132 (89%)	118 (100%)	0	0	100	100
44	m	116/126 (92%)	111 (96%)	5 (4%)	0	100	100
45	n	58/61 (95%)	58 (100%)	0	0	100	100
46	o	86/89 (97%)	86 (100%)	0	0	100	100
47	p	80/88 (91%)	80 (100%)	0	0	100	100
48	q	97/105 (92%)	95 (98%)	2 (2%)	0	100	100
49	r	66/88 (75%)	64 (97%)	2 (3%)	0	100	100
50	s	81/93 (87%)	74 (91%)	7 (9%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
51	t	93/106 (88%)	86 (92%)	7 (8%)	0	100	100
52	u	21/27 (78%)	20 (95%)	1 (5%)	0	100	100
54	w	246/354 (70%)	240 (98%)	6 (2%)	0	100	100
56	z	3/7 (43%)	2 (67%)	1 (33%)	0	100	100
All	All	5909/6425 (92%)	5727 (97%)	180 (3%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
34	c	66	VAL
26	4	56	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	D	213/218 (98%)	211 (99%)	2 (1%)	75	80
4	E	164/166 (99%)	164 (100%)	0	100	100
5	F	160/166 (96%)	159 (99%)	1 (1%)	84	88
6	G	144/156 (92%)	135 (94%)	9 (6%)	15	10
7	H	144/148 (97%)	134 (93%)	10 (7%)	13	8
8	I	73/124 (59%)	70 (96%)	3 (4%)	26	23
9	N	116/119 (98%)	112 (97%)	4 (3%)	32	30
10	O	97/100 (97%)	96 (99%)	1 (1%)	73	77
11	P	105/116 (90%)	104 (99%)	1 (1%)	73	77
12	Q	109/111 (98%)	108 (99%)	1 (1%)	75	80
13	R	100/101 (99%)	99 (99%)	1 (1%)	73	77
14	S	84/88 (96%)	84 (100%)	0	100	100
15	T	113/127 (89%)	110 (97%)	3 (3%)	40	40
16	U	93/94 (99%)	93 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
17	V	80/82 (98%)	79 (99%)	1 (1%)	65	70
18	W	87/92 (95%)	86 (99%)	1 (1%)	70	74
19	X	77/78 (99%)	75 (97%)	2 (3%)	41	41
20	Y	81/91 (89%)	79 (98%)	2 (2%)	42	43
21	Z	135/179 (75%)	125 (93%)	10 (7%)	11	6
22	0	61/67 (91%)	61 (100%)	0	100	100
23	1	78/83 (94%)	76 (97%)	2 (3%)	41	41
24	2	65/67 (97%)	64 (98%)	1 (2%)	60	65
25	3	49/52 (94%)	49 (100%)	0	100	100
26	4	39/63 (62%)	37 (95%)	2 (5%)	20	16
27	5	50/52 (96%)	50 (100%)	0	100	100
28	6	51/52 (98%)	51 (100%)	0	100	100
29	7	40/42 (95%)	39 (98%)	1 (2%)	42	43
30	8	54/55 (98%)	53 (98%)	1 (2%)	52	56
31	9	34/34 (100%)	33 (97%)	1 (3%)	37	36
33	b	187/220 (85%)	181 (97%)	6 (3%)	34	33
34	c	136/188 (72%)	131 (96%)	5 (4%)	29	27
35	d	166/181 (92%)	164 (99%)	2 (1%)	67	72
36	e	112/123 (91%)	111 (99%)	1 (1%)	75	80
37	f	84/90 (93%)	82 (98%)	2 (2%)	44	45
38	g	111/127 (87%)	107 (96%)	4 (4%)	30	28
39	h	112/119 (94%)	111 (99%)	1 (1%)	75	80
40	i	88/99 (89%)	86 (98%)	2 (2%)	45	47
41	j	61/92 (66%)	56 (92%)	5 (8%)	9	5
42	k	81/99 (82%)	79 (98%)	2 (2%)	42	43
43	l	96/108 (89%)	95 (99%)	1 (1%)	73	77
44	m	89/101 (88%)	89 (100%)	0	100	100
45	n	45/50 (90%)	45 (100%)	0	100	100
46	o	76/80 (95%)	74 (97%)	2 (3%)	41	41
47	p	66/74 (89%)	65 (98%)	1 (2%)	60	65
48	q	92/97 (95%)	92 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
49	r	57/77 (74%)	55 (96%)	2 (4%)	31	29
50	s	64/80 (80%)	59 (92%)	5 (8%)	10	5
51	t	61/82 (74%)	59 (97%)	2 (3%)	33	31
52	u	18/22 (82%)	18 (100%)	0	100	100
54	w	203/298 (68%)	195 (96%)	8 (4%)	27	25
56	z	2/3 (67%)	2 (100%)	0	100	100
All	All	4703/5333 (88%)	4592 (98%)	111 (2%)	45	45

5 of 111 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
29	7	43	THR
54	w	321	THR
35	d	8	VAL
54	w	320	THR
50	s	77	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 94 such sidechains are listed below:

Mol	Chain	Res	Type
36	e	56	GLN
42	k	26	ASN
36	e	141	GLN
40	i	58	HIS
43	l	99	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	2726/2915 (93%)	299 (10%)	13 (0%)
2	B	119/121 (98%)	9 (7%)	0
32	a	1483/1521 (97%)	177 (11%)	0
53	v	8/24 (33%)	1 (12%)	0
55	x	70/74 (94%)	4 (5%)	0
All	All	4406/4655 (94%)	490 (11%)	13 (0%)

5 of 490 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	34	C
1	A	45	C
1	A	71	A
1	A	74	A
1	A	75	G

5 of 13 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	1420	U
1	A	1442	G
1	A	2689	U
1	A	1508	A
1	A	2430	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

32 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
55	PSU	x	55	55	18,21,22	1.37	2 (11%)	21,30,33	2.04	4 (19%)
55	4SU	x	8	55	18,21,22	1.86	4 (22%)	25,30,33	2.03	5 (20%)
1	OMU	A	2552	57,1	19,22,23	1.23	3 (15%)	25,31,34	1.81	5 (20%)
1	5MU	A	1915	1	19,22,23	1.44	6 (31%)	27,32,35	2.06	5 (18%)
43	0TD	l	92	43	8,9,10	4.55	1 (12%)	6,11,13	9.05	3 (50%)
32	5MC	a	1404	57,32	19,22,23	1.65	3 (15%)	26,32,35	1.13	3 (11%)
1	PSU	A	2605	57,1	18,21,22	1.41	3 (16%)	21,30,33	2.14	4 (19%)
1	5MU	A	1939	58,1	19,22,23	1.44	5 (26%)	27,32,35	2.05	6 (22%)
55	H2U	x	20	55	18,21,22	0.94	2 (11%)	19,30,33	0.86	1 (5%)
1	2MA	A	2503	57,58,1	18,25,26	0.71	0	20,37,40	1.97	4 (20%)
1	PSU	A	1911	1	18,21,22	1.35	3 (16%)	21,30,33	2.04	5 (23%)
32	4OC	a	1402	57,32	20,23,24	0.76	0	25,32,35	1.02	2 (8%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	5MC	A	1962	57,58,1	19,22,23	1.73	3 (15%)	26,32,35	1.12	3 (11%)
1	PSU	A	1917	1	18,21,22	1.43	3 (16%)	21,30,33	2.10	4 (19%)
32	G7M	a	527	32	20,26,27	1.18	2 (10%)	16,39,42	0.50	0
32	5MC	a	967	32	19,22,23	1.56	3 (15%)	26,32,35	1.12	3 (11%)
32	UR3	a	1498	32	19,22,23	0.92	0	26,32,35	1.82	3 (11%)
32	MA6	a	1519	57,32	19,26,27	1.06	1 (5%)	18,38,41	2.24	6 (33%)
54	MEQ	w	230	54	8,9,10	0.57	0	5,10,12	0.58	0
32	5MC	a	1400	32	19,22,23	1.66	3 (15%)	26,32,35	1.11	2 (7%)
1	OMG	A	2251	57,58,1,55	19,26,27	0.92	1 (5%)	21,38,41	1.09	2 (9%)
55	5MU	x	54	55	19,22,23	1.42	6 (31%)	27,32,35	2.09	6 (22%)
1	OMC	A	1920	1	19,22,23	0.79	0	25,31,34	0.98	1 (4%)
32	PSU	a	516	57,32	18,21,22	1.40	2 (11%)	21,30,33	2.09	4 (19%)
32	MA6	a	1518	32	19,26,27	1.05	1 (5%)	18,38,41	2.26	7 (38%)
55	MIA	x	37	57,55	17,24,32	0.90	1 (5%)	16,35,47	1.43	2 (12%)
32	5MC	a	1407	32	19,22,23	1.66	3 (15%)	26,32,35	1.12	3 (11%)
32	M2G	a	966	32	20,27,28	1.31	3 (15%)	19,40,43	1.02	1 (5%)
55	PSU	x	32	57,55	18,21,22	1.36	2 (11%)	21,30,33	2.03	3 (14%)
55	PSU	x	39	57,55	18,21,22	1.42	3 (16%)	21,30,33	1.86	3 (14%)
1	5MC	A	1942	57,1	19,22,23	1.68	3 (15%)	26,32,35	1.14	3 (11%)
32	2MG	a	1207	32	18,26,27	0.89	1 (5%)	16,38,41	1.35	3 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	PSU	x	55	55	-	0/7/25/26	0/2/2/2
55	4SU	x	8	55	-	0/7/25/26	0/2/2/2
1	OMU	A	2552	57,1	-	0/9/27/28	0/2/2/2
1	5MU	A	1915	1	-	2/7/25/26	0/2/2/2
43	0TD	l	92	43	-	2/7/12/14	-
32	5MC	a	1404	57,32	-	0/7/25/26	0/2/2/2
1	PSU	A	2605	57,1	-	0/7/25/26	0/2/2/2
1	5MU	A	1939	58,1	-	0/7/25/26	0/2/2/2
55	H2U	x	20	55	-	0/7/38/39	0/2/2/2
1	2MA	A	2503	57,58,1	-	2/3/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	A	1911	1	-	0/7/25/26	0/2/2/2
32	4OC	a	1402	57,32	-	0/9/29/30	0/2/2/2
1	5MC	A	1962	57,58,1	-	0/7/25/26	0/2/2/2
1	PSU	A	1917	1	-	0/7/25/26	0/2/2/2
32	G7M	a	527	32	-	3/3/25/26	0/3/3/3
32	5MC	a	967	32	-	0/7/25/26	0/2/2/2
32	UR3	a	1498	32	-	0/7/25/26	0/2/2/2
32	MA6	a	1519	57,32	-	2/7/29/30	0/3/3/3
54	MEQ	w	230	54	-	2/8/9/11	-
32	5MC	a	1400	32	-	0/7/25/26	0/2/2/2
1	OMG	A	2251	57,58,1,55	-	1/5/27/28	0/3/3/3
55	5MU	x	54	55	-	0/7/25/26	0/2/2/2
1	OMC	A	1920	1	-	0/9/27/28	0/2/2/2
32	PSU	a	516	57,32	-	0/7/25/26	0/2/2/2
32	MA6	a	1518	32	-	0/7/29/30	0/3/3/3
55	MIA	x	37	57,55	-	0/3/25/34	0/3/3/3
32	5MC	a	1407	32	-	0/7/25/26	0/2/2/2
32	M2G	a	966	32	-	0/7/29/30	0/3/3/3
55	PSU	x	32	57,55	-	0/7/25/26	0/2/2/2
55	PSU	x	39	57,55	-	0/7/25/26	0/2/2/2
1	5MC	A	1942	57,1	-	0/7/25/26	0/2/2/2
32	2MG	a	1207	32	-	0/5/27/28	0/3/3/3

The worst 5 of 73 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	l	92	0TD	CB-SB	-12.56	1.69	1.82
1	A	1962	5MC	C5-C4	6.48	1.49	1.44
32	a	1400	5MC	C5-C4	6.12	1.48	1.44
32	a	1407	5MC	C5-C4	6.09	1.48	1.44
1	A	1942	5MC	C5-C4	6.08	1.48	1.44

The worst 5 of 106 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	l	92	0TD	CSB-SB-CB	-21.70	63.36	102.36
32	a	1498	UR3	C4-N3-C2	-7.34	118.67	124.58
1	A	2503	2MA	C2-N3-C4	7.06	121.16	115.46
1	A	2605	PSU	N1-C2-N3	6.72	122.26	115.17
1	A	1917	PSU	N1-C2-N3	6.68	122.22	115.17

There are no chirality outliers.

5 of 14 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	2251	OMG	C1'-C2'-O2'-CM2
1	A	1915	5MU	C3'-C4'-C5'-O5'
1	A	1915	5MU	O4'-C4'-C5'-O5'
32	a	1519	MA6	O4'-C4'-C5'-O5'
32	a	527	G7M	C3'-C4'-C5'-O5'

There are no ring outliers.

6 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
55	x	8	4SU	1	0
1	A	2503	2MA	1	0
32	a	1519	MA6	1	0
54	w	230	MEQ	2	0
1	A	2251	OMG	1	0
32	a	1518	MA6	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1744 ligands modelled in this entry, 1743 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
60	SF4	d	501	35	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	SF4	d	501	35	-	-	0/6/5/5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-49594. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 243




Y Index: 240




Z Index: 212


6.3.2 Raw map



X Index: 243



Y Index: 240




Z Index: 212


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_49594_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1591 nm³; this corresponds to an approximate mass of 1437 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.469 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.469 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.13	-	-
Author-provided FSC curve	2.13	2.43	2.16
Unmasked-calculated*	2.72	3.07	2.77

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.72 differs from the reported value 2.13 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-49594 and PDB model 9NO7. Per-residue inclusion information can be found in section [3](#) on page [19](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 99% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ













































The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9860	 0.6330
0	 0.9900	 0.6690
1	 0.9770	 0.6400
2	 0.9740	 0.6110
3	 0.9820	 0.6570
4	 0.9300	 0.4970
5	 0.9890	 0.6780
6	 0.9820	 0.6590
7	 0.9970	 0.6980
8	 0.9800	 0.6800
9	 0.9760	 0.6520
A	 0.9950	 0.6550
B	 0.9990	 0.6160
D	 0.9910	 0.6770
E	 0.9920	 0.6700
F	 0.9880	 0.6540
G	 0.9710	 0.5810
H	 0.9730	 0.5620
I	 0.9430	 0.5540
N	 0.9860	 0.6530
O	 0.9790	 0.6670
P	 0.9890	 0.6570
Q	 0.9800	 0.6520
R	 0.9930	 0.6760
S	 0.9920	 0.6190
T	 0.9870	 0.6550
U	 0.9900	 0.6730
V	 0.9760	 0.6500
W	 0.9880	 0.6790
X	 0.9760	 0.6450
Y	 0.9900	 0.6220
Z	 0.6270	 0.5370
a	 0.9950	 0.6120
b	 0.9270	 0.5410
c	 0.9690	 0.5950



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
d	 0.9830	 0.6010
e	 0.9730	 0.6220
f	 0.9680	 0.5550
g	 0.9810	 0.5840
h	 0.9870	 0.6250
i	 0.9840	 0.5700
j	 0.9590	 0.5480
k	 0.9790	 0.5840
l	 0.9820	 0.6600
m	 0.9690	 0.5750
n	 0.9910	 0.6180
o	 0.9800	 0.6050
p	 0.9880	 0.6130
q	 0.9720	 0.6280
r	 0.9750	 0.5670
s	 0.9860	 0.5660
t	 0.9870	 0.6000
u	 1.0000	 0.6300
v	 1.0000	 0.6240
w	 0.9540	 0.6240
x	 0.9970	 0.6330
z	 0.8000	 0.5770