



Full wwPDB EM Validation Report ⓘ

Nov 4, 2025 – 07:11 PM EST

PDB ID : 9OCC / pdb_00009occ
EMDB ID : EMD-70310
Title : Sf11 bacteriophage tail
Authors : Subramanian, S.; Parent, K.N.
Deposited on : 2025-04-24
Resolution : 3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev129
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.












Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	15020 (2.70 - 3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	238	
1	B	238	
2	C	457	
2	D	457	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	E	828	
4	F	156	
5	G	585	
5	H	585	
5	I	585	
5	J	585	
5	K	585	
5	L	585	
6	M	780	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 14930 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative neck whiskers protein gp24.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	155	Total	C	N	O	S	0	0
			1170	729	192	245	4		
1	B	154	Total	C	N	O	S	0	0
			1162	724	190	244	4		

- Molecule 2 is a protein called Tail fiber protein gp17.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	163	Total	C	N	O	S	0	0
			1337	866	220	245	6		
2	D	165	Total	C	N	O	S	0	0
			1350	875	222	247	6		

- Molecule 3 is a protein called Putative tail protein gp14.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	735	Total	C	N	O	S	0	0
			5785	3634	959	1179	13		

- Molecule 4 is a protein called gp16.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	F	152	Total	C	N	O	S	0	0
			1214	778	206	227	3		

- Molecule 5 is a protein called Putative tail protein gp13.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	G	56	Total	C	N	O	S	0	0
			444	278	78	87	1		
5	H	56	Total	C	N	O	S	0	0
			443	278	80	84	1		


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf	Trace
5	I	54	Total	C	N	O	S	0	0
			437	272	77	87	1		
5	J	59	Total	C	N	O	S	0	0
			472	293	85	93	1		
5	K	55	Total	C	N	O	S	0	0
			447	278	81	87	1		
5	L	53	Total	C	N	O	S	0	0
			423	264	75	83	1		

- Molecule 6 is a protein called Tail tape measure protein gp18.


Mol	Chain	Residues	Atoms				AltConf	Trace
6	M	32	Total	C	N	O	0	0
			246	147	46	53		



• Molecule 4: gp16



• Molecule 5: Putative tail protein gp13



[illegible]

- Molecule 5: Putative tail protein gp13

Chain J: 7% . 90%

[illegible]

- Molecule 5: Putative tail protein gp13

Chain K: 6% 91%

MET	THR	VAL	P5	T6	M7	M8	P9	I10	P11	K24	I25	V28	V29	S30	S31	D32	Y36	T37	D38	R39	R44	W45	T46	K52	I53	T54	Q55	D56	A57	I58	R59	SER	TYR	GLY	TYR	ILE	THR	MET	ASP	GLY	PHE	GLU	GLU	ASP	GLY	ALA	THR	THR	LEU	LEU	PRO	ASN	GLN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	35748	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50.45	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOCONTINUUM (6k x 4k)	Depositor
Maximum map value	0.875	Depositor
Minimum map value	-0.479	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.023	Depositor
Recommended contour level	0.15	Depositor
Map size (\AA)	600.48, 600.48, 600.48	wwPDB
Map dimensions	720, 720, 720	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.834, 0.834, 0.834	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/1190	0.42	0/1619
1	B	0.31	0/1182	0.38	0/1609
2	C	0.42	0/1376	0.57	2/1882 (0.1%)
2	D	0.30	0/1389	0.38	0/1900
3	E	0.34	1/5911 (0.0%)	0.42	0/8069
4	F	0.37	0/1242	0.49	1/1687 (0.1%)
5	G	0.47	0/455	0.77	0/618
5	H	0.44	0/454	0.74	0/616
5	I	0.36	0/448	0.48	0/608
5	J	0.22	0/483	0.40	0/655
5	K	0.24	0/458	0.44	0/619
5	L	0.32	0/434	0.66	0/590
6	M	0.47	0/247	0.68	0/334
All	All	0.35	1/15269 (0.0%)	0.48	3/20806 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
4	F	0	2
6	M	0	2
All	All	0	5

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	473	SER	CA-CB	-5.39	1.45	1.53

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	165	PRO	N-CA-CB	-8.66	93.47	103.00
4	F	136	PRO	N-CA-CB	-6.56	95.78	103.26
2	C	160	PRO	N-CA-CB	-6.27	96.67	103.25

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	14	ARG	Sidechain
4	F	154	ARG	Sidechain
4	F	5	ARG	Sidechain
6	M	776	ARG	Sidechain
6	M	777	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1170	0	1129	25	0
1	B	1162	0	1118	21	0
2	C	1337	0	1304	48	0
2	D	1350	0	1320	35	0
3	E	5785	0	5503	78	0
4	F	1214	0	1210	24	0
5	G	444	0	414	14	0
5	H	443	0	417	24	0
5	I	437	0	409	13	0
5	J	472	0	445	20	0
5	K	447	0	423	15	0
5	L	423	0	389	24	0
6	M	246	0	240	4	0
All	All	14930	0	14321	288	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (288) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:G:38:ASP:OD1	5:H:30:ASN:ND2	2.17	0.78
2:C:161:ILE:HG21	5:H:53:THR:HG23	1.69	0.73
5:L:42:LYS:HZ1	5:L:44:ARG:HH12	1.36	0.71
4:F:51:ARG:NH2	4:F:126:ASP:OD1	2.23	0.71
4:F:122:MET:HG2	4:F:127:VAL:HG22	1.73	0.69
1:A:93:ARG:NH1	1:A:96:GLU:OE2	2.24	0.69
1:A:149:TYR:O	1:B:64:SER:OG	2.09	0.69
4:F:52:MET:HG3	4:F:71:PHE:HB3	1.75	0.69
3:E:171:TYR:OH	3:E:470:ALA:O	2.08	0.69
3:E:568:ARG:HH11	3:E:670:LEU:HD22	1.59	0.68
1:B:12:VAL:HG22	1:B:15:MET:HE3	1.75	0.68
2:D:44:ASP:HB3	4:F:37:LEU:HD12	1.76	0.67
5:I:8:ASN:O	5:I:39:ARG:NH2	2.28	0.67
2:D:138:ASP:OD1	2:D:139:TYR:N	2.28	0.67
2:D:164:MET:HG2	2:D:165:PRO:HD2	1.76	0.67
3:E:385:ASN:OD1	3:E:421:ARG:NH2	2.29	0.66
4:F:99:GLN:HG2	4:F:112:PRO:HB3	1.79	0.65
5:G:32:ASP:OD1	5:I:42:LYS:NZ	2.30	0.65
2:C:7:PRO:HG2	2:C:10:ILE:HD12	1.79	0.64
4:F:25:SER:OG	4:F:92:GLU:OE1	2.12	0.64
1:A:13:GLY:O	1:A:15:MET:N	2.31	0.64
5:G:38:ASP:OD2	5:G:44:ARG:NH1	2.30	0.63
1:A:26:ASP:OD2	2:C:140:ARG:NH1	2.32	0.63
2:C:147:GLU:OE1	5:I:19:LYS:NZ	2.25	0.62
1:B:115:VAL:HG22	1:B:120:ILE:HG12	1.82	0.61
3:E:701:VAL:HG21	3:E:813:MET:HE1	1.81	0.61
2:C:121:LYS:HZ1	3:E:772:TRP:CG	2.18	0.61
2:D:144:TRP:HE3	5:L:15:PRO:HB2	1.66	0.61
2:D:37:ILE:HG21	4:F:11:ARG:HD3	1.83	0.60
3:E:261:MET:CB	3:E:262:PRO:HD3	2.30	0.60
1:A:12:VAL:O	1:A:13:GLY:C	2.44	0.60
1:B:93:ARG:NH1	1:B:96:GLU:OE1	2.35	0.60
2:C:159:THR:O	2:C:160:PRO:C	2.44	0.60
1:A:16:THR:HG22	1:A:116:THR:HA	1.83	0.59
5:J:8:ASN:O	5:J:39:ARG:NH2	2.31	0.59
1:A:7:ASP:O	1:A:9:GLY:N	2.34	0.59
5:L:5:PRO:HB2	5:L:39:ARG:HG3	1.85	0.59
3:E:583:ASP:OD2	3:E:674:ARG:NH2	2.36	0.59
2:C:138:ASP:OD1	2:C:139:TYR:N	2.35	0.59
2:C:145:LEU:HD11	5:H:25:ILE:HG13	1.85	0.58
3:E:276:GLY:C	3:E:278:GLY:H	2.12	0.58
5:G:54:THR:C	5:G:56:ASP:H	2.12	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:L:12:SER:OG	5:L:17:ASP:OD2	2.15	0.57
3:E:642:ILE:HD12	3:E:673:ARG:HG2	1.86	0.57
5:L:8:ASN:O	5:L:39:ARG:NH2	2.38	0.57
3:E:707:ASP:OD1	3:E:707:ASP:N	2.34	0.56
3:E:136:PRO:HB2	3:E:157:MET:HB3	1.87	0.56
1:A:35:LYS:HB2	1:A:89:PHE:HB2	1.88	0.56
4:F:4:LEU:O	4:F:5:ARG:C	2.48	0.56
5:L:46:THR:HG23	5:L:49:GLY:H	1.71	0.56
2:D:86:LEU:HD12	2:D:92:GLN:HG3	1.88	0.56
5:K:28:VAL:HA	5:K:46:THR:HG22	1.87	0.56
5:J:14:ASP:OD1	5:J:16:ARG:NH2	2.39	0.55
1:A:87:ASP:OD1	1:A:87:ASP:N	2.38	0.55
5:L:38:ASP:OD1	5:L:42:LYS:N	2.39	0.55
2:C:142:TYR:HA	5:H:18:LEU:HD13	1.88	0.55
1:A:120:ILE:HD11	1:A:159:LEU:HD11	1.88	0.55
2:C:26:PHE:HA	2:C:40:LYS:HA	1.88	0.55
5:G:12:SER:OG	5:G:17:ASP:OD2	2.24	0.54
4:F:32:LEU:HD21	4:F:76:ASN:HD22	1.71	0.54
5:L:52:LYS:O	5:L:53:THR:C	2.48	0.54
5:J:38:ASP:OD2	5:J:44:ARG:NH1	2.40	0.54
2:C:131:ASP:OD1	2:C:132:ASP:N	2.40	0.54
4:F:137:ILE:HG12	6:M:761:ASN:HD22	1.71	0.54
1:B:84:ASP:OD1	1:B:84:ASP:N	2.41	0.54
3:E:248:PRO:HA	3:E:308:TRP:HD1	1.73	0.54
2:C:141:TRP:CE2	5:I:15:PRO:HG3	2.43	0.53
2:D:40:LYS:NZ	4:F:103:GLU:OE2	2.39	0.53
2:D:40:LYS:HD2	4:F:15:ALA:HB2	1.90	0.53
5:H:38:ASP:OD1	5:H:44:ARG:NH1	2.42	0.53
3:E:143:LEU:HB2	3:E:199:PRO:HG3	1.89	0.53
5:I:47:MET:HE2	5:I:47:MET:HA	1.89	0.53
3:E:797:VAL:HG23	3:E:816:TYR:HB2	1.89	0.53
3:E:748:ARG:NH1	3:E:792:ASP:OD1	2.37	0.52
2:D:161:ILE:HG13	5:L:47:MET:SD	2.50	0.52
5:G:44:ARG:NH2	5:H:32:ASP:OD2	2.43	0.52
5:H:12:SER:HB3	5:H:39:ARG:HH12	1.75	0.52
2:D:158:MET:HE2	2:D:158:MET:HA	1.91	0.52
5:J:45:TRP:HH2	5:J:53:THR:HG1	1.58	0.52
2:C:121:LYS:HZ1	3:E:772:TRP:CD1	2.28	0.52
3:E:364:HIS:CE1	3:E:372:PHE:HB3	2.45	0.52
5:L:52:LYS:O	5:L:55:GLN:N	2.43	0.51
2:C:144:TRP:HE3	5:I:15:PRO:HB2	1.74	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:623:ARG:NH1	3:E:628:ASN:O	2.42	0.51
4:F:32:LEU:HD21	4:F:76:ASN:ND2	2.26	0.51
3:E:698:MET:HE3	3:E:795:LEU:HD22	1.92	0.51
3:E:610:SER:OG	3:E:679:ARG:NH2	2.33	0.51
2:C:161:ILE:HD12	5:H:57:ALA:CB	2.41	0.51
4:F:4:LEU:HD11	4:F:16:LEU:HD21	1.93	0.51
3:E:593:PHE:HB2	3:E:701:VAL:HG22	1.92	0.50
5:G:13:GLU:OE1	5:H:19:LYS:HB3	2.11	0.50
2:C:96:LEU:HD23	2:C:120:ALA:HB2	1.93	0.50
3:E:275:GLN:HB2	3:E:279:ALA:O	2.11	0.50
5:H:24:LYS:HD2	5:H:36:TYR:HD2	1.76	0.50
5:J:51:GLN:O	5:J:55:GLN:HG2	2.10	0.50
2:D:107:ILE:HG23	2:D:112:VAL:HG22	1.92	0.50
5:K:52:LYS:HE2	5:K:52:LYS:HA	1.93	0.50
1:B:30:ASP:N	1:B:30:ASP:OD1	2.41	0.50
2:C:66:TRP:CD1	2:C:72:TYR:HB3	2.46	0.50
2:C:146:ASP:OD2	5:H:39:ARG:NH1	2.44	0.50
5:L:46:THR:OG1	5:L:47:MET:N	2.45	0.50
5:K:30:ASN:HB3	5:L:10:ILE:HD11	1.93	0.50
2:D:39:GLN:HB2	4:F:11:ARG:NH2	2.27	0.50
5:J:32:ASP:OD2	5:K:44:ARG:NH2	2.45	0.50
3:E:622:TYR:HB2	3:E:658:VAL:HG23	1.93	0.49
5:I:34:HIS:CE1	5:I:52:LYS:HD3	2.47	0.49
2:D:141:TRP:CE2	5:L:15:PRO:HG3	2.47	0.49
1:A:7:ASP:C	1:A:9:GLY:N	2.70	0.49
1:B:38:GLY:O	1:B:40:THR:N	2.43	0.49
2:C:156:VAL:HA	5:H:45:TRP:NE1	2.27	0.49
3:E:153:VAL:HG23	3:E:466:ALA:HB2	1.95	0.49
2:D:96:LEU:HD13	2:D:118:VAL:HG11	1.94	0.49
5:I:4:VAL:HG23	5:I:16:ARG:HE	1.77	0.49
2:C:159:THR:HB	2:C:162:LEU:HB2	1.94	0.49
3:E:85:THR:O	3:E:86:LYS:C	2.55	0.48
2:C:8:ASP:N	2:C:8:ASP:OD1	2.43	0.48
2:D:93:GLU:O	2:D:124:ASN:ND2	2.46	0.48
2:D:96:LEU:HB3	2:D:118:VAL:HG13	1.95	0.48
3:E:372:PHE:CE1	3:E:399:ARG:HB2	2.49	0.48
5:L:42:LYS:NZ	5:L:44:ARG:HH12	2.10	0.48
2:C:161:ILE:HD13	5:I:51:GLN:HE22	1.78	0.48
2:C:164:MET:O	2:C:165:PRO:C	2.56	0.48
5:L:10:ILE:HG22	5:L:11:PRO:HD3	1.96	0.48
2:C:15:ARG:HA	2:C:18:LYS:HE2	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:107:ILE:HG23	2:C:112:VAL:HG22	1.96	0.48
3:E:599:GLN:HE21	3:E:687:LEU:HD21	1.78	0.48
2:D:131:ASP:OD2	2:D:132:ASP:N	2.46	0.48
3:E:356:ASP:OD1	3:E:356:ASP:N	2.34	0.48
2:C:133:VAL:HG21	5:H:19:LYS:HD3	1.96	0.48
2:D:73:LEU:O	2:D:75:LYS:N	2.46	0.48
3:E:263:HIS:O	3:E:291:LEU:N	2.46	0.48
1:A:131:SER:HB2	1:B:46:ASP:HA	1.96	0.47
1:A:47:TYR:O	1:A:49:PRO:HD3	2.14	0.47
2:C:73:LEU:O	2:C:75:LYS:N	2.46	0.47
2:D:146:ASP:OD2	5:J:39:ARG:NH1	2.44	0.47
3:E:343:PRO:O	3:E:427:ARG:NH1	2.47	0.47
3:E:374:VAL:HG22	3:E:397:TYR:HB3	1.96	0.47
5:K:24:LYS:HD3	5:K:24:LYS:HA	1.71	0.47
2:D:20:LEU:HD13	2:D:49:TRP:CE2	2.49	0.47
3:E:585:LYS:NZ	3:E:818:ASP:OD1	2.41	0.47
4:F:20:ILE:HD11	4:F:54:ILE:HD13	1.96	0.47
6:M:761:ASN:OD1	6:M:766:GLN:HG3	2.15	0.47
1:B:11:LEU:HD23	1:B:15:MET:HB2	1.97	0.47
3:E:84:VAL:HG22	3:E:87:ILE:HG13	1.96	0.47
3:E:100:THR:OG1	3:E:101:ASP:N	2.46	0.47
3:E:143:LEU:HD13	3:E:199:PRO:HB3	1.95	0.47
2:D:156:VAL:HA	5:J:45:TRP:HE1	1.79	0.47
2:D:159:THR:HB	2:D:162:LEU:HB2	1.96	0.47
5:H:24:LYS:HA	5:H:24:LYS:HD3	1.66	0.47
1:A:125:CYS:HB3	1:A:146:PHE:HB3	1.96	0.47
2:C:86:LEU:HD12	2:C:92:GLN:HG3	1.97	0.47
5:K:32:ASP:OD1	5:L:42:LYS:NZ	2.36	0.47
3:E:116:THR:HG22	3:E:477:LYS:HG3	1.97	0.47
2:C:134:LEU:HA	2:C:142:TYR:OH	2.15	0.46
3:E:234:THR:OG1	3:E:246:LYS:O	2.30	0.46
2:D:96:LEU:HD23	2:D:120:ALA:HB2	1.96	0.46
5:G:10:ILE:HG22	5:G:11:PRO:HD3	1.98	0.46
1:B:36:TYR:O	1:B:88:GLU:HB2	2.15	0.46
2:D:7:PRO:HG2	2:D:10:ILE:HD12	1.97	0.46
3:E:485:HIS:HB3	3:E:500:LEU:HB3	1.98	0.46
3:E:687:LEU:C	3:E:689:ASP:H	2.24	0.46
3:E:317:ASN:HD21	3:E:433:SER:HA	1.81	0.46
3:E:377:GLU:OE1	3:E:425:GLN:NE2	2.35	0.46
6:M:776:ARG:HE	6:M:776:ARG:HB3	1.52	0.46
3:E:467:THR:OG1	3:E:471:THR:N	2.42	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:J:18:LEU:HD23	5:J:18:LEU:O	2.16	0.46
5:L:14:ASP:OD1	5:L:15:PRO:HD2	2.16	0.45
3:E:250:ASP:HB3	3:E:253:PHE:HD2	1.81	0.45
4:F:56:GLN:OE1	4:F:113:TYR:OH	2.18	0.45
5:K:10:ILE:HG22	5:K:11:PRO:HD3	1.98	0.45
2:C:104:GLN:HB3	2:D:20:LEU:HB3	1.99	0.45
3:E:136:PRO:HD2	3:E:478:TYR:O	2.17	0.45
5:K:38:ASP:OD1	5:K:39:ARG:N	2.49	0.45
3:E:592:VAL:HG23	3:E:745:VAL:HG22	1.99	0.45
3:E:360:VAL:HG11	3:E:426:MET:HE1	1.99	0.45
5:H:38:ASP:OD2	5:H:38:ASP:C	2.60	0.45
5:I:28:VAL:HA	5:I:46:THR:HB	1.99	0.45
6:M:751:ILE:O	6:M:755:ILE:HD12	2.17	0.45
2:C:161:ILE:C	2:C:163:HIS:N	2.75	0.45
3:E:687:LEU:HD23	3:E:808:THR:HG22	1.97	0.45
1:B:47:TYR:O	1:B:49:PRO:HD3	2.17	0.45
2:C:130:PHE:HD1	5:H:19:LYS:HE2	1.82	0.45
3:E:610:SER:HG	3:E:679:ARG:HH22	1.62	0.45
4:F:123:ASP:C	4:F:123:ASP:OD1	2.60	0.45
5:G:39:ARG:NH1	5:H:30:ASN:OD1	2.50	0.45
2:D:8:ASP:OD1	2:D:8:ASP:N	2.48	0.44
4:F:133:ILE:O	4:F:134:LYS:C	2.60	0.44
1:A:13:GLY:O	1:A:14:ARG:C	2.60	0.44
5:J:26:ASP:OD2	5:K:39:ARG:NH2	2.50	0.44
2:C:122:LYS:HB3	2:C:122:LYS:HE2	1.74	0.44
3:E:530:LEU:HB2	3:E:580:PHE:CD2	2.53	0.44
3:E:595:THR:HG22	3:E:704:MET:HB2	1.99	0.44
1:A:98:TYR:CZ	1:A:102:LEU:HD12	2.52	0.44
3:E:204:ASP:OD1	3:E:204:ASP:N	2.47	0.44
3:E:621:GLU:HG3	3:E:632:ASN:OD1	2.17	0.44
4:F:4:LEU:O	4:F:7:TYR:N	2.50	0.44
2:C:162:LEU:HD22	2:C:162:LEU:HA	1.81	0.44
5:G:24:LYS:HA	5:G:24:LYS:HD3	1.54	0.44
1:A:26:ASP:OD1	5:I:16:ARG:NH1	2.50	0.44
3:E:112:LEU:HD22	3:E:630:GLN:HB3	1.99	0.44
5:J:29:VAL:HG22	5:K:25:ILE:HG13	2.00	0.44
3:E:257:VAL:HG21	3:E:309:TYR:CE1	2.53	0.44
2:D:142:TYR:CG	5:J:18:LEU:HD12	2.53	0.44
5:J:9:PRO:O	5:J:39:ARG:NH2	2.49	0.44
5:J:14:ASP:OD2	5:J:16:ARG:HB2	2.18	0.44
2:C:158:MET:HE2	2:C:158:MET:HB3	1.75	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:270:ASN:HB2	3:E:335:TYR:HB3	1.99	0.43
3:E:317:ASN:ND2	3:E:433:SER:HA	2.32	0.43
3:E:569:VAL:HG22	3:E:582:ARG:HG3	2.00	0.43
4:F:24:HIS:ND1	4:F:26:SER:OG	2.38	0.43
5:L:10:ILE:HD12	5:L:10:ILE:HA	1.79	0.43
5:L:50:PHE:O	5:L:51:GLN:C	2.59	0.43
2:C:161:ILE:HD13	5:I:51:GLN:NE2	2.33	0.43
2:D:130:PHE:CZ	5:J:16:ARG:HG3	2.54	0.43
3:E:555:SER:OG	3:E:558:GLU:OE1	2.27	0.43
4:F:31:ARG:HB3	4:F:47:TYR:CD1	2.54	0.43
3:E:704:MET:HE2	3:E:705:TYR:CZ	2.53	0.43
1:B:125:CYS:HB3	1:B:146:PHE:HB3	1.99	0.43
3:E:198:GLU:OE2	3:E:449:ARG:NE	2.52	0.43
2:C:161:ILE:HD12	5:H:57:ALA:HB1	2.01	0.43
3:E:566:ALA:O	3:E:663:GLN:NE2	2.51	0.43
5:K:36:TYR:CE1	5:K:44:ARG:HB2	2.54	0.43
1:A:29:PRO:HB2	1:A:33:ASP:HB3	2.00	0.43
1:B:16:THR:HG22	1:B:116:THR:HA	2.00	0.43
3:E:514:TRP:CE3	3:E:560:LEU:HD11	2.53	0.43
5:H:48:ALA:O	5:H:49:GLY:C	2.62	0.43
1:B:93:ARG:O	1:B:97:ILE:HG13	2.18	0.43
2:C:101:TYR:H	2:D:24:THR:HG22	1.84	0.43
2:C:141:TRP:NE1	5:I:15:PRO:HG3	2.34	0.43
2:C:60:GLU:OE2	2:C:104:GLN:NE2	2.49	0.43
2:C:154:PRO:HG2	5:H:45:TRP:HB2	2.01	0.43
1:B:26:ASP:OD1	1:B:26:ASP:N	2.51	0.42
3:E:737:VAL:HG13	3:E:745:VAL:HG13	2.00	0.42
4:F:132:SER:OG	4:F:133:ILE:N	2.50	0.42
3:E:276:GLY:C	3:E:278:GLY:N	2.76	0.42
2:C:20:LEU:HD13	2:C:49:TRP:CE2	2.55	0.42
3:E:666:ASP:HB2	3:E:825:ILE:HD13	2.00	0.42
5:L:45:TRP:CH2	5:L:53:THR:HG21	2.55	0.42
1:B:102:LEU:HD23	1:B:102:LEU:HA	1.87	0.42
3:E:171:TYR:OH	3:E:475:ASP:O	2.37	0.42
1:A:95:VAL:HG11	1:B:119:THR:HG21	2.01	0.42
1:A:128:THR:O	1:B:49:PRO:HG2	2.19	0.42
2:D:66:TRP:CD1	2:D:72:TYR:HB3	2.55	0.42
2:D:18:LYS:HB3	2:D:49:TRP:HD1	1.85	0.42
2:D:142:TYR:CD2	5:J:18:LEU:HD12	2.55	0.42
3:E:157:MET:HE3	3:E:157:MET:HB2	1.88	0.42
3:E:264:ASP:HB3	3:E:431:ASN:CG	2.45	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:GLY:C	1:A:15:MET:N	2.77	0.42
5:J:22:ALA:HA	5:J:25:ILE:HG22	2.01	0.42
3:E:337:ASN:OD1	3:E:338:LEU:N	2.53	0.42
2:C:100:ASP:OD1	2:D:24:THR:HG21	2.20	0.42
5:K:7:ASN:OD1	5:K:7:ASN:N	2.50	0.42
2:C:77:ASN:ND2	2:D:40:LYS:HE2	2.35	0.41
2:D:140:ARG:H	2:D:140:ARG:HG3	1.65	0.41
3:E:647:PRO:HG2	3:E:650:ALA:HB2	2.01	0.41
5:K:9:PRO:HB2	5:K:11:PRO:HD2	2.02	0.41
2:C:146:ASP:OD2	5:H:12:SER:HB3	2.19	0.41
1:B:38:GLY:HA3	1:B:88:GLU:OE2	2.19	0.41
5:L:29:VAL:HG12	5:L:30:ASN:OD1	2.21	0.41
3:E:239:ALA:C	3:E:241:GLY:H	2.28	0.41
3:E:378:TRP:CE2	3:E:393:GLN:HG3	2.56	0.41
5:J:45:TRP:HZ3	5:J:49:GLY:C	2.29	0.41
5:K:54:THR:O	5:K:58:ILE:HG23	2.20	0.41
3:E:508:ASP:OD1	3:E:531:TYR:OH	2.30	0.41
1:A:11:LEU:HD11	1:A:117:GLY:HA3	2.03	0.41
3:E:144:PHE:CD2	3:E:151:LYS:HE3	2.56	0.41
3:E:685:LYS:HG2	3:E:808:THR:HB	2.03	0.41
2:C:121:LYS:NZ	3:E:772:TRP:CD1	2.88	0.41
5:G:12:SER:HB3	5:H:26:ASP:OD2	2.21	0.41
1:A:132:TYR:HA	1:A:142:GLY:HA2	2.02	0.41
3:E:128:ASN:O	3:E:484:ARG:NH1	2.53	0.41
3:E:403:ARG:HG2	3:E:407:PHE:HZ	1.85	0.41
5:G:54:THR:C	5:G:56:ASP:N	2.77	0.41
5:H:28:VAL:HA	5:H:46:THR:HB	2.03	0.41
5:J:14:ASP:OD2	5:J:16:ARG:NE	2.54	0.41
5:J:30:ASN:OD1	5:K:39:ARG:HB3	2.21	0.41
5:L:52:LYS:O	5:L:54:THR:N	2.53	0.41
2:C:66:TRP:HD1	2:C:72:TYR:HB3	1.86	0.40
4:F:123:ASP:OD1	4:F:124:GLY:N	2.54	0.40
5:H:25:ILE:HD13	5:H:25:ILE:HA	1.97	0.40
5:L:24:LYS:HD3	5:L:24:LYS:HA	1.84	0.40
5:L:52:LYS:C	5:L:54:THR:N	2.78	0.40
2:C:161:ILE:HD13	2:C:161:ILE:HA	1.96	0.40
5:G:36:TYR:CE1	5:G:44:ARG:HB2	2.56	0.40
5:G:38:ASP:HB2	5:G:42:LYS:O	2.22	0.40
1:A:55:GLU:HG3	1:A:63:VAL:HG12	2.02	0.40
1:A:128:THR:HG23	1:B:51:THR:HG21	2.03	0.40
1:B:113:ARG:HA	1:B:121:VAL:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	153/238 (64%)	145 (95%)	5 (3%)	3 (2%)	6	32
1	B	152/238 (64%)	147 (97%)	5 (3%)	0	100	100
2	C	161/457 (35%)	148 (92%)	12 (8%)	1 (1%)	22	57
2	D	163/457 (36%)	152 (93%)	11 (7%)	0	100	100
3	E	731/828 (88%)	688 (94%)	41 (6%)	2 (0%)	37	69
4	F	150/156 (96%)	140 (93%)	10 (7%)	0	100	100
5	G	54/585 (9%)	49 (91%)	5 (9%)	0	100	100
5	H	54/585 (9%)	49 (91%)	4 (7%)	1 (2%)	6	34
5	I	52/585 (9%)	50 (96%)	2 (4%)	0	100	100
5	J	57/585 (10%)	55 (96%)	2 (4%)	0	100	100
5	K	53/585 (9%)	51 (96%)	2 (4%)	0	100	100
5	L	51/585 (9%)	47 (92%)	4 (8%)	0	100	100
6	M	30/780 (4%)	29 (97%)	1 (3%)	0	100	100
All	All	1861/6664 (28%)	1750 (94%)	104 (6%)	7 (0%)	32	64

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	13	GLY
1	A	14	ARG
3	E	98	PRO
5	H	9	PRO
1	A	8	LYS
2	C	160	PRO
3	E	261	MET

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	130/197 (66%)	128 (98%)	2 (2%)	60	81
1	B	129/197 (66%)	127 (98%)	2 (2%)	58	79
2	C	147/392 (38%)	139 (95%)	8 (5%)	18	51
2	D	148/392 (38%)	147 (99%)	1 (1%)	81	92
3	E	643/728 (88%)	637 (99%)	6 (1%)	75	89
4	F	132/136 (97%)	127 (96%)	5 (4%)	28	60
5	G	47/477 (10%)	44 (94%)	3 (6%)	14	46
5	H	46/477 (10%)	43 (94%)	3 (6%)	14	45
5	I	48/477 (10%)	46 (96%)	2 (4%)	25	58
5	J	51/477 (11%)	51 (100%)	0	100	100
5	K	48/477 (10%)	48 (100%)	0	100	100
5	L	45/477 (9%)	41 (91%)	4 (9%)	8	31
6	M	28/593 (5%)	27 (96%)	1 (4%)	30	62
All	All	1642/5497 (30%)	1605 (98%)	37 (2%)	46	72

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	VAL
1	A	14	ARG
1	B	10	VAL
1	B	11	LEU
2	C	40	LYS
2	C	119	ILE
2	C	158	MET
2	C	160	PRO
2	C	161	ILE
2	C	162	LEU
2	C	164	MET
2	C	165	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	164	MET
3	E	87	ILE
3	E	96	SER
3	E	100	THR
3	E	104	SER
3	E	105	LYS
3	E	260	THR
4	F	3	SER
4	F	20	ILE
4	F	133	ILE
4	F	134	LYS
4	F	136	PRO
5	G	50	PHE
5	G	52	LYS
5	G	58	ILE
5	H	52	LYS
5	H	53	THR
5	H	55	GLN
5	I	10	ILE
5	I	30	ASN
5	L	50	PHE
5	L	51	GLN
5	L	53	THR
5	L	54	THR
6	M	776	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	83	ASN
2	C	23	GLN
2	C	124	ASN
2	D	30	GLN
2	D	94	GLN
2	D	150	ASN
3	E	131	GLN
3	E	284	ASN
3	E	317	ASN
3	E	396	ASN
3	E	404	ASN
3	E	512	HIS
3	E	599	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	718	ASN
3	E	757	HIS
4	F	13	ASN
4	F	35	ASN
5	G	30	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-70310. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 360




Y Index: 360




Z Index: 360


6.2.2 Raw map



X Index: 360



Y Index: 360




Z Index: 360


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 376




Y Index: 382




Z Index: 356


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 719


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.15. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_70310_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 356 nm³; this corresponds to an approximate mass of 322 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 \AA^{-1}

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	3.22	3.55	3.26
Unmasked-calculated*	4.54	8.94	5.99


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.54 differs from the reported value 3.2 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-70310 and PDB model 9OCC. Per-residue inclusion information can be found in section [3](#) on page [6](#).

9.1 Map-model overlays

9.1.1 Map-model overlay [i](#)




9.1.2 Map-model assembly overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.15 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.15).





























9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.15) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7610	 0.4630
A	 0.7550	 0.4710
B	 0.7550	 0.4680
C	 0.7720	 0.4660
D	 0.7750	 0.4710
E	 0.7800	 0.4750
F	 0.7990	 0.4830
G	 0.7360	 0.4290
H	 0.7200	 0.4240
I	 0.6730	 0.4090
J	 0.6900	 0.4230
K	 0.6950	 0.3960
L	 0.6500	 0.3870
M	 0.7660	 0.4900

