Full wwPDB X-ray Structure Validation Report (i)

Sep 13, 2023 – 11:17 AM EDT

PDB ID	:	4PZF
Title	:	Berberine bridge enzyme G164A variant, a reticuline dehydrogenase
Authors	:	Zafred, D.; Wallner, S.; Steiner, B.; Macheroux, P.
Deposited on	:	2014-03-30
Resolution	:	2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	538	3% 86% 6% 7%
1	B	538	4% 85% 7% • 7%
1	C	538	6% 80% 12% • 8%
1	D	538	5% 84% 8% • 8%
2	E	2	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	2	100%
2	G	2	100%
2	H	2	50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	B	604	-	-	-	X
4	NAG	C	604	-	-	-	X
5	SO4	B	605	-	-	X	-

2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 16476 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reticuline oxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	498	3935	2531	653	738	13	0	0	0
1	B	498	3935	2531	654	737	13	0	0	0
1	C	496	3916	2518	651	734	13	0	0	0
1	D	497	3927	2527	652	735	13	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	22	GLU	LEU	SEE REMARK 999	UNP P30986
A	23	ALA	GLY	SEE REMARK 999	UNP P30986
A	164	ALA	GLY	engineered mutation	UNP P30986
B	22	GLU	LEU	SEE REMARK 999	UNP P30986
B	23	ALA	GLY	SEE REMARK 999	UNP P30986
B	164	ALA	GLY	engineered mutation	UNP P30986
C	22	GLU	LEU	SEE REMARK 999	UNP P30986
C	23	ALA	GLY	SEE REMARK 999	UNP P30986
C	164	ALA	GLY	engineered mutation	UNP P30986
D	22	GLU	LEU	SEE REMARK 999	UNP P30986
D	23	ALA	GLY	SEE REMARK 999	UNP P30986
D	164	ALA	GLY	engineered mutation	UNP P30986

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O				
2	E	2	28	16	2	10		0	0	0
			Total	C	N	O				
2	F	2	28	16	2	10		0	0	0
			Total	C	N	O				
2	G	2	28	16	2	10		0	0	0
			Total	C	N	O				
2	H	2	28	16	2	10		0	0	0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	53	27	9	15	2	0	0
			Total	C	N	O	P		
3	B	1	53	27	9	15	2	0	0
			Total	C	N	O	P		
3	C	1	53	27	9	15	2	0	0
			Total	C	N	O	P		
3	D	1	53	27	9	15	2	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	14	8	1	5	0	0
4	B	1	14	8	1	5	0	0
4	C	1	14	8	1	5	0	0
4	D	1	14	8	1	5	0	0

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
5	B	1	5	4	1	0	0
			Total	O	S		
5	C	1	5	4	1	0	0
			Total	O	S		
5	C	1	5	4	1	0	0
			Total	O	S		
5	D	1	5	4	1	0	0
			Total	O	S		
5	D	1	5	4	1	0	0

- Molecule 6 is DODECAETHYLENE GLYCOL (three-letter code: 12P) (formula: $C_{24}H_{50}O_{13}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
6	C	1	28	18	10	0	0
			Total	C	O		
6	D	1	22	14	8	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
7	A	105	105	105	0	0
			Total	O		
7	B	71	71	71	0	0
			Total	O		
7	C	72	72	72	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
7	D	60	60	60	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Reticuline oxidase

Chain A:



• Molecule 1: Reticuline oxidase

Chain B:



• Molecule 1: Reticuline oxidase

Chain C:





• Molecule 1: Reticuline oxidase

Chain D:



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:

NAG1
NAG2

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 2 2 21	Depositor
Cell constants a, b, c, α, β, γ	80.82Å 175.44Å 195.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.38 – 2.20 48.78 – 1.50	Depositor EDS
% Data completeness (in resolution range)	98.9 (47.38-2.20) 61.9 (48.78-1.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	0.96 (at 1.50Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, R_{free}	0.220 , 0.242 0.221 , 0.242	Depositor DCC
R_{free} test set	13609 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å^2)	33.7	Xtriage
Anisotropy	0.406	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 44.6	EDS
L-test for twinning[2]	$< \|L\| > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	16476	wwPDB-VP
Average B, all atoms (Å^2)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 32.00 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.0087e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: 12P, NAG, FAD, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| >5$	RMSZ	$\#\|Z\| >5$
1	A	0.25	0/4033	0.43	0/5465
1	B	0.25	0/4033	0.43	0/5465
1	C	0.25	0/4013	0.44	0/5438
1	D	0.25	0/4025	0.43	0/5454
All	All	0.25	0/16104	0.43	0/21822

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3935	0	3861	16	0
1	B	3935	0	3863	28	0
1	C	3916	0	3848	38	1
1	D	3927	0	3857	24	0
2	E	28	0	25	0	0
2	F	28	0	25	0	0
2	G	28	0	25	0	0
2	H	28	0	25	1	0
3	A	53	0	29	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	53	0	29	0	0
3	C	53	0	29	1	0
3	D	53	0	28	2	0
4	A	14	0	13	0	0
4	B	14	0	13	0	0
4	C	14	0	13	0	0
4	D	14	0	13	0	0
5	B	5	0	0	3	0
5	C	10	0	0	0	0
5	D	10	0	0	0	0
6	C	28	0	37	1	0
6	D	22	0	29	1	0
7	A	105	0	0	1	0
7	B	71	0	0	0	0
7	C	72	0	0	0	0
7	D	60	0	0	0	0
All	All	16476	0	15762	108	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:483:ARG:NH2	1:B:495:GLU:OE2	2.11	0.83
1:D:52:ARG:NH2	2:H:2:NAG:O7	2.19	0.76
1:D:65:ASN:O	1:D:67:LEU:N	2.25	0.69
1:D:424:GLN:O	1:D:426:GLU:N	2.24	0.68
1:C:287:GLU:O	1:C:289:GLN:N	2.25	0.68
1:C:316:LEU:HB3	1:C:318:LEU:HD12	1.77	0.66
1:B:302:LYS:HE2	1:B:320:GLU:HG3	1.81	0.62
1:C:472:LYS:HE2	1:C:476:ASN:HD21	1.65	0.62
1:B:37:ARG:NH1	5:B:605:SO4:O4	2.32	0.62
1:C:472:LYS:O	1:C:476:ASN:ND2	2.32	0.62
1:D:66:SER:HA	1:D:70:LYS:HE2	1.83	0.61
1:C:269:VAL:HG12	1:C:273:LEU:HD11	1.84	0.59
1:D:352:ASP:OD1	1:D:353:GLU:N	2.36	0.58
1:B:288:LYS:H	1:B:380:SER:HB3	1.70	0.57
1:B:25:ASN:N	1:B:25:ASN:OD1	2.36	0.57
1:C:378:ARG:HA	1:C:381:LYS:HE2	1.86	0.56
1:D:359:LYS:HG3	1:D:437:LEU:HD21	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:483:ARG:HG3	1:B:487:GLU:HG3	1.88	0.55
1:D:302:LYS:HD3	1:D:323:TYR:HB2	1.89	0.55
1:C:265:LYS:NZ	1:C:315:GLU:OE1	2.38	0.55
1:C:357:LYS:NZ	1:C:461:ASP:OD1	2.36	0.54
1:C:287:GLU:C	1:C:289:GLN:H	2.10	0.54
1:A:321:GLU:OE1	1:A:321:GLU:N	2.41	0.54
1:C:273:LEU:HD22	1:C:277:PHE:HB3	1.89	0.53
1:D:254:VAL:O	1:D:289:GLN:HG3	2.07	0.53
1:B:34:ASN:OD1	1:B:88:ARG:NH2	2.42	0.53
1:D:186:LYS:O	1:D:395:GLN:HG3	2.10	0.51
1:C:367:LEU:HB2	1:C:372:PHE:CE2	2.46	0.51
1:D:482:SER:HA	1:D:485:TRP:CZ2	2.45	0.51
1:A:377:GLU:O	1:A:380:SER:OG	2.27	0.51
1:B:285:ALA:HB2	1:B:290:VAL:HG13	1.93	0.51
1:C:456:TYR:CZ	1:C:458:ASN:HB2	2.46	0.50
1:D:479:ILE:HD11	1:D:519:MET:HA	1.92	0.50
1:D:456:TYR:CZ	1:D:458:ASN:HB2	2.46	0.50
1:B:456:TYR:CZ	1:B:458:ASN:HB2	2.46	0.49
1:A:229:GLY:HA2	1:A:510:PHE:CE2	2.47	0.49
1:C:423:ASN:OD1	1:C:424:GLN:N	2.39	0.49
1:D:302:LYS:HD2	1:D:320:GLU:HG3	1.95	0.49
1:C:472:LYS:HG2	1:C:476:ASN:HD21	1.78	0.49
1:D:127:ARG:NH1	1:D:140:GLU:OE1	2.46	0.49
1:D:229:GLY:HA2	1:D:510:PHE:CE2	2.48	0.49
1:B:229:GLY:HA2	1:B:510:PHE:CE2	2.48	0.48
1:D:352:ASP:OD2	1:D:354:ARG:NH2	2.43	0.48
1:B:408:HIS:HE1	1:B:455:GLY:O	1.97	0.48
1:B:138:TRP:HB3	6:D:605:12P:H172	1.96	0.48
1:B:267:GLN:HB2	1:B:414:LEU:HD11	1.96	0.47
1:A:63:PHE:HA	1:A:68:ILE:HD13	1.97	0.47
1:B:282:LEU:HB3	1:B:283:GLY:H	1.60	0.47
1:C:127:ARG:NH1	1:C:140:GLU:OE1	2.46	0.47
1:C:268:PHE:O	1:C:270:ALA:N	2.48	0.47
1:C:467:ILE:HG12	1:C:485:TRP:HZ2	1.79	0.47
1:A:328:TRP:O	1:A:331:SER:OG	2.28	0.47
1:B:282:LEU:O	1:B:387:ILE:HG13	2.14	0.47
1:C:90:ILE:HG23	1:C:95:TRP:HB2	1.96	0.46
1:C:302:LYS:HD2	1:C:323:TYR:O	2.15	0.46
1:C:254:VAL:HG12	1:C:255:ALA:O	2.14	0.46
1:D:354:ARG:HG2	1:D:423:ASN:N	2.30	0.46
1:D:408:HIS:HE1	1:D:455:GLY:O	1.99	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:283:GLY:HA2	1:B:291:TRP:O	2.16	0.45
1:C:65:ASN:OD1	1:C:67:LEU:HB2	2.16	0.45
1:C:269:VAL:O	1:C:272:GLU:N	2.45	0.45
1:B:321:GLU:OE1	1:B:321:GLU:N	2.38	0.45
1:C:284:GLY:HA2	1:C:379:LEU:HD22	1.98	0.45
1:C:482:SER:HA	1:C:485:TRP:CZ2	2.52	0.45
1:D:318:LEU:HB3	1:D:323:TYR:HE2	1.82	0.45
1:A:357:LYS:HD2	7:A:766:HOH:O	2.17	0.45
1:A:456:TYR:CZ	1:A:458:ASN:HB2	2.52	0.45
1:C:408:HIS:HE1	1:C:455:GLY:O	2.00	0.45
1:A:352:ASP:OD1	1:A:353:GLU:N	2.50	0.45
1:C:138:TRP:CG	6:C:605:12P:H171	2.52	0.45
1:C:229:GLY:HA2	1:C:510:PHE:CE2	2.51	0.45
1:A:252:LYS:NZ	1:A:316:LEU:O	2.50	0.45
1:D:183:MET:HG3	1:D:332:PHE:HZ	1.81	0.44
1:C:424:GLN:O	1:C:427:GLN:HB2	2.18	0.44
1:B:420:VAL:HG21	1:B:433:PHE:HB3	2.00	0.44
1:C:328:TRP:O	1:C:331:SER:OG	2.31	0.44
1:B:288:LYS:H	1:B:380:SER:CB	2.30	0.44
1:B:287:GLU:C	1:B:289:GLN:H	2.21	0.44
1:B:482:SER:HA	1:B:485:TRP:CZ2	2.53	0.44
1:C:270:ALA:HA	1:C:273:LEU:HD12	2.00	0.44
1:A:101:SER:HB3	3:A:601:FAD:O1P	2.18	0.43
1:C:474:VAL:HG13	1:C:481:ILE:HD12	1.99	0.43
1:D:471:ASN:O	1:D:475:VAL:HG23	2.18	0.43
1:B:185:ARG:NH1	1:B:277:PHE:O	2.51	0.43
1:D:101:SER:HB3	3:D:601:FAD:O1P	2.18	0.43
1:A:408:HIS:HE1	1:A:455:GLY:O	2.02	0.43
1:B:37:ARG:NH1	5:B:605:SO4:S	2.72	0.42
1:A:174:HIS:CE1	1:A:179:GLY:HA2	2.54	0.42
1:C:183:MET:HE2	1:C:297:PHE:CZ	2.54	0.42
1:A:471:ASN:O	1:A:475:VAL:HG23	2.19	0.42
1:C:113:SER:HB3	1:C:117:PHE:CD2	2.55	0.42
1:C:174:HIS:CE1	1:C:179:GLY:HA2	2.54	0.42
1:D:285:ALA:HB2	1:D:379:LEU:O	2.19	0.42
1:B:37:ARG:NH2	5:B:605:SO4:O1	2.47	0.42
1:C:50:PHE:CE1	1:C:74:ILE:HG13	2.54	0.42
1:B:25:ASN:HB2	1:B:26:ASP:H	1.57	0.42
1:C:313:PHE:CD1	1:C:316:LEU:HG	2.54	0.42
1:A:113:SER:HB3	1:A:117:PHE:CD2	2.55	0.41
1:C:408:HIS:CD2	1:C:454:LEU:HD13	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:GLN:HG3	1:A:104:HIS:CD2	2.56	0.41
1:B:231:ILE:HG21	1:B:234:TRP:CE2	2.56	0.41
1:C:56:LEU:HG	1:C:348:PHE:CE1	2.56	0.41
1:A:516:ILE:HA	1:A:517:PRO:HD3	1.87	0.41
1:B:107:GLU:HB2	1:B:109:LEU:HG	2.03	0.41
1:B:287:GLU:O	1:B:289:GLN:N	2.53	0.40
3:C:601:FAD:H9	3:C:601:FAD:H1'2	1.86	0.40
1:D:326:MET:HB2	1:D:330:GLU:HB2	2.02	0.40
3:D:601:FAD:H9	3:D:601:FAD:H1'2	1.86	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:495:GLU:OE1	1:C:499:ARG:NH1[3_556]	2.18	0.02

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	496/538 (92%)	475 (96%)	19 (4%)	2 (0%)	34	37
1	B	496/538 (92%)	468 (94%)	27 (5%)	1 (0%)	47	55
1	C	494/538 (92%)	469 (95%)	22 (4%)	3 (1%)	25	26
1	D	495/538 (92%)	467 (94%)	24 (5%)	4 (1%)	19	19
All	All	1981/2152 (92%)	1879 (95%)	92 (5%)	10 (0%)	29	31

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	68	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	288	LYS
1	C	288	LYS
1	D	66	SER
1	D	424	GLN
1	A	67	LEU
1	C	269	VAL
1	C	287	GLU
1	D	425	SER
1	D	287	GLU

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	426/460 (93%)	423 (99%)	3 (1%)	84	91
1	B	426/460 (93%)	421 (99%)	5 (1%)	71	83
1	C	424/460 (92%)	418 (99%)	6 (1%)	67	80
1	D	425/460 (92%)	421 (99%)	4 (1%)	78	88
All	All	1701/1840 (92%)	1683 (99%)	18 (1%)	73	85

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	114	ASP
1	A	155	SER
1	A	313	PHE
1	B	25	ASN
1	B	282	LEU
1	B	313	PHE
1	B	425	SER
1	B	426	GLU
1	C	25	ASN
1	C	273	LEU
1	C	313	PHE
1	C	318	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	431	THR
1	C	432	GLU
1	D	289	GLN
1	D	313	PHE
1	D	425	SER
1	D	427	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	HIS
1	A	408	HIS
1	B	25	ASN
1	B	55	HIS
1	B	408	HIS
1	B	459	HIS
1	C	55	HIS
1	C	408	HIS
1	C	459	HIS
1	C	476	ASN
1	D	408	HIS
1	D	459	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
2	NAG	E	1	1,2	14,14,15	0.27	0	17,19,21	0.41	0
2	NAG	E	2	2	14,14,15	0.42	0	17,19,21	0.35	0
2	NAG	F	1	1,2	14,14,15	0.33	0	17,19,21	0.39	0
2	NAG	F	2	2	14,14,15	0.21	0	17,19,21	0.41	0
2	NAG	G	1	1,2	14,14,15	0.36	0	17,19,21	0.45	0
2	NAG	G	2	2	14,14,15	0.29	0	17,19,21	0.33	0
2	NAG	H	1	1,2	14,14,15	0.40	0	17,19,21	0.38	0
2	NAG	H	2	2	14,14,15	0.23	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	NAG	G	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	1/6/23/26	0/1/1/1
2	NAG	H	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	H	2	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	2	NAG	O5-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6
2	F	2	NAG	C4-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6
2	H	1	NAG	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

Oligosaccharide Chain E



Oligosaccharide Chain F



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain G



Bond lengths



Bond angles



Torsions



Rings

Oligosaccharide Chain H



5.6 Ligand geometry (i)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
5	SO4	C	607	-	4,4,4	0.15	0	6,6,6	0.06	0
3	FAD	A	601	1	53,58,58	1.30	6 (11%)	68,89,89	1.27	7 (10%)
5	SO4	C	606	-	4,4,4	0.15	0	6,6,6	0.06	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
6	12P	D	605	-	21,21,36	0.42	0	20,20,35	0.48	0
4	NAG	A	604	1	14,14,15	0.20	0	17,19,21	0.45	0
5	SO4	D	606	-	4,4,4	0.15	0	6,6,6	0.08	0
3	FAD	D	601	1	53,58,58	1.29	5 (9%)	68,89,89	1.30	7 (10%)
4	NAG	D	604	1	14,14,15	0.21	0	17,19,21	0.41	0
4	NAG	B	604	1	14,14,15	0.30	0	17,19,21	0.35	0
5	SO4	B	605	-	4,4,4	0.13	0	6,6,6	0.06	0
5	SO4	D	607	-	4,4,4	0.13	0	6,6,6	0.06	0
6	12P	C	605	-	27,27,36	0.39	0	26,26,35	0.63	0
3	FAD	C	601	1	53,58,58	1.28	5 (9%)	68,89,89	1.30	7 (10%)
4	NAG	C	604	1	14,14,15	0.40	0	17,19,21	0.42	0
3	FAD	B	601	1	53,58,58	1.29	5 (9%)	68,89,89	1.31	8 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	601	1	-	4/30/50/50	0/6/6/6
6	12P	D	605	-	-	8/19/19/34	-
4	NAG	A	604	1	-	2/6/23/26	0/1/1/1
3	FAD	D	601	1	-	4/30/50/50	0/6/6/6
4	NAG	D	604	1	-	2/6/23/26	0/1/1/1
4	NAG	B	604	1	-	0/6/23/26	0/1/1/1
6	12P	C	605	-	-	15/25/25/34	-
3	FAD	C	601	1	-	0/30/50/50	0/6/6/6
4	NAG	C	604	1	-	2/6/23/26	0/1/1/1
3	FAD	B	601	1	-	2/30/50/50	0/6/6/6

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	601	FAD	C9A-C5X	5.07	1.49	1.41
3	A	601	FAD	C9A-C5X	5.07	1.49	1.41
3	B	601	FAD	C9A-C5X	5.04	1.49	1.41
3	C	601	FAD	C9A-C5X	4.99	1.49	1.41
3	A	601	FAD	C8-C7	3.39	1.49	1.40
3	B	601	FAD	C8-C7	3.32	1.49	1.40
3	C	601	FAD	C8-C7	3.30	1.49	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	601	FAD	C8-C7	3.28	1.49	1.40
3	A	601	FAD	C5X-N5	-2.72	1.34	1.39
3	B	601	FAD	C5X-N5	-2.67	1.34	1.39
3	C	601	FAD	C5X-N5	-2.63	1.34	1.39
3	C	601	FAD	C4-N3	-2.53	1.34	1.38
3	C	601	FAD	C5A-C4A	2.51	1.47	1.40
3	D	601	FAD	C5X-N5	-2.50	1.34	1.39
3	B	601	FAD	C4-N3	-2.50	1.34	1.38
3	A	601	FAD	C5A-C4A	2.47	1.47	1.40
3	D	601	FAD	C5A-C4A	2.46	1.47	1.40
3	D	601	FAD	C4-N3	-2.46	1.34	1.38
3	B	601	FAD	C5A-C4A	2.39	1.47	1.40
3	A	601	FAD	C4-N3	-2.34	1.34	1.38
3	A	601	FAD	O4B-C1B	2.09	1.44	1.41

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	B	601	FAD	N3A-C2A-N1A	-3.40	123.36	128.68
3	C	601	FAD	N3A-C2A-N1A	-3.25	123.60	128.68
3	D	601	FAD	N3A-C2A-N1A	-3.23	123.62	128.68
3	C	601	FAD	C4A-C5A-N7A	-3.15	106.12	109.40
3	A	601	FAD	N3A-C2A-N1A	-3.12	123.80	128.68
3	D	601	FAD	C4A-C5A-N7A	-3.02	106.25	109.40
3	D	601	FAD	C4-C4X-N5	2.90	122.35	118.23
3	A	601	FAD	C4A-C5A-N7A	-2.89	106.39	109.40
3	A	601	FAD	C4-C4X-N5	2.82	122.24	118.23
3	B	601	FAD	C4A-C5A-N7A	-2.75	106.54	109.40
3	B	601	FAD	C4-C4X-N5	2.70	122.08	118.23
3	B	601	FAD	C4X-C10-N1	-2.70	118.46	124.73
3	C	601	FAD	C4-C4X-N5	2.61	121.95	118.23
3	C	601	FAD	C4X-C10-N1	-2.60	118.70	124.73
3	A	601	FAD	C4X-C10-N1	-2.53	118.85	124.73
3	D	601	FAD	C4X-C10-N1	-2.50	118.94	124.73
3	C	601	FAD	P-O3P-PA	-2.42	124.54	132.83
3	B	601	FAD	C10-N1-C2	2.39	121.68	116.90
3	B	601	FAD	P-O3P-PA	-2.37	124.70	132.83
3	C	601	FAD	C10-N1-C2	2.35	121.60	116.90
3	D	601	FAD	C10-N1-C2	2.32	121.54	116.90
3	A	601	FAD	C10-N1-C2	2.30	121.51	116.90
3	A	601	FAD	P-O3P-PA	-2.24	125.14	132.83
3	D	601	FAD	O4-C4-C4X	-2.22	120.72	126.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	601	FAD	O4-C4-C4X	-2.20	120.78	126.60
3	D	601	FAD	P-O3P-PA	-2.19	125.32	132.83
3	C	601	FAD	O4-C4-C4X	-2.18	120.83	126.60
3	B	601	FAD	O4-C4-C4X	-2.16	120.87	126.60
3	B	601	FAD	C2A-N1A-C6A	2.02	122.21	118.75

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	605	12P	O25-C26-C27-O28
6	D	605	12P	O31-C32-C33-O34
6	C	605	12P	O22-C23-C24-O25
4	C	604	NAG	O5-C5-C6-O6
6	C	605	12P	O19-C20-C21-O22
3	A	601	FAD	O3'-C3'-C4'-O4'
3	D	601	FAD	O3'-C3'-C4'-O4'
4	C	604	NAG	C4-C5-C6-O6
3	A	601	FAD	O3'-C3'-C4'-C5'
6	D	605	12P	O25-C26-C27-O28
3	A	601	FAD	C2'-C3'-C4'-O4'
3	D	601	FAD	C2'-C3'-C4'-O4'
4	A	604	NAG	C4-C5-C6-O6
4	A	604	NAG	O5-C5-C6-O6
6	D	605	12P	O22-C23-C24-O25
6	C	605	12P	O16-C17-C18-O19
6	C	605	12P	O13-C14-C15-O16
6	C	605	12P	O31-C32-C33-O34
6	C	605	12P	O28-C29-C30-O31
3	A	601	FAD	C2'-C3'-C4'-C5'
3	D	601	FAD	C2'-C3'-C4'-C5'
3	D	601	FAD	O3'-C3'-C4'-C5'
4	D	604	NAG	C4-C5-C6-O6
6	C	605	12P	C24-C23-O22-C21
4	D	604	NAG	O5-C5-C6-O6
6	C	605	12P	C20-C21-O22-C23
6	D	605	12P	C29-C30-O31-C32
6	D	605	12P	C36-C35-O34-C33
6	C	605	12P	C21-C20-O19-C18
6	D	605	12P	C20-C21-O22-C23
3	B	601	FAD	O3'-C3'-C4'-O4'
6	C	605	12P	C11-C12-O13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	C	605	12P	C29-C30-O31-C32
6	C	605	12P	C30-C29-O28-C27
6	C	605	12P	C15-C14-O13-C12
3	B	601	FAD	C2'-C3'-C4'-O4'
6	C	605	12P	C27-C26-O25-C24
6	D	605	12P	C32-C33-O34-C35
6	D	605	12P	O19-C20-C21-O22

There are no ring outliers.

6 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	FAD	1	0
6	D	605	12P	1	0
3	D	601	FAD	2	0
5	B	605	SO4	3	0
6	C	605	12P	1	0
3	C	601	FAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand FAD A 601



Bond lengths



Bond angles



Torsions



Rings

Ligand 12P D 605



Bond lengths



Bond angles



Torsions

Rings

Ligand FAD D 601



Bond lengths



Bond angles



Torsions



Rings

Ligand 12P C 605



Bond lengths



Bond angles



Torsions



Rings

Ligand FAD C 601



Bond lengths



Bond angles



Torsions



Rings

Ligand FAD B 601



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	498/538 (92%)	-0.14	16 (3%)	47	45	28, 45, 76, 111	0
1	B	498/538 (92%)	0.16	23 (4%)	32	31	29, 56, 86, 114	0
1	C	496/538 (92%)	0.16	31 (6%)	20	19	30, 52, 80, 107	0
1	D	497/538 (92%)	0.05	28 (5%)	24	23	28, 50, 87, 114	0
All	All	1989/2152 (92%)	0.06	98 (4%)	29	28	28, 51, 84, 114	0

All (98) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	286	ASP	10.3
1	B	351	PHE	8.5
1	D	351	PHE	7.9
1	C	351	PHE	7.9
1	A	351	PHE	7.5
1	B	429	LYS	5.0
1	B	321	GLU	4.6
1	C	428	LYS	4.6
1	B	446	PRO	4.2
1	D	353	GLU	4.2
1	D	45	ASP	4.0
1	D	132	LEU	4.0
1	B	447	PHE	3.9
1	C	447	PHE	3.9
1	C	381	LYS	3.8
1	B	432	GLU	3.7
1	C	349	LEU	3.7
1	B	451	ASN	3.7
1	B	261	SER	3.5
1	D	64	GLN	3.5
1	B	286	ASP	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	67	LEU	3.4
1	B	257	ASP	3.3
1	C	373	TYR	3.3
1	A	424	GLN	3.3
1	C	427	GLN	3.3
1	B	522	PHE	3.3
1	B	448	VAL	3.3
1	C	432	GLU	3.3
1	D	428	LYS	3.3
1	D	68	ILE	3.2
1	D	321	GLU	3.1
1	A	523	ASP	3.1
1	D	339	GLU	3.1
1	A	473	THR	3.0
1	B	473	THR	3.0
1	D	299	PHE	3.0
1	C	473	THR	3.0
1	B	439	LYS	3.0
1	C	47	ASP	3.0
1	D	65	ASN	2.9
1	D	47	ASP	2.9
1	A	431	THR	2.9
1	C	291	TRP	2.9
1	D	424	GLN	2.9
1	C	46	SER	2.8
1	B	431	THR	2.8
1	C	439	LYS	2.8
1	B	373	TYR	2.8
1	C	370	LYS	2.8
1	C	157	SER	2.7
1	A	47	ASP	2.7
1	D	66	SER	2.7
1	A	451	ASN	2.7
1	B	381	LYS	2.6
1	B	521	ASN	2.6
1	B	256	ILE	2.6
1	D	423	ASN	2.6
1	C	435	ASP	2.5
1	C	369	SER	2.5
1	C	133	GLU	2.5
1	D	52	ARG	2.5
1	C	451	ASN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	350	LYS	2.5
1	B	285	ALA	2.4
1	C	380	SER	2.4
1	B	317	GLY	2.4
1	A	353	GLU	2.4
1	D	435	ASP	2.4
1	A	66	SER	2.4
1	D	432	GLU	2.4
1	C	321	GLU	2.4
1	C	341	VAL	2.4
1	C	290	VAL	2.4
1	B	425	SER	2.3
1	D	348	PHE	2.3
1	C	446	PRO	2.3
1	D	373	TYR	2.3
1	D	51	ASN	2.3
1	D	67	LEU	2.3
1	D	37	ARG	2.2
1	B	289	GLN	2.2
1	C	438	GLU	2.2
1	D	286	ASP	2.2
1	D	244	LYS	2.2
1	C	472	LYS	2.2
1	A	428	LYS	2.2
1	D	42	PHE	2.1
1	C	442	GLU	2.1
1	C	424	GLN	2.1
1	A	94	SER	2.1
1	A	446	PRO	2.1
1	C	374	GLY	2.1
1	A	373	TYR	2.1
1	D	338	LEU	2.1
1	D	349	LEU	2.1
1	A	352	ASP	2.1
1	C	153	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	NAG	H	1	14/15	0.67	0.26	63,73,79,80	0
2	NAG	F	2	14/15	0.80	0.18	68,73,81,84	0
2	NAG	E	2	14/15	0.81	0.25	50,69,79,80	0
2	NAG	F	1	14/15	0.81	0.17	56,63,69,70	0
2	NAG	H	2	14/15	0.81	0.30	72,86,97,100	0
2	NAG	G	1	14/15	0.84	0.17	54,63,67,68	0
2	NAG	E	1	14/15	0.85	0.18	50,55,60,65	0
2	NAG	G	2	14/15	0.85	0.23	63,70,78,80	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain E:

2mF$_o$-DF$_c$ (at 0.7 rmsd) in gray
mF$_o$-DF$_c$ (at 3 rmsd) in purple (negative) and green (positive)







Electron density around Chain F:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain G:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain H:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
4	NAG	C	604	14/15	0.58	0.43	83,93,99,103	0
4	NAG	B	604	14/15	0.74	0.46	93,97,102,106	0
4	NAG	D	604	14/15	0.74	0.40	90,95,96,98	0
4	NAG	A	604	14/15	0.80	0.36	78,82,87,87	0
5	SO4	D	606	5/5	0.81	0.19	48,52,57,59	5
6	12P	D	605	22/37	0.82	0.10	39,51,56,59	0
5	SO4	D	607	5/5	0.84	0.19	46,50,55,64	5
6	12P	C	605	28/37	0.85	0.11	36,50,60,68	0
5	SO4	C	607	5/5	0.93	0.17	56,57,63,69	5
3	FAD	C	601	53/53	0.95	0.18	28,38,50,53	0
3	FAD	B	601	53/53	0.96	0.18	28,36,45,49	0
3	FAD	A	601	53/53	0.96	0.16	24,31,41,44	0
3	FAD	D	601	53/53	0.96	0.14	26,34,47,50	0
5	SO4	C	606	5/5	0.97	0.17	60,62,73,73	0
5	SO4	B	605	5/5	0.97	0.09	60,66,72,73	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 12P D 605:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 12P C 605:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FAD C 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FAD B 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FAD A 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FAD D 601:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers (i)

There are no such residues in this entry.