



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 2, 2025 – 01:49 am GMT

PDB ID : 8Q6I
Title : Cholera holotoxin variant (chimera with E. coli heat-labile enterotoxin, 1 C-terminal substitution)
Authors : Mojica, N.; Cordara, G.; Kersten, F.; Heim, J.B.; Krengel, U.
Deposited on : 2023-08-11
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	164625	4274 (1.60-1.60)
Clashscore	180529	4682 (1.60-1.60)
Ramachandran outliers	177936	4583 (1.60-1.60)
Sidechain outliers	177891	4582 (1.60-1.60)
RSRZ outliers	164620	4272 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	240	<div><div>7%</div><div><div></div><div>76%</div><div>16%</div><div>• 5%</div></div></div>
2	D	103	<div><div></div><div><div>89%</div><div>11%</div></div></div>
2	E	103	<div><div>3%</div><div><div></div><div>95%</div><div>5%</div></div></div>
2	F	103	<div><div>%</div><div><div></div><div>95%</div><div>5%</div></div></div>
2	G	103	<div><div>%</div><div><div></div><div>95%</div><div>5%</div></div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	103	<div><div>%</div><div><div></div><div>97%</div><div></div></div><div></div></div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6874 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cholera enterotoxin subunit A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	227	Total	C	N	O	S	0	24	0
			2030	1265	370	388	7			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	229	GLU	ASP	engineered mutation	UNP P01555

- Molecule 2 is a protein called Cholera enterotoxin subunit B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	103	Total	C	N	O	S	0	11	0
			901	562	159	172	8			
2	E	103	Total	C	N	O	S	0	10	0
			890	558	155	169	8			
2	F	103	Total	C	N	O	S	0	6	0
			859	539	150	163	7			
2	G	103	Total	C	N	O	S	0	5	0
			859	540	151	163	5			
2	H	103	Total	C	N	O	S	0	4	0
			844	529	148	160	7			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	18	HIS	TYR	engineered mutation	UNP P01556
D	47	THR	ILE	engineered mutation	UNP P01556
E	18	HIS	TYR	engineered mutation	UNP P01556
E	47	THR	ILE	engineered mutation	UNP P01556
F	18	HIS	TYR	engineered mutation	UNP P01556
F	47	THR	ILE	engineered mutation	UNP P01556
G	18	HIS	TYR	engineered mutation	UNP P01556

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	47	THR	ILE	engineered mutation	UNP P01556
H	18	HIS	TYR	engineered mutation	UNP P01556
H	47	THR	ILE	engineered mutation	UNP P01556

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total Na 2 2	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	D	1	Total C O 7 3 4	0	1
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	E	1	Total C O 6 3 3	0	0
4	F	1	Total C O 6 3 3	0	0
4	G	1	Total C O 6 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	G	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		
4	H	1	Total	C	O	0	0
			6	3	3		
4	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			7	4	3		
5	E	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	101	Total	O	0	0
			101	101		
6	D	73	Total	O	0	0
			73	73		
6	E	66	Total	O	0	0
			66	66		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	56	Total 56	O 56	0	0
6	G	53	Total 53	O 53	0	0
6	H	59	Total 59	O 59	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cholera enterotoxin subunit A




- Molecule 2: Cholera enterotoxin subunit B




- Molecule 2: Cholera enterotoxin subunit B



- Molecule 2: Cholera enterotoxin subunit B



- Molecule 2: Cholera enterotoxin subunit B



- Molecule 2: Cholera enterotoxin subunit B

Chain H:  97%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	60.31Å 91.09Å 72.29Å 90.00° 106.40° 90.00°	Depositor
Resolution (Å)	48.84 – 1.60 48.84 – 1.60	Depositor EDS
% Data completeness (in resolution range)	96.7 (48.84-1.60) 96.7 (48.84-1.60)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.40 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.8.0430	Depositor
R, R_{free}	0.185 , 0.222 0.194 , 0.230	Depositor DCC
R_{free} test set	4776 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	28.1	Xtriage
Anisotropy	0.338	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 26.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6874	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.22% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HIC, NA, GOL, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/2071	0.85	1/2800 (0.0%)
2	D	0.46	0/915	0.72	0/1231
2	E	0.42	0/904	0.74	0/1219
2	F	0.47	0/873	0.77	0/1177
2	G	0.46	0/873	0.75	0/1174
2	H	0.42	0/858	0.74	0/1156
All	All	0.44	0/6494	0.78	1/8757 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	143	ARG	NE-CZ-NH2	-7.69	116.45	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	32[A]	ASP	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2030	0	1882	43	0
2	D	901	0	901	11	0
2	E	890	0	900	5	0
2	F	859	0	863	8	0
2	G	859	0	870	6	0
2	H	844	0	850	8	0
3	A	2	0	0	0	0
4	D	19	0	22	1	0
4	E	12	0	16	0	0
4	F	6	0	8	0	0
4	G	18	0	24	1	0
4	H	12	0	16	0	0
5	D	7	0	10	0	0
5	E	7	0	10	1	0
6	A	101	0	0	3	0
6	D	73	0	0	4	0
6	E	66	0	0	2	0
6	F	56	0	0	2	0
6	G	53	0	0	1	0
6	H	59	0	0	3	0
All	All	6874	0	6372	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:83:TYR:OH	6:A:401:HOH:O	1.72	1.05
2:H:63[A]:LYS:HE2	6:H:301:HOH:O	1.59	0.98
2:H:63[A]:LYS:CE	6:H:301:HOH:O	2.15	0.93
1:A:43:ASP:OD1	1:A:46[A]:ARG:NH2	2.03	0.92
1:A:226[B]:TYR:CE1	2:H:78:THR:HG21	2.07	0.89
2:F:6[B]:THR:HG21	6:F:330:HOH:O	1.78	0.82
2:H:63[A]:LYS:NZ	6:H:301:HOH:O	2.10	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:6[B]:THR:CG2	6:F:330:HOH:O	2.35	0.68
1:A:226[B]:TYR:CD1	2:H:78:THR:HG21	2.29	0.67
2:D:9[A]:CYS:SG	6:D:366:HOH:O	2.38	0.67
1:A:94[A]:MET:SD	1:A:115:ALA:HB2	2.36	0.66
1:A:16[B]:ILE:HG22	1:A:17[B]:LYS:N	2.11	0.65
2:D:6[B]:THR:CG2	6:D:346:HOH:O	2.47	0.62
1:A:5:LEU:HD12	1:A:94[B]:MET:SD	2.41	0.60
1:A:226[B]:TYR:CE1	2:D:77:LEU:HB3	2.37	0.59
1:A:16[B]:ILE:HD12	1:A:86:TYR:CE1	2.38	0.59
1:A:91:ALA:O	1:A:94[B]:MET:HG3	2.04	0.58
2:D:90[B]:ASN:OD1	2:D:91[B]:LYS:HE2	2.04	0.58
2:E:1[B]:THR:HG21	6:E:321:HOH:O	2.06	0.56
1:A:74[B]:GLN:OE1	1:A:133:GLY:HA2	2.04	0.55
2:D:6[B]:THR:HG21	6:D:346:HOH:O	2.07	0.54
1:A:226[B]:TYR:HA	2:H:74:ILE:HD11	1.90	0.54
1:A:5:LEU:CD1	1:A:94[B]:MET:SD	2.96	0.53
1:A:226[B]:TYR:CE1	2:H:78:THR:CG2	2.87	0.53
1:A:226[A]:TYR:HA	2:H:74:ILE:HD11	1.90	0.52
1:A:33[A]:ARG:CD	1:A:36[A]:GLN:HE21	2.24	0.51
1:A:32[A]:ASP:O	1:A:33[A]:ARG:NH1	2.44	0.50
2:D:6[B]:THR:HG22	6:D:346:HOH:O	2.08	0.50
1:A:186:GLY:HA3	1:A:198[A]:THR:HG23	1.93	0.49
2:D:21:ASN:HB3	2:D:81[C]:LYS:HE2	1.93	0.49
1:A:81:SER:O	1:A:132:PHE:N	2.43	0.49
1:A:33[A]:ARG:O	1:A:34:GLY:C	2.52	0.48
1:A:217:LYS:HE3	6:A:497:HOH:O	2.13	0.47
1:A:220:ARG:HA	2:E:78:THR:HB	1.95	0.47
1:A:129:ARG:HE	1:A:131:HIC:HE1	1.79	0.47
1:A:67:ARG:HG2	1:A:67:ARG:HH11	1.80	0.47
1:A:185:PRO:HD2	1:A:202[B]:LYS:HD3	1.97	0.47
1:A:218:VAL:O	1:A:222[B]:ILE:HG23	2.14	0.46
1:A:148[B]:ARG:HG2	1:A:148[B]:ARG:O	2.14	0.46
1:A:226[A]:TYR:N	1:A:226[A]:TYR:CD1	2.84	0.46
2:D:21:ASN:CB	2:D:81[C]:LYS:HE2	2.45	0.46
1:A:143:ARG:HD2	2:G:103:ASN:ND2	2.31	0.45
1:A:159:ALA:HA	1:A:162:TYR:CD2	2.50	0.45
2:E:79:GLU:HG2	5:E:203:PEG:H41	1.97	0.45
1:A:185:PRO:HG2	1:A:202[B]:LYS:HD3	1.98	0.45
2:G:21:ASN:ND2	6:G:301:HOH:O	2.28	0.45
1:A:129:ARG:HH21	1:A:131:HIC:HE1	1.81	0.45
1:A:33[A]:ARG:HA	1:A:33[A]:ARG:HD3	1.71	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:LEU:O	1:A:75:THR:HG23	2.17	0.44
1:A:33[A]:ARG:HA	1:A:33[A]:ARG:HH11	1.83	0.43
2:F:74[B]:ILE:HD13	2:F:74[B]:ILE:HA	1.80	0.43
6:A:404:HOH:O	2:F:74[B]:ILE:HG12	2.20	0.42
1:A:33[A]:ARG:CZ	1:A:36[A]:GLN:HE21	2.33	0.42
2:F:74[B]:ILE:CG2	2:G:77:LEU:HD13	2.50	0.42
2:F:6[B]:THR:HG22	2:F:17:ILE:HG13	2.02	0.42
1:A:172[A]:ARG:HE	1:A:172[A]:ARG:HB2	1.62	0.41
1:A:226[A]:TYR:N	1:A:226[A]:TYR:HD1	2.18	0.41
2:D:15:THR:HA	2:D:87:VAL:O	2.20	0.41
2:E:63[A]:LYS:HE2	6:E:361:HOH:O	2.20	0.41
1:A:229:GLU:HG3	2:G:73:ARG:NH2	2.35	0.41
2:G:88:TRP:CD1	4:G:203:GOL:H2	2.55	0.41
2:D:9[A]:CYS:HB2	2:D:86[A]:CYS:SG	2.61	0.41
1:A:107:HIS:HB3	1:A:110:GLU:HG2	2.03	0.41
1:A:111:GLN:HG3	1:A:111:GLN:O	2.21	0.41
2:D:83:GLU:OE1	4:D:203:GOL:H12	2.21	0.41
1:A:131:HIC:HZ3	1:A:136:ASP:OD2	2.21	0.40
1:A:148[B]:ARG:CA	1:A:148[B]:ARG:HE	2.17	0.40
2:E:19[A]:THR:HG23	2:E:19[A]:THR:O	2.21	0.40
2:F:15:THR:HA	2:F:87:VAL:O	2.20	0.40
2:F:74[B]:ILE:CG2	2:G:77:LEU:CD1	3.00	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	246/240 (102%)	236 (96%)	10 (4%)	0	100	100
2	D	112/103 (109%)	111 (99%)	1 (1%)	0	100	100
2	E	110/103 (107%)	109 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	F	107/103 (104%)	106 (99%)	1 (1%)	0	100	100
2	G	106/103 (103%)	105 (99%)	1 (1%)	0	100	100
2	H	105/103 (102%)	104 (99%)	1 (1%)	0	100	100
All	All	786/755 (104%)	771 (98%)	15 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	214/203 (105%)	206 (96%)	8 (4%)	29	9
2	D	100/89 (112%)	100 (100%)	0	100	100
2	E	99/89 (111%)	99 (100%)	0	100	100
2	F	95/89 (107%)	95 (100%)	0	100	100
2	G	94/89 (106%)	94 (100%)	0	100	100
2	H	93/89 (104%)	93 (100%)	0	100	100
All	All	695/648 (107%)	687 (99%)	8 (1%)	79	50

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16[A]	ILE
1	A	16[B]	ILE
1	A	29	GLU
1	A	33[A]	ARG
1	A	33[B]	ARG
1	A	35	THR
1	A	226[A]	TYR
1	A	226[B]	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	HIC	A	131	1	8,11,12	0.89	0	6,14,16	1.02	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	HIC	A	131	1	-	1/5/6/8	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	131	HIC	O-C-CA-CB

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	131	HIC	3	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 2 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	E	201	-	5,5,5	0.07	0	5,5,5	0.20	0
4	GOL	H	202	-	5,5,5	0.08	0	5,5,5	0.27	0
4	GOL	D	201[B]	-	5,5,5	0.17	0	5,5,5	0.94	0
5	PEG	D	204	-	6,6,6	0.28	0	5,5,5	0.31	0
4	GOL	G	202	-	5,5,5	0.17	0	5,5,5	0.33	0
5	PEG	E	203	-	6,6,6	0.18	0	5,5,5	0.14	0
4	GOL	H	201	-	5,5,5	0.10	0	5,5,5	0.25	0
4	GOL	D	201[A]	-	5,5,5	0.17	0	5,5,5	0.94	0
4	GOL	F	201	-	5,5,5	0.13	0	5,5,5	0.79	0
4	GOL	G	203	-	5,5,5	0.27	0	5,5,5	0.54	0
4	GOL	G	201	-	5,5,5	0.05	0	5,5,5	0.23	0
4	GOL	E	202	-	5,5,5	0.12	0	5,5,5	0.22	0
4	GOL	D	202	-	5,5,5	0.09	0	5,5,5	0.31	0
4	GOL	D	203	-	5,5,5	0.12	0	5,5,5	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	E	201	-	-	0/4/4/4	-
4	GOL	H	202	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	D	201[B]	-	-	3/4/4/4	-
5	PEG	D	204	-	-	2/4/4/4	-
4	GOL	G	202	-	-	2/4/4/4	-
5	PEG	E	203	-	-	3/4/4/4	-
4	GOL	H	201	-	-	2/4/4/4	-
4	GOL	D	201[A]	-	-	3/4/4/4	-
4	GOL	F	201	-	-	3/4/4/4	-
4	GOL	G	203	-	-	0/4/4/4	-
4	GOL	G	201	-	-	0/4/4/4	-
4	GOL	E	202	-	-	2/4/4/4	-
4	GOL	D	202	-	-	3/4/4/4	-
4	GOL	D	203	-	-	3/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	202	GOL	O1-C1-C2-C3
4	E	202	GOL	O1-C1-C2-C3
4	F	201	GOL	O1-C1-C2-C3
4	F	201	GOL	C1-C2-C3-O3
4	D	202	GOL	O1-C1-C2-O2
5	D	204	PEG	O2-C3-C4-O4
5	E	203	PEG	O1-C1-C2-O2
4	D	201[A]	GOL	O1-C1-C2-C3
4	D	201[B]	GOL	O1-C1-C2-C3
4	D	203	GOL	O1-C1-C2-C3
4	D	203	GOL	C1-C2-C3-O3
4	G	202	GOL	O1-C1-C2-C3
4	H	201	GOL	C1-C2-C3-O3
4	E	202	GOL	O1-C1-C2-O2
4	D	203	GOL	O2-C2-C3-O3
4	F	201	GOL	O2-C2-C3-O3
4	D	201[A]	GOL	O2-C2-C3-O3
4	D	201[B]	GOL	O2-C2-C3-O3
5	E	203	PEG	C4-C3-O2-C2
4	H	201	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	G	202	GOL	O1-C1-C2-O2
5	D	204	PEG	C1-C2-O2-C3
5	E	203	PEG	C1-C2-O2-C3
4	D	201[A]	GOL	C1-C2-C3-O3
4	D	201[B]	GOL	C1-C2-C3-O3
4	D	202	GOL	C1-C2-C3-O3

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	E	203	PEG	1	0
4	G	203	GOL	1	0
4	D	203	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	226/240 (94%)	0.42	16 (7%) 23 22	10, 29, 55, 82	24 (10%)
2	D	103/103 (100%)	-0.32	0 100 100	10, 22, 35, 53	11 (10%)
2	E	103/103 (100%)	0.06	3 (2%) 54 54	12, 26, 38, 65	10 (9%)
2	F	103/103 (100%)	0.11	1 (0%) 79 82	12, 27, 38, 57	6 (5%)
2	G	103/103 (100%)	0.07	1 (0%) 79 82	13, 28, 40, 64	5 (4%)
2	H	103/103 (100%)	0.05	1 (0%) 79 82	13, 28, 40, 63	4 (3%)
All	All	741/755 (98%)	0.12	22 (2%) 52 53	10, 27, 45, 82	60 (8%)

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	132	PHE	5.8
1	A	190	ALA	5.0
1	A	35	THR	4.4
1	A	33[A]	ARG	4.0
1	A	34	GLY	3.8
1	A	230	ILE	3.6
1	A	198[A]	THR	3.5
2	H	103	ASN	3.3
1	A	135	LEU	3.1
2	E	103	ASN	3.1
1	A	134	VAL	3.0
1	A	231	ASP	2.8
1	A	46[A]	ARG	2.8
2	F	103	ASN	2.6
1	A	195	MET	2.4
1	A	78[A]	SER	2.3
2	G	103	ASN	2.3
2	E	102	ALA	2.3
1	A	16[A]	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	36[A]	GLN	2.2
2	E	19[A]	THR	2.1
1	A	226[A]	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	HIC	A	131	11/12	0.73	0.19	55,58,64,67	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	PEG	D	204	7/7	0.82	0.17	44,51,56,56	7
4	GOL	D	202	6/6	0.83	0.16	52,57,59,59	0
4	GOL	G	203	6/6	0.85	0.12	34,38,40,42	0
4	GOL	H	201	6/6	0.85	0.12	37,41,45,48	0
4	GOL	D	203	6/6	0.85	0.14	47,53,55,57	0
4	GOL	G	202	6/6	0.87	0.13	36,39,54,59	0
5	PEG	E	203	7/7	0.87	0.13	40,44,57,57	0
4	GOL	H	202	6/6	0.90	0.12	44,48,54,61	0
4	GOL	G	201	6/6	0.90	0.12	58,59,63,66	0
4	GOL	F	201	6/6	0.90	0.10	31,35,44,46	0
4	GOL	D	201[A]	6/6	0.93	0.10	24,29,37,40	1
4	GOL	D	201[B]	6/6	0.93	0.10	24,29,37,39	1
4	GOL	E	201	6/6	0.93	0.08	35,40,44,45	0
4	GOL	E	202	6/6	0.93	0.09	32,39,48,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NA	A	302	1/1	0.96	0.07	41,41,41,41	0
3	NA	A	301	1/1	0.97	0.14	26,26,26,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.