



# wwPDB X-ray Structure Validation Summary Report ⓘ

Nov 13, 2025 – 12:34 pm GMT

PDB ID : 9RAV / pdb\_00009rav  
Title : Streptococcus pyogenes GapN in complex with 4-hydroxypyridazine  
Authors : Wirsing, R.; Schindelin, H.  
Deposited on : 2025-05-21  
Resolution : 1.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.46


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	3717 (1.50-1.50)
Clashscore	180529	4048 (1.50-1.50)
Ramachandran outliers	177936	3970 (1.50-1.50)
Sidechain outliers	177891	3967 (1.50-1.50)
RSRZ outliers	164620	3718 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	496	<div> <div>88%</div> <div>7%</div> <div>.</div> </div>
1	B	496	<div> <div>87%</div> <div>9%</div> <div>.</div> </div>
1	C	496	<div> <div>%</div> <div>87%</div> <div>8%</div> <div>.</div> </div>
1	D	496	<div> <div>88%</div> <div>7%</div> <div>.</div> </div>
1	E	496	<div> <div>89%</div> <div>7%</div> <div>.</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	496	<div><div><div>%</div><div><div></div><div></div><div></div></div><div>89%</div><div>6%</div><div>.</div></div></div>
1	G	496	<div><div><div></div><div></div><div></div></div><div>87%</div><div>9%</div><div>.</div></div>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 62655 atoms, of which 29347 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADP-dependent glyceraldehyde-3-phosphate dehydrogenase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	474	Total	C	H	N	O	S	0	8	0
			7240	2286	3654	593	698	9			
1	B	474	Total	C	H	N	O	S	0	15	0
			7313	2307	3700	598	699	9			
1	C	474	Total	C	H	N	O	S	0	8	0
			7209	2272	3637	593	699	8			
1	D	475	Total	C	H	N	O	S	0	12	0
			7270	2288	3674	599	701	8			
1	E	474	Total	C	H	N	O	S	0	3	0
			7185	2267	3626	591	693	8			
1	F	474	Total	C	H	N	O	S	0	15	0
			7304	2304	3688	599	705	8			
1	G	475	Total	C	H	N	O	S	0	9	0
			7257	2286	3668	597	698	8			
1	H	475	Total	C	H	N	O	S	0	4	0
			7218	2279	3644	593	694	8			

There are 192 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	ALA	-	expression tag	UNP A0A4U9C786
A	-19	SER	-	expression tag	UNP A0A4U9C786
A	-18	TRP	-	expression tag	UNP A0A4U9C786
A	-17	SER	-	expression tag	UNP A0A4U9C786
A	-16	HIS	-	expression tag	UNP A0A4U9C786
A	-15	PRO	-	expression tag	UNP A0A4U9C786
A	-14	GLN	-	expression tag	UNP A0A4U9C786
A	-13	PHE	-	expression tag	UNP A0A4U9C786
A	-12	GLU	-	expression tag	UNP A0A4U9C786
A	-11	LYS	-	expression tag	UNP A0A4U9C786
A	-10	ILE	-	expression tag	UNP A0A4U9C786
A	-9	GLU	-	expression tag	UNP A0A4U9C786
A	-8	GLY	-	expression tag	UNP A0A4U9C786

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	ARG	-	expression tag	UNP A0A4U9C786
A	-6	ARG	-	expression tag	UNP A0A4U9C786
A	-5	ASP	-	expression tag	UNP A0A4U9C786
A	-4	ARG	-	expression tag	UNP A0A4U9C786
A	-3	GLY	-	expression tag	UNP A0A4U9C786
A	-2	PRO	-	expression tag	UNP A0A4U9C786
A	-1	GLU	-	expression tag	UNP A0A4U9C786
A	0	PHE	-	expression tag	UNP A0A4U9C786
A	1	LEU	MET	conflict	UNP A0A4U9C786
A	58	THR	ALA	conflict	UNP A0A4U9C786
A	284	SER	CYS	conflict	UNP A0A4U9C786
B	-20	ALA	-	expression tag	UNP A0A4U9C786
B	-19	SER	-	expression tag	UNP A0A4U9C786
B	-18	TRP	-	expression tag	UNP A0A4U9C786
B	-17	SER	-	expression tag	UNP A0A4U9C786
B	-16	HIS	-	expression tag	UNP A0A4U9C786
B	-15	PRO	-	expression tag	UNP A0A4U9C786
B	-14	GLN	-	expression tag	UNP A0A4U9C786
B	-13	PHE	-	expression tag	UNP A0A4U9C786
B	-12	GLU	-	expression tag	UNP A0A4U9C786
B	-11	LYS	-	expression tag	UNP A0A4U9C786
B	-10	ILE	-	expression tag	UNP A0A4U9C786
B	-9	GLU	-	expression tag	UNP A0A4U9C786
B	-8	GLY	-	expression tag	UNP A0A4U9C786
B	-7	ARG	-	expression tag	UNP A0A4U9C786
B	-6	ARG	-	expression tag	UNP A0A4U9C786
B	-5	ASP	-	expression tag	UNP A0A4U9C786
B	-4	ARG	-	expression tag	UNP A0A4U9C786
B	-3	GLY	-	expression tag	UNP A0A4U9C786
B	-2	PRO	-	expression tag	UNP A0A4U9C786
B	-1	GLU	-	expression tag	UNP A0A4U9C786
B	0	PHE	-	expression tag	UNP A0A4U9C786
B	1	LEU	MET	conflict	UNP A0A4U9C786
B	58	THR	ALA	conflict	UNP A0A4U9C786
B	284	SER	CYS	conflict	UNP A0A4U9C786
C	-20	ALA	-	expression tag	UNP A0A4U9C786
C	-19	SER	-	expression tag	UNP A0A4U9C786
C	-18	TRP	-	expression tag	UNP A0A4U9C786
C	-17	SER	-	expression tag	UNP A0A4U9C786
C	-16	HIS	-	expression tag	UNP A0A4U9C786
C	-15	PRO	-	expression tag	UNP A0A4U9C786
C	-14	GLN	-	expression tag	UNP A0A4U9C786

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-13	PHE	-	expression tag	UNP A0A4U9C786
C	-12	GLU	-	expression tag	UNP A0A4U9C786
C	-11	LYS	-	expression tag	UNP A0A4U9C786
C	-10	ILE	-	expression tag	UNP A0A4U9C786
C	-9	GLU	-	expression tag	UNP A0A4U9C786
C	-8	GLY	-	expression tag	UNP A0A4U9C786
C	-7	ARG	-	expression tag	UNP A0A4U9C786
C	-6	ARG	-	expression tag	UNP A0A4U9C786
C	-5	ASP	-	expression tag	UNP A0A4U9C786
C	-4	ARG	-	expression tag	UNP A0A4U9C786
C	-3	GLY	-	expression tag	UNP A0A4U9C786
C	-2	PRO	-	expression tag	UNP A0A4U9C786
C	-1	GLU	-	expression tag	UNP A0A4U9C786
C	0	PHE	-	expression tag	UNP A0A4U9C786
C	1	LEU	MET	conflict	UNP A0A4U9C786
C	58	THR	ALA	conflict	UNP A0A4U9C786
C	284	SER	CYS	conflict	UNP A0A4U9C786
D	-20	ALA	-	expression tag	UNP A0A4U9C786
D	-19	SER	-	expression tag	UNP A0A4U9C786
D	-18	TRP	-	expression tag	UNP A0A4U9C786
D	-17	SER	-	expression tag	UNP A0A4U9C786
D	-16	HIS	-	expression tag	UNP A0A4U9C786
D	-15	PRO	-	expression tag	UNP A0A4U9C786
D	-14	GLN	-	expression tag	UNP A0A4U9C786
D	-13	PHE	-	expression tag	UNP A0A4U9C786
D	-12	GLU	-	expression tag	UNP A0A4U9C786
D	-11	LYS	-	expression tag	UNP A0A4U9C786
D	-10	ILE	-	expression tag	UNP A0A4U9C786
D	-9	GLU	-	expression tag	UNP A0A4U9C786
D	-8	GLY	-	expression tag	UNP A0A4U9C786
D	-7	ARG	-	expression tag	UNP A0A4U9C786
D	-6	ARG	-	expression tag	UNP A0A4U9C786
D	-5	ASP	-	expression tag	UNP A0A4U9C786
D	-4	ARG	-	expression tag	UNP A0A4U9C786
D	-3	GLY	-	expression tag	UNP A0A4U9C786
D	-2	PRO	-	expression tag	UNP A0A4U9C786
D	-1	GLU	-	expression tag	UNP A0A4U9C786
D	0	PHE	-	expression tag	UNP A0A4U9C786
D	1	LEU	MET	conflict	UNP A0A4U9C786
D	58	THR	ALA	conflict	UNP A0A4U9C786
D	284	SER	CYS	conflict	UNP A0A4U9C786
E	-20	ALA	-	expression tag	UNP A0A4U9C786

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-19	SER	-	expression tag	UNP A0A4U9C786
E	-18	TRP	-	expression tag	UNP A0A4U9C786
E	-17	SER	-	expression tag	UNP A0A4U9C786
E	-16	HIS	-	expression tag	UNP A0A4U9C786
E	-15	PRO	-	expression tag	UNP A0A4U9C786
E	-14	GLN	-	expression tag	UNP A0A4U9C786
E	-13	PHE	-	expression tag	UNP A0A4U9C786
E	-12	GLU	-	expression tag	UNP A0A4U9C786
E	-11	LYS	-	expression tag	UNP A0A4U9C786
E	-10	ILE	-	expression tag	UNP A0A4U9C786
E	-9	GLU	-	expression tag	UNP A0A4U9C786
E	-8	GLY	-	expression tag	UNP A0A4U9C786
E	-7	ARG	-	expression tag	UNP A0A4U9C786
E	-6	ARG	-	expression tag	UNP A0A4U9C786
E	-5	ASP	-	expression tag	UNP A0A4U9C786
E	-4	ARG	-	expression tag	UNP A0A4U9C786
E	-3	GLY	-	expression tag	UNP A0A4U9C786
E	-2	PRO	-	expression tag	UNP A0A4U9C786
E	-1	GLU	-	expression tag	UNP A0A4U9C786
E	0	PHE	-	expression tag	UNP A0A4U9C786
E	1	LEU	MET	conflict	UNP A0A4U9C786
E	58	THR	ALA	conflict	UNP A0A4U9C786
E	284	SER	CYS	conflict	UNP A0A4U9C786
F	-20	ALA	-	expression tag	UNP A0A4U9C786
F	-19	SER	-	expression tag	UNP A0A4U9C786
F	-18	TRP	-	expression tag	UNP A0A4U9C786
F	-17	SER	-	expression tag	UNP A0A4U9C786
F	-16	HIS	-	expression tag	UNP A0A4U9C786
F	-15	PRO	-	expression tag	UNP A0A4U9C786
F	-14	GLN	-	expression tag	UNP A0A4U9C786
F	-13	PHE	-	expression tag	UNP A0A4U9C786
F	-12	GLU	-	expression tag	UNP A0A4U9C786
F	-11	LYS	-	expression tag	UNP A0A4U9C786
F	-10	ILE	-	expression tag	UNP A0A4U9C786
F	-9	GLU	-	expression tag	UNP A0A4U9C786
F	-8	GLY	-	expression tag	UNP A0A4U9C786
F	-7	ARG	-	expression tag	UNP A0A4U9C786
F	-6	ARG	-	expression tag	UNP A0A4U9C786
F	-5	ASP	-	expression tag	UNP A0A4U9C786
F	-4	ARG	-	expression tag	UNP A0A4U9C786
F	-3	GLY	-	expression tag	UNP A0A4U9C786
F	-2	PRO	-	expression tag	UNP A0A4U9C786

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	-1	GLU	-	expression tag	UNP A0A4U9C786
F	0	PHE	-	expression tag	UNP A0A4U9C786
F	1	LEU	MET	conflict	UNP A0A4U9C786
F	58	THR	ALA	conflict	UNP A0A4U9C786
F	284	SER	CYS	conflict	UNP A0A4U9C786
G	-20	ALA	-	expression tag	UNP A0A4U9C786
G	-19	SER	-	expression tag	UNP A0A4U9C786
G	-18	TRP	-	expression tag	UNP A0A4U9C786
G	-17	SER	-	expression tag	UNP A0A4U9C786
G	-16	HIS	-	expression tag	UNP A0A4U9C786
G	-15	PRO	-	expression tag	UNP A0A4U9C786
G	-14	GLN	-	expression tag	UNP A0A4U9C786
G	-13	PHE	-	expression tag	UNP A0A4U9C786
G	-12	GLU	-	expression tag	UNP A0A4U9C786
G	-11	LYS	-	expression tag	UNP A0A4U9C786
G	-10	ILE	-	expression tag	UNP A0A4U9C786
G	-9	GLU	-	expression tag	UNP A0A4U9C786
G	-8	GLY	-	expression tag	UNP A0A4U9C786
G	-7	ARG	-	expression tag	UNP A0A4U9C786
G	-6	ARG	-	expression tag	UNP A0A4U9C786
G	-5	ASP	-	expression tag	UNP A0A4U9C786
G	-4	ARG	-	expression tag	UNP A0A4U9C786
G	-3	GLY	-	expression tag	UNP A0A4U9C786
G	-2	PRO	-	expression tag	UNP A0A4U9C786
G	-1	GLU	-	expression tag	UNP A0A4U9C786
G	0	PHE	-	expression tag	UNP A0A4U9C786
G	1	LEU	MET	conflict	UNP A0A4U9C786
G	58	THR	ALA	conflict	UNP A0A4U9C786
G	284	SER	CYS	conflict	UNP A0A4U9C786
H	-20	ALA	-	expression tag	UNP A0A4U9C786
H	-19	SER	-	expression tag	UNP A0A4U9C786
H	-18	TRP	-	expression tag	UNP A0A4U9C786
H	-17	SER	-	expression tag	UNP A0A4U9C786
H	-16	HIS	-	expression tag	UNP A0A4U9C786
H	-15	PRO	-	expression tag	UNP A0A4U9C786
H	-14	GLN	-	expression tag	UNP A0A4U9C786
H	-13	PHE	-	expression tag	UNP A0A4U9C786
H	-12	GLU	-	expression tag	UNP A0A4U9C786
H	-11	LYS	-	expression tag	UNP A0A4U9C786
H	-10	ILE	-	expression tag	UNP A0A4U9C786
H	-9	GLU	-	expression tag	UNP A0A4U9C786
H	-8	GLY	-	expression tag	UNP A0A4U9C786


*Continued on next page...*



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-7	ARG	-	expression tag	UNP A0A4U9C786
H	-6	ARG	-	expression tag	UNP A0A4U9C786
H	-5	ASP	-	expression tag	UNP A0A4U9C786
H	-4	ARG	-	expression tag	UNP A0A4U9C786
H	-3	GLY	-	expression tag	UNP A0A4U9C786
H	-2	PRO	-	expression tag	UNP A0A4U9C786
H	-1	GLU	-	expression tag	UNP A0A4U9C786
H	0	PHE	-	expression tag	UNP A0A4U9C786
H	1	LEU	MET	conflict	UNP A0A4U9C786
H	58	THR	ALA	conflict	UNP A0A4U9C786
H	284	SER	CYS	conflict	UNP A0A4U9C786

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 4-hydroxypyridazine (CCD ID: A1JDY) (formula: C<sub>4</sub>H<sub>4</sub>N<sub>2</sub>O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	0	0
			11	4	4	2	1		
3	B	1	Total	C	H	N	O	0	0
			11	4	4	2	1		
3	C	1	Total	C	H	N	O	0	0
			11	4	4	2	1		
3	D	1	Total	C	H	N	O	0	0
			11	4	4	2	1		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	E	1	Total	C	H	N	O	0	0
			11	4	4	2	1		
3	F	1	Total	C	H	N	O	0	0
			11	4	4	2	1		
3	G	1	Total	C	H	N	O	0	0
			11	4	4	2	1		
3	H	1	Total	C	H	N	O	0	0
			11	4	4	2	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			14	3	8	3		
4	H	1	Total	C	H	O	0	0
			14	3	8	3		
4	H	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	519	Total	O	0	0
			519	519		
5	B	575	Total	O	0	1
			576	576		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	596	Total 596	O 596	0	0
5	D	566	Total 567	O 567	0	1
5	E	495	Total 495	O 495	0	0
5	F	483	Total 483	O 483	0	0
5	G	624	Total 624	O 624	0	0
5	H	604	Total 604	O 604	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADP-dependent glyceraldehyde-3-phosphate dehydrogenase





- Molecule 1: NADP-dependent glyceraldehyde-3-phosphate dehydrogenase

Chain E: 89% 7% .




- Molecule 1: NADP-dependent glyceraldehyde-3-phosphate dehydrogenase

Chain F: 89% 6% .



- Molecule 1: NADP-dependent glyceraldehyde-3-phosphate dehydrogenase

Chain G: 87% 9% .



- Molecule 1: NADP-dependent glyceraldehyde-3-phosphate dehydrogenase

Chain H: 88% 8% .



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	97.57Å 98.98Å 103.23Å 77.68° 75.95° 67.51°	Depositor
Resolution (Å)	48.42 – 1.50 48.42 – 1.50	Depositor EDS
% Data completeness (in resolution range)	55.6 (48.42-1.50) 56.0 (48.42-1.50)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.46 (at 1.50Å)	Xtriage
Refinement program	REFMAC 1.20.1_4487, PHENIX 1.20.1_4487	Depositor
R, $R_{free}$	0.168 , 0.207 0.179 , 0.215	Depositor DCC
$R_{free}$ test set	15509 reflections (2.81%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	16.4	Xtriage
Anisotropy	0.015	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 29.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.000 for -k,-h,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	62655	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.32% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, GOL, A1JDY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.32	0/3667	0.39	0/4972
1	B	0.35	0/3722	0.42	1/5047 (0.0%)
1	C	0.38	0/3656	0.44	0/4957
1	D	0.36	0/3693	0.43	0/5009
1	E	0.32	0/3625	0.39	1/4915 (0.0%)
1	F	0.33	0/3736	0.40	0/5067
1	G	0.38	0/3672	0.44	1/4978 (0.0%)
1	H	0.36	0/3641	0.44	1/4938 (0.0%)
All	All	0.35	0/29412	0.42	4/39883 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	D	0	1
All	All	0	2

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	456	GLY	N-CA-C	-6.14	105.05	112.48
1	E	456	GLY	N-CA-C	-5.25	106.12	112.48
1	B	456	GLY	N-CA-C	-5.12	106.28	112.48
1	H	456	GLY	N-CA-C	-5.10	106.31	112.48

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	455	GLN	Peptide
1	D	455	GLN	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3586	3654	3643	21	0
1	B	3613	3700	3679	29	0
1	C	3572	3637	3614	26	0
1	D	3596	3674	3642	26	0
1	E	3559	3626	3625	21	0
1	F	3616	3688	3652	19	0
1	G	3589	3668	3647	29	0
1	H	3574	3644	3645	23	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	10	0	0	0	0
2	D	15	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
2	G	10	0	0	0	0
2	H	10	0	0	0	0
3	A	7	4	0	0	0
3	B	7	4	0	0	0
3	C	7	4	0	0	0
3	D	7	4	0	0	0
3	E	7	4	0	0	0
3	F	7	4	0	0	0
3	G	7	4	0	0	0
3	H	7	4	0	0	0
4	A	6	8	8	0	0
4	H	12	16	16	2	0
5	A	519	0	0	5	2
5	B	576	0	0	5	2
5	C	596	0	0	5	1
5	D	567	0	0	6	6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	E	495	0	0	3	0
5	F	483	0	0	5	0
5	G	624	0	0	6	0
5	H	604	0	0	6	5
All	All	33308	29347	29171	177	8

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 177 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:402:GLU:OE1	5:G:601:HOH:O	1.99	0.81
1:B:283:ARG:NH2	5:B:602:HOH:O	2.17	0.78
1:G:400:GLU:OE1	5:G:602:HOH:O	2.02	0.78
1:B:219:GLU:OE1	5:B:601:HOH:O	2.03	0.77
1:H:219:GLU:OE1	5:H:602:HOH:O	2.03	0.77

The worst 5 of 8 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:703:HOH:O	5:H:980:HOH:O[1_556]	2.02	0.18
5:A:601:HOH:O	5:D:980:HOH:O[1_565]	2.03	0.17
5:D:1004:HOH:O	5:H:690:HOH:O[1_456]	2.05	0.15
5:D:1005:HOH:O	5:H:1115:HOH:O[1_456]	2.08	0.12
5:A:1049:HOH:O	5:D:794:HOH:O[1_565]	2.12	0.08

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	480/496 (97%)	468 (98%)	12 (2%)	0	100	100
1	B	487/496 (98%)	476 (98%)	11 (2%)	0	100	100
1	C	480/496 (97%)	466 (97%)	14 (3%)	0	100	100
1	D	485/496 (98%)	473 (98%)	12 (2%)	0	100	100
1	E	475/496 (96%)	462 (97%)	13 (3%)	0	100	100
1	F	487/496 (98%)	478 (98%)	9 (2%)	0	100	100
1	G	482/496 (97%)	471 (98%)	11 (2%)	0	100	100
1	H	477/496 (96%)	467 (98%)	10 (2%)	0	100	100
All	All	3853/3968 (97%)	3761 (98%)	92 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	377/388 (97%)	372 (99%)	5 (1%)	65	41
1	B	383/388 (99%)	379 (99%)	4 (1%)	73	53
1	C	377/388 (97%)	372 (99%)	5 (1%)	65	41
1	D	381/388 (98%)	378 (99%)	3 (1%)	79	62
1	E	372/388 (96%)	368 (99%)	4 (1%)	70	48
1	F	384/388 (99%)	375 (98%)	9 (2%)	45	17
1	G	377/388 (97%)	374 (99%)	3 (1%)	79	62
1	H	374/388 (96%)	367 (98%)	7 (2%)	52	24
All	All	3025/3104 (98%)	2985 (99%)	40 (1%)	65	41

5 of 40 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	433[B]	ASN
1	H	267	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	467	VAL
1	G	402	GLU
1	H	396	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 14 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	4	GLN
1	D	18	ASN
1	G	158	ASN
1	E	353	ASN
1	F	353	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	C	502	-	4,4,4	0.10	0	6,6,6	0.27	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	E	501	-	4,4,4	0.18	0	6,6,6	0.25	0
2	SO4	C	503	-	4,4,4	0.20	0	6,6,6	0.07	0
4	GOL	H	505	-	5,5,5	0.48	0	5,5,5	1.01	0
3	A1JDY	H	502	-	6,7,7	1.08	0	7,8,8	1.47	2 (28%)
2	SO4	H	501	-	4,4,4	0.27	0	6,6,6	0.11	0
2	SO4	D	501	-	4,4,4	0.30	0	6,6,6	0.21	0
2	SO4	F	501	-	4,4,4	0.28	0	6,6,6	0.14	0
3	A1JDY	A	502	-	6,7,7	1.00	0	7,8,8	1.48	1 (14%)
3	A1JDY	E	502	-	6,7,7	1.07	0	7,8,8	1.40	2 (28%)
3	A1JDY	C	501	-	6,7,7	1.13	0	7,8,8	1.47	1 (14%)
3	A1JDY	B	501	-	6,7,7	1.17	0	7,8,8	1.40	1 (14%)
3	A1JDY	F	502	-	6,7,7	0.98	0	7,8,8	1.35	1 (14%)
2	SO4	D	503	-	4,4,4	0.19	0	6,6,6	0.26	0
4	GOL	A	503	-	5,5,5	0.66	0	5,5,5	1.17	1 (20%)
4	GOL	H	503	-	5,5,5	0.69	0	5,5,5	1.07	0
3	A1JDY	D	502	-	6,7,7	1.01	0	7,8,8	1.84	2 (28%)
3	A1JDY	G	501	-	6,7,7	0.94	0	7,8,8	1.32	0
2	SO4	G	502	-	4,4,4	0.31	0	6,6,6	0.16	0
2	SO4	H	504	-	4,4,4	0.17	0	6,6,6	0.23	0
2	SO4	B	502	-	4,4,4	0.12	0	6,6,6	0.19	0
2	SO4	G	503	-	4,4,4	0.17	0	6,6,6	0.10	0
2	SO4	D	504	-	4,4,4	0.20	0	6,6,6	0.14	0
2	SO4	A	501	-	4,4,4	0.17	0	6,6,6	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1JDY	D	502	-	-	-	0/1/1/1
3	A1JDY	E	502	-	-	-	0/1/1/1
3	A1JDY	G	501	-	-	-	0/1/1/1
3	A1JDY	C	501	-	-	-	0/1/1/1
3	A1JDY	B	501	-	-	-	0/1/1/1
3	A1JDY	F	502	-	-	-	0/1/1/1
4	GOL	A	503	-	-	0/4/4/4	-
4	GOL	H	505	-	-	0/4/4/4	-
3	A1JDY	H	502	-	-	-	0/1/1/1
4	GOL	H	503	-	-	4/4/4/4	-
3	A1JDY	A	502	-	-	-	0/1/1/1

There are no bond length outliers.

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	502	A1JDY	C13-N1-N	3.89	123.22	119.27
3	C	501	A1JDY	C13-N1-N	2.81	122.12	119.27
3	A	502	A1JDY	C13-N1-N	2.76	122.07	119.27
3	H	502	A1JDY	C13-N1-N	2.55	121.86	119.27
3	B	501	A1JDY	C1-C12-N	-2.49	119.99	123.60

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	503	GOL	O1-C1-C2-C3
4	H	503	GOL	C1-C2-C3-O3
4	H	503	GOL	O1-C1-C2-O2
4	H	503	GOL	O2-C2-C3-O3

There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	H	505	GOL	1	0
4	H	503	GOL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




## Ligand A1JDY H 502




## Ligand A1JDY A 502





## Ligand A1JDY E 502




## Ligand A1JDY C 501






## Ligand A1JDY D 502



## Ligand A1JDY G 501



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	474/496 (95%)	-0.15	2 (0%) 89 91	8, 20, 34, 66	7 (1%)
1	B	474/496 (95%)	-0.27	1 (0%) 92 92	7, 17, 29, 63	12 (2%)
1	C	474/496 (95%)	-0.34	3 (0%) 85 88	7, 16, 26, 52	6 (1%)
1	D	475/496 (95%)	-0.30	2 (0%) 89 91	7, 17, 28, 57	8 (1%)
1	E	474/496 (95%)	-0.05	2 (0%) 89 91	12, 22, 36, 61	3 (0%)
1	F	474/496 (95%)	-0.08	6 (1%) 74 77	8, 19, 38, 64	11 (2%)
1	G	475/496 (95%)	-0.32	2 (0%) 89 91	8, 16, 26, 54	6 (1%)
1	H	475/496 (95%)	-0.31	2 (0%) 89 91	10, 17, 28, 52	4 (0%)
All	All	3795/3968 (95%)	-0.23	20 (0%) 87 89	7, 18, 32, 66	57 (1%)

The worst 5 of 20 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2	ALA	4.6
1	C	2	ALA	3.7
1	G	1	LEU	3.6
1	F	118	MET	3.3
1	A	2	ALA	3.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	H	503	6/6	0.58	0.16	27,36,43,45	0
2	SO4	D	504	5/5	0.78	0.10	35,40,45,63	0
4	GOL	A	503	6/6	0.79	0.10	30,36,39,45	0
4	GOL	H	505	6/6	0.85	0.10	28,36,43,44	0
2	SO4	D	503	5/5	0.89	0.09	30,32,46,47	0
2	SO4	H	504	5/5	0.91	0.08	26,27,46,48	0
2	SO4	C	503	5/5	0.92	0.08	29,39,40,41	0
3	A1JDY	E	502	7/7	0.94	0.06	18,21,26,26	0
3	A1JDY	F	502	7/7	0.94	0.05	17,18,22,25	0
2	SO4	G	503	5/5	0.94	0.07	32,35,41,47	0
3	A1JDY	B	501	7/7	0.94	0.06	18,20,24,26	0
3	A1JDY	C	501	7/7	0.94	0.06	13,18,22,24	0
3	A1JDY	A	502	7/7	0.95	0.05	18,21,26,27	0
3	A1JDY	H	502	7/7	0.96	0.06	15,18,20,23	0
2	SO4	E	501	5/5	0.96	0.07	24,25,32,32	0
3	A1JDY	D	502	7/7	0.96	0.06	14,17,21,22	0
3	A1JDY	G	501	7/7	0.96	0.06	11,15,20,21	0
2	SO4	A	501	5/5	0.97	0.05	22,23,30,34	0
2	SO4	D	501	5/5	0.97	0.05	17,19,24,24	0
2	SO4	F	501	5/5	0.97	0.07	18,21,27,29	0
2	SO4	B	502	5/5	0.97	0.08	18,23,29,29	0
2	SO4	G	502	5/5	0.98	0.05	21,22,25,26	0
2	SO4	C	502	5/5	0.98	0.06	15,16,23,25	0
2	SO4	H	501	5/5	0.99	0.05	17,19,27,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around A1JDY E 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around A1JDY F 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around A1JDY B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around A1JDY C 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around A1JDY A 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around A1JDY H 502:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around A1JDY D 502:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around A1JDY G 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.