Full wwPDB X-ray Structure Validation Report (i)

Jan 14, 2024 – 07:49 am GMT

PDB ID	:	6RFB
Title	:	Crystal structure of the potassium-pumping S254A mutant of the light-driven sodium pump KR2 in the monomeric form, pH 4.3
Authors	:	Kovalev, K.; Polovinkin, V.; Gushchin, I.; Borshchevskiy, V.; Gordeliy, V.
Deposited on	:	2019-04-12
Resolution	:	2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	7% 78% 14% • 6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	LFA	A	324	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	LFA	A	335	-	-	-	X
5	RET	A	338	-	-	X	-

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 2467 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sodium pumping rhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	271	2126	1422	323	372	9	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	254	ALA	SER	engineered mutation	UNP N0DKS8
A	281	LEU	-	expression tag	UNP N0DKS8
A	282	GLU	-	expression tag	UNP N0DKS8
A	283	HIS	-	expression tag	UNP N0DKS8
A	284	HIS	-	expression tag	UNP N0DKS8
A	285	HIS	-	expression tag	UNP N0DKS8
A	286	HIS	-	expression tag	UNP N0DKS8
A	287	HIS	-	expression tag	UNP N0DKS8
A	288	HIS	-	expression tag	UNP N0DKS8

- Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Na		
2	A	1	1	1	0	0

- Molecule 3 is EICOSANE (three-letter code: LFA) (formula: $C_{20}H_{42}$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	C		
3	A	1	16	16	0	0
			Total	C		
3	A	1	8	8	0	0
			Total	C		
3	A	1	9	9	0	0
			Total	C		
3	A	1	6	6	0	0
			Total	C		
3	A	1	5	5	0	0
			Total	C		
3	A	1	13	13	0	0
			Total	C		
3	A	1	10	10	0	0
			Total	C		
3	A	1	8	8	0	0
			Total	C		
3	A	1	8	8	0	0
			Total	C		
3	A	1	12	12	0	0
			Total	C		
3	A	1	16	16	0	0
			Total	C		
3	A	1	5	5	0	0
			Total	C		
3	A	1	10	10	0	0
			Total	C		
3	A	1	5	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	C		
3	A	1	5	5	0	0
			Total	C		
3	A	1	11	11	0	0
			Total	C		
3	A	1	12	12	0	0
			Total	C		
3	A	1	10	10	0	0
			Total	C		
3	A	1	6	6	0	0
			Total	C		
3	A	1	5	5	0	0
			Total	C		
3	A	1	6	6	0	0
			Total	C		
3	A	1	4	4	0	0
			Total	C		
3	A	1	6	6	0	0
			Total	C		
3	A	1	6	6	0	0
			Total	C		
3	A	1	10	10	0	0
			Total	C		
3	A	1	7	7	0	0
			Total	C		
3	A	1	3	3	0	0
			Total	C		
3	A	1	5	5	0	0
			Total	C		
3	A	1	11	11	0	0
			Total	C		
3	A	1	4	4	0	0
			Total	C		
3	A	1	5	5	0	0
			Total	C		
3	A	1	10	10	0	0
			Total	C		
3	A	1	12	12	0	0
			Total	C		
3	A	1	10	10	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	A	1	6	3	3	0	0
			Total	C	O		
4	A	1	6	3	3	0	0

- Molecule 5 is RETINAL (three-letter code: RET) (formula: $C_{20}H_{28}O$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	C		
5	A	1	20	20	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	A	29	29	29	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Sodium pumping rhodopsin

Chain A:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α, β, γ	40.80Å 83.00Å 234.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.10 39.11 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.0 (20.00-2.10) 99.2 (39.11-2.10)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.48 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.8.0222	Depositor
R, R_{free}	0.226 , 0.279 0.238 , 0.286	Depositor DCC
R_{free} test set	1096 reflections (4.63%)	wwPDB-VP
Wilson B-factor (Å^2)	39.0	Xtriage
Anisotropy	0.707	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.32 , 67.8	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	2467	wwPDB-VP
Average B, all atoms (Å^2)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.50% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: LFA, GOL, NA, RET

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.28	0/2182	0.41	0/2967

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	109	ARG	Sidechain
1	A	139	ARG	Sidechain
1	A	195	GLY	Peptide
1	A	232	GLY	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2126	0	2088	29	0
2	A	1	0	0	0	0
3	A	279	0	506	10	0
4	A	12	0	16	2	0
5	A	20	0	27	9	0
6	A	29	0	0	2	0
All	All	2467	0	2637	43	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (43) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:318:LFA:H11	3:A:320:LFA:C6	1.44	1.44
3:A:318:LFA:C1	3:A:320:LFA:C6	2.38	1.01
5:A:338:RET:H161	5:A:338:RET:H8	1.56	0.87
1:A:230:VAL:HG23	3:A:309:LFA:C8	2.08	0.84
3:A:320:LFA:H12	6:A:405:HOH:O	1.77	0.83
3:A:305:LFA:C1	3:A:326:LFA:C10	2.64	0.76
3:A:315:LFA:C2	3:A:316:LFA:C6	2.65	0.74
3:A:305:LFA:H11	3:A:326:LFA:C10	2.18	0.73
3:A:305:LFA:H12	3:A:326:LFA:C10	2.28	0.64
1:A:272:ASN:HD22	1:A:272:ASN:N	1.97	0.61
5:A:338:RET:H161	5:A:338:RET:C8	2.26	0.61
1:A:85:SER:HA	6:A:418:HOH:O	2.05	0.57
1:A:186:LYS:HD3	4:A:337:GOL:H32	1.86	0.56
1:A:165:THR:O	1:A:169:VAL:HG23	2.07	0.55
1:A:113:TRP:CD1	5:A:338:RET:H14	2.44	0.53
1:A:186:LYS:HD3	4:A:337:GOL:C3	2.39	0.52
1:A:122:PHE:CE1	1:A:139:ARG:HG3	2.45	0.52
1:A:21:SER:OG	1:A:237:GLU:OE1	2.28	0.52
1:A:264:ASN:O	1:A:268:THR:HG23	2.11	0.50
5:A:338:RET:H8	5:A:338:RET:H171	1.95	0.49
1:A:28:THR:O	1:A:32:LEU:HG	2.13	0.48
1:A:224:MET:N	1:A:225:PRO:CD	2.77	0.48
1:A:5:LEU:HD23	1:A:5:LEU:HA	1.77	0.46
1:A:164:LEU:O	1:A:167:PHE:HB3	2.16	0.46
1:A:189:ILE:HD13	1:A:208:TRP:HB2	1.98	0.46
1:A:120:LEU:O	1:A:123:GLN:HG2	2.16	0.45
5:A:338:RET:H8	5:A:338:RET:C16	2.34	0.45
1:A:149:MET:CE	5:A:338:RET:H192	2.47	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:ASN:H	1:A:61:ASN:HD22	1.65	0.44
5:A:338:RET:H181	5:A:338:RET:H7	1.62	0.44
1:A:38:VAL:HG22	3:A:302:LFA:H152	2.00	0.43
1:A:224:MET:HB3	1:A:225:PRO:HD3	2.00	0.43
1:A:139:ARG:HH11	3:A:325:LFA:C6	2.32	0.43
5:A:338:RET:H11	5:A:338:RET:H191	1.82	0.42
1:A:139:ARG:HD2	1:A:143:TRP:CH2	2.54	0.42
1:A:157:GLN:HE21	1:A:157:GLN:HB3	1.57	0.42
5:A:338:RET:C8	5:A:338:RET:H171	2.49	0.41
1:A:61:ASN:HD22	1:A:61:ASN:N	2.18	0.41
1:A:256:VAL:O	1:A:260:VAL:HG23	2.20	0.41
1:A:117:VAL:HB	1:A:118:PRO:HD3	2.03	0.41
1:A:10:PHE:HB2	1:A:160:GLU:OE1	2.20	0.41
1:A:7:ASN:C	1:A:7:ASN:N	2.75	0.40
1:A:228:THR:OG1	1:A:234:LEU:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	266/288 (92%)	253 (95%)	13 (5%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	218/247 (88%)	211 (97%)	7 (3%)	39 41

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LEU
1	A	22	GLU
1	A	36	TYR
1	A	87	THR
1	A	157	GLN
1	A	233	PHE
1	A	272	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	ASN
1	A	106	ASN
1	A	157	GLN
1	A	206	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 38 ligands modelled in this entry, 1 is monoatomic - leaving 37 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	LFA	A	303	-	7,7,19	0.27	0	6,6,18	0.45	0
3	LFA	A	314	-	9,9,19	0.29	0	8,8,18	0.44	0
3	LFA	A	326	-	9,9,19	0.24	0	8,8,18	0.52	0
3	LFA	A	315	-	4,4,19	0.32	0	3,3,18	0.35	0
3	LFA	A	331	-	3,3,19	0.37	0	2,2,18	0.61	0
3	LFA	A	334	-	11,11,19	0.27	0	10,10,18	0.49	0
3	LFA	A	313	-	4,4,19	0.27	0	3,3,18	0.36	0
3	LFA	A	305	-	5,5,19	0.27	0	4,4,18	0.37	0
3	LFA	A	332	-	4,4,19	0.32	0	3,3,18	0.35	0
3	LFA	A	321	-	4,4,19	0.27	0	3,3,18	0.36	0
3	LFA	A	310	-	7,7,19	0.25	0	6,6,18	0.48	0
3	LFA	A	306	-	4,4,19	0.28	0	3,3,18	0.36	0
3	LFA	A	311	-	11,11,19	0.29	0	10,10,18	0.44	0
3	LFA	A	320	-	5,5,19	0.25	0	4,4,18	0.38	0
3	LFA	A	309	-	7,7,19	0.27	0	6,6,18	0.43	0
3	LFA	A	319	-	9,9,19	0.26	0	8,8,18	0.51	0
3	LFA	A	307	-	12,12,19	0.24	0	11,11,18	0.57	0
4	GOL	A	337	-	5,5,5	0.27	0	5,5,5	0.28	0
3	LFA	A	327	-	6,6,19	0.28	0	5,5,18	0.38	0
3	LFA	A	330	-	10,10,19	0.28	0	9,9,18	0.46	0
3	LFA	A	312	-	15,15,19	0.27	0	14,14,18	0.53	0
3	LFA	A	308	-	9,9,19	0.28	0	8,8,18	0.46	0
3	LFA	A	322	-	5,5,19	0.28	0	4,4,18	0.33	0
3	LFA	A	325	-	5,5,19	0.25	0	4,4,18	0.39	0
3	LFA	A	316	-	4,4,19	0.33	0	3,3,18	0.34	0
3	LFA	A	323	-	3,3,19	0.35	0	2,2,18	0.62	0
3	LFA	A	335	-	9,9,19	0.26	0	8,8,18	0.50	0
3	LFA	A	304	-	8,8,19	0.31	0	7,7,18	0.44	0
4	GOL	A	336	-	5,5,5	0.29	0	5,5,5	0.15	0
3	LFA	A	328	-	2,2,19	0.22	0	0,1,18	-	-
3	LFA	A	324	-	5,5,19	0.28	0	4,4,18	0.34	0
3	LFA	A	317	-	10,10,19	0.30	0	9,9,18	0.47	0
5	RET	A	338	1	20,20,21	0.62	0	27,27,28	1.86	5 (18%)
3	LFA	A	333	-	9,9,19	0.28	0	8,8,18	0.44	0
3	LFA	A	329	-	4,4,19	0.31	0	3,3,18	0.37	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	LFA	A	318	-	11,11,19	0.26	0	10,10,18	0.50	0
3	LFA	A	302	-	15,15,19	0.29	0	14,14,18	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LFA	A	303	-	-	3/5/5/17	-
3	LFA	A	314	-	-	3/7/7/17	-
3	LFA	A	326	-	-	4/7/7/17	-
3	LFA	A	315	-	-	0/2/2/17	-
3	LFA	A	331	-	-	0/1/1/17	-
3	LFA	A	334	-	-	5/9/9/17	-
3	LFA	A	313	-	-	0/2/2/17	-
3	LFA	A	305	-	-	0/3/3/17	-
3	LFA	A	332	-	-	0/2/2/17	-
3	LFA	A	321	-	-	1/2/2/17	-
3	LFA	A	310	-	-	3/5/5/17	-
3	LFA	A	306	-	-	1/2/2/17	-
3	LFA	A	311	-	-	6/9/9/17	-
3	LFA	A	320	-	-	1/3/3/17	-
3	LFA	A	309	-	-	2/5/5/17	-
3	LFA	A	319	-	-	3/7/7/17	-
3	LFA	A	307	-	-	6/10/10/17	-
4	GOL	A	337	-	-	2/4/4/4	-
3	LFA	A	327	-	-	2/4/4/17	-
3	LFA	A	330	-	-	7/8/8/17	-
3	LFA	A	312	-	-	8/13/13/17	-
3	LFA	A	308	-	-	3/7/7/17	-
3	LFA	A	322	-	-	2/3/3/17	-
3	LFA	A	325	-	-	0/3/3/17	-
3	LFA	A	316	-	-	0/2/2/17	-
3	LFA	A	323	-	-	0/1/1/17	-
3	LFA	A	335	-	-	3/7/7/17	-
3	LFA	A	304	-	-	2/6/6/17	-
4	GOL	A	336	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	LFA	A	324	-	-	1/3/3/17	-
3	LFA	A	317	-	-	2/8/8/17	-
5	RET	A	338	1	-	0/13/30/31	0/1/1/1
3	LFA	A	333	-	-	6/7/7/17	-
3	LFA	A	329	-	-	0/2/2/17	-
3	LFA	A	318	-	-	4/9/9/17	-
3	LFA	A	302	-	-	5/13/13/17	-

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
5	A	338	RET	C18-C5-C6	-4.89	119.04	124.53
5	A	338	RET	C11-C10-C9	-3.99	121.61	127.31
5	A	338	RET	C7-C8-C9	-3.54	120.88	126.23
5	A	338	RET	C20-C13-C12	2.88	122.62	118.08
5	A	338	RET	C10-C11-C12	-2.37	115.82	123.22

There are no chirality outliers.

All (87) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	336	GOL	O1-C1-C2-C3
4	A	337	GOL	C1-C2-C3-O3
3	A	312	LFA	C11-C10-C9-C8
3	A	319	LFA	C5-C6-C7-C8
3	A	330	LFA	C5-C6-C7-C8
3	A	335	LFA	C4-C5-C6-C7
3	A	311	LFA	C5-C6-C7-C8
3	A	322	LFA	C2-C3-C4-C5
3	A	333	LFA	C6-C7-C8-C9
3	A	311	LFA	C3-C4-C5-C6
3	A	326	LFA	C3-C4-C5-C6
3	A	330	LFA	C4-C5-C6-C7
3	A	307	LFA	C4-C5-C6-C7
3	A	312	LFA	C2-C3-C4-C5
3	A	333	LFA	C5-C6-C7-C8
3	A	330	LFA	C7-C8-C9-C10
3	A	335	LFA	C6-C7-C8-C9
3	A	303	LFA	C2-C3-C4-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	334	LFA	C6-C7-C8-C9
4	A	337	GOL	O2-C2-C3-O3
3	A	334	LFA	C4-C5-C6-C7
3	A	319	LFA	C3-C4-C5-C6
3	A	314	LFA	C5-C6-C7-C8
3	A	307	LFA	C9-C10-C11-C12
3	A	318	LFA	C7-C8-C9-C10
3	A	307	LFA	C3-C4-C5-C6
3	A	333	LFA	C4-C5-C6-C7
3	A	334	LFA	C5-C6-C7-C8
3	A	311	LFA	C6-C7-C8-C9
3	A	304	LFA	C5-C6-C7-C8
3	A	330	LFA	C2-C3-C4-C5
3	A	317	LFA	C6-C7-C8-C9
3	A	311	LFA	C2-C3-C4-C5
3	A	312	LFA	C9-C10-C11-C12
3	A	326	LFA	C6-C7-C8-C9
3	A	334	LFA	C1-C2-C3-C4
3	A	334	LFA	C2-C3-C4-C5
3	A	309	LFA	C5-C6-C7-C8
3	A	318	LFA	C6-C7-C8-C9
3	A	333	LFA	C1-C2-C3-C4
3	A	312	LFA	C6-C7-C8-C9
3	A	309	LFA	C3-C4-C5-C6
3	A	311	LFA	C9-C10-C11-C12
3	A	317	LFA	C9-C10-C11-C12
3	A	303	LFA	C1-C2-C3-C4
3	A	320	LFA	C3-C4-C5-C6
3	A	333	LFA	C3-C4-C5-C6
3	A	302	LFA	C12-C13-C14-C15
3	A	324	LFA	C2-C3-C4-C5
3	A	322	LFA	C3-C4-C5-C6
3	A	318	LFA	C11-C10-C9-C8
3	A	314	LFA	C4-C5-C6-C7
3	A	330	LFA	C1-C2-C3-C4
4	A	336	GOL	O1-C1-C2-O2
3	A	310	LFA	C4-C5-C6-C7
3	A	314	LFA	C7-C8-C9-C10
3	A	302	LFA	C10-C11-C12-C13
3	A	303	LFA	C5-C6-C7-C8
3	A	326	LFA	C5-C6-C7-C8
3	A	302	LFA	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	312	LFA	C3-C4-C5-C6
3	A	330	LFA	C11-C10-C9-C8
3	A	302	LFA	C11-C10-C9-C8
3	A	312	LFA	C11-C12-C13-C14
3	A	321	LFA	C2-C3-C4-C5
3	A	307	LFA	C6-C7-C8-C9
3	A	308	LFA	C7-C8-C9-C10
3	A	335	LFA	C5-C6-C7-C8
3	A	318	LFA	C3-C4-C5-C6
3	A	307	LFA	C11-C10-C9-C8
3	A	306	LFA	C2-C3-C4-C5
3	A	310	LFA	C2-C3-C4-C5
3	A	302	LFA	C2-C3-C4-C5
3	A	304	LFA	C6-C7-C8-C9
3	A	319	LFA	C2-C3-C4-C5
3	A	327	LFA	C3-C4-C5-C6
3	A	330	LFA	C6-C7-C8-C9
3	A	308	LFA	C2-C3-C4-C5
3	A	308	LFA	C1-C2-C3-C4
3	A	333	LFA	C2-C3-C4-C5
3	A	326	LFA	C7-C8-C9-C10
3	A	311	LFA	C11-C10-C9-C8
3	A	307	LFA	C7-C8-C9-C10
3	A	327	LFA	C2-C3-C4-C5
3	A	312	LFA	C7-C8-C9-C10
3	A	312	LFA	C13-C14-C15-C16
3	A	310	LFA	C1-C2-C3-C4

There are no ring outliers.

11 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	326	LFA	3	0
3	A	315	LFA	1	0
3	A	305	LFA	3	0
3	A	320	LFA	3	0
3	A	309	LFA	1	0
4	A	337	GOL	2	0
3	A	325	LFA	1	0
3	A	316	LFA	1	0
5	A	338	RET	9	0
3	A	318	LFA	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	302	LFA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand LFA A 303



Ligand LFA A 314



Ligand LFA A 326



Ligand LFA A 334



Ligand LFA A 321



Ligand LFA A 310



Bond lengths



Bond angles



Torsions



Rings

Ligand LFA A 306



Bond lengths



Bond angles



Torsions



Rings

Ligand LFA A 311



Bond lengths



Bond angles



Torsions



Rings

Ligand LFA A 320



Ligand LFA A 309



Ligand LFA A 319



Ligand LFA A 307



Ligand LFA A 327



Ligand LFA A 330



Ligand LFA A 312



Ligand LFA A 308



Bond lengths



Bond angles



Torsions



Rings

Ligand LFA A 322



Bond lengths



Bond angles



Torsions



Rings

Ligand LFA A 335



Bond lengths



Bond angles



Torsions



Rings

Ligand LFA A 304



Bond lengths



Bond angles



Torsions

Rings

Ligand LFA A 324



Bond lengths



Bond angles



Torsions



Rings

Ligand LFA A 317

Bond lengths

Bond angles



Torsions



Rings

Ligand RET A 338



Ligand LFA A 333



Ligand LFA A 318



Ligand LFA A 302



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	271/288 (94%)	0.42	20 (7%) 14 18	30, 48, 84, 122	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	233	PHE	8.9
1	A	23	ILE	6.4
1	A	232	GLY	6.2
1	A	230	VAL	5.5
1	A	231	ASP	4.1
1	A	234	LEU	4.0
1	A	273	LYS	3.6
1	A	270	SER	3.3
1	A	272	ASN	3.3
1	A	229	GLY	3.2
1	A	235	TYR	3.2
1	A	179	PHE	3.2
1	A	5	LEU	3.1
1	A	93	GLY	2.9
1	A	10	PHE	2.8
1	A	88	PHE	2.8
1	A	90	GLU	2.7
1	A	22	GLU	2.7
1	A	226	TYR	2.2
1	A	163	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	LFA	A	324	6/20	0.33	0.79	84,93,103,104	0
3	LFA	A	327	7/20	0.35	0.32	80,94,108,114	0
4	GOL	A	336	6/6	0.47	0.25	95,112,121,147	0
3	LFA	A	323	4/20	0.48	0.27	70,80,85,87	0
3	LFA	A	311	12/20	0.48	0.33	64,84,98,100	0
3	LFA	A	335	10/20	0.52	0.42	96,126,153,153	0
3	LFA	A	309	8/20	0.54	0.39	98,108,118,118	0
3	LFA	A	314	10/20	0.61	0.28	70,92,103,107	0
3	LFA	A	317	11/20	0.62	0.24	72,101,109,115	0
3	LFA	A	306	5/20	0.64	0.19	78,80,86,92	0
3	LFA	A	334	12/20	0.64	0.29	72,78,97,102	0
3	LFA	A	333	10/20	0.67	0.30	72,84,87,90	0
3	LFA	A	322	6/20	0.67	0.24	82,84,87,90	0
3	LFA	A	325	6/20	0.68	0.28	73,75,81,85	0
3	LFA	A	318	12/20	0.70	0.25	61,79,103,109	0
3	LFA	A	332	5/20	0.70	0.17	65,75,86,96	0
3	LFA	A	330	11/20	0.71	0.28	67,81,104,107	0
3	LFA	A	331	4/20	0.72	0.35	90,93,95,101	0
3	LFA	A	310	8/20	0.75	0.27	44,68,80,84	0
3	LFA	A	319	10/20	0.76	0.21	50,80,111,114	0
3	LFA	A	304	9/20	0.77	0.18	63,71,78,80	0
3	LFA	A	308	10/20	0.77	0.21	57,77,101,104	0
3	LFA	A	315	5/20	0.77	0.19	73,80,82,87	0
2	NA	A	301	1/1	0.78	0.14	69,69,69,69	0
3	LFA	A	312	16/20	0.81	0.18	84,91,98,101	0
3	LFA	A	313	5/20	0.82	0.27	58,63,69,70	0
3	LFA	A	307	13/20	0.82	0.26	49,59,78,79	0
3	LFA	A	303	8/20	0.83	0.24	49,52,57,58	8
3	LFA	A	329	5/20	0.83	0.13	69,72,77,78	0
3	LFA	A	321	5/20	0.83	0.28	75,77,79,80	0
3	LFA	A	316	5/20	0.84	0.19	61,69,74,75	0
3	LFA	A	302	16/20	0.84	0.12	51,63,85,86	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
4	GOL	A	337	6/6	0.85	0.20	75,84,89,105	0
3	LFA	A	305	6/20	0.86	0.19	62,75,83,84	0
3	LFA	A	320	6/20	0.89	0.13	56,64,65,70	0
3	LFA	A	328	3/20	0.90	0.31	75,75,77,78	0
5	RET	A	338	20/21	0.91	0.17	33,42,50,52	0
3	LFA	A	326	10/20	0.92	0.17	72,77,81,87	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around LFA A 324:

2mF$_o$-DF$_c$ (at 0.7 rmsd) in gray
mF$_o$-DF$_c$ (at 3 rmsd) in purple (negative) and green (positive)



Electron density around LFA A 327:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around LFA A 311:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around LFA A 335:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LFA A 309:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LFA A 314:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 317:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 306:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 334:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 333:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 322:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 318:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 330:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 310:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 319:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 304:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 308:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 312:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LFA A 307:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LFA A 303:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 321:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 302:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around LFA A 320:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around RET A 338:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around LFA A 326:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers (i)

There are no such residues in this entry.