



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 28, 2024 – 11:17 am BST

PDB ID : 2VXP  
Title : The fourth FAS1 domain structure of human Bigh3  
Authors : Yoo, J.-H.; Cho, H.-S.  
Deposited on : 2008-07-08  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	132	
1	B	132	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2010 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TRANSFORMING GROWTH FACTOR-BETA-INDUCED PROTEIN IG-H3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	131	Total	C	N	O	S	0	0	0
			989	623	174	188	4			
1	B	131	Total	C	N	O	S	0	0	0
			989	623	174	188	4			

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	17	Total	O	0	0
			17	17		
2	B	15	Total	O	0	0
			15	15		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: TRANSFORMING GROWTH FACTOR-BETA-INDUCED PROTEIN IG-H3

Chain A: 



#### • Molecule 1: TRANSFORMING GROWTH FACTOR-BETA-INDUCED PROTEIN IG-H3

Chain B: 



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	62.93Å 62.93Å 143.29Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.50 35.92 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.0 (50.00-2.50) 99.3 (35.92-2.50)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.58 (at 2.51Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.270 , 0.285 0.273 , 0.292	Depositor DCC
$R_{free}$ test set	1081 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.7	Xtriage
Anisotropy	0.164	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 24.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.40$ , $\langle L^2 \rangle = 0.23$	Xtriage
Estimated twinning fraction	0.428 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	2010	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.11% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.45	0/1000	0.84	1/1354 (0.1%)
1	B	0.46	0/1000	0.97	2/1354 (0.1%)
All	All	0.46	0/2000	0.91	3/2708 (0.1%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	597	LEU	CA-CB-CG	9.76	137.74	115.30
1	A	581	GLY	N-CA-C	-6.14	97.75	113.10
1	B	581	GLY	N-CA-C	-5.20	100.10	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	989	0	1028	61	0
1	B	989	0	1028	96	0
2	A	17	0	0	4	0
2	B	15	0	0	3	0
All	All	2010	0	2056	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 39.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:578:LEU:HD11	1:A:583:ILE:HD11	1.16	1.11
1:B:505:VAL:HG11	1:B:539:VAL:HG11	1.38	1.04
1:A:557:ARG:O	1:A:564:GLU:HG3	1.62	0.97
1:B:503:GLY:HA2	1:B:621:THR:H	1.31	0.92
1:A:578:LEU:HD11	1:A:583:ILE:CD1	2.03	0.88
1:B:539:VAL:HB	1:B:573:ILE:HD13	1.58	0.86
1:B:599:VAL:HA	1:B:607:SER:O	1.81	0.80
1:B:618:ILE:HG12	1:B:625:VAL:O	1.80	0.80
1:B:504:THR:HG23	1:B:532:ASN:HA	1.62	0.80
1:A:518:LEU:O	1:A:522:ILE:HG12	1.83	0.79
1:A:536:VAL:HB	1:A:577:ILE:HD12	1.63	0.79
1:B:553:ARG:HH11	1:B:553:ARG:HG3	1.48	0.78
1:A:617:ASP:HB3	1:A:626:HIS:CE1	2.19	0.77
1:A:538:THR:HG23	1:A:574:GLY:HA3	1.66	0.76
1:B:503:GLY:HA2	1:B:621:THR:N	2.01	0.76
1:B:557:ARG:HG3	1:B:557:ARG:HH11	1.51	0.76
1:A:577:ILE:H	1:A:577:ILE:HD13	1.50	0.75
1:B:504:THR:HG21	1:B:532:ASN:OD1	1.87	0.74
1:B:583:ILE:HB	1:B:587:VAL:HB	1.70	0.74
1:B:582:GLY:O	1:B:583:ILE:HG12	1.88	0.73
1:B:578:LEU:HD21	1:B:583:ILE:HG21	1.71	0.73
1:A:551:PRO:HG2	1:A:554:GLU:HB3	1.72	0.72
1:B:529:GLU:O	1:B:533:ARG:HB2	1.90	0.71
1:A:538:THR:HG21	1:A:589:LEU:HD13	1.71	0.71
1:B:588:ARG:HB3	1:B:596:LYS:HG2	1.71	0.71
1:B:553:ARG:HH11	1:B:553:ARG:CG	2.02	0.71
1:A:538:THR:HG21	1:A:589:LEU:CD1	2.21	0.70
1:B:619:MET:HA	1:B:619:MET:HE2	1.73	0.70
1:B:555:ARG:HG2	1:B:559:LEU:HD22	1.73	0.70
1:B:555:ARG:O	1:B:559:LEU:HB2	1.92	0.70
1:A:604:ASN:ND2	2:A:2012:HOH:O	2.26	0.69
1:B:539:VAL:HB	1:B:573:ILE:CD1	2.23	0.69
1:B:566:ALA:O	1:B:570:LYS:HG2	1.94	0.68
1:B:586:LEU:C	1:B:586:LEU:HD13	2.14	0.68
1:B:611:GLU:OE1	1:B:630:ASN:ND2	2.25	0.68
1:A:553:ARG:O	1:A:557:ARG:HG3	1.95	0.66
1:A:555:ARG:O	1:A:559:LEU:HG	1.94	0.66
1:A:577:ILE:HD13	1:A:577:ILE:N	2.11	0.66
1:B:576:GLU:CG	1:B:589:LEU:HD11	2.26	0.65
1:B:503:GLY:H	1:B:620:ALA:HA	1.61	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:608:VAL:O	1:A:608:VAL:HG13	1.97	0.64
1:B:570:LYS:HB2	1:B:592:LEU:HB2	1.79	0.64
1:B:578:LEU:HD11	1:B:587:VAL:HG11	1.79	0.64
1:A:617:ASP:HB3	1:A:626:HIS:HE1	1.62	0.64
1:A:588:ARG:HD2	1:A:598:GLU:OE1	1.97	0.63
1:A:561:ASP:HB3	1:A:564:GLU:HB2	1.81	0.62
1:B:503:GLY:CA	1:B:621:THR:HG23	2.30	0.62
1:B:505:VAL:HG11	1:B:539:VAL:CG1	2.22	0.62
1:B:578:LEU:HD21	1:B:583:ILE:CG2	2.30	0.62
1:A:568:ILE:HG23	1:A:572:HIS:HE1	1.65	0.61
1:A:517:MET:H	1:A:544:ASN:HD21	1.50	0.59
1:B:523:GLN:O	1:B:523:GLN:NE2	2.33	0.59
1:B:540:PHE:CE1	1:B:597:LEU:HD21	2.37	0.59
1:B:503:GLY:HA2	1:B:621:THR:HG23	1.85	0.59
1:A:545:GLU:HA	1:A:548:ARG:HB2	1.86	0.56
1:A:566:ALA:O	1:A:570:LYS:HB2	2.05	0.56
1:A:630:ASN:HA	2:A:2007:HOH:O	2.06	0.55
1:B:504:THR:CG2	1:B:532:ASN:HA	2.34	0.55
1:B:554:GLU:HG3	1:B:558:LEU:HD23	1.89	0.55
1:A:538:THR:CG2	1:A:574:GLY:HA3	2.35	0.55
1:A:514:ARG:NH2	2:A:2004:HOH:O	2.40	0.55
1:B:614:ALA:O	1:B:615:GLU:O	2.25	0.55
1:A:577:ILE:HG22	1:A:623:GLY:HA2	1.89	0.55
1:A:538:THR:HG22	1:A:576:GLU:O	2.07	0.54
1:B:613:VAL:HG11	1:B:616:PRO:HB3	1.89	0.54
1:B:586:LEU:HD13	1:B:587:VAL:N	2.23	0.53
1:B:618:ILE:N	1:B:618:ILE:HD13	2.22	0.53
1:B:593:GLN:NE2	1:B:595:ASP:OD2	2.39	0.52
1:A:579:VAL:HG23	1:A:581:GLY:O	2.09	0.52
1:B:578:LEU:HD23	1:B:579:VAL:N	2.25	0.52
1:A:536:VAL:CB	1:A:577:ILE:HD12	2.37	0.52
1:B:505:VAL:HG13	1:B:625:VAL:HG22	1.92	0.51
1:A:617:ASP:HB2	1:A:624:VAL:HG21	1.93	0.51
1:B:568:ILE:HG12	1:B:572:HIS:HE1	1.77	0.50
1:A:536:VAL:HB	1:A:577:ILE:CD1	2.36	0.50
1:A:521:ALA:HB1	1:A:569:LEU:HD11	1.93	0.50
1:B:609:ASN:HD22	1:B:609:ASN:N	2.09	0.50
1:B:553:ARG:CG	1:B:553:ARG:NH1	2.70	0.50
1:A:503:GLY:H	1:A:621:THR:HG23	1.76	0.49
1:B:554:GLU:HG3	1:B:558:LEU:CD2	2.42	0.49
1:B:557:ARG:NH2	2:B:2006:HOH:O	2.45	0.49

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:580:SER:O	1:B:581:GLY:C	2.49	0.49
1:B:597:LEU:CD1	1:B:608:VAL:CG1	2.91	0.49
1:B:597:LEU:HD12	1:B:608:VAL:CG1	2.42	0.49
1:B:608:VAL:O	1:B:609:ASN:HB2	2.13	0.49
1:A:529:GLU:O	1:A:533:ARG:N	2.46	0.49
1:B:582:GLY:C	1:B:583:ILE:HG23	2.33	0.48
1:B:586:LEU:C	1:B:586:LEU:CD1	2.81	0.48
1:B:562:ALA:O	1:B:565:LEU:HB3	2.13	0.48
1:A:572:HIS:NE2	1:A:631:VAL:HG13	2.28	0.48
1:A:561:ASP:O	1:A:564:GLU:HB2	2.14	0.48
1:B:503:GLY:O	1:B:504:THR:HB	2.14	0.48
1:A:543:THR:OG1	1:A:629:THR:HG22	2.13	0.48
1:B:557:ARG:HG3	1:B:557:ARG:NH1	2.24	0.48
1:A:512:ASP:HB3	1:A:515:PHE:CD2	2.49	0.47
1:B:561:ASP:OD2	1:B:564:GLU:HB2	2.15	0.47
1:B:582:GLY:O	1:B:583:ILE:HG23	2.14	0.47
1:A:538:THR:HG21	1:A:589:LEU:HD11	1.96	0.47
1:B:580:SER:HB2	1:B:617:ASP:OD2	2.14	0.47
1:B:504:THR:HG22	1:B:506:MET:N	2.28	0.47
1:B:615:GLU:HA	1:B:616:PRO:HD2	1.71	0.47
1:A:613:VAL:HG13	1:A:627:VAL:O	2.15	0.47
1:A:608:VAL:O	1:A:609:ASN:HB2	2.16	0.46
1:B:539:VAL:HG22	1:B:539:VAL:O	2.15	0.46
1:B:588:ARG:O	1:B:596:LYS:HE3	2.15	0.46
1:A:577:ILE:CG2	1:A:623:GLY:HA2	2.45	0.46
1:A:603:ASN:C	1:A:604:ASN:HD22	2.19	0.46
1:B:577:ILE:HD13	1:B:624:VAL:CG1	2.46	0.46
1:A:538:THR:CG2	1:A:589:LEU:HD13	2.44	0.46
1:B:557:ARG:HH11	1:B:557:ARG:CG	2.26	0.46
1:B:577:ILE:HD13	1:B:624:VAL:HG11	1.97	0.46
1:B:611:GLU:CD	1:B:630:ASN:HB2	2.36	0.46
1:B:582:GLY:O	1:B:583:ILE:CG1	2.61	0.46
1:B:576:GLU:CD	1:B:589:LEU:HD11	2.36	0.45
1:B:515:PHE:HZ	1:B:627:VAL:HG22	1.82	0.45
1:B:542:PRO:HA	1:B:628:ILE:HG13	1.97	0.45
1:B:587:VAL:HG12	1:B:599:VAL:HB	1.97	0.45
1:A:502:MET:HB3	1:A:621:THR:HG23	1.98	0.45
1:B:584:GLY:HA2	1:B:601:LEU:HD23	1.98	0.45
1:B:609:ASN:N	1:B:609:ASN:ND2	2.65	0.45
1:B:554:GLU:OE2	1:B:554:GLU:HA	2.16	0.44
1:A:533:ARG:HB3	1:A:534:GLU:H	1.62	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:583:ILE:HG21	1:A:600:SER:HA	2.00	0.44
1:B:503:GLY:HA2	1:B:621:THR:OG1	2.18	0.44
1:A:603:ASN:C	1:A:604:ASN:ND2	2.70	0.44
1:B:604:ASN:HB3	2:B:2013:HOH:O	2.16	0.44
1:B:576:GLU:HG3	1:B:589:LEU:HD11	1.97	0.44
1:B:598:GLU:O	1:B:608:VAL:HA	2.17	0.43
1:B:614:ALA:O	1:B:627:VAL:HB	2.17	0.43
1:B:568:ILE:O	1:B:572:HIS:ND1	2.50	0.43
1:A:613:VAL:HG12	1:A:615:GLU:H	1.84	0.43
1:B:587:VAL:CG1	1:B:599:VAL:HB	2.49	0.43
1:A:564:GLU:O	1:A:567:ASN:HB3	2.18	0.43
1:A:536:VAL:CG1	1:A:577:ILE:HD12	2.49	0.42
1:B:515:PHE:CZ	1:B:627:VAL:HG22	2.54	0.42
1:B:578:LEU:HD23	1:B:579:VAL:H	1.84	0.42
1:B:589:LEU:O	1:B:596:LYS:HA	2.19	0.42
1:A:599:VAL:HA	1:A:607:SER:O	2.19	0.42
1:B:503:GLY:HA3	1:B:621:THR:HG23	2.01	0.42
1:B:540:PHE:HE1	1:B:597:LEU:HD21	1.82	0.42
1:B:602:LYS:HA	1:B:602:LYS:HD2	1.34	0.42
1:B:550:LEU:HD12	1:B:550:LEU:HA	1.89	0.42
1:B:619:MET:HE2	1:B:619:MET:CA	2.46	0.42
1:A:563:LYS:HA	1:A:563:LYS:HD2	1.61	0.42
1:A:551:PRO:HG2	1:A:554:GLU:CB	2.48	0.42
1:A:580:SER:O	1:A:581:GLY:C	2.56	0.41
1:A:564:GLU:OE2	1:A:564:GLU:HA	2.20	0.41
1:A:586:LEU:C	1:A:586:LEU:HD22	2.40	0.41
1:B:572:HIS:NE2	1:B:632:LEU:HB2	2.34	0.41
1:A:503:GLY:HA2	2:A:2001:HOH:O	2.21	0.41
1:B:610:LYS:HD3	2:B:2015:HOH:O	2.21	0.41
1:A:611:GLU:OE2	1:A:612:PRO:HD2	2.21	0.41
1:B:602:LYS:O	1:B:603:ASN:C	2.59	0.41
1:B:589:LEU:O	1:B:596:LYS:HG3	2.22	0.40
1:B:583:ILE:HD12	1:B:587:VAL:HG12	2.03	0.40
1:A:608:VAL:O	1:A:608:VAL:CG1	2.66	0.40
1:B:588:ARG:HG2	1:B:598:GLU:OE1	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	129/132 (98%)	118 (92%)	8 (6%)	3 (2%)	6	10
1	B	129/132 (98%)	108 (84%)	16 (12%)	5 (4%)	3	4
All	All	258/264 (98%)	226 (88%)	24 (9%)	8 (3%)	4	5

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	617	ASP
1	B	583	ILE
1	B	585	ALA
1	B	584	GLY
1	B	615	GLU
1	A	533	ARG
1	A	564	GLU
1	B	580	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	109/110 (99%)	98 (90%)	11 (10%)	7	14
1	B	109/110 (99%)	92 (84%)	17 (16%)	2	4
All	All	218/220 (99%)	190 (87%)	28 (13%)	4	8

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	524	SER
1	A	538	THR
1	A	558	LEU
1	A	559	LEU
1	A	563	LYS
1	A	564	GLU
1	A	575	ASP
1	A	576	GLU
1	A	577	ILE
1	A	586	LEU
1	A	603	ASN
1	B	513	ASN
1	B	514	ARG
1	B	524	SER
1	B	536	VAL
1	B	539	VAL
1	B	545	GLU
1	B	550	LEU
1	B	553	ARG
1	B	554	GLU
1	B	556	SER
1	B	557	ARG
1	B	564	GLU
1	B	577	ILE
1	B	586	LEU
1	B	597	LEU
1	B	602	LYS
1	B	619	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	532	ASN
1	A	544	ASN
1	A	603	ASN
1	B	513	ASN
1	B	609	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.