



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 6, 2025 – 10:24 PM JST

PDB ID : 9W4F / pdb_00009w4f
Title : Crystal structure of beta-glucosidase CaBGL mutant E163Q in complex with glucose
Authors : You, C.; Feng, Y.G.
Deposited on : 2025-07-31
Resolution : 2.26 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.26 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1763 (2.26-2.26)
Clashscore	180529	1919 (2.26-2.26)
Ramachandran outliers	177936	1884 (2.26-2.26)
Sidechain outliers	177891	1885 (2.26-2.26)
RSRZ outliers	164620	1763 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	454	<div> <div style="width: 93%;"></div> <div style="width: 6%;"></div> </div>
1	B	454	<div> <div style="width: 91%;"></div> <div style="width: 8%;"></div> </div>
1	C	454	<div> <div style="width: 92%;"></div> <div style="width: 7%;"></div> </div>
1	D	454	<div> <div style="width: 3%;"></div> <div style="width: 90%;"></div> <div style="width: 9%;"></div> </div>
1	E	454	<div> <div style="width: 91%;"></div> <div style="width: 9%;"></div> </div>
1	F	454	<div> <div style="width: 89%;"></div> <div style="width: 10%;"></div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	454	<div> <div>4%</div> <div>85%</div> <div>14%</div> </div>
1	H	454	<div> <div>3%</div> <div>90%</div> <div>9%</div> </div>
1	I	454	<div> <div>17%</div> <div>84%</div> <div>14%</div> </div>
1	J	454	<div> <div>%</div> <div>90%</div> <div>9%</div> </div>
1	K	454	<div> <div>4%</div> <div>86%</div> <div>13%</div> </div>
1	L	454	<div> <div>17%</div> <div>83%</div> <div>16%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	G	502	-	-	X	-
4	SO4	F	503	-	X	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 46726 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called beta-glucosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	453	Total	C	N	O	S	0	0	0
			3788	2468	622	686	12			
1	B	453	Total	C	N	O	S	0	0	0
			3788	2468	622	686	12			
1	C	453	Total	C	N	O	S	0	0	0
			3788	2468	622	686	12			
1	D	452	Total	C	N	O	S	0	0	0
			3780	2463	621	685	11			
1	E	453	Total	C	N	O	S	0	0	0
			3788	2468	622	686	12			
1	F	453	Total	C	N	O	S	0	0	0
			3784	2466	622	684	12			
1	G	453	Total	C	N	O	S	0	0	0
			3788	2468	622	686	12			
1	H	453	Total	C	N	O	S	0	0	0
			3788	2468	622	686	12			
1	I	452	Total	C	N	O	S	0	0	0
			3780	2463	621	685	11			
1	J	453	Total	C	N	O	S	0	0	0
			3788	2468	622	686	12			
1	K	453	Total	C	N	O	S	0	0	0
			3788	2468	622	686	12			
1	L	453	Total	C	N	O	S	0	0	0
			3788	2468	622	686	12			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	expression tag	UNP I7DLX2
A	163	GLN	GLU	engineered mutation	UNP I7DLX2
B	0	SER	-	expression tag	UNP I7DLX2
B	163	GLN	GLU	engineered mutation	UNP I7DLX2
C	0	SER	-	expression tag	UNP I7DLX2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	163	GLN	GLU	engineered mutation	UNP I7DLX2
D	0	SER	-	expression tag	UNP I7DLX2
D	163	GLN	GLU	engineered mutation	UNP I7DLX2
E	0	SER	-	expression tag	UNP I7DLX2
E	163	GLN	GLU	engineered mutation	UNP I7DLX2
F	0	SER	-	expression tag	UNP I7DLX2
F	163	GLN	GLU	engineered mutation	UNP I7DLX2
G	0	SER	-	expression tag	UNP I7DLX2
G	163	GLN	GLU	engineered mutation	UNP I7DLX2
H	0	SER	-	expression tag	UNP I7DLX2
H	163	GLN	GLU	engineered mutation	UNP I7DLX2
I	0	SER	-	expression tag	UNP I7DLX2
I	163	GLN	GLU	engineered mutation	UNP I7DLX2
J	0	SER	-	expression tag	UNP I7DLX2
J	163	GLN	GLU	engineered mutation	UNP I7DLX2
K	0	SER	-	expression tag	UNP I7DLX2
K	163	GLN	GLU	engineered mutation	UNP I7DLX2
L	0	SER	-	expression tag	UNP I7DLX2
L	163	GLN	GLU	engineered mutation	UNP I7DLX2

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	E	1	Total	C	O	0	0
			6	3	3		
2	F	1	Total	C	O	0	0
			6	3	3		
2	G	1	Total	C	O	0	0
			6	3	3		
2	H	1	Total	C	O	0	0
			6	3	3		
2	I	1	Total	C	O	0	0
			6	3	3		
2	J	1	Total	C	O	0	0
			6	3	3		
2	K	1	Total	C	O	0	0
			6	3	3		
2	K	1	Total	C	O	0	0
			6	3	3		
2	L	1	Total	C	O	0	0
			6	3	3		
2	L	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is beta-D-glucopyranose (CCD ID: BGC) (formula: C₆H₁₂O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			12	6	6		
3	B	1	Total	C	O	0	0
			12	6	6		
3	C	1	Total	C	O	0	0
			12	6	6		
3	D	1	Total	C	O	0	0
			12	6	6		
3	E	1	Total	C	O	0	0
			12	6	6		
3	F	1	Total	C	O	0	0
			12	6	6		
3	G	1	Total	C	O	0	0
			12	6	6		
3	H	1	Total	C	O	0	0
			12	6	6		
3	I	1	Total	C	O	0	0
			12	6	6		
3	J	1	Total	C	O	0	0
			12	6	6		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	D	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	F	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	H	1	Total	O	S	0	0
			5	4	1		
4	H	1	Total	O	S	0	0
			5	4	1		
4	I	1	Total	O	S	0	0
			5	4	1		
4	I	1	Total	O	S	0	0
			5	4	1		
4	J	1	Total	O	S	0	0
			5	4	1		
4	J	1	Total	O	S	0	0
			5	4	1		
4	K	1	Total	O	S	0	0
			5	4	1		
4	K	1	Total	O	S	0	0
			5	4	1		
4	L	1	Total	O	S	0	0
			5	4	1		
4	L	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	147	Total	O	0	0
			147	147		
5	B	128	Total	O	0	0
			128	128		
5	C	142	Total	O	0	0
			142	142		
5	D	122	Total	O	0	0
			122	122		
5	E	83	Total	O	0	0
			83	83		
5	F	92	Total	O	0	0
			92	92		
5	G	50	Total	O	0	0
			50	50		
5	H	60	Total	O	0	0
			60	60		
5	I	44	Total	O	0	0
			44	44		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	J	46	Total 46	O 46	0	0
5	K	13	Total 13	O 13	0	0
5	L	33	Total 33	O 33	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: beta-glucosidase




- Molecule 1: beta-glucosidase




- Molecule 1: beta-glucosidase





- Molecule 1: beta-glucosidase









- Molecule 1: beta-glucosidase





- Molecule 1: beta-glucosidase




- Molecule 1: beta-glucosidase




- Molecule 1: beta-glucosidase




- Molecule 1: beta-glucosidase




- Molecule 1: beta-glucosidase




- Molecule 1: beta-glucosidase



- Molecule 1: beta-glucosidase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	139.03Å 221.58Å 236.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.90 – 2.26 36.90 – 2.26	Depositor EDS
% Data completeness (in resolution range)	99.9 (36.90-2.26) 99.9 (36.90-2.26)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.46 (at 2.27Å)	Xtriage
Refinement program	REFMAC 5.8.0430	Depositor
R, R_{free}	0.203 , 0.223 0.207 , 0.226	Depositor DCC
R_{free} test set	17163 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.356	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 31.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	46726	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, BGC, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.60	0/3900	0.82	0/5285
1	B	0.59	0/3900	0.80	0/5285
1	C	0.58	0/3900	0.82	0/5285
1	D	0.58	0/3892	0.83	0/5275
1	E	0.56	0/3900	0.82	0/5285
1	F	0.57	0/3896	0.81	0/5280
1	G	0.58	0/3900	0.86	0/5285
1	H	0.56	0/3900	0.84	0/5285
1	I	0.60	0/3892	0.88	0/5275
1	J	0.56	0/3900	0.80	0/5285
1	K	0.56	0/3900	0.84	0/5285
1	L	0.58	0/3900	0.87	1/5285 (0.0%)
All	All	0.58	0/46780	0.83	1/63395 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	71	LYS	N-CA-C	-5.47	105.73	112.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3788	0	3656	25	0
1	B	3788	0	3656	30	0
1	C	3788	0	3656	20	0
1	D	3780	0	3644	30	0
1	E	3788	0	3656	26	0
1	F	3784	0	3652	32	0
1	G	3788	0	3656	42	0
1	H	3788	0	3656	27	0
1	I	3780	0	3644	46	0
1	J	3788	0	3656	23	0
1	K	3788	0	3656	42	0
1	L	3788	0	3656	49	0
2	A	6	0	8	0	0
2	B	12	0	16	2	0
2	C	6	0	8	0	0
2	D	6	0	8	0	0
2	E	6	0	8	2	0
2	F	6	0	8	2	0
2	G	6	0	8	4	0
2	H	6	0	8	0	0
2	I	6	0	8	0	0
2	J	6	0	8	0	0
2	K	12	0	16	4	0
2	L	12	0	16	0	0
3	A	12	0	12	2	0
3	B	12	0	12	1	0
3	C	12	0	12	2	0
3	D	12	0	12	1	0
3	E	12	0	12	1	0
3	F	12	0	12	3	0
3	G	12	0	12	3	0
3	H	12	0	12	0	0
3	I	12	0	12	1	0
3	J	12	0	12	1	0
4	A	10	0	0	0	0
4	B	10	0	0	0	0
4	C	10	0	0	0	0
4	D	10	0	0	0	0
4	E	10	0	0	0	0
4	F	10	0	0	0	0
4	G	10	0	0	0	0
4	H	10	0	0	0	0
4	I	10	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	J	10	0	0	0	0
4	K	10	0	0	0	0
4	L	10	0	0	0	0
5	A	147	0	0	2	0
5	B	128	0	0	1	0
5	C	142	0	0	0	0
5	D	122	0	0	0	0
5	E	83	0	0	0	0
5	F	92	0	0	2	0
5	G	50	0	0	0	0
5	H	60	0	0	0	0
5	I	44	0	0	1	0
5	J	46	0	0	0	0
5	K	13	0	0	0	0
5	L	33	0	0	1	0
All	All	46726	0	44084	380	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (380) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:223:VAL:H	2:G:502:GOL:H32	1.38	0.87
1:E:241:MET:HE2	1:E:319:PRO:HD2	1.61	0.82
1:J:119:TRP:HZ2	1:J:163:GLN:HE21	1.25	0.82
1:G:240:GLU:O	1:G:244:LEU:HD23	1.80	0.82
1:D:195:MET:HE2	1:D:256:PRO:HB2	1.60	0.81
1:L:221:THR:H	1:L:250:ASN:HD21	1.30	0.80
1:H:163:GLN:HE21	1:H:301:ASN:HD22	1.25	0.79
1:K:300:ILE:HD11	1:K:348:ILE:CD1	2.13	0.79
1:B:163:GLN:NE2	1:B:219:ASN:HB3	1.98	0.79
1:G:163:GLN:NE2	1:G:219:ASN:HB3	1.97	0.79
1:H:5:LYS:HD3	1:H:5:LYS:H	1.48	0.79
1:E:250:ASN:ND2	2:E:501:GOL:H11	1.97	0.79
1:F:163:GLN:NE2	1:F:219:ASN:HB3	1.99	0.78
1:L:133:ASN:HD22	1:L:135:GLU:H	1.31	0.77
1:F:2:SER:HB2	1:F:393:ARG:HG3	1.66	0.77
1:H:163:GLN:HE22	1:H:219:ASN:HB3	1.48	0.77
1:A:163:GLN:NE2	1:A:219:ASN:HB3	2.00	0.76
1:D:163:GLN:NE2	1:D:219:ASN:HB3	2.01	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:163:GLN:NE2	1:H:219:ASN:HB3	1.99	0.76
1:K:241:MET:HE2	1:K:241:MET:HA	1.66	0.76
1:E:163:GLN:NE2	1:E:219:ASN:HB3	2.01	0.75
1:B:416:TRP:HB2	2:B:503:GOL:H12	1.68	0.75
1:K:241:MET:CE	1:K:244:LEU:HD12	2.17	0.75
1:L:133:ASN:ND2	1:L:135:GLU:HB2	2.01	0.75
1:G:103:ASN:O	1:G:107:GLU:HG3	1.88	0.73
1:K:103:ASN:O	1:K:107:GLU:HG3	1.88	0.73
1:J:195:MET:HE2	1:J:256:PRO:HB2	1.70	0.72
1:L:83:PHE:CE1	1:L:90:VAL:HG22	2.25	0.72
1:K:241:MET:HE1	1:K:244:LEU:HD12	1.73	0.71
1:B:206:LYS:HD2	1:B:293:ILE:HD11	1.71	0.70
1:I:85:ASP:HA	1:I:124:LYS:HG3	1.73	0.70
1:G:361:GLU:OE1	3:G:501:BGC:H1	1.91	0.70
1:L:205:VAL:HG13	1:L:210:ILE:HB	1.74	0.70
1:E:250:ASN:HD22	2:E:501:GOL:H11	1.56	0.70
1:G:86:GLY:HA3	1:G:125:LEU:HD13	1.72	0.69
1:G:346:MET:HE1	1:G:398:ASN:HB3	1.73	0.69
1:L:145:MET:CE	1:L:201:VAL:HG13	2.21	0.69
1:B:361:GLU:OE1	3:B:502:BGC:H1	1.93	0.68
1:L:198:HIS:O	1:L:202:VAL:HG23	1.93	0.68
1:K:250:ASN:ND2	2:K:501:GOL:H32	2.08	0.68
1:F:103:ASN:O	1:F:107:GLU:HG3	1.95	0.67
1:D:163:GLN:HE22	1:D:219:ASN:HB3	1.60	0.67
1:A:162:ASN:ND2	1:A:163:GLN:HG3	2.08	0.67
1:L:149:ASN:HA	1:L:152:LYS:HD3	1.77	0.67
1:L:199:PHE:HE2	1:L:288:VAL:HG23	1.60	0.67
1:K:163:GLN:HE21	1:K:301:ASN:HD22	1.41	0.66
1:C:361:GLU:OE1	3:C:502:BGC:H1	1.96	0.66
1:B:163:GLN:HE22	1:B:219:ASN:HB3	1.60	0.66
1:D:162:ASN:ND2	1:D:163:GLN:HG3	2.11	0.66
1:G:86:GLY:HA3	1:G:125:LEU:CD1	2.26	0.65
1:K:354:GLN:H	1:K:354:GLN:CD	2.03	0.65
1:L:438:LYS:HE3	1:L:443:TYR:OH	1.96	0.65
1:L:260:GLY:HA2	1:L:292:PHE:CD2	2.32	0.65
1:B:162:ASN:ND2	1:B:163:GLN:HG3	2.12	0.65
1:B:369:ILE:HD12	1:B:369:ILE:O	1.96	0.65
1:F:250:ASN:ND2	2:F:501:GOL:H32	2.11	0.65
1:C:163:GLN:OE1	1:C:219:ASN:HB3	1.97	0.65
1:C:38:GLN:HE21	1:C:41:ASN:HD21	1.43	0.64
1:E:162:ASN:ND2	1:E:163:GLN:HG3	2.12	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:267:PHE:HZ	1:D:284:MET:HE2	1.63	0.64
1:L:206:LYS:HD2	1:L:293:ILE:HD11	1.80	0.64
1:E:163:GLN:HE22	1:E:219:ASN:HB3	1.61	0.64
1:D:267:PHE:CZ	1:D:284:MET:HE2	2.32	0.63
1:G:195:MET:HE2	1:G:256:PRO:HB2	1.81	0.63
1:L:201:VAL:O	1:L:205:VAL:HG23	1.98	0.63
1:L:221:THR:H	1:L:250:ASN:ND2	1.95	0.63
1:D:356:PRO:HB3	1:D:403:ARG:HD2	1.80	0.62
1:I:284:MET:O	1:I:288:VAL:HG23	1.98	0.62
1:I:163:GLN:CD	1:I:219:ASN:HD22	2.07	0.62
1:I:220:LEU:HB2	1:I:344:LEU:HD21	1.81	0.62
1:H:162:ASN:ND2	1:H:163:GLN:HG3	2.14	0.62
1:F:162:ASN:ND2	1:F:163:GLN:HG3	2.15	0.61
1:D:361:GLU:OE1	3:D:502:BGC:H1	1.99	0.61
1:L:447:GLN:HA	1:L:447:GLN:OE1	2.00	0.61
1:E:438:LYS:HE2	1:E:443:TYR:OH	2.01	0.61
1:A:386:LYS:NZ	5:A:601:HOH:O	2.33	0.61
1:L:383:GLU:HG3	1:L:387:GLN:HE21	1.66	0.61
1:A:163:GLN:HE21	1:A:301:ASN:HD22	1.49	0.60
1:H:163:GLN:NE2	1:H:301:ASN:HD22	1.98	0.60
1:L:133:ASN:ND2	1:L:135:GLU:H	2.00	0.60
1:I:77:ILE:HD12	1:I:147:VAL:HG21	1.84	0.60
1:E:361:GLU:OE1	3:E:502:BGC:H1	2.01	0.60
1:K:66:LYS:HE2	1:K:108:ASN:HB3	1.84	0.60
1:C:286:GLN:NE2	1:C:290:GLU:OE2	2.34	0.60
1:F:163:GLN:HE21	1:F:301:ASN:HD22	1.49	0.59
1:D:241:MET:HE3	1:D:319:PRO:HG3	1.83	0.59
1:A:163:GLN:NE2	1:A:301:ASN:HD22	2.00	0.59
1:B:163:GLN:NE2	1:B:301:ASN:HD22	2.00	0.59
1:B:398:ASN:CG	1:G:63:LEU:HD12	2.27	0.59
1:H:5:LYS:HD3	1:H:5:LYS:N	2.16	0.59
1:D:163:GLN:NE2	1:D:301:ASN:HD22	2.01	0.59
1:F:361:GLU:OE1	3:F:502:BGC:H1	2.03	0.59
1:I:133:ASN:HD22	1:I:135:GLU:H	1.51	0.59
1:E:241:MET:HE2	1:E:319:PRO:CD	2.32	0.58
1:L:260:GLY:CA	1:L:292:PHE:CD2	2.87	0.57
1:E:163:GLN:NE2	1:E:301:ASN:HD22	2.02	0.57
1:K:437:ILE:HD12	1:K:437:ILE:N	2.19	0.57
1:I:206:LYS:HG3	1:I:207:GLU:N	2.19	0.57
1:F:250:ASN:HD22	2:F:501:GOL:H32	1.70	0.57
1:G:163:GLN:NE2	1:G:301:ASN:HD22	2.03	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:189:ASP:OD1	1:J:280:LYS:HE2	2.03	0.57
1:L:145:MET:HE1	1:L:201:VAL:HG13	1.85	0.56
1:H:206:LYS:HG3	1:H:293:ILE:HD11	1.86	0.56
1:L:447:GLN:HE22	1:L:450:LYS:HE2	1.70	0.56
1:J:361:GLU:OE2	3:J:502:BGC:H1	2.05	0.56
1:K:250:ASN:HD22	2:K:501:GOL:H32	1.70	0.55
1:D:342:PHE:CE1	1:D:346:MET:HE3	2.42	0.55
1:I:143:TYR:O	1:I:147:VAL:HG12	2.07	0.55
1:I:133:ASN:ND2	1:I:135:GLU:H	2.04	0.55
1:A:361:GLU:OE1	3:A:502:BGC:H1	2.07	0.55
1:G:90:VAL:HB	1:K:207:GLU:O	2.06	0.55
1:C:162:ASN:ND2	1:C:163:GLN:HG3	2.22	0.55
1:G:223:VAL:H	2:G:502:GOL:C3	2.15	0.54
1:F:163:GLN:NE2	3:F:502:BGC:O1	2.41	0.54
1:G:74:ARG:HH22	1:G:162:ASN:ND2	2.05	0.54
1:K:241:MET:HE2	1:K:244:LEU:HD12	1.89	0.54
1:K:241:MET:HE1	1:K:244:LEU:CD1	2.37	0.54
1:F:308:ARG:HD3	1:F:320:ILE:HD13	1.90	0.54
1:J:278:ALA:O	1:J:282:LEU:HG	2.07	0.54
1:B:231:GLY:O	1:G:372:GLU:HB2	2.08	0.54
1:I:77:ILE:CD1	1:I:147:VAL:HG21	2.38	0.54
1:D:267:PHE:HZ	1:D:284:MET:CE	2.20	0.54
1:G:163:GLN:HE21	1:G:301:ASN:HD22	1.56	0.54
1:A:236:GLU:CD	1:A:236:GLU:H	2.15	0.54
1:H:223:VAL:HG21	1:H:246:SER:HB2	1.89	0.53
1:A:163:GLN:NE2	3:A:502:BGC:O1	2.41	0.53
1:D:89:ASN:OD1	1:D:89:ASN:O	2.26	0.53
1:F:163:GLN:NE2	1:F:301:ASN:HD22	2.05	0.53
1:I:308:ARG:HD3	1:I:320:ILE:HD13	1.91	0.53
1:H:189:ASP:OD1	1:H:280:LYS:HE2	2.09	0.53
1:J:308:ARG:HD3	1:J:320:ILE:HD13	1.90	0.53
1:L:8:LEU:HD22	1:L:72:ALA:HB2	1.90	0.53
1:L:145:MET:HE2	1:L:148:ILE:HD12	1.91	0.53
1:K:300:ILE:CD1	1:K:348:ILE:CD1	2.84	0.53
1:B:163:GLN:HE21	1:B:301:ASN:HD22	1.56	0.52
1:G:308:ARG:HD3	1:G:320:ILE:HD13	1.91	0.52
1:E:163:GLN:HE21	1:E:301:ASN:HD22	1.57	0.52
1:A:163:GLN:HE22	1:A:219:ASN:HB3	1.74	0.52
1:I:133:ASN:HD21	1:I:135:GLU:HB2	1.74	0.52
1:L:209:ASN:OD1	1:L:209:ASN:O	2.28	0.52
1:B:307:VAL:HG21	1:B:325:PRO:HG3	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:308:ARG:HD3	1:B:320:ILE:HD13	1.91	0.52
1:D:195:MET:HE1	1:D:257:VAL:CG2	2.39	0.52
1:G:163:GLN:HE22	1:G:219:ASN:HB3	1.69	0.52
1:K:307:VAL:HG21	1:K:325:PRO:HG3	1.91	0.52
1:A:1:MET:HG2	1:A:397:GLU:HB2	1.91	0.52
1:A:386:LYS:CE	5:A:601:HOH:O	2.57	0.52
1:F:372:GLU:CD	1:F:372:GLU:H	2.17	0.52
1:C:307:VAL:HG21	1:C:325:PRO:HG3	1.92	0.52
1:A:307:VAL:HG21	1:A:325:PRO:HG3	1.92	0.51
1:F:163:GLN:HE22	1:F:219:ASN:HB3	1.71	0.51
1:G:89:ASN:HA	1:K:207:GLU:OE2	2.10	0.51
1:G:225:LEU:HD23	1:G:242:VAL:HG11	1.92	0.51
1:K:308:ARG:HD3	1:K:320:ILE:HD13	1.93	0.51
1:E:308:ARG:HD3	1:E:320:ILE:HD13	1.92	0.51
1:G:220:LEU:HB2	1:G:344:LEU:HD21	1.93	0.51
1:G:222:PRO:HA	2:G:502:GOL:H32	1.93	0.51
1:G:268:ASP:O	1:G:272:GLN:HG3	2.10	0.51
1:L:260:GLY:HA2	1:L:292:PHE:HD2	1.75	0.51
1:H:308:ARG:HD3	1:H:320:ILE:HD13	1.93	0.51
1:I:133:ASN:ND2	1:I:135:GLU:HB2	2.26	0.51
1:L:308:ARG:HD3	1:L:320:ILE:HD13	1.92	0.51
1:A:308:ARG:HD3	1:A:320:ILE:HD13	1.92	0.51
1:D:195:MET:HE1	1:D:257:VAL:HG23	1.92	0.51
1:I:361:GLU:HG2	1:I:408:TRP:HB2	1.94	0.50
1:G:223:VAL:N	2:G:502:GOL:H32	2.16	0.50
1:I:280:LYS:HG3	1:I:284:MET:HE2	1.93	0.50
1:K:369:ILE:O	1:K:369:ILE:HD12	2.12	0.50
1:G:163:GLN:NE2	3:G:501:BGC:O1	2.44	0.50
1:I:295:PRO:HD3	5:I:616:HOH:O	2.12	0.50
1:C:308:ARG:HD3	1:C:320:ILE:HD13	1.93	0.49
1:F:195:MET:HE2	1:F:256:PRO:HB2	1.94	0.49
1:L:383:GLU:HG3	1:L:387:GLN:NE2	2.27	0.49
1:K:66:LYS:HE2	1:K:108:ASN:CB	2.42	0.49
1:E:162:ASN:HD21	1:E:163:GLN:HG3	1.77	0.49
1:F:307:VAL:HG21	1:F:325:PRO:HG3	1.95	0.49
1:K:141:PHE:CD1	1:K:200:LYS:HG2	2.48	0.49
1:E:307:VAL:HG21	1:E:325:PRO:HG3	1.93	0.49
1:F:174:HIS:HD2	5:F:689:HOH:O	1.95	0.49
1:E:66:LYS:HD3	1:E:108:ASN:OD1	2.12	0.49
1:E:369:ILE:HD12	1:E:369:ILE:O	2.12	0.49
1:J:240:GLU:HG2	1:J:241:MET:HE2	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:300:ILE:HD11	1:K:348:ILE:HD12	1.95	0.49
1:B:162:ASN:HD21	1:B:163:GLN:HG3	1.78	0.48
1:G:121:LEU:HD11	1:G:136:ILE:HD11	1.95	0.48
1:H:307:VAL:HG21	1:H:325:PRO:HG3	1.95	0.48
1:J:307:VAL:HG21	1:J:325:PRO:HG3	1.95	0.48
1:F:195:MET:HE1	1:F:257:VAL:CG2	2.43	0.48
1:L:133:ASN:HD22	1:L:135:GLU:N	2.06	0.48
1:C:227:THR:HG23	1:C:232:TYR:HB2	1.95	0.48
1:F:375:LYS:HE3	1:F:377:HIS:CE1	2.48	0.48
1:K:179:PRO:HG2	1:K:181:ILE:HG13	1.95	0.48
1:I:114:ILE:HD12	1:I:155:VAL:HG11	1.95	0.48
1:K:227:THR:HG23	1:K:232:TYR:HB2	1.95	0.48
1:L:113:VAL:C	1:L:114:ILE:HD13	2.38	0.48
1:E:189:ASP:OD1	1:E:280:LYS:HE2	2.14	0.48
1:H:163:GLN:HE21	1:H:301:ASN:ND2	2.02	0.48
1:I:360:THR:O	1:I:361:GLU:HG3	2.12	0.48
1:K:310:TYR:OH	1:K:312:GLU:HG3	2.13	0.48
1:I:119:TRP:HZ2	1:I:163:GLN:HG3	1.79	0.47
1:A:162:ASN:HD21	1:A:163:GLN:HG3	1.77	0.47
1:K:300:ILE:HD11	1:K:348:ILE:HD13	1.92	0.47
1:B:156:LYS:HA	1:B:156:LYS:HD3	1.75	0.47
1:C:163:GLN:CD	3:C:502:BGC:O1	2.58	0.47
1:H:349:LYS:NZ	1:H:399:GLY:C	2.73	0.47
1:L:192:HIS:HB2	1:L:284:MET:HE3	1.97	0.47
1:G:162:ASN:HD21	1:G:301:ASN:HD21	1.62	0.47
1:I:93:LYS:CA	1:I:93:LYS:HE3	2.43	0.47
1:J:192:HIS:HB2	1:J:284:MET:HE3	1.96	0.47
1:L:307:VAL:HG21	1:L:325:PRO:HG3	1.95	0.47
1:B:380:LYS:HE2	1:B:380:LYS:HA	1.97	0.47
1:D:163:GLN:HE21	1:D:301:ASN:HD22	1.63	0.47
1:L:206:LYS:CE	1:L:293:ILE:HD11	2.44	0.47
1:A:227:THR:HG23	1:A:232:TYR:HB2	1.97	0.47
1:B:397:GLU:O	1:G:63:LEU:HD11	2.15	0.47
1:G:138:ASN:OD1	1:G:200:LYS:NZ	2.35	0.47
1:I:307:VAL:HG21	1:I:325:PRO:HG3	1.97	0.47
1:L:292:PHE:CD1	1:L:292:PHE:C	2.93	0.46
1:F:163:GLN:CD	3:F:502:BGC:O1	2.58	0.46
1:I:135:GLU:OE2	1:I:138:ASN:ND2	2.43	0.46
1:L:206:LYS:CD	1:L:293:ILE:HD11	2.45	0.46
1:B:310:TYR:OH	1:B:312:GLU:HG3	2.14	0.46
1:J:96:GLU:O	1:J:100:ARG:HG3	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:145:MET:HE3	1:L:201:VAL:HG13	1.94	0.46
1:H:280:LYS:HD2	1:H:284:MET:HG3	1.97	0.46
1:I:147:VAL:HG22	1:I:158:TRP:CZ3	2.51	0.46
1:L:75:PHE:CZ	1:L:114:ILE:HD12	2.51	0.46
1:A:408:TRP:HA	1:A:409:SER:HA	1.73	0.46
1:H:192:HIS:HB2	1:H:284:MET:HE3	1.97	0.46
1:J:227:THR:HG23	1:J:232:TYR:HB2	1.96	0.46
1:K:408:TRP:HA	1:K:409:SER:HA	1.75	0.46
1:D:162:ASN:HD21	1:D:163:GLN:HG3	1.78	0.46
1:I:262:TYR:CE2	1:I:288:VAL:HG21	2.51	0.46
1:D:307:VAL:HG21	1:D:325:PRO:HG3	1.98	0.46
1:I:373:ASP:HB3	1:I:375:LYS:HG3	1.98	0.46
1:F:139:TYR:OH	1:J:185:LYS:NZ	2.37	0.45
1:J:280:LYS:O	1:J:284:MET:HG3	2.16	0.45
1:L:5:LYS:HD3	1:L:5:LYS:HA	1.77	0.45
1:I:199:PHE:HE2	1:I:288:VAL:HG13	1.82	0.45
1:E:447:GLN:O	1:E:451:GLU:HG3	2.17	0.45
1:L:114:ILE:HG12	1:L:155:VAL:HG11	1.98	0.45
1:K:104:LYS:O	1:K:108:ASN:ND2	2.39	0.45
1:I:55:TYR:CE1	1:I:81:ARG:NH1	2.85	0.45
1:J:140:TYR:CD2	1:J:197:SER:HB3	2.52	0.45
1:A:1:MET:HE2	1:A:396:ILE:HG22	1.98	0.45
1:G:307:VAL:HG21	1:G:325:PRO:HG3	1.98	0.45
1:H:43:LEU:HD11	1:H:418:MET:HE3	1.99	0.45
1:H:162:ASN:HD21	1:H:163:GLN:HG3	1.79	0.45
1:A:140:TYR:CD2	1:A:197:SER:HB3	2.52	0.45
1:H:236:GLU:CD	1:H:236:GLU:H	2.25	0.45
1:I:236:GLU:CD	1:I:236:GLU:H	2.25	0.45
1:G:140:TYR:CD2	1:G:197:SER:HB3	2.52	0.45
1:D:308:ARG:HD3	1:D:320:ILE:HD13	1.99	0.45
1:G:447:GLN:O	1:G:451:GLU:HG3	2.17	0.45
1:K:192:HIS:HB2	1:K:284:MET:HE3	1.97	0.44
1:K:250:ASN:HD22	2:K:501:GOL:C3	2.29	0.44
1:A:66:LYS:HA	1:A:66:LYS:HD2	1.78	0.44
1:A:397:GLU:HG2	1:D:63:LEU:HD11	1.98	0.44
1:B:17:GLN:O	1:B:413:ASN:HB2	2.18	0.44
1:I:133:ASN:ND2	1:I:135:GLU:CB	2.81	0.44
1:I:163:GLN:OE1	1:I:219:ASN:HB3	2.18	0.44
1:F:85:ASP:C	1:F:87:PHE:H	2.26	0.44
1:H:1:MET:HB3	1:H:1:MET:HE2	1.80	0.44
1:K:163:GLN:HG2	1:K:219:ASN:OD1	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:192:HIS:HB2	1:C:284:MET:HE3	1.99	0.44
1:D:227:THR:HG23	1:D:232:TYR:HB2	2.00	0.44
1:D:267:PHE:CZ	1:D:284:MET:CE	2.99	0.44
1:I:9:TRP:CG	1:I:449:ILE:HG12	2.53	0.44
1:L:145:MET:CE	1:L:148:ILE:HD12	2.48	0.44
1:C:140:TYR:CD2	1:C:197:SER:HB3	2.52	0.44
1:E:140:TYR:CD2	1:E:197:SER:HB3	2.52	0.44
1:I:203:LYS:HE2	1:I:207:GLU:OE1	2.17	0.44
1:J:408:TRP:HA	1:J:409:SER:HA	1.74	0.44
1:B:408:TRP:HA	1:B:409:SER:HA	1.75	0.43
1:C:408:TRP:HA	1:C:409:SER:HA	1.74	0.43
1:C:450:LYS:HE2	1:C:450:LYS:HB2	1.83	0.43
1:E:408:TRP:HA	1:E:409:SER:HA	1.74	0.43
1:B:398:ASN:OD1	1:G:63:LEU:HD12	2.18	0.43
1:C:162:ASN:HD21	1:C:163:GLN:HG3	1.83	0.43
1:L:112:PRO:HB2	1:L:155:VAL:HG22	1.99	0.43
1:I:227:THR:HG23	1:I:232:TYR:HB2	2.01	0.43
1:F:408:TRP:HA	1:F:409:SER:HA	1.75	0.43
1:I:408:TRP:HA	1:I:409:SER:HA	1.74	0.43
1:C:152:LYS:HD2	1:C:210:ILE:HG23	2.01	0.43
1:G:415:GLU:OE2	3:G:501:BGC:H6C1	2.17	0.43
1:H:17:GLN:O	1:H:413:ASN:HB2	2.18	0.43
1:H:203:LYS:HE2	1:H:207:GLU:OE2	2.19	0.43
1:B:140:TYR:CD2	1:B:197:SER:HB3	2.54	0.43
1:D:183:ASP:OD1	1:D:185:LYS:HB2	2.18	0.43
1:F:25:ASP:O	1:F:93:LYS:HE2	2.18	0.43
1:F:140:TYR:CD2	1:F:197:SER:HB3	2.53	0.43
1:F:447:GLN:O	1:F:451:GLU:HG2	2.19	0.43
1:I:205:VAL:HA	1:I:210:ILE:HD12	2.00	0.43
1:D:140:TYR:CD2	1:D:197:SER:HB3	2.54	0.43
1:G:192:HIS:CG	1:G:284:MET:HG2	2.54	0.43
1:I:361:GLU:OE1	3:I:502:BGC:H1	2.18	0.43
1:J:17:GLN:O	1:J:413:ASN:HB2	2.19	0.43
1:K:140:TYR:CD2	1:K:197:SER:HB3	2.53	0.43
1:L:17:GLN:O	1:L:413:ASN:HB2	2.19	0.43
1:L:324:HIS:HD2	5:L:630:HOH:O	2.02	0.43
1:F:192:HIS:HB2	1:F:284:MET:HE3	2.00	0.43
1:I:124:LYS:HA	1:I:127:ASP:OD2	2.19	0.42
1:I:163:GLN:NE2	1:I:219:ASN:HD22	2.16	0.42
1:L:140:TYR:CD2	1:L:197:SER:HB3	2.54	0.42
1:F:394:LYS:HE3	5:F:647:HOH:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:195:MET:HE1	1:F:257:VAL:HG22	2.00	0.42
1:G:17:GLN:O	1:G:413:ASN:HB2	2.19	0.42
1:G:363:GLY:HA3	1:G:408:TRP:O	2.20	0.42
1:J:5:LYS:HD3	1:J:5:LYS:HA	1.48	0.42
1:K:300:ILE:CD1	1:K:348:ILE:HD12	2.50	0.42
1:C:17:GLN:O	1:C:413:ASN:HB2	2.19	0.42
1:G:227:THR:HG23	1:G:232:TYR:HB2	2.00	0.42
1:A:17:GLN:O	1:A:413:ASN:HB2	2.19	0.42
1:B:91:ASN:OD1	1:B:93:LYS:HE3	2.19	0.42
1:H:140:TYR:CD1	1:H:197:SER:HB3	2.55	0.42
1:I:17:GLN:O	1:I:413:ASN:HB2	2.19	0.42
1:B:206:LYS:CD	1:B:293:ILE:HD11	2.44	0.42
1:E:192:HIS:HB2	1:E:284:MET:HE3	2.01	0.42
1:I:133:ASN:HD22	1:I:135:GLU:N	2.15	0.42
1:D:408:TRP:HA	1:D:409:SER:HA	1.74	0.42
1:F:17:GLN:O	1:F:413:ASN:HB2	2.19	0.42
1:F:363:GLY:HA3	1:F:408:TRP:O	2.20	0.42
1:C:386:LYS:HB2	1:C:386:LYS:HE2	1.67	0.42
1:J:447:GLN:O	1:J:451:GLU:HG2	2.19	0.42
1:L:199:PHE:CE2	1:L:288:VAL:HG23	2.48	0.42
1:B:227:THR:HG23	1:B:232:TYR:HB2	2.00	0.42
1:C:447:GLN:O	1:C:451:GLU:HG2	2.19	0.42
1:I:363:GLY:HA3	1:I:408:TRP:O	2.20	0.42
1:K:267:PHE:O	1:K:271:VAL:HG13	2.19	0.42
1:A:447:GLN:O	1:A:451:GLU:HG2	2.19	0.41
1:B:203:LYS:NZ	5:B:607:HOH:O	2.52	0.41
1:I:162:ASN:ND2	1:I:163:GLN:HG3	2.34	0.41
1:I:395:ALA:O	1:I:400:VAL:HG23	2.19	0.41
1:E:17:GLN:O	1:E:413:ASN:HB2	2.20	0.41
1:E:227:THR:HG23	1:E:232:TYR:HB2	2.02	0.41
1:I:140:TYR:CD2	1:I:197:SER:HB3	2.55	0.41
1:L:227:THR:HG23	1:L:232:TYR:HB2	2.01	0.41
1:I:14:ALA:HB2	1:I:118:HIS:CE1	2.55	0.41
1:L:363:GLY:HA3	1:L:408:TRP:O	2.20	0.41
1:E:363:GLY:HA3	1:E:408:TRP:O	2.20	0.41
1:G:225:LEU:CD2	1:G:242:VAL:HG11	2.51	0.41
1:K:361:GLU:OE1	2:K:502:GOL:H11	2.20	0.41
1:A:92:GLN:OE1	1:B:209:ASN:OD1	2.38	0.41
1:F:342:PHE:CE1	1:F:394:LYS:HG2	2.56	0.41
1:J:1:MET:HB2	1:J:397:GLU:HB2	2.02	0.41
1:D:447:GLN:O	1:D:451:GLU:HG2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:205:VAL:HG21	1:K:214:VAL:HG21	2.03	0.41
1:B:360:THR:O	1:B:361:GLU:HG3	2.21	0.41
1:D:17:GLN:O	1:D:413:ASN:HB2	2.19	0.41
1:K:363:GLY:HA3	1:K:408:TRP:O	2.21	0.41
1:A:360:THR:O	1:A:361:GLU:HG3	2.21	0.41
1:A:363:GLY:HA3	1:A:408:TRP:O	2.21	0.41
1:D:360:THR:O	1:D:361:GLU:HG3	2.21	0.41
1:E:74:ARG:HA	1:E:113:VAL:O	2.21	0.41
1:H:227:THR:HG23	1:H:232:TYR:HB2	2.01	0.41
1:H:360:THR:O	1:H:361:GLU:HG3	2.21	0.41
1:K:380:LYS:HB2	1:K:380:LYS:HE2	1.72	0.41
1:L:386:LYS:HE3	1:L:386:LYS:HB2	1.91	0.41
1:G:205:VAL:HG21	1:G:214:VAL:HG21	2.03	0.41
1:J:354:GLN:HG2	1:K:279:GLN:HB3	2.02	0.41
1:J:363:GLY:HA3	1:J:408:TRP:O	2.20	0.41
1:K:17:GLN:O	1:K:413:ASN:HB2	2.20	0.41
1:D:363:GLY:HA3	1:D:408:TRP:O	2.21	0.40
1:L:74:ARG:HA	1:L:113:VAL:O	2.21	0.40
1:L:408:TRP:HA	1:L:409:SER:HA	1.74	0.40
1:B:363:GLY:HA3	1:B:408:TRP:O	2.20	0.40
1:D:128:ILE:HD13	1:D:133:ASN:ND2	2.35	0.40
1:G:360:THR:O	1:G:361:GLU:HG3	2.22	0.40
1:J:346:MET:HE3	1:J:350:GLU:OE2	2.21	0.40
1:C:74:ARG:HA	1:C:113:VAL:O	2.21	0.40
1:F:181:ILE:HD12	1:J:127:ASP:HB3	2.03	0.40
1:K:436:ARG:C	1:K:437:ILE:HD12	2.47	0.40
1:L:75:PHE:CE2	1:L:114:ILE:CD1	3.04	0.40
1:B:177:HIS:CE1	2:B:503:GOL:H31	2.57	0.40
1:E:241:MET:HE3	1:E:241:MET:HA	2.03	0.40
1:H:408:TRP:HA	1:H:409:SER:HA	1.74	0.40
1:K:14:ALA:HB2	1:K:118:HIS:CE1	2.56	0.40
1:C:183:ASP:OD2	1:H:124:LYS:HE2	2.22	0.40
1:G:61:ASP:O	1:G:65:MET:HG3	2.22	0.40
1:I:262:TYR:HE2	1:I:284:MET:HB3	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	451/454 (99%)	441 (98%)	10 (2%)	0	100	100
1	B	451/454 (99%)	441 (98%)	10 (2%)	0	100	100
1	C	451/454 (99%)	442 (98%)	9 (2%)	0	100	100
1	D	450/454 (99%)	441 (98%)	9 (2%)	0	100	100
1	E	451/454 (99%)	442 (98%)	9 (2%)	0	100	100
1	F	451/454 (99%)	443 (98%)	8 (2%)	0	100	100
1	G	451/454 (99%)	442 (98%)	9 (2%)	0	100	100
1	H	451/454 (99%)	441 (98%)	10 (2%)	0	100	100
1	I	450/454 (99%)	441 (98%)	9 (2%)	0	100	100
1	J	451/454 (99%)	442 (98%)	9 (2%)	0	100	100
1	K	451/454 (99%)	441 (98%)	10 (2%)	0	100	100
1	L	451/454 (99%)	441 (98%)	10 (2%)	0	100	100
All	All	5410/5448 (99%)	5298 (98%)	112 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	400/401 (100%)	395 (99%)	5 (1%)	65	74
1	B	400/401 (100%)	394 (98%)	6 (2%)	60	70

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	400/401 (100%)	392 (98%)	8 (2%)	50	59
1	D	399/401 (100%)	390 (98%)	9 (2%)	45	54
1	E	400/401 (100%)	391 (98%)	9 (2%)	45	54
1	F	399/401 (100%)	388 (97%)	11 (3%)	38	47
1	G	400/401 (100%)	387 (97%)	13 (3%)	33	41
1	H	400/401 (100%)	389 (97%)	11 (3%)	38	47
1	I	399/401 (100%)	378 (95%)	21 (5%)	19	19
1	J	400/401 (100%)	389 (97%)	11 (3%)	38	47
1	K	400/401 (100%)	383 (96%)	17 (4%)	25	28
1	L	400/401 (100%)	377 (94%)	23 (6%)	17	16
All	All	4797/4812 (100%)	4653 (97%)	144 (3%)	36	44

All (144) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	163	GLN
1	A	209	ASN
1	A	217	THR
1	A	320	ILE
1	A	354	GLN
1	B	163	GLN
1	B	203	LYS
1	B	217	THR
1	B	233	LYS
1	B	320	ILE
1	B	321	ARG
1	C	163	GLN
1	C	217	THR
1	C	233	LYS
1	C	272	GLN
1	C	320	ILE
1	C	321	ARG
1	C	375	LYS
1	C	386	LYS
1	D	66	LYS
1	D	146	LEU
1	D	163	GLN
1	D	214	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	217	THR
1	D	236	GLU
1	D	280	LYS
1	D	320	ILE
1	D	354	GLN
1	E	1	MET
1	E	163	GLN
1	E	217	THR
1	E	233	LYS
1	E	236	GLU
1	E	320	ILE
1	E	321	ARG
1	E	386	LYS
1	E	432	GLU
1	F	39	LYS
1	F	146	LEU
1	F	217	THR
1	F	282	LEU
1	F	309	LEU
1	F	320	ILE
1	F	321	ARG
1	F	372	GLU
1	F	373	ASP
1	F	380	LYS
1	F	432	GLU
1	G	1	MET
1	G	96	GLU
1	G	182	LYS
1	G	185	LYS
1	G	217	THR
1	G	236	GLU
1	G	264	GLN
1	G	270	LEU
1	G	289	LYS
1	G	320	ILE
1	G	369	ILE
1	G	372	GLU
1	G	432	GLU
1	H	5	LYS
1	H	59	GLU
1	H	96	GLU
1	H	200	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	214	VAL
1	H	217	THR
1	H	246	SER
1	H	282	LEU
1	H	320	ILE
1	H	369	ILE
1	H	447	GLN
1	I	2	SER
1	I	104	LYS
1	I	123	GLN
1	I	124	LYS
1	I	133	ASN
1	I	145	MET
1	I	146	LEU
1	I	147	VAL
1	I	153	ASP
1	I	163	GLN
1	I	214	VAL
1	I	217	THR
1	I	236	GLU
1	I	273	LYS
1	I	274	ASP
1	I	286	GLN
1	I	320	ILE
1	I	321	ARG
1	I	411	MET
1	I	437	ILE
1	I	451	GLU
1	J	5	LYS
1	J	96	GLU
1	J	156	LYS
1	J	206	LYS
1	J	217	THR
1	J	320	ILE
1	J	321	ARG
1	J	369	ILE
1	J	370	VAL
1	J	373	ASP
1	J	432	GLU
1	K	1	MET
1	K	59	GLU
1	K	182	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	209	ASN
1	K	217	THR
1	K	236	GLU
1	K	274	ASP
1	K	277	GLU
1	K	312	GLU
1	K	320	ILE
1	K	321	ARG
1	K	354	GLN
1	K	371	THR
1	K	372	GLU
1	K	380	LYS
1	K	398	ASN
1	K	435	LYS
1	L	1	MET
1	L	2	SER
1	L	63	LEU
1	L	89	ASN
1	L	93	LYS
1	L	96	GLU
1	L	114	ILE
1	L	133	ASN
1	L	136	ILE
1	L	156	LYS
1	L	203	LYS
1	L	217	THR
1	L	219	ASN
1	L	259	LYS
1	L	279	GLN
1	L	283	SER
1	L	320	ILE
1	L	328	GLU
1	L	354	GLN
1	L	373	ASP
1	L	375	LYS
1	L	411	MET
1	L	435	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (98) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	89	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	108	ASN
1	A	126	GLN
1	A	163	GLN
1	A	247	GLN
1	A	351	ASN
1	A	354	GLN
1	A	398	ASN
1	B	38	GLN
1	B	89	ASN
1	B	108	ASN
1	B	126	GLN
1	B	163	GLN
1	B	209	ASN
1	B	247	GLN
1	B	286	GLN
1	B	351	ASN
1	B	387	GLN
1	B	413	ASN
1	C	38	GLN
1	C	89	ASN
1	C	126	GLN
1	C	243	ASN
1	C	247	GLN
1	C	272	GLN
1	C	339	GLN
1	C	351	ASN
1	D	163	GLN
1	D	208	ASN
1	D	209	ASN
1	D	351	ASN
1	D	387	GLN
1	D	447	GLN
1	E	89	ASN
1	E	126	GLN
1	E	163	GLN
1	E	247	GLN
1	E	286	GLN
1	E	351	ASN
1	F	126	GLN
1	F	163	GLN
1	F	174	HIS
1	F	208	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	247	GLN
1	F	261	ASN
1	F	351	ASN
1	G	41	ASN
1	G	108	ASN
1	G	126	GLN
1	G	162	ASN
1	G	163	GLN
1	G	351	ASN
1	G	387	GLN
1	H	126	GLN
1	H	163	GLN
1	H	208	ASN
1	H	219	ASN
1	H	247	GLN
1	H	377	HIS
1	H	387	GLN
1	H	398	ASN
1	I	89	ASN
1	I	123	GLN
1	I	126	GLN
1	I	162	ASN
1	I	177	HIS
1	I	208	ASN
1	I	219	ASN
1	I	247	GLN
1	I	279	GLN
1	I	301	ASN
1	I	452	ASN
1	J	108	ASN
1	J	126	GLN
1	J	247	GLN
1	J	272	GLN
1	J	286	GLN
1	J	351	ASN
1	J	387	GLN
1	J	447	GLN
1	K	126	GLN
1	K	163	GLN
1	K	209	ASN
1	K	247	GLN
1	K	286	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	K	339	GLN
1	K	377	HIS
1	L	89	ASN
1	L	92	GLN
1	L	126	GLN
1	L	133	ASN
1	L	209	ASN
1	L	247	GLN
1	L	250	ASN
1	L	261	ASN
1	L	272	GLN
1	L	351	ASN
1	L	387	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

49 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	BGC	I	502	-	12,12,12	0.56	0	17,17,17	0.85	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	G	504	-	4,4,4	0.35	0	6,6,6	0.37	0
2	GOL	G	502	-	5,5,5	0.17	0	5,5,5	0.50	0
4	SO4	D	503	-	4,4,4	0.40	0	6,6,6	0.10	0
3	BGC	F	502	-	12,12,12	1.07	2 (16%)	17,17,17	1.47	2 (11%)
4	SO4	D	504	-	4,4,4	0.30	0	6,6,6	0.27	0
3	BGC	H	501	-	12,12,12	0.67	0	17,17,17	1.40	3 (17%)
2	GOL	J	501	-	5,5,5	0.07	0	5,5,5	0.54	0
2	GOL	I	501	-	5,5,5	0.11	0	5,5,5	0.34	0
4	SO4	G	503	-	4,4,4	0.36	0	6,6,6	0.13	0
2	GOL	B	503	-	5,5,5	0.19	0	5,5,5	0.72	0
4	SO4	B	504	-	4,4,4	0.47	0	6,6,6	0.23	0
3	BGC	B	502	-	12,12,12	0.61	0	17,17,17	0.89	0
4	SO4	L	504	-	4,4,4	0.34	0	6,6,6	0.13	0
2	GOL	K	501	-	5,5,5	0.14	0	5,5,5	0.45	0
4	SO4	C	504	-	4,4,4	0.35	0	6,6,6	0.11	0
4	SO4	B	505	-	4,4,4	0.39	0	6,6,6	0.34	0
4	SO4	J	504	-	4,4,4	0.37	0	6,6,6	0.17	0
2	GOL	F	501	-	5,5,5	0.17	0	5,5,5	0.50	0
3	BGC	J	502	-	12,12,12	0.64	0	17,17,17	1.24	2 (11%)
3	BGC	C	502	-	12,12,12	0.75	0	17,17,17	0.65	0
2	GOL	C	501	-	5,5,5	0.18	0	5,5,5	0.77	0
4	SO4	H	503	-	4,4,4	0.40	0	6,6,6	0.19	0
2	GOL	A	501	-	5,5,5	0.18	0	5,5,5	0.59	0
3	BGC	G	501	-	12,12,12	0.62	0	17,17,17	0.65	0
4	SO4	K	503	-	4,4,4	0.47	0	6,6,6	0.19	0
2	GOL	E	501	-	5,5,5	0.11	0	5,5,5	0.58	0
4	SO4	K	504	-	4,4,4	0.30	0	6,6,6	0.22	0
2	GOL	D	501	-	5,5,5	0.13	0	5,5,5	0.66	0
2	GOL	H	502	-	5,5,5	0.22	0	5,5,5	0.45	0
4	SO4	I	503	-	4,4,4	0.44	0	6,6,6	0.10	0
4	SO4	F	504	-	4,4,4	0.46	0	6,6,6	0.11	0
3	BGC	A	502	-	12,12,12	0.81	0	17,17,17	1.41	1 (5%)
2	GOL	L	501	-	5,5,5	0.16	0	5,5,5	0.34	0
4	SO4	L	503	-	4,4,4	0.46	0	6,6,6	0.37	0
4	SO4	F	503	-	4,4,4	0.46	0	6,6,6	5.16	6 (100%)
4	SO4	A	503	-	4,4,4	0.47	0	6,6,6	0.19	0
3	BGC	D	502	-	12,12,12	0.87	1 (8%)	17,17,17	1.56	4 (23%)
4	SO4	A	504	-	4,4,4	0.42	0	6,6,6	0.20	0
2	GOL	K	502	-	5,5,5	0.14	0	5,5,5	0.97	0
4	SO4	H	504	-	4,4,4	0.24	0	6,6,6	0.20	0
2	GOL	B	501	-	5,5,5	0.14	0	5,5,5	0.36	0
4	SO4	E	504	-	4,4,4	0.24	0	6,6,6	0.27	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	L	502	-	5,5,5	0.10	0	5,5,5	0.15	0
3	BGC	E	502	-	12,12,12	0.81	1 (8%)	17,17,17	1.52	4 (23%)
4	SO4	I	504	-	4,4,4	0.36	0	6,6,6	0.65	0
4	SO4	C	503	-	4,4,4	0.59	0	6,6,6	0.33	0
4	SO4	E	503	-	4,4,4	0.44	0	6,6,6	0.09	0
4	SO4	J	503	-	4,4,4	0.55	0	6,6,6	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BGC	I	502	-	-	0/2/22/22	0/1/1/1
2	GOL	G	502	-	-	4/4/4/4	-
3	BGC	F	502	-	-	2/2/22/22	0/1/1/1
3	BGC	H	501	-	-	2/2/22/22	0/1/1/1
2	GOL	J	501	-	-	2/4/4/4	-
2	GOL	I	501	-	-	4/4/4/4	-
2	GOL	B	503	-	-	2/4/4/4	-
3	BGC	B	502	-	-	0/2/22/22	0/1/1/1
2	GOL	K	501	-	-	3/4/4/4	-
2	GOL	F	501	-	-	4/4/4/4	-
3	BGC	J	502	-	-	0/2/22/22	0/1/1/1
3	BGC	C	502	-	-	0/2/22/22	0/1/1/1
2	GOL	C	501	-	-	2/4/4/4	-
2	GOL	A	501	-	-	1/4/4/4	-
3	BGC	G	501	-	-	2/2/22/22	0/1/1/1
2	GOL	E	501	-	-	4/4/4/4	-
2	GOL	D	501	-	-	4/4/4/4	-
2	GOL	H	502	-	-	2/4/4/4	-
3	BGC	A	502	-	-	2/2/22/22	0/1/1/1
2	GOL	L	501	-	-	3/4/4/4	-
3	BGC	D	502	-	-	1/2/22/22	0/1/1/1
2	GOL	K	502	-	-	0/4/4/4	-
2	GOL	B	501	-	-	0/4/4/4	-
2	GOL	L	502	-	-	2/4/4/4	-
3	BGC	E	502	-	-	2/2/22/22	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	E	502	BGC	C4-C5	2.39	1.58	1.53
3	F	502	BGC	C4-C5	2.34	1.58	1.53
3	F	502	BGC	C3-C2	-2.19	1.46	1.52
3	D	502	BGC	C4-C5	2.15	1.57	1.53

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	503	SO4	O4-S-O3	-6.86	79.78	109.06
4	F	503	SO4	O4-S-O2	-5.56	80.30	109.31
4	F	503	SO4	O4-S-O1	5.28	136.89	109.31
4	F	503	SO4	O3-S-O1	-5.11	82.63	109.31
4	F	503	SO4	O2-S-O1	-4.10	79.14	109.43
3	F	502	BGC	C1-O5-C5	-3.59	106.89	113.66
4	F	503	SO4	O3-S-O2	3.27	126.35	109.31
3	A	502	BGC	O1-C1-C2	3.03	117.56	109.03
3	E	502	BGC	O4-C4-C3	-2.70	104.10	110.35
3	D	502	BGC	C1-O5-C5	-2.70	108.57	113.66
3	E	502	BGC	C6-C5-C4	2.68	119.27	113.00
3	D	502	BGC	O1-C1-C2	2.53	116.16	109.03
3	J	502	BGC	C4-C3-C2	-2.51	106.44	110.82
3	J	502	BGC	O2-C2-C3	-2.33	104.95	110.35
3	H	501	BGC	O5-C5-C4	-2.33	105.47	109.69
3	D	502	BGC	C6-C5-C4	2.31	118.41	113.00
3	H	501	BGC	C6-C5-C4	2.25	118.28	113.00
3	H	501	BGC	O1-C1-C2	2.15	115.08	109.03
3	E	502	BGC	O4-C4-C5	2.14	114.61	109.30
3	E	502	BGC	C1-O5-C5	-2.09	109.72	113.66
3	F	502	BGC	C6-C5-C4	2.07	117.85	113.00
3	D	502	BGC	O3-C3-C4	2.00	114.98	110.35

There are no chirality outliers.

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	501	GOL	C1-C2-C3-O3
2	D	501	GOL	O1-C1-C2-C3
2	D	501	GOL	C1-C2-C3-O3
2	E	501	GOL	O1-C1-C2-C3
2	E	501	GOL	C1-C2-C3-O3
2	F	501	GOL	O1-C1-C2-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	F	501	GOL	C1-C2-C3-O3
2	G	502	GOL	O1-C1-C2-C3
2	G	502	GOL	C1-C2-C3-O3
2	H	502	GOL	C1-C2-C3-O3
2	J	501	GOL	C1-C2-C3-O3
2	K	501	GOL	O1-C1-C2-C3
2	L	502	GOL	C1-C2-C3-O3
3	H	501	BGC	O5-C5-C6-O6
2	B	503	GOL	O1-C1-C2-C3
2	I	501	GOL	O1-C1-C2-C3
2	E	501	GOL	O1-C1-C2-O2
2	H	502	GOL	O2-C2-C3-O3
2	I	501	GOL	O1-C1-C2-O2
2	J	501	GOL	O2-C2-C3-O3
2	L	502	GOL	O2-C2-C3-O3
3	H	501	BGC	C4-C5-C6-O6
2	B	503	GOL	O1-C1-C2-O2
2	C	501	GOL	O2-C2-C3-O3
2	D	501	GOL	O2-C2-C3-O3
2	F	501	GOL	O1-C1-C2-O2
2	I	501	GOL	O2-C2-C3-O3
2	K	501	GOL	O1-C1-C2-O2
3	E	502	BGC	O5-C5-C6-O6
3	F	502	BGC	O5-C5-C6-O6
2	A	501	GOL	O2-C2-C3-O3
2	F	501	GOL	O2-C2-C3-O3
2	G	502	GOL	O2-C2-C3-O3
2	L	501	GOL	O1-C1-C2-O2
3	A	502	BGC	O5-C5-C6-O6
2	I	501	GOL	C1-C2-C3-O3
3	F	502	BGC	C4-C5-C6-O6
3	G	501	BGC	O5-C5-C6-O6
3	E	502	BGC	C4-C5-C6-O6
2	G	502	GOL	O1-C1-C2-O2
3	G	501	BGC	C4-C5-C6-O6
3	D	502	BGC	O5-C5-C6-O6
2	K	501	GOL	C1-C2-C3-O3
2	D	501	GOL	O1-C1-C2-O2
2	E	501	GOL	O2-C2-C3-O3
2	L	501	GOL	O1-C1-C2-C3
3	A	502	BGC	C4-C5-C6-O6
2	L	501	GOL	O2-C2-C3-O3


There are no ring outliers.

15 monomers are involved in 29 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	I	502	BGC	1	0
2	G	502	GOL	4	0
3	F	502	BGC	3	0
2	B	503	GOL	2	0
3	B	502	BGC	1	0
2	K	501	GOL	3	0
2	F	501	GOL	2	0
3	J	502	BGC	1	0
3	C	502	BGC	2	0
3	G	501	BGC	3	0
2	E	501	GOL	2	0
3	A	502	BGC	2	0
3	D	502	BGC	1	0
2	K	502	GOL	1	0
3	E	502	BGC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand BGC I 502




Bond lengths



Bond angles




Torsions




Rings


Ligand BGC F 502




Bond lengths




Bond angles




Torsions





Rings








Ligand BGC J 502














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	453/454 (99%)	-0.41	6 (1%) 74 76	23, 32, 55, 80	0
1	B	453/454 (99%)	-0.31	3 (0%) 84 85	25, 36, 57, 94	0
1	C	453/454 (99%)	-0.31	2 (0%) 89 90	27, 36, 58, 81	0
1	D	452/454 (99%)	0.17	12 (2%) 56 56	27, 43, 68, 90	0
1	E	453/454 (99%)	0.02	6 (1%) 74 76	30, 43, 65, 93	0
1	F	453/454 (99%)	-0.02	6 (1%) 74 76	30, 42, 70, 98	0
1	G	453/454 (99%)	0.40	17 (3%) 44 45	33, 51, 79, 102	0
1	H	453/454 (99%)	0.31	15 (3%) 49 50	30, 48, 74, 106	0
1	I	452/454 (99%)	1.15	77 (17%) 5 5	34, 56, 82, 109	0
1	J	453/454 (99%)	-0.03	4 (0%) 81 81	31, 44, 69, 94	0
1	K	453/454 (99%)	0.56	20 (4%) 39 39	35, 53, 77, 113	0
1	L	453/454 (99%)	1.05	77 (16%) 5 5	38, 60, 90, 120	0
All	All	5434/5448 (99%)	0.22	245 (4%) 39 38	23, 45, 75, 120	0

All (245) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	282	LEU	4.7
1	L	63	LEU	4.6
1	K	1	MET	4.5
1	I	2	SER	4.4
1	I	124	LYS	4.3
1	F	1	MET	4.3
1	F	282	LEU	4.2
1	L	6	GLY	3.8
1	G	1	MET	3.8
1	I	141	PHE	3.7
1	B	1	MET	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	145	MET	3.7
1	D	87	PHE	3.7
1	I	82	ILE	3.6
1	I	278	ALA	3.6
1	I	55	TYR	3.5
1	E	1	MET	3.5
1	L	210	ILE	3.5
1	F	87	PHE	3.5
1	I	83	PHE	3.5
1	I	128	ILE	3.4
1	G	278	ALA	3.4
1	I	151	TYR	3.4
1	G	286	GLN	3.4
1	L	282	LEU	3.4
1	F	2	SER	3.3
1	I	87	PHE	3.3
1	L	58	PHE	3.3
1	L	147	VAL	3.3
1	H	450	LYS	3.3
1	L	293	ILE	3.2
1	I	212	VAL	3.2
1	L	278	ALA	3.2
1	G	87	PHE	3.2
1	I	105	LEU	3.2
1	L	212	VAL	3.1
1	H	206	LYS	3.1
1	L	1	MET	3.1
1	I	146	LEU	3.1
1	L	88	GLY	3.1
1	H	5	LYS	3.1
1	H	1	MET	3.1
1	L	128	ILE	3.1
1	K	39	LYS	3.1
1	I	86	GLY	3.1
1	K	374	GLY	3.1
1	L	146	LEU	3.1
1	I	143	TYR	3.1
1	L	296	ASP	3.0
1	G	39	LYS	3.0
1	L	262	TYR	3.0
1	I	58	PHE	3.0
1	L	297	PHE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	289	LYS	2.9
1	L	141	PHE	2.9
1	I	147	VAL	2.9
1	G	281	ALA	2.9
1	I	110	ILE	2.9
1	L	93	LYS	2.9
1	I	210	ILE	2.9
1	I	9	TRP	2.8
1	L	202	VAL	2.8
1	H	324	HIS	2.8
1	L	151	TYR	2.8
1	L	107	GLU	2.8
1	I	201	VAL	2.8
1	J	1	MET	2.8
1	J	282	LEU	2.8
1	A	279	GLN	2.8
1	I	286	GLN	2.8
1	I	282	LEU	2.8
1	L	110	ILE	2.7
1	G	373	ASP	2.7
1	L	288	VAL	2.7
1	K	278	ALA	2.7
1	L	70	LEU	2.7
1	H	369	ILE	2.7
1	L	100	ARG	2.7
1	G	279	GLN	2.7
1	I	6	GLY	2.7
1	I	259	LYS	2.7
1	L	196	LEU	2.7
1	E	279	GLN	2.7
1	K	369	ILE	2.7
1	I	202	VAL	2.7
1	I	292	PHE	2.7
1	L	214	VAL	2.7
1	I	298	LEU	2.6
1	D	89	ASN	2.6
1	I	205	VAL	2.6
1	L	87	PHE	2.6
1	H	236	GLU	2.6
1	L	158	TRP	2.6
1	I	393	ARG	2.6
1	K	370	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	292	PHE	2.6
1	I	148	ILE	2.6
1	L	156	LYS	2.6
1	G	267	PHE	2.6
1	I	297	PHE	2.6
1	G	284	MET	2.6
1	K	372	GLU	2.6
1	L	204	ALA	2.6
1	I	93	LYS	2.6
1	I	450	LYS	2.6
1	F	373	ASP	2.6
1	I	155	VAL	2.5
1	I	117	TYR	2.5
1	I	206	LYS	2.5
1	L	263	PRO	2.5
1	H	374	GLY	2.5
1	K	63	LEU	2.5
1	D	280	LYS	2.5
1	I	198	HIS	2.5
1	C	393	ARG	2.5
1	I	236	GLU	2.5
1	D	233	LYS	2.5
1	G	139	TYR	2.5
1	D	321	ARG	2.5
1	B	369	ILE	2.4
1	A	236	GLU	2.4
1	A	39	LYS	2.4
1	H	282	LEU	2.4
1	I	199	PHE	2.4
1	L	259	LYS	2.4
1	D	88	GLY	2.4
1	L	205	VAL	2.4
1	D	2	SER	2.4
1	K	51	ALA	2.4
1	L	90	VAL	2.4
1	G	280	LYS	2.4
1	I	200	LYS	2.4
1	I	116	ILE	2.4
1	I	100	ARG	2.4
1	I	79	TRP	2.3
1	L	7	PHE	2.3
1	L	97	PHE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	294	PHE	2.3
1	I	153	ASP	2.3
1	I	157	TYR	2.3
1	I	405	TYR	2.3
1	I	145	MET	2.3
1	L	195	MET	2.3
1	L	353	PRO	2.3
1	K	447	GLN	2.3
1	I	262	TYR	2.3
1	I	66	LYS	2.3
1	L	206	LYS	2.3
1	I	396	ILE	2.3
1	G	259	LYS	2.3
1	L	207	GLU	2.3
1	L	154	ARG	2.3
1	L	403	ARG	2.3
1	D	348	ILE	2.3
1	L	96	GLU	2.2
1	L	133	ASN	2.2
1	H	370	VAL	2.2
1	I	191	VAL	2.2
1	C	272	GLN	2.2
1	K	373	ASP	2.2
1	I	293	ILE	2.2
1	L	116	ILE	2.2
1	F	450	LYS	2.2
1	L	260	GLY	2.2
1	I	140	TYR	2.2
1	I	112	PRO	2.2
1	I	204	ALA	2.2
1	K	271	VAL	2.2
1	L	257	VAL	2.2
1	K	3	PHE	2.2
1	K	354	GLN	2.2
1	I	453	SER	2.2
1	L	200	LYS	2.2
1	L	373	ASP	2.2
1	L	453	SER	2.2
1	A	89	ASN	2.2
1	E	321	ARG	2.2
1	L	144	ALA	2.2
1	I	113	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	201	VAL	2.2
1	A	5	LYS	2.2
1	E	5	LYS	2.2
1	I	104	LYS	2.2
1	I	130	GLY	2.2
1	I	216	ILE	2.2
1	L	102	ILE	2.2
1	I	95	LEU	2.2
1	I	101	LEU	2.2
1	L	160	THR	2.2
1	I	90	VAL	2.2
1	E	233	LYS	2.2
1	H	3	PHE	2.2
1	L	83	PHE	2.2
1	H	2	SER	2.1
1	H	453	SER	2.1
1	L	82	ILE	2.1
1	L	321	ARG	2.1
1	I	158	TRP	2.1
1	L	9	TRP	2.1
1	J	324	HIS	2.1
1	K	272	GLN	2.1
1	K	87	PHE	2.1
1	B	277	GLU	2.1
1	I	88	GLY	2.1
1	A	324	HIS	2.1
1	I	324	HIS	2.1
1	G	275	LEU	2.1
1	H	63	LEU	2.1
1	I	208	ASN	2.1
1	D	156	LYS	2.1
1	G	185	LYS	2.1
1	D	271	VAL	2.1
1	I	142	ASP	2.1
1	I	109	GLY	2.1
1	L	114	ILE	2.1
1	L	95	LEU	2.1
1	J	163	GLN	2.1
1	E	372	GLU	2.1
1	I	207	GLU	2.1
1	L	157	TYR	2.1
1	H	342	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	355	ILE	2.1
1	K	324	HIS	2.1
1	K	233	LYS	2.1
1	L	66	LYS	2.1
1	L	273	LYS	2.1
1	I	447	GLN	2.1
1	K	105	LEU	2.1
1	L	111	GLU	2.0
1	L	106	VAL	2.0
1	I	75	PHE	2.0
1	L	136	ILE	2.0
1	L	355	ILE	2.0
1	L	286	GLN	2.0
1	L	64	LEU	2.0
1	L	295	PRO	2.0
1	K	371	THR	2.0
1	I	214	VAL	2.0
1	L	155	VAL	2.0
1	I	3	PHE	2.0
1	D	39	LYS	2.0
1	D	259	LYS	2.0
1	G	324	HIS	2.0
1	I	426	ILE	2.0
1	L	258	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	GOL	K	502	6/6	0.77	0.15	42,44,48,54	0
2	GOL	B	503	6/6	0.81	0.18	39,59,67,67	0
3	BGC	I	502	12/12	0.81	0.14	45,63,77,83	0
2	GOL	L	502	6/6	0.82	0.14	42,50,51,52	0
3	BGC	J	502	12/12	0.82	0.16	40,57,72,76	0
3	BGC	E	502	12/12	0.83	0.15	38,55,68,77	0
3	BGC	D	502	12/12	0.84	0.17	32,59,74,83	0
2	GOL	C	501	6/6	0.84	0.16	37,46,56,57	0
2	GOL	D	501	6/6	0.85	0.15	47,50,53,61	0
4	SO4	I	504	5/5	0.85	0.14	45,65,68,73	0
3	BGC	A	502	12/12	0.86	0.17	34,47,76,82	0
2	GOL	J	501	6/6	0.86	0.16	41,52,56,60	0
4	SO4	G	504	5/5	0.87	0.13	59,62,69,72	0
4	SO4	H	503	5/5	0.87	0.11	67,67,80,89	0
2	GOL	I	501	6/6	0.87	0.14	55,58,63,74	0
2	GOL	L	501	6/6	0.88	0.20	64,72,83,83	0
2	GOL	G	502	6/6	0.88	0.17	56,68,72,74	0
3	BGC	H	501	12/12	0.88	0.14	36,53,81,95	0
2	GOL	E	501	6/6	0.88	0.13	51,55,60,64	0
3	BGC	B	502	12/12	0.89	0.13	34,49,70,79	0
3	BGC	G	501	12/12	0.89	0.11	36,49,60,64	0
4	SO4	L	504	5/5	0.89	0.11	55,62,83,84	0
2	GOL	H	502	6/6	0.90	0.16	53,71,76,81	0
2	GOL	K	501	6/6	0.90	0.14	50,60,67,72	0
2	GOL	F	501	6/6	0.90	0.14	48,53,55,57	0
3	BGC	F	502	12/12	0.90	0.11	35,48,60,61	0
3	BGC	C	502	12/12	0.91	0.11	31,41,53,61	0
2	GOL	A	501	6/6	0.92	0.10	35,42,45,47	0
4	SO4	D	504	5/5	0.92	0.09	41,51,63,64	0
4	SO4	E	504	5/5	0.93	0.08	40,57,63,64	0
4	SO4	H	504	5/5	0.93	0.10	39,55,63,69	0
4	SO4	F	503	5/5	0.93	0.08	48,57,59,72	0
4	SO4	K	503	5/5	0.93	0.08	62,63,69,73	0
4	SO4	L	503	5/5	0.93	0.10	52,56,63,81	0
4	SO4	B	504	5/5	0.93	0.09	57,61,65,84	0
4	SO4	C	503	5/5	0.94	0.08	53,56,59,66	0
4	SO4	G	503	5/5	0.94	0.08	54,62,72,82	0
4	SO4	J	503	5/5	0.94	0.09	49,53,57,72	0
4	SO4	A	503	5/5	0.95	0.10	49,54,63,75	0
4	SO4	J	504	5/5	0.95	0.06	51,52,58,61	0
4	SO4	D	503	5/5	0.95	0.07	64,66,68,83	0
4	SO4	F	504	5/5	0.95	0.07	49,51,55,63	0
2	GOL	B	501	6/6	0.95	0.08	36,42,45,47	0

Continued on next page...


Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	SO4	K	504	5/5	0.96	0.07	47,54,56,58	0
4	SO4	E	503	5/5	0.96	0.08	54,57,62,69	0
4	SO4	I	503	5/5	0.96	0.07	53,63,68,75	0
4	SO4	B	505	5/5	0.98	0.04	34,41,45,53	0
4	SO4	A	504	5/5	0.98	0.06	31,39,46,46	0
4	SO4	C	504	5/5	0.98	0.06	41,42,48,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around BGC I 502:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGC J 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGC E 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGC D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGC A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGC H 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGC B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BGC G 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BGC F 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.