# Full wwPDB EM Validation Report (i)

Mar 3, 2024 – 02:57 PM EST

| | | |
|---|---|---|
| PDB ID | : | 5WK6 |
| EMDB ID | : | EMD-8856 |
| Title | : | Cryo-EM structure of P. aeruginosa flagellar filaments G420A |
| Authors | : | Wang, F.; Postel, S.; Sundberg, E.J.; Egelman, E.H. |
| Deposited on | : | 2017-07-24 |
| Resolution | : | 4.30 Å(reported) |

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

| | | |
|---|---|---|
| EMDB validation analysis | : | 0.0.1.dev70 |
| MolProbity | : | 4.02b-467 |
| Percentile statistics | : | 20191225.v01 (using entries in the PDB archive December 25th 2019) |
| MapQ | : | 1.9.13 |
| Ideal geometry (proteins) | : | Engh & Huber (2001) |
| Ideal geometry (DNA, RNA) | : | Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : | 2.36 |

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|---|---|---|
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|---|---|---|---|
| 1 | A | 488 | 22% 53% • 45% |
| 1 | B | 488 | 23% 53% • 45% |
| 1 | C | 488 | 22% 53% • 45% |
| 1 | D | 488 | 23% 53% • 45% |
| 1 | E | 488 | 23% 53% • 45% |
| 1 | F | 488 | 22% 53% • 45% |
| 1 | G | 488 | 22% 53% • 45% |
| 1 | H | 488 | 22% 53% • 45% |
| 1 | I | 488 | 23% 53% • 45% |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Length | Quality of chain |
|---|---|---|---|
| 1 | J | 488 | 22% 53% • 45% |
| 1 | K | 488 | 22% 53% • 45% |
| 1 | L | 488 | 22% 53% • 45% |
| 1 | M | 488 | 22% 53% • 45% |
| 1 | N | 488 | 23% 53% • 45% |
| 1 | O | 488 | 21% 53% • 45% |
| 1 | P | 488 | 23% 53% • 45% |
| 1 | Q | 488 | 22% 53% • 45% |
| 1 | R | 488 | 23% 53% • 45% |
| 1 | S | 488 | 22% 53% • 45% |
| 1 | T | 488 | 23% 53% • 45% |
| 1 | U | 488 | 22% 53% • 45% |
| 1 | V | 488 | 23% 53% • 45% |
| 1 | W | 488 | 23% 53% • 45% |
| 1 | X | 488 | 24% 53% • 45% |
| 1 | Y | 488 | 23% 53% • 45% |
| 1 | Z | 488 | 23% 53% • 45% |
| 1 | a | 488 | 23% 53% • 45% |
| 1 | b | 488 | 22% 53% • 45% |
| 1 | c | 488 | 23% 53% • 45% |
| 1 | d | 488 | 23% 53% • 45% |
| 1 | e | 488 | 23% 53% • 45% |
| 1 | f | 488 | 23% 53% • 45% |
| 1 | g | 488 | 23% 53% • 45% |
| 1 | h | 488 | 22% 53% • 45% |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Length | Quality of chain |
|---|---|---|---|
| 1 | i | 488 | 23% 53% • 45% |
| 1 | j | 488 | 23% 53% • 45% |
| 1 | k | 488 | 23% 53% • 45% |
| 1 | l | 488 | 22% 53% • 45% |
| 1 | m | 488 | 23% 53% • 45% |
| 1 | n | 488 | 22% 53% • 45% |
| 1 | o | 488 | 23% 53% • 45% |

# 2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 161663 atoms, of which 80524 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called B-type flagellin.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | H | N | O | | |
| 1 | A | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | B | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | C | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | D | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | E | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | F | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | G | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | H | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | I | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | J | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | K | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | L | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | M | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | N | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | O | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | P | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| 1 | Q | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | H | N | O | | |
| 1 | R | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | S | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | T | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | U | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | V | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | W | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | X | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | Y | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | Z | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | a | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | b | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | c | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | d | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | e | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | f | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | g | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | h | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | i | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | j | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | k | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | l | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|---|---|---|---|---|---|---|---|---|---|
| | | | Total | C | H | N | O | | |
| 1 | m | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | n | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |
| | | | Total | C | H | N | O | | |
| 1 | o | 269 | 3943 | 1187 | 1964 | 371 | 421 | 0 | 0 |

There are 41 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|---|---|---|---|---|---|
| A | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| B | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| C | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| D | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| E | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| F | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| G | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| H | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| I | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| J | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| K | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| L | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| M | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| N | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| O | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| P | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| Q | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| R | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| S | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| T | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| U | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| V | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| W | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| X | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| Y | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| Z | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| a | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| b | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| c | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| d | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| e | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| f | 420 | ALA | GLY | engineered mutation | UNP P72151 |

*Continued on next page...*

*Continued from previous page...*

| Chain | Residue | Modelled | Actual | Comment | Reference |
|---|---|---|---|---|---|
| g | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| h | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| i | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| j | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| k | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| l | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| m | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| n | 420 | ALA | GLY | engineered mutation | UNP P72151 |
| o | 420 | ALA | GLY | engineered mutation | UNP P72151 |

# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: B-type flagellin

Chain A:




- Molecule 1: B-type flagellin

Chain B:






- Molecule 1: B-type flagellin

Chain C:




- Molecule 1: B-type flagellin

Chain D:






- Molecule 1: B-type flagellin

Chain E:




- Molecule 1: B-type flagellin

Chain F:




- Molecule 1: B-type flagellin

Chain G:




- Molecule 1: B-type flagellin

Chain H:







- Molecule 1: B-type flagellin

Chain I:






- Molecule 1: B-type flagellin

Chain J:




- Molecule 1: B-type flagellin

Chain K:






- Molecule 1: B-type flagellin

Chain L:




- Molecule 1: B-type flagellin

Chain M:






- Molecule 1: B-type flagellin

Chain N:







- Molecule 1: B-type flagellin

Chain O:






- Molecule 1: B-type flagellin

Chain P:










- Molecule 1: B-type flagellin

Chain Q:









- Molecule 1: B-type flagellin

Chain R:




- Molecule 1: B-type flagellin

Chain S:









- Molecule 1: B-type flagellin

Chain T:




- Molecule 1: B-type flagellin

Chain U:






- Molecule 1: B-type flagellin

Chain V:




- Molecule 1: B-type flagellin

Chain W:




- Molecule 1: B-type flagellin

Chain X:




- Molecule 1: B-type flagellin

Chain Y: 23% 53% • 45%

MET ALA LEU THR V5 N6 T7 N8 T14 Q15 R16 A20 S21 S22 N23 N26 N39 S40 A41 K42 D43 D44 A45 A46 G47 L48 N52 N67 A68 N69 D70 G71 I72 S73 A78 E79 G80 A81 L82 Q83 L89 R93 D94 N101 G102 S103 N104 S105 D106 A107

D108 R109 A110 A111 L112 Q113 K114 A117 A118 E122 R125 D128 T129 T130 T131 F132 G133 G134 R135 K136 L137 G140 S141 F142 G143 T144 T145 V149 G150 S151 E155 T156 I157 D158 I159 S160 L161 Q162 N163 A164 S165 A168 I169 GLY SER TYR GLN VAL GLY SER ASN GLY

ALA GLY THR VAL ALA SER VAL ALA GLY THR ALA THR ALA SER GLY ILE ALA SER GLY THR VAL ASN LEU VAL GLY GLY GLY GLN VAL LYS ASN ILE ALA ILE ALA ALA GLY ASP SER ALA LYS ALA ILE ALA GLU LYS MET ASP GLY ALA ILE PRO ASN LEU SER ALA ARG ALA ARG THR

VAL PHE THR ALA ASP VAL SER GLY VAL THR GLY GLY SER LEU ASN PHE ASP VAL THR VAL GLY SER ASN THR VAL SER LEU ALA GLY VAL THR SER THR GLN ASP LEU ALA ASP GLN LEU ASN SER ASN SER SER LYS LEU GLY ILE THR ALA SER ILE ASN ASP LYS GLY VAL LEU THR

ILE THR SER ALA THR GLY GLU ASN VAL LYS PHE GLY ALA GLN THR GLY THR ALA THR ALA GLY GLN VAL ALA VAL LYS VAL GLN GLY SER ASP GLY LYS PHE GLU ALA ALA ALA LYS ASN VAL VAL ALA ALA GLY THR ALA ALA THR THR THR ILE VAL THR GLY TYR VAL GLN LEU ASN

SER PRO THR ALA TYR SER VAL SER GLY THR GLY THR GLN ALA SER GLN VAL PHE GLY ASN ALA SER ALA ALA GLN LYS S385 A388 S389 V390 D391 I392 S393 T394 A395 D396 G397 A398 Q399 A403 D406 N407 A408 L409 A410 A411 I412 D413 A417 D418 A421 V422 Q423 N424 R425

F426 K427 I430 D431 N439 D449 T450 D451 F452 E455 T456 A457 A458 L459 V464 Q467 A468 G469 Q478 A482 V483 L484 S485 L486 L487 R488

- Molecule 1: B-type flagellin

Chain Z: 23% 53% • 45%

MET ALA LEU THR V5 N6 T7 N8 T14 Q15 R16 A20 S21 S22 N23 N26 N39 S40 A41 K42 D43 D44 A45 A46 G47 L48 N52 N67 A68 N69 D70 G71 I72 S73 A78 E79 G80 A81 L82 Q83 L89 R93 D94 Q98 N101 G102 S103 N104 S105

D106 A107 D108 R109 A110 A111 L112 Q113 K114 A117 A118 Q119 Q120 A121 E122 R125 D128 T131 F132 G133 G134 R135 K136 L137 G140 S141 F142 G143 T144 T145 V149 G150 S151 Y154 E155 T156 I157 D158 I159 S160 L161 Q162 N163 A164 S165 A168 I169 GLY SER TYR GLN VAL

GLY SER ASN GLY ALA GLY THR VAL ALA SER VAL ALA GLY THR ALA THR ALA SER GLY ILE ALA SER GLY THR VAL ASN LEU VAL GLY GLY GLN VAL LYS ASN ILE ALA ILE ALA ALA GLY ASP SER ALA LYS ALA ILE ALA GLU LYS MET ASP GLY ALA ILE PRO ASN LEU SER ALA

ARG ALA ARG THR VAL PHE THR ALA ASP VAL SER GLY VAL THR GLY GLY SER LEU ASN PHE ASP VAL THR VAL GLY SER ASN THR VAL SER LEU ALA GLY VAL THR SER THR GLN ASP LEU ALA ASP GLN LEU ASN SER ASN SER SER LYS LEU GLY ILE THR ALA SER ILE ASN ASP LYS

GLY VAL LEU THR ILE THR SER ALA THR GLY GLU ASN VAL LYS PHE GLY ALA GLN THR GLY THR ALA THR ALA GLY GLN VAL ALA VAL LYS VAL GLN GLY SER ASP GLY LYS PHE GLU ALA ALA ALA LYS ASN VAL VAL ALA ALA GLY THR ALA ALA THR THR THR ILE VAL THR GLY TYR

VAL GLN LEU ASN SER PRO THR ALA TYR SER VAL SER GLY THR GLY THR GLN ALA SER GLN VAL PHE GLY ASN ALA SER ALA ALA GLN LYS S385 A388 S389 V390 D391 I392 S393 T394 A395 D396 G397 A398 Q399 V404 V405 D406 N407 A408 L409 A410 A411 I412 D413 R416 A417 D418

A421 V422 Q423 N424 R425 F426 K427 I430 D431 N439 D449 T450 D451 F452 A457 A458 L459 V464 Q467 A468 G469 Q478 A482 V483 L484 S485 L486 L487 R488

- Molecule 1: B-type flagellin

Chain a:




- Molecule 1: B-type flagellin

Chain b:






- Molecule 1: B-type flagellin

Chain c:




- Molecule 1: B-type flagellin

Chain d:









• Molecule 1: B-type flagellin

Chain e:







• Molecule 1: B-type flagellin

Chain f:






- Molecule 1: B-type flagellin

Chain g:







- Molecule 1: B-type flagellin

Chain h:






- Molecule 1: B-type flagellin

Chain i:







- Molecule 1: B-type flagellin

Chain j:






- Molecule 1: B-type flagellin

Chain k:




- Molecule 1: B-type flagellin

Chain l:






- Molecule 1: B-type flagellin

Chain m:




- Molecule 1: B-type flagellin

Chain n:




- Molecule 1: B-type flagellin

Chain o:



# 4 Experimental information (i)

| Property | Value | Source |
|---|---|---|
| EM reconstruction method | HELICAL | Depositor |
| Imposed symmetry | HELICAL, twist=65.27°, rise=4.73 Å, axial sym=C1 | Depositor |
| Number of segments used | 17450 | Depositor |
| Resolution determination method | OTHER | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/Å^2$) | 20 | Depositor |
| Minimum defocus (nm) | Not provided | |
| Maximum defocus (nm) | Not provided | |
| Magnification | Not provided | |
| Image detector | FEI FALCON II (4k x 4k) | Depositor |
| Maximum map value | 4.550 | Depositor |
| Minimum map value | -3.185 | Depositor |
| Average map value | 0.099 | Depositor |
| Map value standard deviation | 0.695 | Depositor |
| Recommended contour level | 1.7 | Depositor |
| Map size (Å) | 230.99998, 230.99998, 1050.0 | wwPDB |
| Map dimensions | 220, 220, 1000 | wwPDB |
| Map angles (°) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (Å) | 1.05, 1.05, 1.05 | Depositor |

# 5 Model quality (i)

## 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|---|---|---|---|---|---|
| | | RMSZ | #\|Z\| >5 | RMSZ | #\|Z\| >5 |
| 1 | A | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | B | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | C | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | D | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | E | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | F | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | G | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | H | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | I | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | J | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | K | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | L | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | M | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | N | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | O | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | P | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | Q | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | R | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | S | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | T | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | U | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | V | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | W | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | X | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | Y | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | Z | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | a | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | b | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | c | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | d | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | e | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | f | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | g | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | h | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |

| Mol | Chain | Bond lengths | | Bond angles | |
|---|---|---|---|---|---|
| | | RMSZ | #\|Z\| >5 | RMSZ | #\|Z\| >5 |
| 1 | i | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | j | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | k | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | l | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | m | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | n | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| 1 | o | 0.57 | 2/1985 (0.1%) | 0.73 | 1/2692 (0.0%) |
| All | All | 0.57 | 82/81385 (0.1%) | 0.73 | 41/110372 (0.0%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|---|---|---|---|
| 1 | A | 0 | 4 |
| 1 | B | 0 | 4 |
| 1 | C | 0 | 4 |
| 1 | D | 0 | 4 |
| 1 | E | 0 | 4 |
| 1 | F | 0 | 4 |
| 1 | G | 0 | 4 |
| 1 | H | 0 | 4 |
| 1 | I | 0 | 4 |
| 1 | J | 0 | 4 |
| 1 | K | 0 | 4 |
| 1 | L | 0 | 4 |
| 1 | M | 0 | 4 |
| 1 | N | 0 | 4 |
| 1 | O | 0 | 4 |
| 1 | P | 0 | 4 |
| 1 | Q | 0 | 4 |
| 1 | R | 0 | 4 |
| 1 | S | 0 | 4 |
| 1 | T | 0 | 4 |
| 1 | U | 0 | 4 |
| 1 | V | 0 | 4 |
| 1 | W | 0 | 4 |
| 1 | X | 0 | 4 |
| 1 | Y | 0 | 4 |
| 1 | Z | 0 | 4 |
| 1 | a | 0 | 4 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|---|---|---|---|
| 1 | b | 0 | 4 |
| 1 | c | 0 | 4 |
| 1 | d | 0 | 4 |
| 1 | e | 0 | 4 |
| 1 | f | 0 | 4 |
| 1 | g | 0 | 4 |
| 1 | h | 0 | 4 |
| 1 | i | 0 | 4 |
| 1 | j | 0 | 4 |
| 1 | k | 0 | 4 |
| 1 | l | 0 | 4 |
| 1 | m | 0 | 4 |
| 1 | n | 0 | 4 |
| 1 | o | 0 | 4 |
| All | All | 0 | 164 |

All (82) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|---|---|---|---|---|---|---|---|
| 1 | T | 464 | VAL | CB-CG1 | -6.67 | 1.38 | 1.52 |
| 1 | U | 464 | VAL | CB-CG1 | -6.67 | 1.38 | 1.52 |
| 1 | h | 464 | VAL | CB-CG1 | -6.67 | 1.38 | 1.52 |
| 1 | m | 464 | VAL | CB-CG1 | -6.67 | 1.38 | 1.52 |
| 1 | L | 464 | VAL | CB-CG1 | -6.67 | 1.38 | 1.52 |
| 1 | j | 464 | VAL | CB-CG1 | -6.67 | 1.38 | 1.52 |
| 1 | Y | 464 | VAL | CB-CG1 | -6.66 | 1.38 | 1.52 |
| 1 | K | 464 | VAL | CB-CG1 | -6.66 | 1.38 | 1.52 |
| 1 | Z | 464 | VAL | CB-CG1 | -6.66 | 1.38 | 1.52 |
| 1 | a | 464 | VAL | CB-CG1 | -6.66 | 1.38 | 1.52 |
| 1 | n | 464 | VAL | CB-CG1 | -6.66 | 1.38 | 1.52 |
| 1 | D | 464 | VAL | CB-CG1 | -6.66 | 1.38 | 1.52 |
| 1 | c | 464 | VAL | CB-CG1 | -6.66 | 1.38 | 1.52 |
| 1 | k | 464 | VAL | CB-CG1 | -6.66 | 1.38 | 1.52 |
| 1 | E | 464 | VAL | CB-CG1 | -6.65 | 1.38 | 1.52 |
| 1 | O | 464 | VAL | CB-CG1 | -6.65 | 1.38 | 1.52 |
| 1 | d | 464 | VAL | CB-CG1 | -6.65 | 1.38 | 1.52 |
| 1 | l | 464 | VAL | CB-CG1 | -6.65 | 1.38 | 1.52 |
| 1 | H | 464 | VAL | CB-CG1 | -6.65 | 1.38 | 1.52 |
| 1 | S | 464 | VAL | CB-CG1 | -6.65 | 1.38 | 1.52 |
| 1 | V | 464 | VAL | CB-CG1 | -6.65 | 1.38 | 1.52 |
| 1 | A | 464 | VAL | CB-CG1 | -6.64 | 1.38 | 1.52 |
| 1 | Q | 464 | VAL | CB-CG1 | -6.64 | 1.38 | 1.52 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|---|---|---|---|---|---|---|---|
| 1 | R | 464 | VAL | CB-CG1 | -6.64 | 1.38 | 1.52 |
| 1 | G | 464 | VAL | CB-CG1 | -6.64 | 1.39 | 1.52 |
| 1 | N | 464 | VAL | CB-CG1 | -6.64 | 1.38 | 1.52 |
| 1 | W | 464 | VAL | CB-CG1 | -6.64 | 1.38 | 1.52 |
| 1 | e | 464 | VAL | CB-CG1 | -6.64 | 1.39 | 1.52 |
| 1 | F | 464 | VAL | CB-CG1 | -6.64 | 1.39 | 1.52 |
| 1 | M | 464 | VAL | CB-CG1 | -6.64 | 1.39 | 1.52 |
| 1 | X | 464 | VAL | CB-CG1 | -6.64 | 1.39 | 1.52 |
| 1 | J | 464 | VAL | CB-CG1 | -6.63 | 1.39 | 1.52 |
| 1 | f | 464 | VAL | CB-CG1 | -6.63 | 1.39 | 1.52 |
| 1 | P | 464 | VAL | CB-CG1 | -6.63 | 1.39 | 1.52 |
| 1 | g | 464 | VAL | CB-CG1 | -6.63 | 1.39 | 1.52 |
| 1 | b | 464 | VAL | CB-CG1 | -6.62 | 1.39 | 1.52 |
| 1 | B | 464 | VAL | CB-CG1 | -6.62 | 1.39 | 1.52 |
| 1 | I | 464 | VAL | CB-CG1 | -6.62 | 1.39 | 1.52 |
| 1 | o | 464 | VAL | CB-CG1 | -6.62 | 1.39 | 1.52 |
| 1 | i | 464 | VAL | CB-CG1 | -6.62 | 1.39 | 1.52 |
| 1 | C | 464 | VAL | CB-CG1 | -6.62 | 1.39 | 1.52 |
| 1 | K | 5 | VAL | CB-CG1 | -5.13 | 1.42 | 1.52 |
| 1 | a | 5 | VAL | CB-CG1 | -5.13 | 1.42 | 1.52 |
| 1 | i | 5 | VAL | CB-CG1 | -5.13 | 1.42 | 1.52 |
| 1 | m | 5 | VAL | CB-CG1 | -5.12 | 1.42 | 1.52 |
| 1 | T | 5 | VAL | CB-CG1 | -5.12 | 1.42 | 1.52 |
| 1 | c | 5 | VAL | CB-CG1 | -5.12 | 1.42 | 1.52 |
| 1 | E | 5 | VAL | CB-CG1 | -5.12 | 1.42 | 1.52 |
| 1 | Z | 5 | VAL | CB-CG1 | -5.12 | 1.42 | 1.52 |
| 1 | Q | 5 | VAL | CB-CG1 | -5.11 | 1.42 | 1.52 |
| 1 | X | 5 | VAL | CB-CG1 | -5.11 | 1.42 | 1.52 |
| 1 | h | 5 | VAL | CB-CG1 | -5.11 | 1.42 | 1.52 |
| 1 | L | 5 | VAL | CB-CG1 | -5.11 | 1.42 | 1.52 |
| 1 | n | 5 | VAL | CB-CG1 | -5.11 | 1.42 | 1.52 |
| 1 | A | 5 | VAL | CB-CG1 | -5.11 | 1.42 | 1.52 |
| 1 | V | 5 | VAL | CB-CG1 | -5.11 | 1.42 | 1.52 |
| 1 | G | 5 | VAL | CB-CG1 | -5.10 | 1.42 | 1.52 |
| 1 | H | 5 | VAL | CB-CG1 | -5.10 | 1.42 | 1.52 |
| 1 | U | 5 | VAL | CB-CG1 | -5.10 | 1.42 | 1.52 |
| 1 | l | 5 | VAL | CB-CG1 | -5.10 | 1.42 | 1.52 |
| 1 | B | 5 | VAL | CB-CG1 | -5.10 | 1.42 | 1.52 |
| 1 | R | 5 | VAL | CB-CG1 | -5.10 | 1.42 | 1.52 |
| 1 | I | 5 | VAL | CB-CG1 | -5.10 | 1.42 | 1.52 |
| 1 | e | 5 | VAL | CB-CG1 | -5.10 | 1.42 | 1.52 |
| 1 | g | 5 | VAL | CB-CG1 | -5.10 | 1.42 | 1.52 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|---|---|---|---|---|---|---|---|
| 1 | o | 5 | VAL | CB-CG1 | -5.10 | 1.42 | 1.52 |
| 1 | C | 5 | VAL | CB-CG1 | -5.10 | 1.42 | 1.52 |
| 1 | N | 5 | VAL | CB-CG1 | -5.09 | 1.42 | 1.52 |
| 1 | P | 5 | VAL | CB-CG1 | -5.09 | 1.42 | 1.52 |
| 1 | D | 5 | VAL | CB-CG1 | -5.09 | 1.42 | 1.52 |
| 1 | F | 5 | VAL | CB-CG1 | -5.09 | 1.42 | 1.52 |
| 1 | J | 5 | VAL | CB-CG1 | -5.09 | 1.42 | 1.52 |
| 1 | S | 5 | VAL | CB-CG1 | -5.09 | 1.42 | 1.52 |
| 1 | b | 5 | VAL | CB-CG1 | -5.09 | 1.42 | 1.52 |
| 1 | O | 5 | VAL | CB-CG1 | -5.09 | 1.42 | 1.52 |
| 1 | W | 5 | VAL | CB-CG1 | -5.09 | 1.42 | 1.52 |
| 1 | Y | 5 | VAL | CB-CG1 | -5.09 | 1.42 | 1.52 |
| 1 | j | 5 | VAL | CB-CG1 | -5.09 | 1.42 | 1.52 |
| 1 | M | 5 | VAL | CB-CG1 | -5.08 | 1.42 | 1.52 |
| 1 | f | 5 | VAL | CB-CG1 | -5.08 | 1.42 | 1.52 |
| 1 | k | 5 | VAL | CB-CG1 | -5.08 | 1.42 | 1.52 |
| 1 | d | 5 | VAL | CB-CG1 | -5.07 | 1.42 | 1.52 |

All (41) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed($^o$) | Ideal($^o$) |
|---|---|---|---|---|---|---|---|
| 1 | b | 42 | LYS | CD-CE-NZ | -5.48 | 99.10 | 111.70 |
| 1 | f | 42 | LYS | CD-CE-NZ | -5.47 | 99.12 | 111.70 |
| 1 | h | 42 | LYS | CD-CE-NZ | -5.47 | 99.12 | 111.70 |
| 1 | i | 42 | LYS | CD-CE-NZ | -5.47 | 99.12 | 111.70 |
| 1 | B | 42 | LYS | CD-CE-NZ | -5.47 | 99.12 | 111.70 |
| 1 | U | 42 | LYS | CD-CE-NZ | -5.47 | 99.12 | 111.70 |
| 1 | G | 42 | LYS | CD-CE-NZ | -5.47 | 99.12 | 111.70 |
| 1 | c | 42 | LYS | CD-CE-NZ | -5.47 | 99.13 | 111.70 |
| 1 | R | 42 | LYS | CD-CE-NZ | -5.46 | 99.13 | 111.70 |
| 1 | X | 42 | LYS | CD-CE-NZ | -5.46 | 99.13 | 111.70 |
| 1 | o | 42 | LYS | CD-CE-NZ | -5.46 | 99.13 | 111.70 |
| 1 | C | 42 | LYS | CD-CE-NZ | -5.46 | 99.14 | 111.70 |
| 1 | D | 42 | LYS | CD-CE-NZ | -5.46 | 99.15 | 111.70 |
| 1 | J | 42 | LYS | CD-CE-NZ | -5.46 | 99.14 | 111.70 |
| 1 | P | 42 | LYS | CD-CE-NZ | -5.46 | 99.15 | 111.70 |
| 1 | A | 42 | LYS | CD-CE-NZ | -5.46 | 99.15 | 111.70 |
| 1 | M | 42 | LYS | CD-CE-NZ | -5.46 | 99.15 | 111.70 |
| 1 | N | 42 | LYS | CD-CE-NZ | -5.46 | 99.15 | 111.70 |
| 1 | V | 42 | LYS | CD-CE-NZ | -5.46 | 99.15 | 111.70 |
| 1 | H | 42 | LYS | CD-CE-NZ | -5.46 | 99.15 | 111.70 |
| 1 | L | 42 | LYS | CD-CE-NZ | -5.46 | 99.15 | 111.70 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms | Z | Observed($^o$) | Ideal($^o$) |
|---|---|---|---|---|---|---|---|
| 1 | a | 42 | LYS | CD-CE-NZ | -5.46 | 99.15 | 111.70 |
| 1 | K | 42 | LYS | CD-CE-NZ | -5.45 | 99.16 | 111.70 |
| 1 | S | 42 | LYS | CD-CE-NZ | -5.45 | 99.16 | 111.70 |
| 1 | E | 42 | LYS | CD-CE-NZ | -5.45 | 99.16 | 111.70 |
| 1 | k | 42 | LYS | CD-CE-NZ | -5.45 | 99.16 | 111.70 |
| 1 | Q | 42 | LYS | CD-CE-NZ | -5.45 | 99.17 | 111.70 |
| 1 | j | 42 | LYS | CD-CE-NZ | -5.45 | 99.17 | 111.70 |
| 1 | l | 42 | LYS | CD-CE-NZ | -5.45 | 99.17 | 111.70 |
| 1 | n | 42 | LYS | CD-CE-NZ | -5.45 | 99.17 | 111.70 |
| 1 | F | 42 | LYS | CD-CE-NZ | -5.45 | 99.17 | 111.70 |
| 1 | W | 42 | LYS | CD-CE-NZ | -5.45 | 99.17 | 111.70 |
| 1 | Z | 42 | LYS | CD-CE-NZ | -5.45 | 99.17 | 111.70 |
| 1 | T | 42 | LYS | CD-CE-NZ | -5.45 | 99.18 | 111.70 |
| 1 | g | 42 | LYS | CD-CE-NZ | -5.45 | 99.18 | 111.70 |
| 1 | m | 42 | LYS | CD-CE-NZ | -5.45 | 99.18 | 111.70 |
| 1 | I | 42 | LYS | CD-CE-NZ | -5.44 | 99.18 | 111.70 |
| 1 | O | 42 | LYS | CD-CE-NZ | -5.44 | 99.18 | 111.70 |
| 1 | Y | 42 | LYS | CD-CE-NZ | -5.44 | 99.18 | 111.70 |
| 1 | e | 42 | LYS | CD-CE-NZ | -5.44 | 99.18 | 111.70 |
| 1 | d | 42 | LYS | CD-CE-NZ | -5.44 | 99.19 | 111.70 |

There are no chirality outliers.

All (164) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|---|---|---|---|---|
| 1 | A | 108 | ASP | Peptide |
| 1 | A | 137 | LEU | Peptide |
| 1 | A | 389 | SER | Peptide |
| 1 | A | 392 | ILE | Peptide |
| 1 | B | 108 | ASP | Peptide |
| 1 | B | 137 | LEU | Peptide |
| 1 | B | 389 | SER | Peptide |
| 1 | B | 392 | ILE | Peptide |
| 1 | C | 108 | ASP | Peptide |
| 1 | C | 137 | LEU | Peptide |
| 1 | C | 389 | SER | Peptide |
| 1 | C | 392 | ILE | Peptide |
| 1 | D | 108 | ASP | Peptide |
| 1 | D | 137 | LEU | Peptide |
| 1 | D | 389 | SER | Peptide |
| 1 | D | 392 | ILE | Peptide |
| 1 | E | 108 | ASP | Peptide |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Group |
|---|---|---|---|---|
| 1 | E | 137 | LEU | Peptide |
| 1 | E | 389 | SER | Peptide |
| 1 | E | 392 | ILE | Peptide |
| 1 | F | 108 | ASP | Peptide |
| 1 | F | 137 | LEU | Peptide |
| 1 | F | 389 | SER | Peptide |
| 1 | F | 392 | ILE | Peptide |
| 1 | G | 108 | ASP | Peptide |
| 1 | G | 137 | LEU | Peptide |
| 1 | G | 389 | SER | Peptide |
| 1 | G | 392 | ILE | Peptide |
| 1 | H | 108 | ASP | Peptide |
| 1 | H | 137 | LEU | Peptide |
| 1 | H | 389 | SER | Peptide |
| 1 | H | 392 | ILE | Peptide |
| 1 | I | 108 | ASP | Peptide |
| 1 | I | 137 | LEU | Peptide |
| 1 | I | 389 | SER | Peptide |
| 1 | I | 392 | ILE | Peptide |
| 1 | J | 108 | ASP | Peptide |
| 1 | J | 137 | LEU | Peptide |
| 1 | J | 389 | SER | Peptide |
| 1 | J | 392 | ILE | Peptide |
| 1 | K | 108 | ASP | Peptide |
| 1 | K | 137 | LEU | Peptide |
| 1 | K | 389 | SER | Peptide |
| 1 | K | 392 | ILE | Peptide |
| 1 | L | 108 | ASP | Peptide |
| 1 | L | 137 | LEU | Peptide |
| 1 | L | 389 | SER | Peptide |
| 1 | L | 392 | ILE | Peptide |
| 1 | M | 108 | ASP | Peptide |
| 1 | M | 137 | LEU | Peptide |
| 1 | M | 389 | SER | Peptide |
| 1 | M | 392 | ILE | Peptide |
| 1 | N | 108 | ASP | Peptide |
| 1 | N | 137 | LEU | Peptide |
| 1 | N | 389 | SER | Peptide |
| 1 | N | 392 | ILE | Peptide |
| 1 | O | 108 | ASP | Peptide |
| 1 | O | 137 | LEU | Peptide |
| 1 | O | 389 | SER | Peptide |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Group |
|---|---|---|---|---|
| 1 | O | 392 | ILE | Peptide |
| 1 | P | 108 | ASP | Peptide |
| 1 | P | 137 | LEU | Peptide |
| 1 | P | 389 | SER | Peptide |
| 1 | P | 392 | ILE | Peptide |
| 1 | Q | 108 | ASP | Peptide |
| 1 | Q | 137 | LEU | Peptide |
| 1 | Q | 389 | SER | Peptide |
| 1 | Q | 392 | ILE | Peptide |
| 1 | R | 108 | ASP | Peptide |
| 1 | R | 137 | LEU | Peptide |
| 1 | R | 389 | SER | Peptide |
| 1 | R | 392 | ILE | Peptide |
| 1 | S | 108 | ASP | Peptide |
| 1 | S | 137 | LEU | Peptide |
| 1 | S | 389 | SER | Peptide |
| 1 | S | 392 | ILE | Peptide |
| 1 | T | 108 | ASP | Peptide |
| 1 | T | 137 | LEU | Peptide |
| 1 | T | 389 | SER | Peptide |
| 1 | T | 392 | ILE | Peptide |
| 1 | U | 108 | ASP | Peptide |
| 1 | U | 137 | LEU | Peptide |
| 1 | U | 389 | SER | Peptide |
| 1 | U | 392 | ILE | Peptide |
| 1 | V | 108 | ASP | Peptide |
| 1 | V | 137 | LEU | Peptide |
| 1 | V | 389 | SER | Peptide |
| 1 | V | 392 | ILE | Peptide |
| 1 | W | 108 | ASP | Peptide |
| 1 | W | 137 | LEU | Peptide |
| 1 | W | 389 | SER | Peptide |
| 1 | W | 392 | ILE | Peptide |
| 1 | X | 108 | ASP | Peptide |
| 1 | X | 137 | LEU | Peptide |
| 1 | X | 389 | SER | Peptide |
| 1 | X | 392 | ILE | Peptide |
| 1 | Y | 108 | ASP | Peptide |
| 1 | Y | 137 | LEU | Peptide |
| 1 | Y | 389 | SER | Peptide |
| 1 | Y | 392 | ILE | Peptide |
| 1 | Z | 108 | ASP | Peptide |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Group |
|---|---|---|---|---|
| 1 | Z | 137 | LEU | Peptide |
| 1 | Z | 389 | SER | Peptide |
| 1 | Z | 392 | ILE | Peptide |
| 1 | a | 108 | ASP | Peptide |
| 1 | a | 137 | LEU | Peptide |
| 1 | a | 389 | SER | Peptide |
| 1 | a | 392 | ILE | Peptide |
| 1 | b | 108 | ASP | Peptide |
| 1 | b | 137 | LEU | Peptide |
| 1 | b | 389 | SER | Peptide |
| 1 | b | 392 | ILE | Peptide |
| 1 | c | 108 | ASP | Peptide |
| 1 | c | 137 | LEU | Peptide |
| 1 | c | 389 | SER | Peptide |
| 1 | c | 392 | ILE | Peptide |
| 1 | d | 108 | ASP | Peptide |
| 1 | d | 137 | LEU | Peptide |
| 1 | d | 389 | SER | Peptide |
| 1 | d | 392 | ILE | Peptide |
| 1 | e | 108 | ASP | Peptide |
| 1 | e | 137 | LEU | Peptide |
| 1 | e | 389 | SER | Peptide |
| 1 | e | 392 | ILE | Peptide |
| 1 | f | 108 | ASP | Peptide |
| 1 | f | 137 | LEU | Peptide |
| 1 | f | 389 | SER | Peptide |
| 1 | f | 392 | ILE | Peptide |
| 1 | g | 108 | ASP | Peptide |
| 1 | g | 137 | LEU | Peptide |
| 1 | g | 389 | SER | Peptide |
| 1 | g | 392 | ILE | Peptide |
| 1 | h | 108 | ASP | Peptide |
| 1 | h | 137 | LEU | Peptide |
| 1 | h | 389 | SER | Peptide |
| 1 | h | 392 | ILE | Peptide |
| 1 | i | 108 | ASP | Peptide |
| 1 | i | 137 | LEU | Peptide |
| 1 | i | 389 | SER | Peptide |
| 1 | i | 392 | ILE | Peptide |
| 1 | j | 108 | ASP | Peptide |
| 1 | j | 137 | LEU | Peptide |
| 1 | j | 389 | SER | Peptide |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Group |
|---|---|---|---|---|
| 1 | j | 392 | ILE | Peptide |
| 1 | k | 108 | ASP | Peptide |
| 1 | k | 137 | LEU | Peptide |
| 1 | k | 389 | SER | Peptide |
| 1 | k | 392 | ILE | Peptide |
| 1 | l | 108 | ASP | Peptide |
| 1 | l | 137 | LEU | Peptide |
| 1 | l | 389 | SER | Peptide |
| 1 | l | 392 | ILE | Peptide |
| 1 | m | 108 | ASP | Peptide |
| 1 | m | 137 | LEU | Peptide |
| 1 | m | 389 | SER | Peptide |
| 1 | m | 392 | ILE | Peptide |
| 1 | n | 108 | ASP | Peptide |
| 1 | n | 137 | LEU | Peptide |
| 1 | n | 389 | SER | Peptide |
| 1 | n | 392 | ILE | Peptide |
| 1 | o | 108 | ASP | Peptide |
| 1 | o | 137 | LEU | Peptide |
| 1 | o | 389 | SER | Peptide |
| 1 | o | 392 | ILE | Peptide |

## 5.2 Too-close contacts (i)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles |
|---|---|---|---|---|---|---|
| 1 | A | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 100 |
| 1 | B | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 100 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|---|---|---|---|---|---|---|---|
| 1 | C | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | D | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | E | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | F | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | G | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | H | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | I | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | J | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | K | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | L | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | M | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | N | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | O | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | P | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | Q | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | R | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | S | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | T | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | U | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | V | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | W | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | X | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | Y | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | Z | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | a | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | b | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | c | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | d | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | e | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | f | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | g | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|---|---|---|---|---|---|---|---|
| 1 | h | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | i | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | j | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | k | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | l | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | m | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | n | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| 1 | o | 265/488 (54%) | 246 (93%) | 19 (7%) | 0 | 100 | 100 |
| All | All | 10865/20008 (54%) | 10086 (93%) | 779 (7%) | 0 | 100 | 100 |

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|---|---|---|---|---|---|---|
| 1 | A | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | B | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | C | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | D | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | E | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | F | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | G | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | H | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | I | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | J | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | K | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | L | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | M | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|---|---|---|---|---|---|---|
| 1 | N | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | O | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | P | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | Q | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | R | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | S | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | T | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | U | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | V | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | W | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | X | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | Y | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | Z | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | a | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | b | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | c | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | d | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | e | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | f | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | g | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | h | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | i | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | j | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | k | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | l | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | m | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | n | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| 1 | o | 211/363 (58%) | 210 (100%) | 1 (0%) | 88 | 93 |
| All | All | 8651/14883 (58%) | 8610 (100%) | 41 (0%) | 89 | 93 |

All (41) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | A | 136 | LYS |
| 1 | B | 136 | LYS |
| 1 | C | 136 | LYS |
| 1 | D | 136 | LYS |
| 1 | E | 136 | LYS |
| 1 | F | 136 | LYS |
| 1 | G | 136 | LYS |
| 1 | H | 136 | LYS |
| 1 | I | 136 | LYS |
| 1 | J | 136 | LYS |
| 1 | K | 136 | LYS |
| 1 | L | 136 | LYS |
| 1 | M | 136 | LYS |
| 1 | N | 136 | LYS |
| 1 | O | 136 | LYS |
| 1 | P | 136 | LYS |
| 1 | Q | 136 | LYS |
| 1 | R | 136 | LYS |
| 1 | S | 136 | LYS |
| 1 | T | 136 | LYS |
| 1 | U | 136 | LYS |
| 1 | V | 136 | LYS |
| 1 | W | 136 | LYS |
| 1 | X | 136 | LYS |
| 1 | Y | 136 | LYS |
| 1 | Z | 136 | LYS |
| 1 | a | 136 | LYS |
| 1 | b | 136 | LYS |
| 1 | c | 136 | LYS |
| 1 | d | 136 | LYS |
| 1 | e | 136 | LYS |
| 1 | f | 136 | LYS |
| 1 | g | 136 | LYS |
| 1 | h | 136 | LYS |
| 1 | i | 136 | LYS |
| 1 | j | 136 | LYS |
| 1 | k | 136 | LYS |
| 1 | l | 136 | LYS |
| 1 | m | 136 | LYS |
| 1 | n | 136 | LYS |
| 1 | o | 136 | LYS |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (229) such sidechains are listed below:

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | A | 30 | GLN |
| 1 | A | 83 | GLN |
| 1 | A | 148 | GLN |
| 1 | A | 432 | ASN |
| 1 | A | 466 | GLN |
| 1 | B | 30 | GLN |
| 1 | B | 83 | GLN |
| 1 | B | 148 | GLN |
| 1 | B | 432 | ASN |
| 1 | B | 466 | GLN |
| 1 | C | 30 | GLN |
| 1 | C | 83 | GLN |
| 1 | C | 148 | GLN |
| 1 | C | 424 | ASN |
| 1 | C | 432 | ASN |
| 1 | C | 466 | GLN |
| 1 | D | 30 | GLN |
| 1 | D | 83 | GLN |
| 1 | D | 148 | GLN |
| 1 | D | 424 | ASN |
| 1 | D | 432 | ASN |
| 1 | D | 466 | GLN |
| 1 | E | 30 | GLN |
| 1 | E | 83 | GLN |
| 1 | E | 148 | GLN |
| 1 | E | 424 | ASN |
| 1 | E | 432 | ASN |
| 1 | E | 466 | GLN |
| 1 | F | 30 | GLN |
| 1 | F | 83 | GLN |
| 1 | F | 148 | GLN |
| 1 | F | 432 | ASN |
| 1 | F | 466 | GLN |
| 1 | G | 30 | GLN |
| 1 | G | 83 | GLN |
| 1 | G | 148 | GLN |
| 1 | G | 432 | ASN |
| 1 | G | 466 | GLN |
| 1 | H | 30 | GLN |
| 1 | H | 83 | GLN |
| 1 | H | 148 | GLN |
| 1 | H | 424 | ASN |
| 1 | H | 432 | ASN |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | H | 466 | GLN |
| 1 | I | 30 | GLN |
| 1 | I | 83 | GLN |
| 1 | I | 148 | GLN |
| 1 | I | 424 | ASN |
| 1 | I | 432 | ASN |
| 1 | I | 466 | GLN |
| 1 | J | 30 | GLN |
| 1 | J | 83 | GLN |
| 1 | J | 148 | GLN |
| 1 | J | 424 | ASN |
| 1 | J | 432 | ASN |
| 1 | J | 466 | GLN |
| 1 | K | 30 | GLN |
| 1 | K | 83 | GLN |
| 1 | K | 148 | GLN |
| 1 | K | 424 | ASN |
| 1 | K | 432 | ASN |
| 1 | K | 466 | GLN |
| 1 | L | 30 | GLN |
| 1 | L | 83 | GLN |
| 1 | L | 148 | GLN |
| 1 | L | 424 | ASN |
| 1 | L | 432 | ASN |
| 1 | L | 466 | GLN |
| 1 | M | 30 | GLN |
| 1 | M | 83 | GLN |
| 1 | M | 148 | GLN |
| 1 | M | 432 | ASN |
| 1 | M | 466 | GLN |
| 1 | N | 30 | GLN |
| 1 | N | 83 | GLN |
| 1 | N | 148 | GLN |
| 1 | N | 424 | ASN |
| 1 | N | 432 | ASN |
| 1 | N | 466 | GLN |
| 1 | O | 30 | GLN |
| 1 | O | 83 | GLN |
| 1 | O | 148 | GLN |
| 1 | O | 424 | ASN |
| 1 | O | 432 | ASN |
| 1 | O | 466 | GLN |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | P | 30 | GLN |
| 1 | P | 83 | GLN |
| 1 | P | 148 | GLN |
| 1 | P | 432 | ASN |
| 1 | P | 466 | GLN |
| 1 | Q | 30 | GLN |
| 1 | Q | 83 | GLN |
| 1 | Q | 148 | GLN |
| 1 | Q | 424 | ASN |
| 1 | Q | 432 | ASN |
| 1 | Q | 466 | GLN |
| 1 | R | 30 | GLN |
| 1 | R | 83 | GLN |
| 1 | R | 148 | GLN |
| 1 | R | 424 | ASN |
| 1 | R | 432 | ASN |
| 1 | R | 466 | GLN |
| 1 | S | 30 | GLN |
| 1 | S | 83 | GLN |
| 1 | S | 148 | GLN |
| 1 | S | 424 | ASN |
| 1 | S | 432 | ASN |
| 1 | S | 466 | GLN |
| 1 | T | 30 | GLN |
| 1 | T | 56 | ASN |
| 1 | T | 83 | GLN |
| 1 | T | 148 | GLN |
| 1 | T | 424 | ASN |
| 1 | T | 432 | ASN |
| 1 | T | 466 | GLN |
| 1 | U | 30 | GLN |
| 1 | U | 148 | GLN |
| 1 | U | 432 | ASN |
| 1 | U | 466 | GLN |
| 1 | V | 30 | GLN |
| 1 | V | 56 | ASN |
| 1 | V | 83 | GLN |
| 1 | V | 148 | GLN |
| 1 | V | 432 | ASN |
| 1 | V | 466 | GLN |
| 1 | W | 30 | GLN |
| 1 | W | 148 | GLN |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | W | 423 | GLN |
| 1 | W | 424 | ASN |
| 1 | W | 432 | ASN |
| 1 | W | 466 | GLN |
| 1 | X | 30 | GLN |
| 1 | X | 56 | ASN |
| 1 | X | 83 | GLN |
| 1 | X | 148 | GLN |
| 1 | X | 424 | ASN |
| 1 | X | 432 | ASN |
| 1 | X | 466 | GLN |
| 1 | Y | 30 | GLN |
| 1 | Y | 148 | GLN |
| 1 | Y | 424 | ASN |
| 1 | Y | 432 | ASN |
| 1 | Y | 466 | GLN |
| 1 | Z | 30 | GLN |
| 1 | Z | 56 | ASN |
| 1 | Z | 83 | GLN |
| 1 | Z | 148 | GLN |
| 1 | Z | 424 | ASN |
| 1 | Z | 432 | ASN |
| 1 | Z | 466 | GLN |
| 1 | a | 30 | GLN |
| 1 | a | 148 | GLN |
| 1 | a | 424 | ASN |
| 1 | a | 432 | ASN |
| 1 | a | 466 | GLN |
| 1 | b | 30 | GLN |
| 1 | b | 56 | ASN |
| 1 | b | 83 | GLN |
| 1 | b | 148 | GLN |
| 1 | b | 432 | ASN |
| 1 | b | 466 | GLN |
| 1 | c | 30 | GLN |
| 1 | c | 148 | GLN |
| 1 | c | 432 | ASN |
| 1 | c | 466 | GLN |
| 1 | d | 30 | GLN |
| 1 | d | 56 | ASN |
| 1 | d | 83 | GLN |
| 1 | d | 148 | GLN |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | d | 432 | ASN |
| 1 | d | 466 | GLN |
| 1 | e | 30 | GLN |
| 1 | e | 148 | GLN |
| 1 | e | 424 | ASN |
| 1 | e | 432 | ASN |
| 1 | e | 466 | GLN |
| 1 | f | 30 | GLN |
| 1 | f | 56 | ASN |
| 1 | f | 83 | GLN |
| 1 | f | 148 | GLN |
| 1 | f | 424 | ASN |
| 1 | f | 466 | GLN |
| 1 | g | 30 | GLN |
| 1 | g | 148 | GLN |
| 1 | g | 424 | ASN |
| 1 | g | 432 | ASN |
| 1 | g | 466 | GLN |
| 1 | h | 30 | GLN |
| 1 | h | 56 | ASN |
| 1 | h | 83 | GLN |
| 1 | h | 148 | GLN |
| 1 | h | 424 | ASN |
| 1 | h | 466 | GLN |
| 1 | i | 30 | GLN |
| 1 | i | 148 | GLN |
| 1 | i | 424 | ASN |
| 1 | i | 432 | ASN |
| 1 | i | 466 | GLN |
| 1 | j | 30 | GLN |
| 1 | j | 56 | ASN |
| 1 | j | 83 | GLN |
| 1 | j | 148 | GLN |
| 1 | j | 466 | GLN |
| 1 | k | 30 | GLN |
| 1 | k | 148 | GLN |
| 1 | k | 424 | ASN |
| 1 | k | 432 | ASN |
| 1 | k | 466 | GLN |
| 1 | l | 30 | GLN |
| 1 | l | 56 | ASN |
| 1 | l | 83 | GLN |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type |
|---|---|---|---|
| 1 | l | 148 | GLN |
| 1 | l | 424 | ASN |
| 1 | l | 466 | GLN |
| 1 | m | 30 | GLN |
| 1 | m | 148 | GLN |
| 1 | m | 424 | ASN |
| 1 | m | 432 | ASN |
| 1 | m | 466 | GLN |
| 1 | n | 30 | GLN |
| 1 | n | 56 | ASN |
| 1 | n | 83 | GLN |
| 1 | n | 148 | GLN |
| 1 | n | 424 | ASN |
| 1 | n | 466 | GLN |
| 1 | o | 30 | GLN |
| 1 | o | 148 | GLN |
| 1 | o | 432 | ASN |
| 1 | o | 466 | GLN |

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

There are no ligands in this entry.

## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

# 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-8856. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

## 6.1 Orthogonal projections (i)

### 6.1.1 Primary map

X



Y



Z

The images above show the map projected in three orthogonal directions.

## 6.2 Central slices (i)

### 6.2.1 Primary map



X Index: 110



Y Index: 110



Z Index: 500

The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices (i)

### 6.3.1 Primary map



X Index: 124



Y Index: 127



Z Index: 40

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) (i)

### 6.4.1 Primary map



X Y Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views (i)

### 6.5.1 Primary map



X Y Z

The images above show the 3D surface view of the map at the recommended contour level 1.7. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

## 6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.

# 7 Map analysis (i)

This section contains the results of statistical analysis of the map.

## 7.1 Map-value distribution (i)




The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate (i)




The volume at the recommended contour level is 2370 $nm^3$; this corresponds to an approximate mass of 2141 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

## 7.3 Rotationally averaged power spectrum (i)

This section was not generated. The rotationally averaged power spectrum is only generated for cubic maps.

# 8 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.

# 9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-8856 and PDB model 5WK6. Per-residue inclusion information can be found in section 3 on page 9.

## 9.1 Map-model overlay (i)



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 1.7 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model (i)




X Y Z

The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model (i)




X Y Z

The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.7).

## 9.4 Atom inclusion (i)




At the recommended contour level, 44% of all backbone atoms, 44% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (1.7) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|---|---|---|
| All | 0.4420 | 0.3040 |
| A | 0.4460 | 0.3040 |
| B | 0.4520 | 0.3030 |
| C | 0.4500 | 0.3050 |
| D | 0.4510 | 0.3020 |
| E | 0.4520 | 0.3060 |
| F | 0.4520 | 0.3050 |
| G | 0.4480 | 0.3020 |
| H | 0.4500 | 0.3050 |
| I | 0.4530 | 0.3010 |
| J | 0.4490 | 0.3040 |
| K | 0.4520 | 0.3040 |
| L | 0.4490 | 0.3040 |
| M | 0.4500 | 0.3040 |
| N | 0.4500 | 0.3000 |
| O | 0.4570 | 0.3040 |
| P | 0.4470 | 0.3040 |
| Q | 0.4460 | 0.3040 |
| R | 0.4450 | 0.3060 |
| S | 0.4480 | 0.3030 |
| T | 0.4520 | 0.3060 |
| U | 0.4500 | 0.3030 |
| V | 0.4480 | 0.3030 |
| W | 0.4490 | 0.3000 |
| X | 0.4480 | 0.3010 |
| Y | 0.4530 | 0.3040 |
| Z | 0.4490 | 0.3030 |
| a | 0.4500 | 0.3050 |
| b | 0.4560 | 0.3050 |
| c | 0.4500 | 0.3020 |
| d | 0.4470 | 0.3040 |
| e | 0.4500 | 0.3020 |
| f | 0.4440 | 0.3050 |
| g | 0.4560 | 0.3040 |
| h | 0.4540 | 0.3040 |

*Continued on next page...*

*Continued from previous page...*

| Chain | Atom inclusion | Q-score |
|---|---|---|
| i | 0.4460 | 0.3030 |
| j | 0.4510 | 0.3010 |
| k | 0.4520 | 0.3050 |
| l | 0.4500 | 0.3030 |
| m | 0.4480 | 0.3040 |
| n | 0.4540 | 0.3050 |
| o | 0.4510 | 0.3040 |