



Full wwPDB EM Validation Report ⓘ

Jun 9, 2025 – 08:05 PM JST

PDB ID : 8X9B / pdb_00008x9b
EMDB ID : EMD-38171
Title : Cryo-EM structure of coxsackievirus A16 empty particle in complex with Fab h1A6.2 (local refinement)
Authors : Jiang, Y.; Huang, Y.; Zhu, R.; Zheng, Q.; Li, S.; Xia, N.
Deposited on : 2023-11-29
Resolution : 3.82 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	297	64% 5% 31%
1	E	297	65% 7% 29%
1	F	297	64% 5% 31%
1	H	297	64% 8% 29%
2	G	254	63% 2% 33%
2	I	254	77% 9% 14%
2	J	254	62% 2% 33%
2	L	254	76% 9% 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	K	242	 81%6%12%
3	M	242	 83%•14%
3	N	242	 82%5%12%
3	Q	242	 83%•14%
4	O	114	 87%9%••
4	R	114	 88%9%••
5	P	112	 85%14%•
5	S	112	 85%14%•

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 22600 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein VP1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	D	205	Total	C	N	O	S	0	0
			1642	1057	278	295	12		
1	E	212	Total	C	N	O	S	0	0
			1698	1091	286	309	12		
1	F	205	Total	C	N	O	S	0	0
			1642	1057	278	295	12		
1	H	212	Total	C	N	O	S	0	0
			1698	1091	286	309	12		

- Molecule 2 is a protein called Genome polypeptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	G	170	Total	C	N	O	S	0	0
			1323	865	215	234	9		
2	I	219	Total	C	N	O	S	0	0
			1683	1089	276	309	9		
2	J	170	Total	C	N	O	S	0	0
			1323	865	215	234	9		
2	L	219	Total	C	N	O	S	0	0
			1683	1089	276	309	9		

- Molecule 3 is a protein called Genome polypeptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	K	212	Total	C	N	O	S	0	0
			1625	1046	267	301	11		
3	M	207	Total	C	N	O	S	0	0
			1590	1023	261	295	11		
3	N	212	Total	C	N	O	S	0	0
			1625	1046	267	301	11		
3	Q	207	Total	C	N	O	S	0	0
			1590	1023	261	295	11		

- Molecule 4 is a protein called The heavy chain of Fab h1A6.2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	O	112	Total	C	N	O	S	0	0
			870	556	152	159	3		
4	R	112	Total	C	N	O	S	0	0
			870	556	152	159	3		


- Molecule 5 is a protein called The light chain of Fab h1A6.2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	P	112	Total	C	N	O	S	0	0
			869	554	146	166	3		
5	S	112	Total	C	N	O	S	0	0
			869	554	146	166	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1




• Molecule 1: Capsid protein VP1




- Molecule 2: Genome polyprotein




- Molecule 3: Genome polyprotein




- Molecule 3: Genome polyprotein



- Molecule 3: Genome polyprotein



- Molecule 3: Genome polyprotein



- Molecule 4: The heavy chain of Fab h1A6.2





- Molecule 4: The heavy chain of Fab h1A6.2

Chain R: 88% 9% . .



- Molecule 5: The light chain of Fab h1A6.2

Chain P: 85% 14% .



- Molecule 5: The light chain of Fab h1A6.2

Chain S: 85% 14% .



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	125196	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	900	Depositor
Maximum defocus (nm)	2800	Depositor
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	4.464	Depositor
Minimum map value	-2.657	Depositor
Average map value	0.015	Depositor
Map value standard deviation	0.218	Depositor
Recommended contour level	0.5	Depositor
Map size (Å)	224.0, 224.0, 224.0	wwPDB
Map dimensions	200, 200, 200	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.12, 1.12, 1.12	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	D	0.78	1/1691 (0.1%)	0.92	2/2300 (0.1%)
1	E	0.92	1/1748 (0.1%)	1.06	12/2379 (0.5%)
1	F	0.78	1/1691 (0.1%)	0.92	3/2300 (0.1%)
1	H	0.92	1/1748 (0.1%)	1.06	12/2379 (0.5%)
2	G	0.91	2/1362 (0.1%)	1.06	8/1869 (0.4%)
2	I	0.93	3/1733 (0.2%)	1.10	12/2381 (0.5%)
2	J	0.91	2/1362 (0.1%)	1.06	8/1869 (0.4%)
2	L	0.93	3/1733 (0.2%)	1.10	12/2381 (0.5%)
3	K	0.74	0/1669	0.80	2/2287 (0.1%)
3	M	0.68	0/1633	0.79	3/2238 (0.1%)
3	N	0.74	0/1669	0.80	2/2287 (0.1%)
3	Q	0.68	0/1633	0.79	3/2238 (0.1%)
4	O	0.81	0/891	1.13	7/1207 (0.6%)
4	R	0.81	0/891	1.13	7/1207 (0.6%)
5	P	0.90	0/890	1.39	17/1208 (1.4%)
5	S	0.90	0/890	1.39	17/1208 (1.4%)
All	All	0.84	14/23234 (0.1%)	1.01	127/31738 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	I	0	1
2	L	0	1
All	All	0	2

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	163	PRO	N-CD	9.94	1.61	1.47
2	J	163	PRO	N-CD	9.89	1.61	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	I	172	LEU	CA-C	-6.23	1.44	1.52
2	L	172	LEU	CA-C	-6.23	1.44	1.52
1	D	116	TYR	CA-C	-6.06	1.45	1.52
1	F	116	TYR	CA-C	-6.02	1.45	1.52
1	E	243	SER	CA-C	-5.76	1.47	1.53
1	H	243	SER	CA-C	-5.72	1.47	1.53
2	I	127	LEU	CA-C	-5.39	1.46	1.52
2	L	127	LEU	CA-C	-5.38	1.46	1.52
2	J	164	TYR	CA-C	-5.19	1.46	1.52
2	G	164	TYR	CA-C	-5.13	1.46	1.52
2	I	134	THR	CA-C	-5.04	1.46	1.52
2	L	134	THR	CA-C	-5.04	1.46	1.52

All (127) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	O	101	ALA	N-CA-C	14.40	127.05	111.36
4	R	101	ALA	N-CA-C	14.38	127.03	111.36
2	L	145	HIS	N-CA-C	-14.13	95.41	108.13
2	I	145	HIS	N-CA-C	-14.12	95.42	108.13
2	G	82	PHE	N-CA-C	12.35	128.90	112.35
2	J	82	PHE	N-CA-C	12.35	128.89	112.35
2	I	168	ALA	N-CA-C	-10.78	92.69	107.88
2	L	168	ALA	N-CA-C	-10.78	92.69	107.88
1	H	117	ALA	N-CA-C	9.94	122.11	111.28
1	E	117	ALA	N-CA-C	9.92	122.09	111.28
2	I	206	ALA	N-CA-C	9.59	121.73	111.28
2	L	206	ALA	N-CA-C	9.58	121.72	111.28
5	S	68	SER	N-CA-C	-8.73	95.70	109.50
5	P	68	SER	N-CA-C	-8.73	95.70	109.50
1	F	116	TYR	N-CA-C	-8.73	96.61	110.14
1	D	116	TYR	N-CA-C	-8.72	96.62	110.14
4	O	104	TRP	N-CA-C	-8.53	96.83	108.86
4	R	104	TRP	N-CA-C	-8.50	96.88	108.86
1	E	116	TYR	N-CA-C	-8.34	93.92	108.69
1	H	116	TYR	N-CA-C	-8.33	93.95	108.69
5	S	11	LEU	N-CA-C	-8.02	93.78	109.10
5	P	11	LEU	N-CA-C	-8.00	93.81	109.10
2	L	89	VAL	N-CA-C	-7.83	99.38	109.80
2	I	89	VAL	N-CA-C	-7.83	99.39	109.80
3	Q	227	LYS	N-CA-C	7.55	124.28	113.02
3	M	227	LYS	N-CA-C	7.53	124.24	113.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	261	TRP	N-CA-C	7.40	124.41	114.12
1	F	261	TRP	N-CA-C	7.40	124.40	114.12
5	P	63	VAL	CA-C-N	-7.35	112.18	119.90
5	P	63	VAL	C-N-CA	-7.35	112.18	119.90
5	S	63	VAL	CA-C-N	-7.33	112.21	119.90
5	S	63	VAL	C-N-CA	-7.33	112.21	119.90
1	E	259	ARG	N-CA-C	-7.25	98.30	109.24
2	G	166	LEU	N-CA-C	-7.25	97.29	108.31
2	J	166	LEU	N-CA-C	-7.25	97.30	108.31
1	H	259	ARG	N-CA-C	-7.25	98.30	109.24
5	S	7	THR	N-CA-C	-7.13	100.58	109.64
5	P	7	THR	N-CA-C	-7.12	100.60	109.64
3	K	106	ARG	N-CA-C	-7.08	103.31	112.23
3	N	106	ARG	N-CA-C	-7.06	103.34	112.23
2	I	145	HIS	CA-C-N	-6.92	113.25	120.38
2	I	145	HIS	C-N-CA	-6.92	113.25	120.38
2	L	145	HIS	CA-C-N	-6.90	113.27	120.38
2	L	145	HIS	C-N-CA	-6.90	113.27	120.38
2	J	82	PHE	CA-C-N	-6.85	111.45	119.05
2	J	82	PHE	C-N-CA	-6.85	111.45	119.05
2	G	82	PHE	CA-C-N	-6.84	111.45	119.05
2	G	82	PHE	C-N-CA	-6.84	111.45	119.05
2	G	170	ILE	N-CA-C	-6.76	102.33	108.95
2	J	170	ILE	N-CA-C	-6.75	102.34	108.95
2	J	132	LEU	N-CA-C	6.74	120.58	110.14
4	R	68	ALA	N-CA-C	6.73	119.64	110.55
5	P	36	THR	N-CA-C	-6.73	99.25	109.95
4	O	68	ALA	N-CA-C	6.72	119.62	110.55
2	G	132	LEU	N-CA-C	6.72	120.56	110.14
5	S	36	THR	N-CA-C	-6.71	99.28	109.95
1	H	113	LEU	N-CA-C	-6.67	104.01	111.28
1	E	113	LEU	N-CA-C	-6.66	104.02	111.28
1	H	245	HIS	N-CA-C	6.59	120.78	110.17
1	E	245	HIS	N-CA-C	6.59	120.77	110.17
2	L	96	ALA	N-CA-C	-6.58	98.00	108.73
2	I	96	ALA	N-CA-C	-6.57	98.02	108.73
1	E	265	PRO	N-CA-C	6.47	121.12	111.41
1	H	265	PRO	N-CA-C	6.47	121.11	111.41
5	P	11	LEU	CA-C-N	-6.36	113.40	119.76
5	P	11	LEU	C-N-CA	-6.36	113.40	119.76
5	S	11	LEU	CA-C-N	-6.36	113.40	119.76
5	S	11	LEU	C-N-CA	-6.36	113.40	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	P	94	TRP	CA-C-O	-6.35	113.36	120.66
5	S	94	TRP	CA-C-O	-6.35	113.36	120.66
2	I	127	LEU	CA-C-N	-6.34	113.44	119.85
2	I	127	LEU	C-N-CA	-6.34	113.44	119.85
2	L	127	LEU	CA-C-N	-6.33	113.45	119.85
2	L	127	LEU	C-N-CA	-6.33	113.45	119.85
5	P	8	PRO	N-CA-C	6.24	121.30	111.38
5	S	8	PRO	N-CA-C	6.24	121.30	111.38
5	S	65	ASP	N-CA-C	-6.21	105.28	112.92
1	E	263	PRO	N-CA-C	6.20	121.07	111.21
1	H	263	PRO	N-CA-C	6.20	121.07	111.21
5	P	65	ASP	N-CA-C	-6.20	105.30	112.92
5	S	69	GLY	N-CA-C	-6.01	102.01	110.96
5	P	69	GLY	N-CA-C	-6.00	102.01	110.96
4	R	99	GLY	N-CA-C	-5.91	98.17	112.01
4	O	99	GLY	N-CA-C	-5.90	98.20	112.01
2	L	154	GLY	N-CA-C	5.89	117.09	111.67
2	I	154	GLY	N-CA-C	5.88	117.08	111.67
5	S	62	GLY	N-CA-C	-5.87	99.26	113.18
1	E	255	ILE	N-CA-C	-5.87	99.76	108.45
5	P	62	GLY	N-CA-C	-5.86	99.30	113.18
2	J	152	GLN	CA-C-N	-5.69	114.07	119.76
2	J	152	GLN	C-N-CA	-5.69	114.07	119.76
2	G	152	GLN	CA-C-N	-5.68	114.08	119.76
2	G	152	GLN	C-N-CA	-5.68	114.08	119.76
2	L	143	ASN	N-CA-C	-5.64	104.12	111.74
2	I	143	ASN	N-CA-C	-5.64	104.12	111.74
5	P	99	LEU	CA-C-N	-5.64	112.79	119.84
5	P	99	LEU	C-N-CA	-5.64	112.79	119.84
5	S	99	LEU	CA-C-N	-5.63	112.80	119.84
5	S	99	LEU	C-N-CA	-5.63	112.80	119.84
3	Q	45	GLU	N-CA-C	-5.62	105.15	112.23
3	M	45	GLU	N-CA-C	-5.59	105.18	112.23
1	H	255	ILE	N-CA-C	-5.58	99.77	108.81
4	R	102	ALA	N-CA-C	5.51	116.97	111.07
4	O	102	ALA	N-CA-C	5.50	116.95	111.07
1	E	147	VAL	CA-C-N	-5.36	114.04	119.83
1	E	147	VAL	C-N-CA	-5.36	114.04	119.83
2	L	129	GLU	N-CA-C	5.36	118.98	111.74
1	H	147	VAL	CA-C-N	-5.34	114.06	119.83
1	H	147	VAL	C-N-CA	-5.34	114.06	119.83
1	H	85	SER	N-CA-C	5.34	119.06	112.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	129	GLU	N-CA-C	5.34	118.94	111.74
1	H	262	ILE	N-CA-C	5.34	120.41	108.88
1	E	262	ILE	N-CA-C	5.32	120.36	108.88
1	E	85	SER	N-CA-C	5.31	119.01	112.54
3	K	72	PRO	N-CA-C	5.27	120.58	111.77
3	N	72	PRO	N-CA-C	5.27	120.57	111.77
5	P	74	THR	N-CA-C	5.24	117.00	111.28
5	S	74	THR	N-CA-C	5.23	116.98	111.28
3	Q	226	MET	N-CA-C	-5.16	101.35	109.50
3	M	226	MET	N-CA-C	-5.13	101.39	109.50
4	R	40	ARG	CA-C-N	-5.11	114.50	119.76
4	R	40	ARG	C-N-CA	-5.11	114.50	119.76
5	S	37	TYR	N-CA-C	5.09	117.08	108.02
4	O	40	ARG	CA-C-N	-5.08	114.53	119.76
4	O	40	ARG	C-N-CA	-5.08	114.53	119.76
5	P	37	TYR	N-CA-C	5.07	117.05	108.02
1	F	114	MET	N-CA-C	-5.03	106.89	112.57

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	I	186	ARG	Sidechain
2	L	186	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1642	0	1618	8	0
1	E	1698	0	1664	7	0
1	F	1642	0	1618	7	0
1	H	1698	0	1664	10	0
2	G	1323	0	1302	4	0
2	I	1683	0	1634	9	0
2	J	1323	0	1302	5	0
2	L	1683	0	1634	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	K	1625	0	1614	10	0
3	M	1590	0	1573	4	0
3	N	1625	0	1614	9	0
3	Q	1590	0	1573	4	0
4	O	870	0	862	11	0
4	R	870	0	862	10	0
5	P	869	0	865	5	0
5	S	869	0	865	5	0
All	All	22600	0	22264	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:168:SER:HG	1:D:171:TRP:CD1	2.21	0.58
1:F:168:SER:HG	1:F:171:TRP:CD1	2.22	0.57
4:R:101:ALA:HB2	5:S:51:ARG:CD	2.35	0.56
4:O:101:ALA:HB2	5:P:51:ARG:CD	2.35	0.56
4:O:102:ALA:HB1	4:O:103:TYR:CE2	2.43	0.54
4:R:102:ALA:HB1	4:R:103:TYR:CE2	2.43	0.54
1:E:168:SER:HG	1:E:171:TRP:CD1	2.25	0.54
3:K:162:GLN:HE22	2:L:24:THR:HG21	1.74	0.53
1:H:168:SER:HG	1:H:171:TRP:CD1	2.27	0.52
5:P:4:MET:HE1	5:P:25:SER:HB2	1.92	0.52
5:S:4:MET:HE1	5:S:25:SER:HB2	1.92	0.51
2:L:100:TYR:CE2	2:L:206:ALA:HB3	2.45	0.51
2:I:102:TYR:CE1	2:I:206:ALA:HB2	2.45	0.51
2:I:100:TYR:CE2	2:I:206:ALA:HB3	2.45	0.51
2:L:102:TYR:CE1	2:L:206:ALA:HB2	2.46	0.50
3:K:153:THR:HG22	2:L:20:ASN:OD1	2.11	0.50
2:I:20:ASN:OD1	3:N:153:THR:HG22	2.12	0.50
2:J:166:LEU:HD22	2:J:170:ILE:HD11	1.94	0.50
2:G:166:LEU:HD22	2:G:170:ILE:HD11	1.94	0.49
4:R:101:ALA:HB2	5:S:51:ARG:HD2	1.94	0.49
4:O:101:ALA:HB2	5:P:51:ARG:HD2	1.94	0.49
4:R:93:VAL:HG23	4:R:95:TYR:CE1	2.49	0.48
2:L:130:TYR:CE2	2:L:132:LEU:HD11	2.49	0.48
4:O:93:VAL:HG23	4:O:95:TYR:CE1	2.49	0.47
2:I:130:TYR:CE2	2:I:132:LEU:HD11	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:R:101:ALA:HB2	5:S:51:ARG:HD3	1.96	0.47
4:O:101:ALA:HB2	5:P:51:ARG:HD3	1.96	0.47
2:I:24:THR:HG21	3:N:162:GLN:HE22	1.80	0.46
1:D:295:THR:HB	3:K:82:LEU:HD11	1.98	0.46
1:F:295:THR:HB	3:N:82:LEU:HD11	1.98	0.45
3:K:48:ARG:HE	3:K:222:ASP:HA	1.81	0.45
2:J:165:VAL:O	2:J:166:LEU:C	2.59	0.45
3:M:13:PHE:O	3:M:14:LEU:C	2.59	0.45
4:O:93:VAL:HG23	4:O:95:TYR:HE1	1.81	0.45
3:N:48:ARG:HE	3:N:222:ASP:HA	1.81	0.45
2:I:122:LEU:HB2	2:I:183:ILE:HB	1.99	0.45
4:O:102:ALA:C	4:O:103:TYR:CG	2.94	0.45
2:L:163:PRO:O	2:L:166:LEU:HD12	2.17	0.45
4:R:102:ALA:C	4:R:103:TYR:CG	2.94	0.45
2:G:166:LEU:HD23	2:G:215:LEU:CD2	2.47	0.44
4:O:36:TRP:CH2	4:O:96:CYS:HB3	2.52	0.44
4:R:93:VAL:HG23	4:R:95:TYR:HE1	1.81	0.44
5:S:7:THR:HG22	5:S:21:ILE:HG13	2.00	0.44
2:J:166:LEU:HD23	2:J:215:LEU:CD2	2.47	0.44
1:F:117:ALA:O	1:F:118:GLN:C	2.60	0.44
2:I:163:PRO:O	2:I:166:LEU:HD12	2.17	0.43
3:K:228:LEU:O	3:K:228:LEU:HG	2.19	0.43
4:R:36:TRP:CH2	4:R:96:CYS:HB3	2.52	0.43
2:L:122:LEU:HB2	2:L:183:ILE:HB	1.99	0.43
1:D:117:ALA:O	1:D:118:GLN:C	2.60	0.43
2:J:41:TYR:CE1	2:J:242:CYS:HB3	2.54	0.43
3:Q:13:PHE:O	3:Q:14:LEU:C	2.59	0.43
5:P:7:THR:HG22	5:P:21:ILE:HG13	2.00	0.43
1:F:89:LEU:HD21	1:H:172:GLN:HG3	2.00	0.43
1:D:89:LEU:HD21	1:E:172:GLN:HG3	2.00	0.43
1:F:149:GLN:HE22	1:F:237:THR:HB	1.85	0.42
1:F:282:ASN:OD1	1:F:282:ASN:N	2.52	0.42
3:K:206:ILE:HG13	2:L:228:ALA:HB2	2.01	0.42
3:N:14:LEU:HD11	3:Q:24:ILE:HD12	2.01	0.42
2:G:41:TYR:CE1	2:G:242:CYS:HB3	2.54	0.42
1:H:195:MET:HG2	3:Q:28:PHE:CE2	2.55	0.42
4:R:102:ALA:HB1	4:R:103:TYR:CD2	2.54	0.42
3:K:14:LEU:HD23	3:K:17:ASP:HB2	2.02	0.42
3:K:53:LEU:HD11	3:K:218:ALA:HB2	2.02	0.42
1:H:195:MET:HE3	1:H:195:MET:HB2	1.95	0.42
1:E:267:ARG:CD	2:I:169:GLY:HA3	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:N:228:LEU:HG	3:N:228:LEU:O	2.19	0.42
1:F:94:THR:HG23	1:F:248:THR:HG22	2.02	0.41
2:G:165:VAL:O	2:G:166:LEU:C	2.59	0.41
3:K:14:LEU:HD11	3:M:24:ILE:HD12	2.01	0.41
1:H:267:ARG:CD	2:L:169:GLY:HA3	2.50	0.41
1:E:195:MET:HG2	3:M:28:PHE:CE2	2.55	0.41
4:O:102:ALA:HB1	4:O:103:TYR:CD2	2.54	0.41
1:H:134:GLU:OE2	1:H:254:ARG:NH1	2.54	0.41
1:E:134:GLU:OE2	1:E:254:ARG:NH1	2.54	0.41
1:E:195:MET:HG2	3:M:28:PHE:CZ	2.55	0.41
3:K:136:THR:HG21	3:K:143:PRO:HD3	2.03	0.41
1:H:141:LYS:O	1:H:142:PRO:C	2.62	0.41
1:D:282:ASN:OD1	1:D:282:ASN:N	2.52	0.41
1:E:222:TYR:CE2	4:O:59:MET:SD	3.14	0.41
1:D:94:THR:HG23	1:D:248:THR:HG22	2.02	0.41
1:D:112:ASP:C	1:D:113:LEU:HD12	2.46	0.41
1:D:149:GLN:HE22	1:D:237:THR:HB	1.85	0.41
1:H:222:TYR:CE2	4:R:59:MET:SD	3.14	0.41
1:H:282:ASN:OD1	1:H:282:ASN:N	2.53	0.41
3:N:53:LEU:HD11	3:N:218:ALA:HB2	2.02	0.41
2:I:228:ALA:HB2	3:N:206:ILE:HG13	2.04	0.40
4:O:98:ARG:C	4:O:99:GLY:O	2.60	0.40
3:N:14:LEU:HD23	3:N:17:ASP:HB2	2.02	0.40
1:H:195:MET:HG2	3:Q:28:PHE:CZ	2.55	0.40
2:J:208:ASN:OD1	2:J:208:ASN:N	2.49	0.40
2:L:172:LEU:O	2:L:173:SER:C	2.63	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	199/297 (67%)	193 (97%)	6 (3%)	0	100	100
1	E	206/297 (69%)	205 (100%)	1 (0%)	0	100	100
1	F	199/297 (67%)	193 (97%)	6 (3%)	0	100	100
1	H	206/297 (69%)	205 (100%)	1 (0%)	0	100	100
2	G	162/254 (64%)	156 (96%)	6 (4%)	0	100	100
2	I	215/254 (85%)	205 (95%)	10 (5%)	0	100	100
2	J	162/254 (64%)	156 (96%)	6 (4%)	0	100	100
2	L	215/254 (85%)	205 (95%)	10 (5%)	0	100	100
3	K	208/242 (86%)	205 (99%)	3 (1%)	0	100	100
3	M	203/242 (84%)	202 (100%)	1 (0%)	0	100	100
3	N	208/242 (86%)	205 (99%)	3 (1%)	0	100	100
3	Q	203/242 (84%)	202 (100%)	1 (0%)	0	100	100
4	O	110/114 (96%)	108 (98%)	2 (2%)	0	100	100
4	R	110/114 (96%)	108 (98%)	2 (2%)	0	100	100
5	P	110/112 (98%)	105 (96%)	5 (4%)	0	100	100
5	S	110/112 (98%)	105 (96%)	5 (4%)	0	100	100
All	All	2826/3624 (78%)	2758 (98%)	68 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	182/258 (70%)	182 (100%)	0	100	100
1	E	188/258 (73%)	188 (100%)	0	100	100
1	F	182/258 (70%)	182 (100%)	0	100	100
1	H	188/258 (73%)	188 (100%)	0	100	100
2	G	146/211 (69%)	146 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	I	183/211 (87%)	183 (100%)	0	100	100
2	J	146/211 (69%)	146 (100%)	0	100	100
2	L	183/211 (87%)	183 (100%)	0	100	100
3	K	180/204 (88%)	180 (100%)	0	100	100
3	M	176/204 (86%)	176 (100%)	0	100	100
3	N	180/204 (88%)	180 (100%)	0	100	100
3	Q	176/204 (86%)	176 (100%)	0	100	100
4	O	91/93 (98%)	91 (100%)	0	100	100
4	R	91/93 (98%)	91 (100%)	0	100	100
5	P	98/98 (100%)	98 (100%)	0	100	100
5	S	98/98 (100%)	98 (100%)	0	100	100
All	All	2488/3074 (81%)	2488 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	149	GLN
1	E	189	GLN
1	E	245	HIS
2	G	184	ASN
2	G	209	HIS
2	I	162	HIS
3	M	110	GLN
4	O	6	GLN
4	O	57	ASN
1	F	149	GLN
1	H	189	GLN
1	H	245	HIS
2	J	209	HIS
2	L	162	HIS
3	Q	110	GLN
4	R	6	GLN
4	R	57	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-38171. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 100




Y Index: 100




Z Index: 100


6.2.2 Raw map



X Index: 100



Y Index: 100




Z Index: 100


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 86




Y Index: 102




Z Index: 121


6.3.2 Raw map



X Index: 93



Y Index: 104




Z Index: 120


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 271 nm³; this corresponds to an approximate mass of 245 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.262 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.262 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.82	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.04	4.52	4.12

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-38171 and PDB model 8X9B. Per-residue inclusion information can be found in section [3](#) on page [6](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).



































9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8180	 0.4440
D	 0.7970	 0.4230
E	 0.8410	 0.4480
F	 0.7950	 0.4220
G	 0.7930	 0.4410
H	 0.8320	 0.4460
I	 0.8110	 0.4630
J	 0.7940	 0.4390
K	 0.8510	 0.4720
L	 0.8090	 0.4620
M	 0.8410	 0.4620
N	 0.8500	 0.4710
O	 0.7970	 0.4370
P	 0.7980	 0.3740
Q	 0.8370	 0.4590
R	 0.7910	 0.4430
S	 0.7950	 0.3700

