Full wwPDB X-ray Structure Validation Report ⓘ

Jun 17, 2024 – 08:57 PM EDT

PDB ID	:	5Y83
Title	:	Crystal structure of YidC from Thermotoga maritima
Authors	:	Huang, Y.; Xin, Y.
Deposited on	:	2017-08-18
Resolution	:	3.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1242 (4.08-3.60)
Clashscore	141614	1004 (4.04-3.64)
Ramachandran outliers	138981	1003 (4.06-3.62)
Sidechain outliers	138945	1266 (4.08-3.60)
RSRZ outliers	127900	1149 (4.08-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	2% 47% 25% · 24%

2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 2679 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Membrane protein insertase YidC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	342	Total	C	N	O	S	0	0	0
			2679	1779	418	477	5			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	24	VAL	ILE	engineered mutation	UNP Q9X1H2
A	25	VAL	LYS	engineered mutation	UNP Q9X1H2
A	446	HIS	-	expression tag	UNP Q9X1H2
A	447	HIS	-	expression tag	UNP Q9X1H2
A	448	HIS	-	expression tag	UNP Q9X1H2
A	449	HIS	-	expression tag	UNP Q9X1H2
A	450	HIS	-	expression tag	UNP Q9X1H2
A	451	HIS	-	expression tag	UNP Q9X1H2

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Membrane protein insertase YidC

Chain A:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	75.75Å 103.60Å 129.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.76 – 3.84 44.49 – 3.84	Depositor EDS
% Data completeness (in resolution range)	75.2 (42.76-3.84) 75.5 (44.49-3.84)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	6.20 (at 3.88Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.264 , 0.312 0.270 , 0.313	Depositor DCC
R_{free} test set	391 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å^2)	38.2	Xtriage
Anisotropy	0.176	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.25 , 40.9	EDS
L-test for twinning[2]	$< \|L\| > = 0.45$, $< L^2 > = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.74	EDS
Total number of atoms	2679	wwPDB-VP
Average B, all atoms (Å^2)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.58% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.43	1/2746 (0.0%)	0.73	3/3733 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	353	SER	CA-CB	-5.81	1.44	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	23	PRO	N-CA-CB	7.02	111.72	103.30
1	A	245	THR	N-CA-C	-5.60	95.88	111.00
1	A	28	ARG	CB-CG-CD	-5.22	98.03	111.60

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	174	GLU	Peptide
1	A	68	GLY	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2679	0	2587	130	0
All	All	2679	0	2587	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:330:TRP:CZ3	1:A:403:PRO:HG2	1.17	1.67
1:A:330:TRP:CZ3	1:A:403:PRO:CG	1.83	1.59
1:A:330:TRP:CH2	1:A:403:PRO:CD	1.87	1.54
1:A:330:TRP:CH2	1:A:403:PRO:CG	1.93	1.51
1:A:330:TRP:CH2	1:A:403:PRO:HG2	1.52	1.41
1:A:155:ASN:O	1:A:156:TYR:CD1	1.78	1.36
1:A:330:TRP:CH2	1:A:403:PRO:HD2	1.64	1.22
1:A:155:ASN:OD1	1:A:175:GLY:HA3	1.36	1.21
1:A:330:TRP:CE3	1:A:406:LEU:HD21	1.82	1.15
1:A:330:TRP:CZ3	1:A:403:PRO:CD	2.22	1.13
1:A:330:TRP:HZ3	1:A:403:PRO:CG	1.39	1.08
1:A:337:VAL:HG12	1:A:340:PHE:HB2	1.16	1.07
1:A:330:TRP:CE3	1:A:406:LEU:CD2	2.38	1.07
1:A:330:TRP:CZ3	1:A:403:PRO:HD2	1.88	1.06
1:A:337:VAL:CG1	1:A:340:PHE:HB2	1.86	1.05
1:A:155:ASN:OD1	1:A:175:GLY:CA	2.07	1.02
1:A:330:TRP:HE3	1:A:406:LEU:HD21	1.19	1.02
1:A:330:TRP:HZ3	1:A:403:PRO:CB	1.72	1.01
1:A:337:VAL:HG12	1:A:340:PHE:CB	1.99	0.92
1:A:363:PHE:HA	1:A:366:ILE:HB	1.53	0.91
1:A:330:TRP:CH2	1:A:403:PRO:HD3	2.05	0.90
1:A:155:ASN:O	1:A:156:TYR:CG	2.25	0.89
1:A:330:TRP:HH2	1:A:403:PRO:CG	1.59	0.89
1:A:330:TRP:HE3	1:A:406:LEU:CD2	1.84	0.87
1:A:218:VAL:HG13	1:A:224:ASN:HD21	1.40	0.84
1:A:330:TRP:HH2	1:A:403:PRO:CD	1.61	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:168:VAL:HG22	1:A:194:MET:HG3	1.65	0.79
1:A:333:ILE:O	1:A:337:VAL:HB	1.82	0.78
1:A:330:TRP:CE3	1:A:406:LEU:HD23	2.21	0.76
1:A:334:ARG:HB2	1:A:337:VAL:O	1.86	0.75
1:A:155:ASN:OD1	1:A:175:GLY:N	2.21	0.74
1:A:95:VAL:HG12	1:A:97:GLU:H	1.52	0.73
1:A:330:TRP:HZ3	1:A:403:PRO:HB2	1.53	0.72
1:A:41:GLU:HB2	1:A:57:LEU:HD11	1.72	0.71
1:A:72:PHE:O	1:A:114:LYS:NZ	2.25	0.69
1:A:330:TRP:CZ3	1:A:403:PRO:CB	2.58	0.69
1:A:245:THR:O	1:A:246:LYS:O	2.13	0.66
1:A:354:ALA:HB3	1:A:404:SER:H	1.60	0.66
1:A:146:ASP:OD1	1:A:147:THR:N	2.29	0.65
1:A:330:TRP:O	1:A:333:ILE:HG22	1.96	0.65
1:A:354:ALA:HB3	1:A:404:SER:N	2.11	0.65
1:A:354:ALA:HB1	1:A:355:GLY:C	2.17	0.65
1:A:361:TRP:HA	1:A:364:LEU:HG	1.78	0.65
1:A:74:VAL:HG11	1:A:112:VAL:HG11	1.80	0.63
1:A:210:TYR:CZ	1:A:214:ILE:HG13	2.33	0.62
1:A:155:ASN:O	1:A:156:TYR:CE1	2.48	0.62
1:A:218:VAL:HG13	1:A:224:ASN:ND2	2.12	0.62
1:A:260:ARG:O	1:A:264:TYR:HB3	1.99	0.62
1:A:242:LYS:NZ	1:A:248:PHE:O	2.32	0.62
1:A:333:ILE:HD11	1:A:340:PHE:CE2	2.35	0.62
1:A:358:SER:HA	1:A:361:TRP:HB2	1.82	0.61
1:A:155:ASN:C	1:A:156:TYR:CD1	2.68	0.61
1:A:364:LEU:HD22	1:A:395:PHE:HB2	1.83	0.60
1:A:232:TYR:O	1:A:236:TRP:HB2	2.02	0.59
1:A:115:ILE:HB	1:A:129:ASP:HB2	1.85	0.59
1:A:198:LYS:O	1:A:202:ILE:HG12	2.03	0.59
1:A:337:VAL:HG12	1:A:337:VAL:O	2.02	0.58
1:A:204:LYS:NZ	1:A:339:GLU:OE1	2.35	0.58
1:A:29:SER:OG	1:A:30:GLU:N	2.36	0.57
1:A:241:LEU:HD21	1:A:251:ALA:O	2.05	0.56
1:A:54:PHE:HB3	1:A:65:PHE:HB3	1.85	0.56
1:A:334:ARG:HA	1:A:335:TYR:C	2.26	0.56
1:A:350:LYS:HE3	1:A:359:ASN:HB2	1.86	0.56
1:A:106:VAL:HG13	1:A:115:ILE:HG12	1.88	0.56
1:A:354:ALA:HB1	1:A:355:GLY:O	2.05	0.56
1:A:330:TRP:HZ3	1:A:403:PRO:HG2	0.98	0.56
1:A:64:VAL:HG12	1:A:164:THR:HB	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:LEU:HD23	1:A:41:GLU:HG3	1.89	0.55
1:A:340:PHE:CE2	1:A:352:LEU:HB3	2.41	0.54
1:A:260:ARG:HA	1:A:260:ARG:NH2	2.22	0.54
1:A:93:GLY:HA3	1:A:100:SER:OG	2.08	0.54
1:A:334:ARG:CA	1:A:335:TYR:CB	2.87	0.53
1:A:330:TRP:CZ3	1:A:403:PRO:HB2	2.38	0.53
1:A:334:ARG:CD	1:A:338:GLU:HA	2.40	0.52
1:A:330:TRP:HH2	1:A:403:PRO:HD3	1.51	0.52
1:A:232:TYR:HD1	1:A:235:VAL:HB	1.75	0.52
1:A:365:VAL:O	1:A:369:VAL:HG23	2.10	0.52
1:A:356:GLY:HA3	1:A:400:VAL:HA	1.91	0.52
1:A:334:ARG:N	1:A:335:TYR:CB	2.73	0.52
1:A:264:TYR:CD1	1:A:265:PRO:HD3	2.46	0.51
1:A:75:LEU:HB2	1:A:137:ASP:HB2	1.92	0.51
1:A:33:ILE:HG21	1:A:105:ILE:HD11	1.93	0.51
1:A:178:PHE:HE1	1:A:182:LEU:HD23	1.75	0.50
1:A:334:ARG:HA	1:A:335:TYR:O	2.13	0.49
1:A:50:ILE:HA	1:A:71:GLY:O	2.12	0.49
1:A:237:PHE:O	1:A:241:LEU:HB3	2.12	0.49
1:A:128:VAL:HG13	1:A:190:PHE:HB2	1.95	0.49
1:A:153:LEU:HD22	1:A:216:ALA:HB1	1.95	0.49
1:A:253:MET:HE3	1:A:408:LEU:HD11	1.94	0.49
1:A:232:TYR:CD1	1:A:235:VAL:HB	2.48	0.48
1:A:361:TRP:O	1:A:364:LEU:HB2	2.13	0.48
1:A:73:ASP:O	1:A:138:VAL:HA	2.14	0.48
1:A:360:ASN:HB3	1:A:407:PHE:CG	2.49	0.47
1:A:351:ASP:O	1:A:352:LEU:HB2	2.13	0.47
1:A:334:ARG:HG2	1:A:334:ARG:O	2.15	0.47
1:A:165:ARG:NH1	1:A:222:GLY:O	2.37	0.47
1:A:198:LYS:HE2	1:A:336:TYR:O	2.13	0.47
1:A:360:ASN:O	1:A:364:LEU:HD23	2.16	0.46
1:A:24:VAL:HG13	1:A:37:THR:HG22	1.98	0.46
1:A:226:TRP:O	1:A:227:TYR:HD1	2.00	0.45
1:A:92:VAL:O	1:A:100:SER:OG	2.32	0.45
1:A:170:LEU:HD21	1:A:182:LEU:HD11	1.98	0.45
1:A:145:VAL:HG13	1:A:146:ASP:H	1.82	0.44
1:A:360:ASN:HB3	1:A:407:PHE:HB3	1.99	0.44
1:A:130:ILE:HD13	1:A:138:VAL:HG21	2.00	0.44
1:A:333:ILE:O	1:A:334:ARG:HB2	2.18	0.44
1:A:242:LYS:HD3	1:A:242:LYS:HA	1.73	0.43
1:A:320:LEU:O	1:A:324:PRO:HD2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:238:PHE:O	1:A:242:LYS:HB2	2.19	0.43
1:A:48:LYS:HB2	1:A:50:ILE:HG23	2.00	0.42
1:A:330:TRP:CZ2	1:A:403:PRO:HD2	2.40	0.42
1:A:58:VAL:HG13	1:A:59:ASP:H	1.83	0.42
1:A:79:THR:O	1:A:79:THR:OG1	2.34	0.42
1:A:357:PHE:HD1	1:A:357:PHE:HA	1.70	0.42
1:A:95:VAL:C	1:A:97:GLU:H	2.24	0.42
1:A:59:ASP:OD1	1:A:59:ASP:N	2.53	0.42
1:A:104:SER:HA	1:A:116:PHE:O	2.20	0.41
1:A:198:LYS:HE3	1:A:200:THR:OG1	2.20	0.41
1:A:330:TRP:CZ3	1:A:406:LEU:HD23	2.56	0.41
1:A:334:ARG:HD2	1:A:338:GLU:HA	2.02	0.41
1:A:153:LEU:H	1:A:153:LEU:HG	1.61	0.41
1:A:340:PHE:CZ	1:A:352:LEU:HB3	2.55	0.41
1:A:226:TRP:CD1	1:A:226:TRP:N	2.88	0.41
1:A:243:ASP:HA	1:A:244:LEU:HA	1.44	0.41
1:A:333:ILE:HD11	1:A:340:PHE:HE2	1.83	0.41
1:A:198:LYS:HB3	1:A:201:LEU:HD12	2.04	0.40
1:A:332:VAL:C	1:A:335:TYR:CB	2.90	0.40
1:A:174:GLU:O	1:A:177:LEU:HB2	2.21	0.40
1:A:257:LEU:HD23	1:A:257:LEU:HA	1.86	0.40
1:A:402:LEU:HD23	1:A:402:LEU:HA	1.96	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	336/451 (74%)	304 (90%)	25 (7%)	7 (2%)	7 38

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	23	PRO
1	A	246	LYS
1	A	334	ARG
1	A	337	VAL
1	A	153	LEU
1	A	348	ILE
1	A	373	TYR

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	273/405 (67%)	258 (94%)	15 (6%)	21 53

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	76	ASP
1	A	100	SER
1	A	105	ILE
1	A	136	VAL
1	A	229	SER
1	A	238	PHE
1	A	241	LEU
1	A	243	ASP
1	A	260	ARG
1	A	264	TYR
1	A	327	MET
1	A	351	ASP
1	A	357	PHE
1	A	364	LEU
1	A	404	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no monosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	342/451 (75%)	-0.08	9 (2%) 56 46	8, 60, 167, 225	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	268	HIS	4.1
1	A	413	ASN	3.6
1	A	374	THR	2.8
1	A	389	ILE	2.8
1	A	270	GLN	2.6
1	A	267	TYR	2.5
1	A	410	TYR	2.1
1	A	414	THR	2.1
1	A	111	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no monosaccharides in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.