



wwPDB EM Validation Summary Report ⓘ

Dec 8, 2025 – 04:14 PM EST

PDB ID : 9YFM / pdb_00009yfm
EMDB ID : EMD-72898
Title : insect H/ACA snoRNP class II composite
Authors : Panwar, H.S.; Worden, E.W.
Deposited on : 2025-09-26
Resolution : 2.95 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev129
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.47


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
RNA backbone	6643	2191	-
Q-score	-	25397	13114 (2.45 - 3.45)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	233	
1	E	233	
2	C	156	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	G	156	<div><div><div></div><div></div><div></div></div><div>68%12%19%</div><div>5%</div></div>
3	F	64	<div><div><div></div><div></div><div></div></div><div>83%12%5%</div><div>5%</div></div>
3	H	64	<div><div><div></div><div></div><div></div></div><div>83%9%8%</div><div>5%</div></div>
4	A	514	<div><div><div></div><div></div><div></div></div><div>59%6%34%</div><div></div></div>
4	D	514	<div><div><div></div><div></div><div></div></div><div>53%11%36%</div><div></div></div>
5	I	96	<div><div><div></div><div></div><div></div></div><div>14%68%25%7%</div><div></div></div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 22920 atoms, of which 11093 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called H/ACA ribonucleoprotein complex subunit.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	B	91	Total	C	H	N	O	S	0	0
			1475	489	731	117	136	2		
1	E	96	Total	C	H	N	O	S	0	0
			1544	510	761	125	146	2		

- Molecule 2 is a protein called H/ACA ribonucleoprotein complex subunit 2-like protein.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	C	123	Total	C	H	N	O	S	0	0
			1992	622	1024	167	169	10		
2	G	126	Total	C	H	N	O	S	0	0
			2057	644	1054	171	178	10		

- Molecule 3 is a protein called H/ACA ribonucleoprotein complex subunit 3.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	F	61	Total	C	H	N	O	S	0	0
			1030	330	516	92	91	1		
3	H	59	Total	C	H	N	O	S	0	0
			1001	320	503	90	87	1		

- Molecule 4 is a protein called H/ACA ribonucleoprotein complex subunit 4-like.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	A	338	Total	C	H	N	O	S	0	0
			5421	1699	2755	480	473	14		
4	D	331	Total	C	H	N	O	S	0	0
			5305	1656	2703	470	462	14		


- Molecule 5 is a RNA chain called RNA (96-MER).

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
5	I	96	3095	914	1046	377	662	96	0	0

Chain D:



Chain I:



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	733250	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.355	Depositor
Minimum map value	-0.002	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.026	Depositor
Recommended contour level	0.0421	Depositor
Map size (Å)	248.40001, 248.40001, 248.40001	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.828, 0.828, 0.828	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.31	0/765	0.52	1/1035 (0.1%)
1	E	0.34	0/804	0.59	1/1088 (0.1%)
2	C	0.41	0/986	0.67	0/1320
2	G	0.38	0/1020	0.60	1/1364 (0.1%)
3	F	0.15	0/528	0.33	0/713
3	H	0.31	0/511	0.45	0/689
4	A	0.24	0/2718	0.43	1/3670 (0.0%)
4	D	0.27	0/2650	0.47	0/3574
5	I	0.13	0/2284	0.26	0/3544
All	All	0.27	0/12266	0.46	4/16997 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	1
2	G	0	1
3	H	0	2
4	A	0	1
All	All	0	5

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	239	LEU	N-CA-C	-5.57	105.11	111.07
2	G	64	ARG	CB-CA-C	5.20	119.11	110.74
1	E	125	GLY	N-CA-C	-5.16	105.70	112.82
1	B	81	LEU	CA-C-O	-5.11	115.39	121.32

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	A	249	ARG	Sidechain
2	C	64	ARG	Sidechain
2	G	64	ARG	Sidechain
3	H	13	ARG	Sidechain
3	H	43	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	744	731	731	17	0
1	E	783	761	761	10	0
2	C	968	1024	1024	12	0
2	G	1003	1054	1054	13	0
3	F	514	516	516	8	0
3	H	498	503	503	5	0
4	A	2666	2755	2755	20	0
4	D	2602	2703	2703	47	0
5	I	2049	1046	1052	11	0
All	All	11827	11093	11099	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 129 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:317:VAL:HG12	4:A:322:ILE:HD11	1.73	0.70
2:C:97:LEU:HD13	2:C:129:MET:HE1	1.79	0.64
4:A:183:PHE:HB3	4:A:196:LEU:HD11	1.80	0.63
4:D:144:LEU:HD11	4:D:291:LEU:HD13	1.81	0.62
4:D:175:LEU:HD11	4:D:218:PHE:HB2	1.80	0.62

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	89/233 (38%)	78 (88%)	11 (12%)	0	100	100
1	E	94/233 (40%)	84 (89%)	10 (11%)	0	100	100
2	C	121/156 (78%)	118 (98%)	3 (2%)	0	100	100
2	G	122/156 (78%)	117 (96%)	4 (3%)	1 (1%)	16	39
3	F	59/64 (92%)	59 (100%)	0	0	100	100
3	H	57/64 (89%)	55 (96%)	2 (4%)	0	100	100
4	A	334/514 (65%)	322 (96%)	11 (3%)	1 (0%)	37	60
4	D	327/514 (64%)	314 (96%)	13 (4%)	0	100	100
All	All	1203/1934 (62%)	1147 (95%)	54 (4%)	2 (0%)	45	67

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	A	241	VAL
2	G	133	LYS

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	82/130 (63%)	82 (100%)	0	100	100
1	E	86/130 (66%)	82 (95%)	4 (5%)	22	46
2	C	108/139 (78%)	106 (98%)	2 (2%)	52	73

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	G	113/139 (81%)	109 (96%)	4 (4%)	31	56
3	F	55/58 (95%)	55 (100%)	0	100	100
3	H	53/58 (91%)	52 (98%)	1 (2%)	52	73
4	A	290/444 (65%)	285 (98%)	5 (2%)	56	76
4	D	284/444 (64%)	279 (98%)	5 (2%)	54	75
All	All	1071/1542 (70%)	1050 (98%)	21 (2%)	50	72

5 of 21 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	A	353	THR
4	D	247	GLU
4	D	373	MET
4	D	269	LEU
4	D	57	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
4	A	277	ASN
4	A	101	ASN
2	G	73	GLN
3	F	14	GLN
4	A	65	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
5	I	89/96 (92%)	23 (25%)	2 (2%)

5 of 23 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
5	I	17	U
5	I	32	U
5	I	33	G
5	I	34	G
5	I	40	G

All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
5	I	32	U
5	I	103	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
5	I	6

The worst 5 of 6 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	I	114:C	O3'	127:C	P	27.46
1	I	77:A	O3'	88:U	P	25.54
1	I	8:C	O3'	16:G	P	23.26
1	I	44:C	O3'	53:G	P	19.00
1	I	98:A	O3'	101:A	P	9.31


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-72898. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 150



Y Index: 150



Z Index: 150

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 156



Y Index: 158




Z Index: 153


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0421. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 104 nm³; this corresponds to an approximate mass of 94 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.339 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-72898 and PDB model 9YFM. Per-residue inclusion information can be found in section [3](#) on page [6](#).


9.1 Map-model overlay [i](#)



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.0421 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0421).

9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0421) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.8260	<div><div></div></div> 0.3690
A	<div><div></div></div> 0.8640	<div><div></div></div> 0.4310
B	<div><div></div></div> 0.7840	<div><div></div></div> 0.3080
C	<div><div></div></div> 0.7100	<div><div></div></div> 0.2600
D	<div><div></div></div> 0.8420	<div><div></div></div> 0.4050
E	<div><div></div></div> 0.8100	<div><div></div></div> 0.3550
F	<div><div></div></div> 0.8870	<div><div></div></div> 0.4400
G	<div><div></div></div> 0.8850	<div><div></div></div> 0.4010
H	<div><div></div></div> 0.8100	<div><div></div></div> 0.3860
I	<div><div></div></div> 0.7600	<div><div></div></div> 0.2850

1.0

0.0

<0.0