Full wwPDB X-ray Structure Validation Report (i)

Nov 14, 2023 – 02:17 PM JST

PDB ID	:	5ZFP
Title	:	Structure of the ExbB/ExbD hexameric complex
Authors	:	Maki-Yonekura, S.; Matsuoka, R.; Yonekura, K.
Deposited on	:	2018-03-06
Resolution	:	2.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1031 (2.86-2.82)
Clashscore	141614	1078 (2.86-2.82)
Ramachandran outliers	138981	1050 (2.86-2.82)
Sidechain outliers	138945	1051 (2.86-2.82)
RSRZ outliers	127900	1019 (2.86-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	244	7%, 81%, 11%, 8%
1	B	244	5%, 77%, 9%, •, 12%
1	C	244	2%, 78%, 13%, •, 9%
1	D	244	4%, 76%, 11%, •, 12%
1	E	244	2%, 84%, 7%, •, 9%
1	F	244	2%, 80%, 9%, 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	244	4% 79% 11% • 8%
1	H	244	2% 78% 9% • 11%
1	I	244	2% 79% 11% • 9%
1	J	244	2% 76% 10% • 12%
1	K	244	5% 83% 9% 8%
1	L	244	% 76% 12% 12%

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 20653 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Biopolymer transport protein ExbB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	225	1704	1086	299	313	6	0	0	0
1	B	215	1621	1031	285	300	5	0	0	0
1	C	223	1687	1075	295	311	6	0	0	0
1	D	215	1619	1029	285	300	5	0	0	0
1	E	222	1679	1069	294	310	6	0	0	0
1	F	216	1626	1034	286	301	5	0	0	0
1	G	225	1704	1086	299	313	6	0	0	0
1	H	216	1626	1034	286	301	5	0	0	0
1	I	223	1687	1075	295	311	6	0	0	0
1	J	214	1614	1026	284	299	5	0	0	0
1	K	224	1696	1080	298	312	6	0	0	0
1	L	215	1621	1031	285	300	5	0	0	0

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
2	A	53	53	53	0	0
2	B	79	79	79	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
2	C	62	62	62	0	0
			Total	O		
2	D	53	53	53	0	0
			Total	O		
2	E	74	74	74	0	0
			Total	O		
2	F	75	75	75	0	0
			Total	O		
2	G	69	69	69	0	0
			Total	O		
2	H	57	57	57	0	0
			Total	O		
2	I	67	67	67	0	0
			Total	O		
2	J	60	60	60	0	0
			Total	O		
2	K	53	53	53	0	0
			Total	O		
2	L	67	67	67	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Biopolymer transport protein ExbB

Chain A:



• Molecule 1: Biopolymer transport protein ExbB

Chain B:



• Molecule 1: Biopolymer transport protein ExbB

Chain C:



• Molecule 1: Biopolymer transport protein ExbB

Chain D:



- Molecule 1: Biopolymer transport protein ExbB

Chain E:



- Molecule 1: Biopolymer transport protein ExbB

Chain F:

- Molecule 1: Biopolymer transport protein ExbB

Chain G:



- Molecule 1: Biopolymer transport protein ExbB

Chain H:



• Molecule 1: Biopolymer transport protein ExbB

Chain I:



• Molecule 1: Biopolymer transport protein ExbB

Chain J:



• Molecule 1: Biopolymer transport protein ExbB

Chain K:



• Molecule 1: Biopolymer transport protein ExbB

Chain L:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	121.47Å 106.34Å 163.36Å 90.00° 111.75° 90.00°	Depositor
Resolution (Å)	50.18 – 2.84 50.18 – 2.84	Depositor EDS
% Data completeness (in resolution range)	99.3 (50.18-2.84) 99.3 (50.18-2.84)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.20 (at 2.86Å)	Xtriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.245 , 0.288 0.250 , 0.295	Depositor DCC
R_{free} test set	4546 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å^2)	41.2	Xtriage
Anisotropy	0.380	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.33 , 77.9	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.000 for h,-k,-h-l	Xtriage
F_o,F_c correlation	0.91	EDS
Total number of atoms	20653	wwPDB-VP
Average B, all atoms (Å^2)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 50.47 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 6.4364e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.47	0/1730	0.66	0/2342
1	B	0.52	0/1643	0.68	1/2223 (0.0%)
1	C	0.50	0/1711	0.65	0/2315
1	D	0.51	0/1640	0.65	0/2218
1	E	0.48	0/1703	0.66	1/2304 (0.0%)
1	F	0.50	0/1648	0.65	0/2230
1	G	0.49	0/1730	0.67	1/2342 (0.0%)
1	H	0.54	0/1648	0.69	1/2230 (0.0%)
1	I	0.50	0/1711	0.67	0/2315
1	J	0.58	0/1635	0.69	0/2211
1	K	0.48	0/1722	0.65	0/2331
1	L	0.48	0/1643	0.66	0/2223
All	All	0.51	0/20164	0.67	4/27284 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	G	162	THR	N-CA-C	-6.58	93.25	111.00
1	B	65	ALA	N-CA-C	5.72	126.45	111.00
1	E	20	ASP	CB-CA-C	-5.60	99.20	110.40
1	H	51	GLN	N-CA-C	5.14	124.89	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1704	0	1737	13	0
1	B	1621	0	1661	13	0
1	C	1687	0	1723	20	0
1	D	1619	0	1659	17	0
1	E	1679	0	1712	7	0
1	F	1626	0	1666	9	0
1	G	1704	0	1737	17	0
1	H	1626	0	1666	10	0
1	I	1687	0	1723	17	0
1	J	1614	0	1654	20	0
1	K	1696	0	1726	7	0
1	L	1621	0	1661	11	0
2	A	53	0	0	0	0
2	B	79	0	0	1	0
2	C	62	0	0	0	0
2	D	53	0	0	1	0
2	E	74	0	0	1	0
2	F	75	0	0	1	0
2	G	69	0	0	0	0
2	H	57	0	0	1	0
2	I	67	0	0	0	0
2	J	60	0	0	2	0
2	K	53	0	0	0	0
2	L	67	0	0	0	0
All	All	20653	0	20325	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:52:LYS:NZ	2:H:301:HOH:O	1.98	0.95
1:D:148:THR:HG21	1:D:181:THR:OG1	1.71	0.89
1:K:23:VAL:HG21	1:K:176:GLU:HG2	1.59	0.85
1:G:23:VAL:HG21	1:G:176:GLU:HG2	1.60	0.81
1:G:158:GLY:O	1:G:162:THR:HG23	1.80	0.80
1:C:12:VAL:HA	1:C:15:MET:HE2	1.67	0.77
1:I:19:ALA:HB1	1:I:23:VAL:HG13	1.68	0.76
1:C:19:ALA:HB1	1:C:23:VAL:HG13	1.70	0.73
1:C:161:GLN:OE1	1:J:50:ASN:HB3	1.89	0.72
1:G:161:GLN:HE21	1:G:162:THR:HG22	1.55	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:93:ASN:HD22	1:J:114:ARG:HH22	1.40	0.69
1:B:44:LYS:HA	1:B:47:GLU:HG2	1.75	0.69
1:D:93:ASN:HD22	1:D:114:ARG:HH22	1.40	0.69
1:I:170:VAL:HG13	1:I:174:ILE:HD12	1.75	0.68
1:A:193:VAL:HG21	1:F:139:ILE:HG21	1.75	0.67
1:B:21:ILE:HG22	2:B:310:HOH:O	1.96	0.64
1:D:148:THR:CG2	1:D:181:THR:OG1	2.43	0.63
1:C:170:VAL:HG13	1:C:174:ILE:HD12	1.81	0.61
1:J:93:ASN:ND2	1:J:114:ARG:HH22	1.99	0.60
1:C:66:ARG:HG2	1:C:70:GLN:OE1	2.02	0.60
1:A:86:HIS:HB3	1:A:118:ARG:HH11	1.68	0.59
1:G:110:ARG:HG2	1:H:218:LEU:HD23	1.83	0.59
1:J:115:LEU:HD12	1:J:217:LEU:HG	1.85	0.59
1:D:93:ASN:ND2	1:D:114:ARG:HH22	2.00	0.58
1:D:115:LEU:HD12	1:D:217:LEU:HG	1.85	0.58
1:C:155:SER:HB3	1:C:170:VAL:HG22	1.85	0.58
1:C:19:ALA:HB1	1:C:23:VAL:CG1	2.34	0.57
1:F:159:ILE:HD11	1:F:170:VAL:HG21	1.85	0.57
1:G:193:VAL:HG21	1:L:139:ILE:HG21	1.84	0.57
1:H:115:LEU:HD12	1:H:217:LEU:HG	1.87	0.57
1:L:159:ILE:HD11	1:L:170:VAL:HG21	1.86	0.57
1:A:54:ARG:HH12	1:A:81:LYS:HG3	1.69	0.56
1:F:115:LEU:HD12	1:F:217:LEU:HG	1.87	0.56
1:G:167:LEU:HD23	1:L:159:ILE:HD13	1.86	0.56
1:B:115:LEU:HD12	1:B:217:LEU:HG	1.88	0.55
1:K:115:LEU:HD12	1:K:217:LEU:HG	1.89	0.55
1:J:93:ASN:HD22	1:J:114:ARG:HH12	1.55	0.55
1:G:115:LEU:HD12	1:G:217:LEU:HG	1.89	0.55
1:I:155:SER:HB3	1:I:170:VAL:HG22	1.88	0.54
1:C:115:LEU:HD12	1:C:217:LEU:HG	1.88	0.54
1:D:49:PHE:HE2	1:I:157:ILE:HG21	1.72	0.54
1:C:170:VAL:HG13	1:C:174:ILE:CD1	2.37	0.54
1:G:23:VAL:HG21	1:G:176:GLU:CG	2.35	0.54
1:I:115:LEU:HD12	1:I:217:LEU:HG	1.88	0.54
1:L:115:LEU:HD12	1:L:217:LEU:HG	1.90	0.53
1:A:115:LEU:HD12	1:A:217:LEU:HG	1.89	0.53
1:G:159:ILE:HG22	1:H:168:ALA:HA	1.90	0.53
1:D:93:ASN:HD22	1:D:114:ARG:HH12	1.56	0.53
1:C:21:ILE:HG22	1:J:45:SER:HB2	1.90	0.53
1:E:115:LEU:HD12	1:E:217:LEU:HG	1.91	0.53
1:F:86:HIS:HB3	2:F:344:HOH:O	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:24:LYS:O	1:I:28:ILE:HG12	2.09	0.52
1:L:54:ARG:HH12	1:L:81:LYS:HG3	1.75	0.52
1:H:142:PHE:HB3	1:I:189:ILE:HD11	1.92	0.51
1:A:164:THR:HG23	1:A:169:VAL:HG21	1.93	0.51
1:D:86:HIS:HB3	1:D:118:ARG:NH2	2.26	0.51
1:D:93:ASN:HD22	1:D:114:ARG:NH2	2.08	0.51
1:G:86:HIS:HB3	1:G:118:ARG:HH11	1.76	0.50
1:J:52:LYS:HG2	1:J:205:PHE:CD1	2.45	0.50
1:H:140:SER:HB2	1:H:188:ALA:HB2	1.93	0.50
1:B:44:LYS:HB2	1:B:198:PHE:CE2	2.47	0.49
1:B:166:ASN:O	1:B:169:VAL:HG22	2.13	0.49
1:L:159:ILE:HA	1:L:164:THR:HG22	1.94	0.49
1:L:33:ALA:O	1:L:37:THR:HG23	2.12	0.49
1:J:93:ASN:HD22	1:J:114:ARG:NH2	2.06	0.49
1:C:54:ARG:HH12	1:C:81:LYS:HG3	1.78	0.49
1:I:54:ARG:HH12	1:I:81:LYS:HG3	1.78	0.48
1:C:117:ARG:HD3	1:D:211:ASP:OD1	2.14	0.48
1:I:139:ILE:O	1:I:142:PHE:HB2	2.12	0.48
1:E:54:ARG:HH12	1:E:81:LYS:HG3	1.79	0.48
1:B:155:SER:HB3	1:B:170:VAL:HG22	1.96	0.48
1:D:54:ARG:HH12	1:D:81:LYS:HG3	1.79	0.47
1:J:28:ILE:HD11	2:J:348:HOH:O	2.14	0.47
1:C:21:ILE:HD13	1:J:197:VAL:HG11	1.96	0.47
1:F:54:ARG:HH12	1:F:81:LYS:HG3	1.78	0.47
1:J:52:LYS:HE3	1:J:205:PHE:HB2	1.97	0.47
1:J:44:LYS:HE2	1:J:129:GLY:H	1.80	0.47
1:H:133:LEU:HD13	1:H:194:ILE:HG22	1.96	0.47
1:J:148:THR:O	1:J:152:ILE:HG23	2.14	0.46
1:G:112:SER:O	1:G:116:GLU:HG2	2.15	0.46
1:K:54:ARG:HH12	1:K:81:LYS:HG3	1.80	0.46
1:D:44:LYS:HE3	1:D:48:PHE:CE2	2.51	0.46
1:A:193:VAL:HG21	1:F:139:ILE:CG2	2.46	0.45
1:C:130:ASN:HD21	1:C:198:PHE:HB2	1.80	0.45
1:I:130:ASN:HD21	1:I:198:PHE:HB2	1.81	0.45
1:B:23:VAL:O	1:B:27:MET:HG2	2.17	0.45
1:E:112:SER:O	1:E:116:GLU:HG2	2.16	0.45
1:I:112:SER:O	1:I:116:GLU:HG2	2.17	0.45
1:A:112:SER:O	1:A:116:GLU:HG2	2.17	0.44
1:C:21:ILE:CG2	1:J:45:SER:HB2	2.45	0.44
1:K:112:SER:O	1:K:116:GLU:HG2	2.18	0.44
1:H:23:VAL:O	1:H:27:MET:HG2	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:148:THR:HB	1:D:177:ALA:O	2.17	0.44
1:E:135:THR:HG23	1:F:200:ARG:HH22	1.83	0.44
1:B:159:ILE:HD11	1:B:170:VAL:HG11	2.00	0.44
1:H:84:SER:OG	1:H:212:VAL:HG11	2.18	0.44
1:J:57:ARG:HD3	2:J:323:HOH:O	2.18	0.44
1:A:11:SER:O	1:A:15:MET:HG2	2.18	0.43
1:G:54:ARG:HH12	1:G:81:LYS:HG3	1.82	0.43
1:F:122:VAL:O	1:F:126:MET:HG2	2.18	0.43
1:G:193:VAL:HG21	1:L:139:ILE:CG2	2.48	0.43
1:A:146:PHE:CE1	1:B:182:ALA:HB1	2.53	0.43
1:C:112:SER:O	1:C:116:GLU:HG2	2.19	0.43
1:J:52:LYS:HA	1:J:205:PHE:HE1	1.84	0.43
1:I:122:VAL:O	1:I:126:MET:HG2	2.19	0.43
1:E:166:ASN:O	1:E:170:VAL:HG22	2.19	0.42
1:A:159:ILE:HG22	1:B:168:ALA:HA	2.00	0.42
1:L:112:SER:O	1:L:116:GLU:HG2	2.19	0.42
1:G:122:VAL:O	1:G:126:MET:HG2	2.19	0.42
1:K:122:VAL:O	1:K:126:MET:HG2	2.19	0.42
1:I:166:ASN:HB3	1:I:169:VAL:H	1.84	0.42
1:J:93:ASN:HD22	1:J:114:ARG:NH1	2.17	0.42
1:J:156:PHE:HA	1:J:159:ILE:HG12	2.01	0.42
1:B:117:ARG:HD3	1:C:211:ASP:OD1	2.20	0.42
1:G:10:LEU:HD22	1:G:14:GLY:HA3	2.01	0.42
1:C:24:LYS:O	1:C:28:ILE:HG12	2.19	0.42
1:A:122:VAL:O	1:A:126:MET:HG2	2.19	0.41
1:G:157:ILE:O	1:G:161:GLN:HG2	2.20	0.41
1:I:170:VAL:HG13	1:I:174:ILE:CD1	2.48	0.41
1:L:122:VAL:O	1:L:126:MET:HG2	2.20	0.41
1:B:44:LYS:HB2	1:B:198:PHE:CZ	2.54	0.41
1:D:28:ILE:HD11	2:D:334:HOH:O	2.21	0.41
1:I:30:LEU:HD21	1:I:143:VAL:HG22	2.02	0.41
1:C:139:ILE:O	1:C:142:PHE:HB2	2.20	0.41
1:J:117:ARG:HD3	1:K:211:ASP:OD1	2.20	0.41
1:A:48:PHE:CZ	1:A:201:GLN:HB3	2.55	0.41
1:D:167:LEU:HG	1:E:167:LEU:HD11	2.02	0.41
1:E:122:VAL:O	1:E:126:MET:HG2	2.21	0.41
1:F:112:SER:O	1:F:116:GLU:HG2	2.20	0.41
1:D:20:ASP:HB3	1:D:23:VAL:HB	2.03	0.41
1:H:142:PHE:HB3	1:I:189:ILE:CD1	2.51	0.41
1:B:55:LEU:HD23	1:B:55:LEU:HA	1.92	0.40
1:G:163:GLN:H	1:G:163:GLN:HG2	1.58	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:23:VAL:HG22	1:I:23:VAL:O	2.21	0.40
1:L:48:PHE:CZ	1:L:201:GLN:HB3	2.57	0.40
1:K:48:PHE:HE1	1:K:205:PHE:HB2	1.87	0.40
1:C:148:THR:O	1:C:152:ILE:HG23	2.21	0.40
1:D:102:ASP:HB2	2:E:333:HOH:O	2.21	0.40
1:A:194:ILE:HA	1:A:197:VAL:HG22	2.03	0.40
1:J:112:SER:O	1:J:116:GLU:HG2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	223/244 (91%)	222 (100%)	1 (0%)	0	100	100
1	B	213/244 (87%)	209 (98%)	4 (2%)	0	100	100
1	C	221/244 (91%)	220 (100%)	1 (0%)	0	100	100
1	D	213/244 (87%)	212 (100%)	1 (0%)	0	100	100
1	E	220/244 (90%)	218 (99%)	1 (0%)	1 (0%)	29	51
1	F	214/244 (88%)	213 (100%)	1 (0%)	0	100	100
1	G	223/244 (91%)	222 (100%)	1 (0%)	0	100	100
1	H	214/244 (88%)	213 (100%)	1 (0%)	0	100	100
1	I	221/244 (91%)	219 (99%)	1 (0%)	1 (0%)	29	51
1	J	212/244 (87%)	211 (100%)	1 (0%)	0	100	100
1	K	222/244 (91%)	220 (99%)	0	2 (1%)	17	34
1	L	213/244 (87%)	213 (100%)	0	0	100	100
All	All	2609/2928 (89%)	2592 (99%)	13 (0%)	4 (0%)	47	69

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	20	ASP
1	K	233	HIS
1	K	20	ASP
1	I	23	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	175/190 (92%)	169 (97%)	6 (3%)	37	62
1	B	167/190 (88%)	154 (92%)	13 (8%)	12	26
1	C	173/190 (91%)	165 (95%)	8 (5%)	27	51
1	D	166/190 (87%)	155 (93%)	11 (7%)	16	32
1	E	172/190 (90%)	166 (96%)	6 (4%)	36	61
1	F	167/190 (88%)	158 (95%)	9 (5%)	22	42
1	G	175/190 (92%)	162 (93%)	13 (7%)	13	29
1	H	167/190 (88%)	154 (92%)	13 (8%)	12	26
1	I	173/190 (91%)	165 (95%)	8 (5%)	27	51
1	J	166/190 (87%)	155 (93%)	11 (7%)	16	32
1	K	174/190 (92%)	168 (97%)	6 (3%)	37	62
1	L	167/190 (88%)	152 (91%)	15 (9%)	9	19
All	All	2042/2280 (90%)	1923 (94%)	119 (6%)	20	38

All (119) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	LEU
1	A	21	ILE
1	A	109	GLU
1	A	145	LEU
1	A	165	THR
1	A	166	ASN
1	B	21	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	44	LYS
1	B	52	LYS
1	B	55	LEU
1	B	56	LYS
1	B	68	LEU
1	B	77	ASP
1	B	85	LEU
1	B	109	GLU
1	B	143	VAL
1	B	145	LEU
1	B	166	ASN
1	B	170	VAL
1	C	109	GLU
1	C	118	ARG
1	C	143	VAL
1	C	152	ILE
1	C	165	THR
1	C	166	ASN
1	C	170	VAL
1	C	200	ARG
1	D	21	ILE
1	D	77	ASP
1	D	90	GLU
1	D	109	GLU
1	D	125	GLN
1	D	143	VAL
1	D	145	LEU
1	D	148	THR
1	D	167	LEU
1	D	169	VAL
1	D	201	GLN
1	E	109	GLU
1	E	118	ARG
1	E	125	GLN
1	E	145	LEU
1	E	166	ASN
1	E	208	MET
1	F	25	CYS
1	F	37	THR
1	F	53	ARG
1	F	109	GLU
1	F	128	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	143	VAL
1	F	145	LEU
1	F	164	THR
1	F	169	VAL
1	G	11	SER
1	G	12	VAL
1	G	20	ASP
1	G	47	GLU
1	G	77	ASP
1	G	109	GLU
1	G	145	LEU
1	G	161	GLN
1	G	162	THR
1	G	163	GLN
1	G	165	THR
1	G	166	ASN
1	G	167	LEU
1	H	23	VAL
1	H	38	TRP
1	H	43	SER
1	H	51	GLN
1	H	52	LYS
1	H	77	ASP
1	H	85	LEU
1	H	109	GLU
1	H	143	VAL
1	H	145	LEU
1	H	166	ASN
1	H	197	VAL
1	H	220	GLN
1	I	77	ASP
1	I	109	GLU
1	I	118	ARG
1	I	145	LEU
1	I	152	ILE
1	I	161	GLN
1	I	166	ASN
1	I	170	VAL
1	J	28	ILE
1	J	44	LYS
1	J	77	ASP
1	J	109	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	125	GLN
1	J	143	VAL
1	J	145	LEU
1	J	152	ILE
1	J	164	THR
1	J	169	VAL
1	J	170	VAL
1	K	77	ASP
1	K	85	LEU
1	K	109	GLU
1	K	128	ARG
1	K	145	LEU
1	K	165	THR
1	L	21	ILE
1	L	31	ILE
1	L	37	THR
1	L	44	LYS
1	L	47	GLU
1	L	53	ARG
1	L	77	ASP
1	L	109	GLU
1	L	128	ARG
1	L	143	VAL
1	L	145	LEU
1	L	166	ASN
1	L	167	LEU
1	L	169	VAL
1	L	179	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (51) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	HIS
1	A	72	ASN
1	A	166	ASN
1	A	196	ASN
1	B	70	GLN
1	B	72	ASN
1	B	166	ASN
1	B	196	ASN
1	C	18	HIS
1	C	72	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	130	ASN
1	C	166	ASN
1	D	72	ASN
1	D	89	ASN
1	D	93	ASN
1	D	196	ASN
1	E	18	HIS
1	E	70	GLN
1	E	72	ASN
1	E	92	GLN
1	E	166	ASN
1	E	220	GLN
1	F	72	ASN
1	F	166	ASN
1	G	18	HIS
1	G	72	ASN
1	G	161	GLN
1	G	166	ASN
1	G	196	ASN
1	H	51	GLN
1	H	70	GLN
1	H	130	ASN
1	H	166	ASN
1	H	196	ASN
1	H	220	GLN
1	I	18	HIS
1	I	51	GLN
1	I	72	ASN
1	I	86	HIS
1	I	130	ASN
1	I	166	ASN
1	I	201	GLN
1	J	72	ASN
1	J	89	ASN
1	J	93	ASN
1	J	161	GLN
1	K	18	HIS
1	K	72	ASN
1	L	72	ASN
1	L	166	ASN
1	L	201	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	225/244 (92%)	0.47	17 (7%)	13	8	27, 42, 71, 107	0
1	B	215/244 (88%)	0.31	12 (5%)	24	17	20, 38, 65, 103	0
1	C	223/244 (91%)	0.30	6 (2%)	54	49	24, 40, 60, 103	0
1	D	215/244 (88%)	0.28	9 (4%)	36	28	22, 40, 69, 112	0
1	E	222/244 (90%)	0.23	6 (2%)	54	49	20, 38, 61, 102	0
1	F	216/244 (88%)	0.22	5 (2%)	60	55	22, 41, 66, 86	0
1	G	225/244 (92%)	0.41	10 (4%)	34	26	27, 43, 73, 106	0
1	H	216/244 (88%)	0.24	5 (2%)	60	55	22, 38, 66, 108	0
1	I	223/244 (91%)	0.29	5 (2%)	62	57	24, 41, 66, 103	0
1	J	214/244 (87%)	0.34	6 (2%)	53	47	20, 40, 67, 113	0
1	K	224/244 (91%)	0.40	11 (4%)	29	22	22, 40, 67, 125	0
1	L	215/244 (88%)	0.26	3 (1%)	75	71	22, 41, 65, 90	0
All	All	2633/2928 (89%)	0.31	95 (3%)	42	35	20, 40, 67, 125	0

All (95) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	234	PRO	11.3
1	K	233	HIS	8.8
1	K	234	PRO	8.5
1	D	232	ALA	6.2
1	H	234	PRO	5.8
1	K	48	PHE	5.1
1	G	233	HIS	5.1
1	B	234	PRO	5.0
1	G	232	ALA	5.0
1	A	77	ASP	4.9
1	A	234	PRO	4.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	231	ALA	4.4
1	G	77	ASP	4.3
1	A	233	HIS	4.2
1	A	232	ALA	4.1
1	K	232	ALA	4.1
1	E	77	ASP	3.9
1	J	233	HIS	3.9
1	C	232	ALA	3.9
1	B	50	ASN	3.8
1	E	80	SER	3.8
1	E	81	LYS	3.7
1	D	233	HIS	3.7
1	D	49	PHE	3.7
1	K	77	ASP	3.6
1	K	231	ALA	3.5
1	L	21	ILE	3.4
1	F	77	ASP	3.4
1	A	230	ALA	3.4
1	D	231	ALA	3.3
1	J	231	ALA	3.2
1	K	80	SER	3.2
1	G	49	PHE	3.2
1	F	234	PRO	3.2
1	A	49	PHE	3.2
1	J	232	ALA	3.1
1	A	89	ASN	3.0
1	I	232	ALA	3.0
1	A	48	PHE	3.0
1	A	163	GLN	3.0
1	G	50	ASN	2.9
1	B	100	GLY	2.9
1	H	99	GLU	2.8
1	D	73	ASP	2.7
1	E	116	GLU	2.7
1	K	76	ALA	2.7
1	B	205	PHE	2.6
1	C	42	PHE	2.6
1	B	197	VAL	2.6
1	K	81	LYS	2.6
1	H	232	ALA	2.6
1	D	77	ASP	2.5
1	G	102	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	232	ALA	2.5
1	L	77	ASP	2.4
1	I	64	GLU	2.4
1	G	230	ALA	2.4
1	B	233	HIS	2.4
1	D	53	ARG	2.4
1	A	47	GLU	2.4
1	B	86	HIS	2.4
1	D	102	ASP	2.4
1	F	64	GLU	2.3
1	A	76	ALA	2.3
1	B	99	GLU	2.3
1	A	80	SER	2.3
1	A	50	ASN	2.3
1	I	60	GLN	2.3
1	E	53	ARG	2.2
1	A	51	GLN	2.2
1	G	60	GLN	2.2
1	B	20	ASP	2.2
1	C	86	HIS	2.2
1	A	84	SER	2.2
1	C	31	ILE	2.2
1	J	102	ASP	2.2
1	K	50	ASN	2.2
1	B	51	GLN	2.2
1	J	86	HIS	2.2
1	I	13	TRP	2.2
1	D	86	HIS	2.2
1	I	82	SER	2.2
1	K	123	GLY	2.1
1	F	86	HIS	2.1
1	B	207	ALA	2.1
1	C	197	VAL	2.1
1	A	231	ALA	2.1
1	A	128	ARG	2.1
1	H	233	HIS	2.0
1	C	202	ILE	2.0
1	G	231	ALA	2.0
1	J	69	ASN	2.0
1	F	53	ARG	2.0
1	H	77	ASP	2.0
1	L	89	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.