



## wwPDB EM Validation Summary Report ⓘ

May 12, 2025 – 02:24 PM JST

PDB ID : 8ZGY / pdb\_00008zgy  
EMDB ID : EMD-60091  
Title : 80S ribosome with P/E tRNA and mRNA of WNV  
Authors : Wu, M.; Yuan, S.  
Deposited on : 2024-05-10  
Resolution : 2.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118  
MolProbity : 4-5-2 with Phenix2.0rc1  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.43.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	LA	3393	<div> <div>6%</div> <div>49%</div> <div>37%</div> <div>8%</div> <div>6%</div> </div>
2	LB	121	<div> <div>64%</div> <div>30%</div> <div>6%</div> </div>
3	LC	158	<div> <div>47%</div> <div>44%</div> <div>9%</div> </div>
4	LD	251	<div> <div>67%</div> <div>31%</div> <div>.</div> </div>
5	LE	386	<div> <div>66%</div> <div>31%</div> <div>.</div> </div>
6	LF	361	<div> <div>67%</div> <div>32%</div> <div>.</div> </div>
7	LG	294	<div> <div>5%</div> <div>62%</div> <div>37%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	LH	175	
9	LI	222	
10	LJ	233	
11	LK	191	
12	LL	218	
13	LM	169	
14	LN	193	
15	LO	136	
16	LP	203	
17	LQ	197	
18	LR	183	
19	LS	185	
20	LT	188	
21	LU	171	
22	LV	159	
23	LW	100	
24	LX	136	
25	LY	65	
26	LZ	121	
27	La	125	
28	Lb	135	
29	Lc	148	
30	Ld	58	
31	Le	96	
32	Lf	109	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
33	Lg	127	
34	Lh	106	
35	Li	112	
36	Lj	119	
37	Lk	99	
38	Ll	81	
39	Lm	77	
40	Ln	50	
41	Lo	52	
42	Lp	25	
43	Lq	103	
44	Lr	91	
45	S2	1799	
46	SA	223	
47	SB	206	
48	SC	92	
49	SD	124	
50	SE	117	
51	SF	141	
52	SG	125	
53	SH	145	
54	SI	143	
55	SJ	101	
56	SK	82	
57	SL	63	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
58	SM	53	
59	SN	73	
60	SO	312	
61	SP	206	
62	SQ	232	
63	SR	217	
64	SS	260	
65	ST	228	
66	SU	185	
67	SV	199	
68	SW	185	
69	SX	146	
70	SY	150	
71	SZ	128	
72	Sa	87	
73	Sb	129	
74	Sc	144	
75	Sd	134	
76	Se	97	
77	Sf	81	
78	Sg	57	
79	Tb	77	
80	mR	25	

## 2 Entry composition

There are 80 unique types of molecules in this entry. The entry contains 200896 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 25S rRNA (3393-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
1	LA	3184	Total	C	N	O	P	0	0
			68091	30415	12259	22233	3184		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
LA	?	-	G	deletion	GB 1262303

- Molecule 2 is a RNA chain called 5S rRNA (121-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
2	LB	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 3 is a RNA chain called 5.8S rRNA (158-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
3	LC	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 4 is a protein called Large ribosomal subunit protein uL2A.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	LD	251	Total	C	N	O	S	0	0
			1899	1182	385	331	1		

- Molecule 5 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	LE	386	Total	C	N	O	S	0	0
			3075	1950	584	533	8		

- Molecule 6 is a protein called Large ribosomal subunit protein uL4A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	LF	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 7 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	LG	294	Total	C	N	O	S	0	0
			2351	1484	410	455	2		

- Molecule 8 is a protein called Large ribosomal subunit protein eL6B.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	LH	167	Total	C	N	O	0	0
			1307	843	234	230		

- Molecule 9 is a protein called Large ribosomal subunit protein uL30A.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	LI	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

- Molecule 10 is a protein called Large ribosomal subunit protein eL8A.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	LJ	233	Total	C	N	O	S	0	0
			1804	1151	323	327	3		

- Molecule 11 is a protein called Large ribosomal subunit protein uL6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	LK	191	Total	C	N	O	S	0	0
			1508	957	274	273	4		

- Molecule 12 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	LL	218	Total	C	N	O	S	0	0
			1764	1117	334	306	7		

- Molecule 13 is a protein called Large ribosomal subunit protein uL5B.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	LM	169	Total	C	N	O	S	0	0
			1346	843	252	247	4		

- Molecule 14 is a protein called Large ribosomal subunit protein eL13A.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	LN	193	Total	C	N	O		0	0
			1543	962	315	266			

- Molecule 15 is a protein called Large ribosomal subunit protein eL14A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	LO	136	Total	C	N	O	S	0	0
			1053	675	199	177	2		

- Molecule 16 is a protein called Large ribosomal subunit protein eL15A.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	LP	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		

- Molecule 17 is a protein called Large ribosomal subunit protein uL13A.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	LQ	197	Total	C	N	O	S	197	0
			1555	1003	289	262	1		

- Molecule 18 is a protein called Large ribosomal subunit protein uL22A.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	LR	183	Total	C	N	O		0	0
			1416	879	284	253			

- Molecule 19 is a protein called Large ribosomal subunit protein eL18A.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	LS	185	Total	C	N	O	S	0	0
			1441	908	290	241	2		

- Molecule 20 is a protein called Large ribosomal subunit protein eL19A.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	LT	188	Total	C	N	O		
			1515	932	323	260	0	0

- Molecule 21 is a protein called Large ribosomal subunit protein eL20A.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	LU	171	Total	C	N	O	S		
			1437	925	266	243	3	0	0

- Molecule 22 is a protein called Large ribosomal subunit protein eL21A.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	LV	159	Total	C	N	O	S		
			1272	802	245	221	4	0	0

- Molecule 23 is a protein called Large ribosomal subunit protein eL22A.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	LW	100	Total	C	N	O		
			796	516	131	149	0	0

- Molecule 24 is a protein called Large ribosomal subunit protein uL14A.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	LX	136	Total	C	N	O	S		
			1003	628	189	179	7	0	0

- Molecule 25 is a protein called Large ribosomal subunit protein eL24A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	LY	65	Total	C	N	O	S		
			528	339	104	84	1	0	0

- Molecule 26 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	LZ	121	Total	C	N	O	S		
			964	620	169	173	2	0	0

- Molecule 27 is a protein called Large ribosomal subunit protein uL24A.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	La	125	Total	C	N	O	0	0
			984	620	191	173		

- Molecule 28 is a protein called Large ribosomal subunit protein eL27A.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	Lb	135	Total	C	N	O	0	0
			1080	701	199	180		

- Molecule 29 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Lc	148	Total	C	N	O	S	0	0
			1169	747	231	188	3		

- Molecule 30 is a protein called Large ribosomal subunit protein eL29.

Mol	Chain	Residues	Atoms				AltConf	Trace
30	Ld	58	Total	C	N	O	0	0
			462	289	100	73		

- Molecule 31 is a protein called Large ribosomal subunit protein eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Le	96	Total	C	N	O	S	0	0
			737	476	123	137	1		

- Molecule 32 is a protein called Large ribosomal subunit protein eL31A.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Lf	109	Total	C	N	O	S	0	0
			876	556	167	152	1		

- Molecule 33 is a protein called Large ribosomal subunit protein eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Lg	127	Total	C	N	O	S	0	0
			1017	644	205	167	1		

- Molecule 34 is a protein called Large ribosomal subunit protein eL33A.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Lh	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 35 is a protein called Large ribosomal subunit protein eL34A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Li	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 36 is a protein called Large ribosomal subunit protein uL29A.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Lj	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 37 is a protein called Large ribosomal subunit protein eL36A.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Lk	99	Total	C	N	O	S	0	0
			766	478	154	132	2		

- Molecule 38 is a protein called Large ribosomal subunit protein eL37A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Ll	81	Total	C	N	O	S	0	0
			645	393	141	106	5		

- Molecule 39 is a protein called Large ribosomal subunit protein eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Lm	77	Total	C	N	O	S	0	0
			612	391	115	106			

- Molecule 40 is a protein called Large ribosomal subunit protein eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Ln	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 41 is a protein called Large ribosomal subunit protein eL40A.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Lo	52	Total	C	N	O	S	0	0
			410	254	86	65	5		

- Molecule 42 is a protein called Large ribosomal subunit protein eL41A.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	Lp	25	Total	C	N	O	S	0	0
			229	139	62	27	1		

- Molecule 43 is a protein called Large ribosomal subunit protein eL42A.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Lq	103	Total	C	N	O	S	0	0
			824	517	167	135	5		

- Molecule 44 is a protein called Large ribosomal subunit protein eL43A.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Lr	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 45 is a RNA chain called chain 2 18S rRNA (1799-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
45	S2	1771	Total	C	N	O	P	0	0
			37739	16872	6683	12413	1771		

- Molecule 46 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	SA	222	Total	C	N	O	S	0	0
			1729	1098	312	313	6		

- Molecule 47 is a protein called Small ribosomal subunit protein uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	SB	206	Total	C	N	O	S	0	0
			1605	1005	299	298	3		

- Molecule 48 is a protein called Small ribosomal subunit protein eS10A.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	SC	92	Total	C	N	O	S	0	0
			752	487	122	141	2		

- Molecule 49 is a protein called Small ribosomal subunit protein eS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	SD	121	Total	C	N	O	S	0	0
			875	551	153	169	2		

- Molecule 50 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	SE	117	Total	C	N	O	S	0	0
			916	583	171	155	7		

- Molecule 51 is a protein called Small ribosomal subunit protein uS9A.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	SF	141	Total	C	N	O		0	0
			1105	708	203	194			

- Molecule 52 is a protein called Small ribosomal subunit protein eS17A.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	SG	121	Total	C	N	O	S	0	0
			948	596	179	171	2		

- Molecule 53 is a protein called Small ribosomal subunit protein uS13A.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	SH	145	Total	C	N	O	S	0	0
			1188	741	237	208	2		

- Molecule 54 is a protein called Small ribosomal subunit protein eS19A.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	SI	143	Total	C	N	O	S	0	0
			1112	694	208	208	2		

- Molecule 55 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	SJ	100	Total	C	N	O	S	0	0
			797	506	144	146	1		

- Molecule 56 is a protein called Small ribosomal subunit protein eS25A.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	SK	82	Total	C	N	O		0	0
			651	416	123	112			

- Molecule 57 is a protein called Small ribosomal subunit protein eS28A.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	SL	63	Total	C	N	O	S	0	0
			491	303	96	91	1		

- Molecule 58 is a protein called Small ribosomal subunit protein uS14A.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	SM	53	Total	C	N	O	S	0	0
			442	274	92	72	4		

- Molecule 59 is a protein called Small ribosomal subunit protein eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	SN	73	Total	C	N	O	S	0	0
			556	352	105	95	4		

- Molecule 60 is a protein called Small ribosomal subunit protein RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	SO	312	Total	C	N	O	S	0	0
			2383	1514	409	452	8		

- Molecule 61 is a protein called Small ribosomal subunit protein uS2A.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	SP	206	Total	C	N	O	S	0	0
			1603	1030	284	287	2		

- Molecule 62 is a protein called Small ribosomal subunit protein eS1A.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	SQ	226	Total	C	N	O	S	0	0
			1798	1139	330	325	4		

- Molecule 63 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	SR	216	Total	C	N	O	S	0	0
			1626	1042	287	295	2		

- Molecule 64 is a protein called Small ribosomal subunit protein eS4A.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	SS	258	Total	C	N	O	S	0	0
			2056	1308	387	358	3		

- Molecule 65 is a protein called Small ribosomal subunit protein eS6A.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	ST	228	Total	C	N	O	S	0	0
			1815	1138	351	323	3		

- Molecule 66 is a protein called Small ribosomal subunit protein eS7A.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	SU	184	Total	C	N	O	S	0	0
			1473	946	263	264			

- Molecule 67 is a protein called Small ribosomal subunit protein eS8A.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	SV	187	Total	C	N	O	S	0	0
			1476	916	295	263	2		

- Molecule 68 is a protein called Small ribosomal subunit protein uS4A.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	SW	184	Total	C	N	O	S	0	0
			1479	935	285	258	1		

- Molecule 69 is a protein called Small ribosomal subunit protein uS17A.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	SX	142	Total	C	N	O	S	0	0
			1142	733	217	189	3		

- Molecule 70 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	SY	150	Total	C	N	O	S	0	0
			1192	759	224	207	2		

- Molecule 71 is a protein called Small ribosomal subunit protein uS11B.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	SZ	127	Total	C	N	O	S	0	0
			923	568	185	167	3		

- Molecule 72 is a protein called Small ribosomal subunit protein eS21A.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Sa	87	Total	C	N	O	S	0	0
			673	415	125	131	2		

- Molecule 73 is a protein called Small ribosomal subunit protein uS8A.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	Sb	129	Total	C	N	O	S	0	0
			1021	650	188	180	3		

- Molecule 74 is a protein called Small ribosomal subunit protein uS12A.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	Sc	144	Total	C	N	O	S	0	0
			1121	708	220	191	2		

- Molecule 75 is a protein called Small ribosomal subunit protein eS24A.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Sd	134	Total	C	N	O		0	0
			1032	651	195	186			

- Molecule 76 is a protein called Small ribosomal subunit protein eS26B.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	Se	97	Total	C	N	O	S	0	0
			765	473	160	127	5		

- Molecule 77 is a protein called Small ribosomal subunit protein eS27A.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Sf	81	Total	C	N	O	S	0	0
			610	382	110	113	5		

- Molecule 78 is a protein called Small ribosomal subunit protein eS30A.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	Sg	57	Total	C	N	O	S	0	0
			451	284	93	73	1		

- Molecule 79 is a RNA chain called tRNA (77-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
79	Tb	77	Total	C	N	O	P	0	0
			1650	734	303	536	77		


- Molecule 80 is a RNA chain called RNA (5'-R(P\*GP\*AP\*UP\*CP\*CP\*UP\*UP\*AP\*AP\*C)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
80	mR	10	Total	C	N	O	P	0	0
			209	94	35	70	10		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: 25S rRNA (3393-MER)



U1830	C1831	G1750	A1642	A1574	G1482	U1387	A1286	C1226	G1144	A1046	G977	C876	U763
G1832	C1755	C1756	C1644	G1575	U1483	G1388	U1287	C1227	C1145	A1047	U978	G877	C764
U1833	G1757	A1576	G1484	G1576	G1484	A1389	G1288	G1228	U1150	C1048	A979	U878	U765
A1834	C1758	A1577	G1485	C1577	G1485	C1390	G1229	G1229	G1151	U1049	U980	G879	U766
G1837	A1759	C1578	G1486	C1578	G1486	G1391	G1294	G1231	A1053	A1053	A982	A881	A770
A1838	C1760	C1580	G1487	C1580	G1487	A1392	G1305	G1232	G1062	G1062	G983	G886	A775
U1839	C1761	C1581	G1488	C1581	G1488	A1393	G1306	G1233	A1063	A1063	U984	A887	U776
A1840	U1762	A1582	G1489	C1582	G1489	A1398	A1307	G1234	G1154	G1154	U985	A895	A779
U1841	U1763	U1583	G1490	C1583	G1490	G1399	U1308	U1234	G1155	A1064	U986	A905	G784
C1842	U1764	A1584	G1491	C1584	G1491	G1407	C1311	G1235	G1156	A1065	U987	G907	G786
A1845	G1769	C1585	G1492	C1585	G1492	G1415	G1312	G1236	A1158	G1071	A991	G899	G780
C1848	C1770	A1586	G1493	C1586	G1493	G1416	C1313	C1237	U1167	C1075	G992	G900	U781
A1849	U1771	A1587	G1494	C1587	G1494	A1417	U1314	C1238	A1168	A1168	U994	A905	A783
A1857	G1774	C1588	G1495	C1588	G1495	A1418	A1317	A1239	U1172	U1081	G998	G907	G785
G1862	C1777	A1589	G1496	C1589	G1496	G1419	G1320	U1240	G1173	G1082	G999	C910	A790
C1865	G1778	U1590	G1497	C1590	G1497	C1426	U1323	G1241	U1174	A1083	G1000	A913	G791
A1866	C1779	A1591	G1498	C1591	G1498	G1427	A1324	G1242	G1175	A1084	A1002	A914	C792
U1870	U1782	C1592	G1499	C1592	G1499	A1428	A1325	A1243	G1176	A1090	G1009	G915	G798
A1873	G1783	A1593	G1500	C1593	G1500	G1430	G1326	G1245	U1180	C1091	A1010	A916	A800
C1877	U1784	U1594	G1501	C1594	G1501	G1431	A1329	U1246	U1183	A1092	G1011	A920	G799
A1878	C1785	A1595	G1502	C1595	G1502	A1432	U1330	C1247	C1184	U1093	G1012	G922	A805
U1879	A1786	C1596	G1503	C1596	G1503	G1433	A1336	G1248	U1189	U1094	U1013	G922	A806
C1885	U1787	U1597	G1504	C1597	G1504	A1434	G1337	G1249	U1190	U1095	U1014	G923	A807
A1888	C1788	A1598	G1505	C1598	G1505	G1435	G1338	A1250	G1191	A1097	C1016	A924	
U1889	U1789	U1599	G1506	C1599	G1506	G1436	G1339	A1251	G1192	G1100	G1017	G933	A815
C1891	C1790	A1599	G1507	C1600	G1507	A1437	G1340	U1252	A1193	A1101	G1018	G936	A816
A1892	U1791	U1600	G1508	C1601	G1508	G1438	A1343	C1253	G1194	A1102	G1019	C937	C817
U1893	C1792	A1602	G1509	C1602	G1509	A1439	G1344	C1254	G1195	G1103	G1020	U942	U818
A1894	U1793	U1603	G1510	C1603	G1510	G1440	G1345	G1255	A1196		U1021	C943	G821
G1898	U1794	U1604	G1511	C1604	G1511	G1441	G1346	G1256	C1197	U1109	G1022	C944	A826
C1905	C1795	U1605	G1512	C1605	G1512	A1442	G1347	U1257	A1198	U1110	G1023	C945	A829
U1906	U1796	U1606	G1513	C1606	G1513	G1443	A1349	A1258	G1200	G1116	A1024	U946	G830
A1907	A1703	U1607	G1514	C1607	G1514	A1444	U1350	A1259	A1201	G1117	A1025	G834	
U1908	C1706	U1608	G1515	C1608	G1515	G1445	U1351	G1261	A1202	G1118	A1026	U959	U833
A1909	U1707	U1609	G1516	C1609	G1516	A1446	U1352	A1262	A1203	A1119	U1027	C958	
C1910	C1708	U1610	G1517	C1610	G1517	G1447	A1353	G1263	A1204	U1127	G1028	A961	C838
U1911	U1709	U1611	G1518	C1611	G1518	A1448	A1354	U1264	G1205	A1128	A1029	G962	A845
A1912	C1710	U1612	G1519	C1612	G1519	G1449	U1355	G1265	G1206	G1129	G1030	G963	A846
U1913	U1711	U1613	G1520	C1613	G1520	A1450	G1356	U1266	U1210	G1130	U1031	A964	C847
A1914	C1712	U1614	G1521	C1614	G1521	G1451	U1357	G1267	A1211	G1133	U1032	A965	U849
U1915	U1713	U1615	G1522	C1615	G1522	A1452	G1358	U1268	U1212	A1134	G1034	A966	
C1925	C1714	U1616	G1523	C1616	G1523	G1453	U1359	G1269	G1213	A1135	A1035	A971	C860
U1939	U1715	U1617	G1524	C1617	G1524	A1454	U1360	A1270	A1216	C1136	C1036	A972	C872
C1940	C1716	U1618	G1525	C1618	G1525	G1455	U1361	G1271	U1217	U1137	C1037	G974	U873
U1941	U1717	U1619	G1526	C1619	G1526	A1456	A1362	A1272	G1221	U1138	U1038	U975	G874
	C1718	U1620	G1527	C1620	G1527	G1457	U1363	A1273	A1222	G1141	U1040	C976	A875
	U1719	U1621	G1528	C1621	G1528	A1458	G1364	A1274	G1225	U1142	U1041		
	C1720	U1622	G1529	C1622	G1529	G1459	U1365	G1275		U1143	U1042		
	U1721	U1623	G1530	C1623	G1530	A1460	A1366	G1276			U1043		
	A1808	U1624	G1531	C1624	G1531	G1461	U1367	A1277			G1844		
	C1802	U1625	G1532	C1625	G1532	A1462	U1368	A1284			A1045		
	A1803	U1626	G1533	C1626	G1533	G1463	U1369						
	C1804	U1627	G1534	C1627	G1534	A1464	U1370						
	A1805	U1628	G1535	C1628	G1535	G1465	U1371						
	C1806	U1629	G1536	C1629	G1536	A1466	U1372						
	U1807	U1630	G1537	C1630	G1537	G1467	U1373						
	A1808	U1631	G1538	C1631	G1538	A1468	U1374						
	C1809	U1632	G1539	C1632	G1539	G1469	U1375						
	A1810	U1633	G1540	C1633	G1540	A1470	U1376						
	C1811	U1634	G1541	C1634	G1541	G1471	U1377						
	A1812	U1635	G1542	C1635	G1542	A1472	U1378						
	U1813	U1636	G1543	C1636	G1543	G1473	U1379						
	A1814	U1637	G1544	C1637	G1544	A1474	U1380						
	C1815	U1638	G1545	C1638	G1545	G1475	U1381						
	U1816	U1639	G1546	C1639	G1546	A1476	U1382						
	A1817	U1640	G1547	C1640	G1547	G1477	U1383						
	C1818	U1641	G1548	C1641	G1548	A1478	U1384						
	U1819	U1642	G1549	C1642	G1549	G1479	U1385						
	C1819	U1643	G1550	C1643	G1550	A1480	U1386						
	A1820	U1644	G1551	C1644	G1551	G1481	U1387						
	U1821	U1645	G1552	C1645	G1552	A1482	U1388						
	C1822	U1646	G1553	C1646	G1553	G1483	U1389						
	A1823	U1647	G1554	C1647	G1554	A1484	U1390						
	U1824	U1648	G1555	C1648	G1555	G1485	U1391						
	C1825	U1649	G1556	C1649	G1556	A1486	U1392						
	A1826	U1650	G1557	C1650	G1557	G1487	U1393						
	U1827	U1651	G1558	C1651	G1558	A1488	U1394						
	C1828	U1652	G1559	C1652	G1559	G1489	U1395						
	A1829	U1653	G1560	C1653	G1560	A1490	U1396						
	U1830	U1654	G1561	C1654	G1561	G1491	U1397						
	C1831	U1655	G1562	C1655	G1562	A1492	U1398						
	A1832	U1656	G1563	C1656	G1563	G1493	U1399						
	U1833	U1657	G1564	C1657	G1564	A1494	U1400						
	C1834	U1658	G1565	C1658	G1565	G1495	U1401						
	A1835	U1659	G1566	C1659	G1566	A1496	U1402						
	U1836	U1660	G1567	C1660	G1567	G1497	U1403						
	C1837	U1661	G1568	C1661	G1568	A1498	U1404						
	A1838	U1662	G1569	C1662	G1569	G1499	U1405						
	U1839	U1663	G1570	C1663	G1570	A1500	U1406						
	C1840	U1664	G1571	C1664	G1571	G1501	U1407						
	A1841	U1665	G1572	C1665	G1572	A1502	U1408						
	U1842	U1666	G1573	C1666	G1573	G1503	U1409						
	C1843	U1667	G1574	C1667	G1574	A1504	U1410						
	A1844	U1668	G1575	C1668	G1575	G1505	U1411						
	U1845	U1669	G1576	C1669	G1576	A1506	U1412						
	C1846	U1670	G1577	C1670	G1577	G1507	U1413						
	A1847	U1671	G1578	C1671	G1578	A1508	U1414						
	U1848	U1672	G1579	C1672	G1579	G1509	U1415						
	C1849	U1673	G1580	C1673	G1580	A1510	U1416						
	A1850	U1674	G1581	C1674	G1581	G1511	U1417						
	U1851	U1675	G1582	C1675	G1582	A1512	U1418						
	C1852	U1676	G1583	C1676	G1583	G1513	U1419						
	A1853	U1677	G1584	C1677	G1584	A1514	U1420						
	U1854	U1678	G1585	C1678	G1585	G1515	U1421						
	C1855	U1679	G1586	C1679	G1586	A1516	U1422						
	A1856	U1680	G1587	C1680	G1587	G1517	U1423						
	U1857	U1681	G1588	C1681	G1588	A1518	U1424						
	C1858	U1682	G1589	C1682	G1589	G1519	U1425						
	A1859	U1683	G1590	C1683	G1590	A1520	U1426						
	U1860	U1684	G1591	C1684	G1591	G1521	U1427						









• Molecule 6: Large ribosomal subunit protein uL4A

Chain LF: 67% 32%




• Molecule 7: Large ribosomal subunit protein uL18


Chain LG: 5% 62% 37%




- Molecule 8: Large ribosomal subunit protein eL6B



- Molecule 9: Large ribosomal subunit protein uL30A




- Molecule 10: Large ribosomal subunit protein eL8A




- Molecule 11: Large ribosomal subunit protein uL6A







- Molecule 12: Large ribosomal subunit protein uL16




- Molecule 13: Large ribosomal subunit protein uL5B



- Molecule 14: Large ribosomal subunit protein eL13A





- Molecule 15: Large ribosomal subunit protein eL14A





- Molecule 16: Large ribosomal subunit protein eL15A

Chain LP: 70% 27%



- Molecule 17: Large ribosomal subunit protein uL13A

Chain LQ: 68% 32%




- Molecule 18: Large ribosomal subunit protein uL22A

Chain LR: 6% 70% 28%




- Molecule 19: Large ribosomal subunit protein eL18A

Chain LS: 65% 35%




- Molecule 20: Large ribosomal subunit protein eL19A


Chain LT: 9% 70% 30%




- Molecule 21: Large ribosomal subunit protein eL20A





- Molecule 22: Large ribosomal subunit protein eL21A




- Molecule 23: Large ribosomal subunit protein eL22A




- Molecule 24: Large ribosomal subunit protein uL14A




- Molecule 25: Large ribosomal subunit protein eL24A




- Molecule 26: Large ribosomal subunit protein uL23




- Molecule 27: Large ribosomal subunit protein uL24A




- Molecule 28: Large ribosomal subunit protein eL27A




- Molecule 29: Large ribosomal subunit protein uL15




- Molecule 30: Large ribosomal subunit protein eL29







- Molecule 31: Large ribosomal subunit protein eL30




- Molecule 32: Large ribosomal subunit protein eL31A



- Molecule 33: Large ribosomal subunit protein eL32



- Molecule 34: Large ribosomal subunit protein eL33A



- Molecule 35: Large ribosomal subunit protein eL34A







- Molecule 36: Large ribosomal subunit protein uL29A




- Molecule 37: Large ribosomal subunit protein eL36A



- Molecule 38: Large ribosomal subunit protein eL37A



- Molecule 39: Large ribosomal subunit protein eL38



- Molecule 40: Large ribosomal subunit protein eL39




- Molecule 41: Large ribosomal subunit protein eL40A

Chain Lo:  63% 35%




- Molecule 42: Large ribosomal subunit protein eL41A

Chain Lp:  60% 40%



- Molecule 43: Large ribosomal subunit protein eL42A

Chain Lq:  65% 33%




- Molecule 44: Large ribosomal subunit protein eL43A

Chain Lr:  63% 35%




- Molecule 45: chain 2 18S rRNA (1799-MER)



Chain S2:  22% 31% 50% 17%









• Molecule 46: Small ribosomal subunit protein uS3











• Molecule 47: Small ribosomal subunit protein uS7




• Molecule 48: Small ribosomal subunit protein eS10A




• Molecule 49: Small ribosomal subunit protein eS12




• Molecule 50: Small ribosomal subunit protein uS19




• Molecule 51: Small ribosomal subunit protein uS9A




• Molecule 52: Small ribosomal subunit protein eS17A




• Molecule 53: Small ribosomal subunit protein uS13A




- Molecule 54: Small ribosomal subunit protein eS19A




- Molecule 55: Small ribosomal subunit protein uS10



- Molecule 56: Small ribosomal subunit protein eS25A




- Molecule 57: Small ribosomal subunit protein eS28A






- Molecule 58: Small ribosomal subunit protein uS14A









• Molecule 59: Small ribosomal subunit protein eS31




• Molecule 60: Small ribosomal subunit protein RACK1




• Molecule 61: Small ribosomal subunit protein uS2A






• Molecule 62: Small ribosomal subunit protein eS1A




• Molecule 63: Small ribosomal subunit protein uS5




• Molecule 64: Small ribosomal subunit protein eS4A







• Molecule 65: Small ribosomal subunit protein eS6A





• Molecule 66: Small ribosomal subunit protein eS7A




• Molecule 67: Small ribosomal subunit protein eS8A




- Molecule 68: Small ribosomal subunit protein uS4A




- Molecule 69: Small ribosomal subunit protein uS17A




- Molecule 70: Small ribosomal subunit protein uS15




- |    |    |    |    |    |    |    |    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| S2 | D3 | A4 | U5 | T6 | I7 | R8 | T9 | R10 | K11 | V12 | I13 | S14 | M15 | P16 | L17 | R20 | K21 | Q22 | F23 | V24 | V25 | D26 | V27 | L28 | H29 | P30 | R31 | R32 | A33 | N34 | V35 | S36 | K37 | R38 | E39 | L40 | L41 | E42 | K43 | L44 | A45 | E46 | V47 | Y48 | K49 | A50 | E51 | K52 | D53 | S56 | V57 | F58 | G59 | F60 | R61 | T62 | D63 |
|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|




- Molecule 76: Small ribosomal subunit protein eS26B





- Molecule 77: Small ribosomal subunit protein eS27A



- Molecule 78: Small ribosomal subunit protein eS30A




- Molecule 79: tRNA (77-MER)



- Molecule 80: RNA (5'-R(P\*GP\*AP\*UP\*CP\*CP\*UP\*UP\*AP\*AP\*C)-3')





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	44663	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	JEOL CRYO ARM 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.581	Depositor
Minimum map value	-1.214	Depositor
Average map value	-0.002	Depositor
Map value standard deviation	0.074	Depositor
Recommended contour level	0.22	Depositor
Map size ( $\text{\AA}$ )	570.0, 570.0, 570.0	wwPDB
Map dimensions	600, 600, 600	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.95, 0.95, 0.95	Depositor

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	LA	0.22	0/76214	0.34	0/118821
2	LB	0.20	0/2883	0.28	0/4491
3	LC	0.22	0/3746	0.33	0/5832
4	LD	0.32	1/1933 (0.1%)	0.45	0/2598
5	LE	0.23	0/3146	0.41	0/4228
6	LF	0.24	0/2800	0.44	0/3790
7	LG	0.21	0/2400	0.40	0/3239
8	LH	0.21	0/1329	0.39	0/1794
9	LI	0.26	0/1821	0.41	0/2451
10	LJ	0.21	0/1836	0.41	0/2481
11	LK	0.22	0/1529	0.42	0/2060
12	LL	0.43	0/1801	0.53	2/2416 (0.1%)
13	LM	0.17	0/1367	0.41	0/1834
14	LN	0.23	0/1568	0.44	0/2106
15	LO	0.27	0/1068	0.41	0/1438
16	LP	0.25	0/1757	0.40	0/2354
17	LQ	0.26	0/1585	0.40	0/2128
18	LR	0.24	0/1439	0.41	0/1938
19	LS	0.26	0/1465	0.44	0/1965
20	LT	0.21	0/1532	0.35	0/2043
21	LU	0.26	0/1473	0.42	0/1980
22	LV	0.24	0/1296	0.41	0/1739
23	LW	0.20	0/812	0.41	0/1099
24	LX	0.25	0/1018	0.42	0/1369
25	LY	0.23	0/540	0.42	0/717
26	LZ	0.29	1/979 (0.1%)	0.42	0/1321
27	La	0.22	0/995	0.41	0/1329
28	Lb	0.19	0/1106	0.40	0/1485
29	Lc	0.23	0/1200	0.44	0/1607
30	Ld	0.22	0/473	0.41	0/629
31	Le	0.20	0/745	0.37	0/1001
32	Lf	0.23	0/890	0.46	2/1196 (0.2%)
33	Lg	0.33	0/1038	0.41	0/1390
34	Lh	0.28	0/868	0.41	0/1168

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
35	Li	0.24	0/890	0.41	0/1189
36	Lj	0.21	0/978	0.36	0/1301
37	Lk	0.22	0/772	0.40	0/1026
38	Ll	0.25	0/660	0.39	0/875
39	Lm	0.29	0/618	0.46	0/826
40	Ln	0.25	0/443	0.40	0/588
41	Lo	0.23	0/416	0.44	0/553
42	Lp	0.19	0/230	0.30	0/296
43	Lq	0.21	0/836	0.41	0/1104
44	Lr	0.32	1/701 (0.1%)	0.44	0/934
45	S2	0.16	0/42211	0.33	0/65773
46	SA	0.17	0/1754	0.39	0/2361
47	SB	0.16	0/1625	0.42	0/2197
48	SC	0.22	0/769	0.45	0/1039
49	SD	0.17	0/883	0.51	0/1199
50	SE	0.15	0/936	0.39	0/1259
51	SF	0.17	0/1125	0.41	0/1510
52	SG	0.16	0/957	0.37	0/1283
53	SH	0.20	0/1207	0.39	0/1623
54	SI	0.23	0/1130	0.48	1/1517 (0.1%)
55	SJ	0.14	0/807	0.36	0/1091
56	SK	0.17	0/661	0.36	0/888
57	SL	0.22	0/493	0.39	0/663
58	SM	0.13	0/452	0.34	0/600
59	SN	0.11	0/567	0.33	0/764
60	SO	0.19	0/2436	0.42	0/3318
61	SP	0.29	0/1644	0.57	0/2249
62	SQ	0.26	0/1823	0.56	2/2447 (0.1%)
63	SR	0.20	0/1656	0.44	0/2251
64	SS	0.26	1/2097 (0.0%)	0.49	1/2823 (0.0%)
65	ST	0.17	0/1839	0.40	0/2460
66	SU	0.17	0/1498	0.41	0/2019
67	SV	0.19	0/1501	0.42	0/2006
68	SW	0.18	0/1504	0.44	0/2016
69	SX	0.18	0/1168	0.38	0/1575
70	SY	0.20	0/1215	0.37	0/1638
71	SZ	0.20	0/934	0.46	0/1257
72	Sa	0.17	0/682	0.40	0/921
73	Sb	0.23	0/1038	0.48	0/1395
74	Sc	0.27	0/1139	0.49	1/1518 (0.1%)
75	Sd	0.15	0/1046	0.38	0/1401
76	Se	0.35	1/778 (0.1%)	0.65	3/1042 (0.3%)
77	Sf	0.42	1/620 (0.2%)	0.37	0/838

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
78	Sg	0.22	0/459	0.44	0/611
79	Tb	0.11	0/1844	0.25	0/2873
All	All	0.22	6/215694 (0.0%)	0.37	12/317154 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	LJ	0	1
30	Ld	0	2
36	Lj	0	1
61	SP	0	2
All	All	0	6

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
77	Sf	43	ILE	CG1-CD1	-8.72	1.17	1.51
4	LD	236	GLY	C-O	7.59	1.28	1.24
44	Lr	31	ILE	CG1-CD1	-5.87	1.28	1.51
76	Se	98	PRO	CG-CD	-5.75	1.31	1.50
26	LZ	106	ASP	CG-OD1	-5.59	1.14	1.25

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
76	Se	98	PRO	CA-N-CD	-10.38	97.46	112.00
64	SS	29	PRO	CA-N-CD	-9.85	98.22	112.00
54	SI	67	MET	CG-SD-CE	-8.28	82.68	100.90
12	LL	186	GLU	N-CA-C	-6.76	103.37	111.69
12	LL	187	ALA	N-CA-C	-6.41	99.93	109.86

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	LJ	30	THR	Peptide
30	Ld	19	ASN	Peptide
30	Ld	20	GLY	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
36	Lj	83	LYS	Peptide
61	SP	202	TYR	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	LA	68091	0	34217	1045	0
2	LB	2579	0	1304	33	0
3	LC	3353	0	1695	59	0
4	LD	1899	0	1957	64	0
5	LE	3075	0	3142	101	0
6	LF	2748	0	2859	94	0
7	LG	2351	0	2294	86	0
8	LH	1307	0	1377	44	0
9	LI	1784	0	1862	64	0
10	LJ	1804	0	1877	56	0
11	LK	1508	0	1572	52	0
12	LL	1764	0	1804	63	0
13	LM	1346	0	1370	57	0
14	LN	1543	0	1608	53	0
15	LO	1053	0	1149	47	0
16	LP	1720	0	1779	56	0
17	LQ	1555	0	1659	56	0
18	LR	1416	0	1433	37	0
19	LS	1441	0	1543	56	0
20	LT	1515	0	1606	49	0
21	LU	1437	0	1475	56	0
22	LV	1272	0	1312	54	0
23	LW	796	0	812	25	0
24	LX	1003	0	1048	34	0
25	LY	528	0	546	21	0
26	LZ	964	0	1025	27	0
27	La	984	0	1075	33	0
28	Lb	1080	0	1122	25	0
29	Lc	1169	0	1211	50	0
30	Ld	462	0	491	11	0
31	Le	737	0	792	24	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
32	Lf	876	0	912	27	0
33	Lg	1017	0	1081	33	0
34	Lh	850	0	880	19	0
35	Li	880	0	945	27	0
36	Lj	969	0	1078	28	0
37	Lk	766	0	844	28	0
38	Ll	645	0	649	24	0
39	Lm	612	0	682	36	0
40	Ln	436	0	475	24	0
41	Lo	410	0	446	17	0
42	Lp	229	0	273	9	0
43	Lq	824	0	892	25	0
44	Lr	694	0	738	26	0
45	S2	37739	0	18988	989	0
46	SA	1729	0	1812	69	0
47	SB	1605	0	1669	82	0
48	SC	752	0	719	43	0
49	SD	875	0	878	42	0
50	SE	916	0	941	46	0
51	SF	1105	0	1166	65	0
52	SG	948	0	990	36	0
53	SH	1188	0	1218	61	0
54	SI	1112	0	1124	56	0
55	SJ	797	0	863	24	0
56	SK	651	0	682	16	0
57	SL	491	0	524	20	0
58	SM	442	0	432	24	0
59	SN	556	0	549	13	0
60	SO	2383	0	2332	118	0
61	SP	1603	0	1610	74	0
62	SQ	1798	0	1890	120	0
63	SR	1626	0	1715	87	0
64	SS	2056	0	2140	131	0
65	ST	1815	0	1894	105	0
66	SU	1473	0	1555	72	0
67	SV	1476	0	1501	78	0
68	SW	1479	0	1556	98	0
69	SX	1142	0	1209	39	0
70	SY	1192	0	1255	42	0
71	SZ	923	0	948	47	0
72	Sa	673	0	662	35	0
73	Sb	1021	0	1060	36	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
74	Sc	1121	0	1196	65	0
75	Sd	1032	0	1044	61	0
76	Se	765	0	814	33	0
77	Sf	610	0	633	28	0
78	Sg	451	0	494	40	0
79	Tb	1650	0	838	32	0
80	mR	209	0	0	0	0
All	All	200896	0	147812	4891	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 4891 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
33:Lg:83:GLU:OE1	33:Lg:111:ARG:NH1	1.73	1.22
1:LA:2251:A:N6	1:LA:2262:C:H42	1.37	1.19
1:LA:2251:A:H61	1:LA:2262:C:N4	1.43	1.17
48:SC:23:ALA:O	48:SC:64:TYR:HB2	1.47	1.14
15:LO:65:LEU:HG	21:LU:172:TYR:OH	1.52	1.09

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	LD	249/251 (99%)	231 (93%)	18 (7%)	0	100	100
5	LE	384/386 (100%)	349 (91%)	35 (9%)	0	100	100
6	LF	359/361 (99%)	333 (93%)	26 (7%)	0	100	100
7	LG	292/294 (99%)	277 (95%)	15 (5%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	LH	163/175 (93%)	152 (93%)	11 (7%)	0	100	100
9	LI	220/222 (99%)	211 (96%)	9 (4%)	0	100	100
10	LJ	231/233 (99%)	217 (94%)	14 (6%)	0	100	100
11	LK	189/191 (99%)	174 (92%)	15 (8%)	0	100	100
12	LL	216/218 (99%)	201 (93%)	15 (7%)	0	100	100
13	LM	167/169 (99%)	158 (95%)	9 (5%)	0	100	100
14	LN	191/193 (99%)	178 (93%)	13 (7%)	0	100	100
15	LO	134/136 (98%)	126 (94%)	8 (6%)	0	100	100
16	LP	201/203 (99%)	187 (93%)	13 (6%)	1 (0%)	25	56
17	LQ	195/197 (99%)	192 (98%)	3 (2%)	0	100	100
18	LR	181/183 (99%)	169 (93%)	12 (7%)	0	100	100
19	LS	183/185 (99%)	172 (94%)	11 (6%)	0	100	100
20	LT	186/188 (99%)	181 (97%)	5 (3%)	0	100	100
21	LU	169/171 (99%)	161 (95%)	8 (5%)	0	100	100
22	LV	157/159 (99%)	147 (94%)	10 (6%)	0	100	100
23	LW	98/100 (98%)	92 (94%)	6 (6%)	0	100	100
24	LX	134/136 (98%)	133 (99%)	1 (1%)	0	100	100
25	LY	63/65 (97%)	62 (98%)	1 (2%)	0	100	100
26	LZ	119/121 (98%)	116 (98%)	3 (2%)	0	100	100
27	La	123/125 (98%)	118 (96%)	5 (4%)	0	100	100
28	Lb	133/135 (98%)	121 (91%)	12 (9%)	0	100	100
29	Lc	146/148 (99%)	132 (90%)	14 (10%)	0	100	100
30	Ld	56/58 (97%)	53 (95%)	3 (5%)	0	100	100
31	Le	94/96 (98%)	91 (97%)	3 (3%)	0	100	100
32	Lf	107/109 (98%)	100 (94%)	7 (6%)	0	100	100
33	Lg	125/127 (98%)	121 (97%)	4 (3%)	0	100	100
34	Lh	104/106 (98%)	100 (96%)	4 (4%)	0	100	100
35	Li	110/112 (98%)	108 (98%)	2 (2%)	0	100	100
36	Lj	117/119 (98%)	114 (97%)	3 (3%)	0	100	100
37	Lk	97/99 (98%)	91 (94%)	6 (6%)	0	100	100
38	Ll	79/81 (98%)	73 (92%)	6 (8%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
39	Lm	75/77 (97%)	74 (99%)	1 (1%)	0	100	100
40	Ln	48/50 (96%)	47 (98%)	1 (2%)	0	100	100
41	Lo	50/52 (96%)	47 (94%)	3 (6%)	0	100	100
42	Lp	23/25 (92%)	23 (100%)	0	0	100	100
43	Lq	101/103 (98%)	94 (93%)	7 (7%)	0	100	100
44	Lr	89/91 (98%)	84 (94%)	5 (6%)	0	100	100
46	SA	220/223 (99%)	208 (94%)	12 (6%)	0	100	100
47	SB	204/206 (99%)	190 (93%)	14 (7%)	0	100	100
48	SC	90/92 (98%)	83 (92%)	7 (8%)	0	100	100
49	SD	119/124 (96%)	94 (79%)	25 (21%)	0	100	100
50	SE	115/117 (98%)	107 (93%)	8 (7%)	0	100	100
51	SF	139/141 (99%)	126 (91%)	13 (9%)	0	100	100
52	SG	117/125 (94%)	111 (95%)	6 (5%)	0	100	100
53	SH	143/145 (99%)	135 (94%)	8 (6%)	0	100	100
54	SI	141/143 (99%)	130 (92%)	11 (8%)	0	100	100
55	SJ	98/101 (97%)	95 (97%)	3 (3%)	0	100	100
56	SK	80/82 (98%)	73 (91%)	7 (9%)	0	100	100
57	SL	61/63 (97%)	59 (97%)	2 (3%)	0	100	100
58	SM	51/53 (96%)	50 (98%)	1 (2%)	0	100	100
59	SN	71/73 (97%)	58 (82%)	13 (18%)	0	100	100
60	SO	310/312 (99%)	281 (91%)	29 (9%)	0	100	100
61	SP	204/206 (99%)	169 (83%)	33 (16%)	2 (1%)	13	39
62	SQ	222/232 (96%)	200 (90%)	22 (10%)	0	100	100
63	SR	214/217 (99%)	202 (94%)	12 (6%)	0	100	100
64	SS	256/260 (98%)	230 (90%)	26 (10%)	0	100	100
65	ST	226/228 (99%)	208 (92%)	17 (8%)	1 (0%)	30	61
66	SU	182/185 (98%)	171 (94%)	11 (6%)	0	100	100
67	SV	183/199 (92%)	175 (96%)	8 (4%)	0	100	100
68	SW	182/185 (98%)	167 (92%)	15 (8%)	0	100	100
69	SX	140/146 (96%)	134 (96%)	6 (4%)	0	100	100
70	SY	148/150 (99%)	138 (93%)	10 (7%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
71	SZ	125/128 (98%)	114 (91%)	11 (9%)	0	100	100
72	Sa	85/87 (98%)	74 (87%)	11 (13%)	0	100	100
73	Sb	127/129 (98%)	119 (94%)	8 (6%)	0	100	100
74	Sc	142/144 (99%)	129 (91%)	13 (9%)	0	100	100
75	Sd	132/134 (98%)	123 (93%)	9 (7%)	0	100	100
76	Se	95/97 (98%)	88 (93%)	7 (7%)	0	100	100
77	Sf	79/81 (98%)	70 (89%)	9 (11%)	0	100	100
78	Sg	55/57 (96%)	48 (87%)	7 (13%)	0	100	100
All	All	10914/11115 (98%)	10169 (93%)	741 (7%)	4 (0%)	100	100

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
61	SP	193	GLN
61	SP	203	PHE
65	ST	21	GLU
16	LP	146	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	LD	190/193 (98%)	180 (95%)	10 (5%)	19	49
5	LE	318/322 (99%)	298 (94%)	20 (6%)	15	42
6	LF	288/288 (100%)	273 (95%)	15 (5%)	19	50
7	LG	241/243 (99%)	233 (97%)	8 (3%)	33	67
8	LH	139/154 (90%)	130 (94%)	9 (6%)	14	40
9	LI	186/186 (100%)	176 (95%)	10 (5%)	18	48
10	LJ	187/191 (98%)	179 (96%)	8 (4%)	25	57
11	LK	168/171 (98%)	145 (86%)	23 (14%)	3	10

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
12	LL	185/185 (100%)	170 (92%)	15 (8%)	9	29
13	LM	145/147 (99%)	135 (93%)	10 (7%)	13	37
14	LN	154/154 (100%)	145 (94%)	9 (6%)	17	45
15	LO	107/107 (100%)	100 (94%)	7 (6%)	14	40
16	LP	175/175 (100%)	164 (94%)	11 (6%)	15	42
17	LQ	160/160 (100%)	155 (97%)	5 (3%)	35	69
18	LR	138/145 (95%)	132 (96%)	6 (4%)	25	57
19	LS	150/150 (100%)	142 (95%)	8 (5%)	19	49
20	LT	152/153 (99%)	147 (97%)	5 (3%)	33	67
21	LU	155/155 (100%)	151 (97%)	4 (3%)	41	75
22	LV	135/136 (99%)	129 (96%)	6 (4%)	24	56
23	LW	87/87 (100%)	81 (93%)	6 (7%)	13	37
24	LX	104/104 (100%)	102 (98%)	2 (2%)	52	82
25	LY	54/57 (95%)	53 (98%)	1 (2%)	52	82
26	LZ	104/105 (99%)	103 (99%)	1 (1%)	73	91
27	La	108/108 (100%)	103 (95%)	5 (5%)	23	55
28	Lb	112/115 (97%)	110 (98%)	2 (2%)	54	83
29	Lc	117/118 (99%)	112 (96%)	5 (4%)	25	57
30	Ld	46/46 (100%)	45 (98%)	1 (2%)	47	79
31	Le	81/81 (100%)	75 (93%)	6 (7%)	11	33
32	Lf	92/96 (96%)	89 (97%)	3 (3%)	33	67
33	Lg	108/109 (99%)	100 (93%)	8 (7%)	11	33
34	Lh	90/90 (100%)	84 (93%)	6 (7%)	13	38
35	Li	95/95 (100%)	94 (99%)	1 (1%)	70	90
36	Lj	104/104 (100%)	99 (95%)	5 (5%)	21	53
37	Lk	80/81 (99%)	72 (90%)	8 (10%)	6	20
38	Ll	67/67 (100%)	64 (96%)	3 (4%)	23	55
39	Lm	68/68 (100%)	67 (98%)	1 (2%)	60	86
40	Ln	45/45 (100%)	44 (98%)	1 (2%)	47	79
41	Lo	45/47 (96%)	44 (98%)	1 (2%)	47	79
42	Lp	22/23 (96%)	22 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
43	Lq	87/88 (99%)	80 (92%)	7 (8%)	10	30
44	Lr	71/71 (100%)	63 (89%)	8 (11%)	4	16
46	SA	182/182 (100%)	174 (96%)	8 (4%)	24	56
47	SB	172/173 (99%)	164 (95%)	8 (5%)	22	54
48	SC	77/85 (91%)	75 (97%)	2 (3%)	41	75
49	SD	88/100 (88%)	85 (97%)	3 (3%)	32	66
50	SE	95/98 (97%)	94 (99%)	1 (1%)	70	90
51	SF	117/117 (100%)	116 (99%)	1 (1%)	75	92
52	SG	101/113 (89%)	98 (97%)	3 (3%)	36	70
53	SH	127/128 (99%)	124 (98%)	3 (2%)	44	77
54	SI	115/115 (100%)	111 (96%)	4 (4%)	31	65
55	SJ	93/94 (99%)	85 (91%)	8 (9%)	8	27
56	SK	67/73 (92%)	66 (98%)	1 (2%)	60	86
57	SL	55/56 (98%)	50 (91%)	5 (9%)	7	24
58	SM	47/47 (100%)	47 (100%)	0	100	100
59	SN	56/64 (88%)	54 (96%)	2 (4%)	30	64
60	SO	250/257 (97%)	235 (94%)	15 (6%)	16	44
61	SP	170/173 (98%)	163 (96%)	7 (4%)	26	59
62	SQ	200/205 (98%)	188 (94%)	12 (6%)	16	44
63	SR	175/176 (99%)	165 (94%)	10 (6%)	17	46
64	SS	220/221 (100%)	204 (93%)	16 (7%)	11	34
65	ST	189/195 (97%)	183 (97%)	6 (3%)	34	68
66	SU	163/165 (99%)	154 (94%)	9 (6%)	18	47
67	SV	148/160 (92%)	142 (96%)	6 (4%)	26	59
68	SW	156/158 (99%)	151 (97%)	5 (3%)	34	68
69	SX	126/129 (98%)	122 (97%)	4 (3%)	34	68
70	SY	127/127 (100%)	117 (92%)	10 (8%)	10	30
71	SZ	90/97 (93%)	88 (98%)	2 (2%)	47	79
72	Sa	71/74 (96%)	66 (93%)	5 (7%)	12	36
73	Sb	110/110 (100%)	101 (92%)	9 (8%)	9	29
74	Sc	119/119 (100%)	114 (96%)	5 (4%)	25	58

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
75	Sd	102/112 (91%)	96 (94%)	6 (6%)	16	44
76	Se	82/83 (99%)	78 (95%)	4 (5%)	21	52
77	Sf	70/70 (100%)	67 (96%)	3 (4%)	25	57
78	Sg	48/49 (98%)	46 (96%)	2 (4%)	25	58
All	All	9168/9345 (98%)	8713 (95%)	455 (5%)	23	51

5 of 455 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
34	Lh	35	VAL
75	Sd	26	ASP
48	SC	7	ASP
74	Sc	117	ILE
67	SV	169	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 89 such sidechains are listed below:

Mol	Chain	Res	Type
58	SM	20	GLN
64	SS	130	GLN
60	SO	66	HIS
62	SQ	118	GLN
66	SU	29	ASN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	LA	3180/3393 (93%)	640 (20%)	24 (0%)
2	LB	120/121 (99%)	12 (10%)	0
3	LC	157/158 (99%)	38 (24%)	2 (1%)
45	S2	1768/1799 (98%)	609 (34%)	31 (1%)
79	Tb	76/77 (98%)	23 (30%)	0
80	mR	0/25	-	-
All	All	5301/5573 (95%)	1322 (24%)	57 (1%)

5 of 1322 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	LA	5	G
1	LA	13	A
1	LA	14	U
1	LA	16	A
1	LA	18	G

5 of 57 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
45	S2	80	A
45	S2	1636	C
45	S2	400	A
45	S2	1556	A
45	S2	963	A

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

#### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

#### 5.7 Other polymers [i](#)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-60091. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 300




Y Index: 300




Z Index: 300

### 6.2.2 Raw map



X Index: 300



Y Index: 300




Z Index: 300


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 283




Y Index: 311




Z Index: 341


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 341


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.22. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is  $1553 \text{ nm}^3$ ; this corresponds to an approximate mass of 1403 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.357  $\text{\AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.357 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.16	7.66	4.37

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.16 differs from the reported value 2.8 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-60091 and PDB model 8ZGY. Per-residue inclusion information can be found in section 3 on page 18.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.22 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.22).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ





















































































The table lists the average atom inclusion at the recommended contour level (0.22) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7690	 0.4990
LA	 0.9110	 0.5740
LB	 0.9620	 0.5840
LC	 0.9370	 0.5900
LD	 0.9230	 0.6220
LE	 0.9150	 0.6050
LF	 0.9010	 0.5920
LG	 0.8040	 0.5210
LH	 0.8100	 0.5490
LI	 0.9100	 0.6030
LJ	 0.8370	 0.5460
LK	 0.8470	 0.5700
LL	 0.8640	 0.5860
LM	 0.7450	 0.4820
LN	 0.8770	 0.5790
LO	 0.8770	 0.5750
LP	 0.9460	 0.6250
LQ	 0.9130	 0.5960
LR	 0.9040	 0.6020
LS	 0.9270	 0.6110
LT	 0.8050	 0.5510
LU	 0.9090	 0.6020
LV	 0.9100	 0.5970
LW	 0.7470	 0.4920
LX	 0.8990	 0.6050
LY	 0.9040	 0.5960
LZ	 0.8620	 0.5750
La	 0.8880	 0.5830
Lb	 0.8560	 0.5620
Lc	 0.9190	 0.6040
Ld	 0.8720	 0.5710
Le	 0.8590	 0.5680
Lf	 0.8460	 0.5700
Lg	 0.8750	 0.5870
Lh	 0.9460	 0.6240











*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
Li	 0.8880	 0.5960
Lj	 0.8850	 0.5880
Lk	 0.8200	 0.5510
Ll	 0.9530	 0.6250
Lm	 0.6640	 0.4760
Ln	 0.9230	 0.6150
Lo	 0.9040	 0.5990
Lp	 0.8080	 0.5820
Lq	 0.9030	 0.5910
Lr	 0.9000	 0.6110
S2	 0.6620	 0.3880
SA	 0.3020	 0.3020
SB	 0.2620	 0.2990
SC	 0.2420	 0.2470
SD	 0.0360	 0.1900
SE	 0.3710	 0.3240
SF	 0.3410	 0.2960
SG	 0.3570	 0.3150
SH	 0.3800	 0.3150
SI	 0.3290	 0.2810
SJ	 0.2940	 0.2920
SK	 0.1350	 0.2460
SL	 0.3530	 0.3370
SM	 0.3780	 0.3180
SN	 0.0750	 0.1890
SO	 0.1900	 0.2640
SP	 0.5550	 0.4050
SQ	 0.6880	 0.4690
SR	 0.6750	 0.4710
SS	 0.5330	 0.3780
ST	 0.4160	 0.3190
SU	 0.5780	 0.4220
SV	 0.5820	 0.3850
SW	 0.4610	 0.3200
SX	 0.6790	 0.4600
SY	 0.7730	 0.5200
SZ	 0.7280	 0.4800
Sa	 0.6490	 0.4480
Sb	 0.8420	 0.5610
Sc	 0.6470	 0.4560
Sd	 0.4300	 0.3040
Se	 0.8200	 0.5350

*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
Sf	 0.6890	 0.4660
Sg	 0.4210	 0.3010
Tb	 0.3210	 0.2920
mR	 0.3780	 0.3340