Full wwPDB X-ray Structure Validation Report (i)

Jun 12, 2024 – 11:08 AM EDT

PDB ID	:	1ZOQ
Title	:	IRF3-CBP complex
Authors	:	Qin, B.; Lin, K.
Deposited on	:	2005-05-13
Resolution	:	2.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.20.1
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5509 (2.40-2.36)
Clashscore	141614	6082 (2.40-2.36)
Ramachandran outliers	138981	5973 (2.40-2.36)
Sidechain outliers	138945	5975 (2.40-2.36)
RSRZ outliers	127900	5397 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	191	3%, 58%, 38%, 5%
1	B	191	4%, 65%, 33%, •
2	C	47	6%, 66%, 32%, •
2	D	47	4%, 64%, 30%, 6%

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 4138 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Interferon regulatory factor 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	191	1490	954	259	268	9	0	0	0
1	B	191	1490	954	259	268	9	0	0	0

- Molecule 2 is a protein called CREB-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	47	370	232	68	69	1	0	0	0
2	D	47	370	232	68	69	1	0	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	185	185	185	0	0
3	C	41	41	41	0	0
3	B	153	153	153	0	0
3	D	39	39	39	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Interferon regulatory factor 3

Chain A:



• Molecule 1: Interferon regulatory factor 3

Chain B:



• Molecule 2: CREB-binding protein

Chain C:



• Molecule 2: CREB-binding protein

Chain D:


S2065
L2070
L2071
R2072
T2073
L2074
K2075
S2078
Q2081
Q2082
Q2083
Q2084
Q2085
L2090
K2091
L2096
Q2103
R2104
K2107
N2111

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α, β, γ	81.69Å 81.69Å 242.10Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	28.70 – 2.37 28.71 – 2.36	Depositor EDS
% Data completeness (in resolution range)	(Not available) (28.70-2.37) 84.7 (28.71-2.36)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.61 (at 2.36Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.214 , 0.226 0.214 , 0.226	Depositor DCC
R_{free} test set	1108 reflections (3.09%)	wwPDB-VP
Wilson B-factor (Å^2)	46.2	Xtriage
Anisotropy	0.613	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.35 , 63.4	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.477 for h,-h-k,-l	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	4138	wwPDB-VP
Average B, all atoms (Å^2)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.18% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| >5$	RMSZ	$\#\|Z\| >5$
1	A	0.39	0/1536	0.65	0/2093
1	B	0.38	0/1535	0.61	0/2090
2	C	0.37	0/374	0.54	0/503
2	D	0.37	0/374	0.50	0/503
All	All	0.38	0/3819	0.61	0/5189

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1490	0	1448	94	0
1	B	1490	0	1447	62	0
2	C	370	0	392	21	0
2	D	370	0	392	17	0
3	A	185	0	0	53	0
3	B	153	0	0	20	0
3	C	41	0	0	10	0
3	D	39	0	0	9	0
All	All	4138	0	3679	190	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (190) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:236:ARG:HD3	1:A:236:ARG:O	1.65	0.95
1:A:266:SER:HB3	3:A:524:HOH:O	1.73	0.88
1:A:319:VAL:HG22	3:A:492:HOH:O	1.72	0.88
1:A:367:VAL:HG22	3:A:555:HOH:O	1.73	0.88
2:D:2073:THR:HB	3:D:372:HOH:O	1.79	0.81
1:B:248:PRO:HB2	3:B:535:HOH:O	1.83	0.79
1:A:238:LEU:HG	3:A:551:HOH:O	1.84	0.77
1:B:313:LYS:HE3	3:B:482:HOH:O	1.85	0.76
1:A:354:GLN:HB2	3:A:502:HOH:O	1.85	0.76
1:A:289:CYS:HB2	3:A:552:HOH:O	1.85	0.76
1:A:245:LEU:HG	3:A:448:HOH:O	1.87	0.75
1:B:258:MET:O	1:B:262:ARG:HG3	1.89	0.73
1:A:206:VAL:HA	3:A:555:HOH:O	1.87	0.73
1:A:218:GLN:HG2	1:A:220:ILE:HD11	1.69	0.73
1:A:361:ARG:HG3	3:A:564:HOH:O	1.87	0.73
1:B:232:GLU:HG2	3:B:470:HOH:O	1.89	0.73
1:B:382:GLY:HA3	3:D:410:HOH:O	1.88	0.73
2:C:2068:GLN:HG3	3:B:499:HOH:O	1.87	0.72
1:A:211:ARG:HG2	1:A:211:ARG:HH11	1.54	0.72
2:C:2074:LEU:HA	3:C:291:HOH:O	1.89	0.71
1:B:231:SER:O	1:B:233:VAL:HG12	1.90	0.71
1:A:341:ARG:HG2	3:A:557:HOH:O	1.91	0.70
1:A:334:GLU:HG2	3:A:556:HOH:O	1.92	0.69
1:A:350:GLU:HB2	3:A:564:HOH:O	1.93	0.69
3:A:554:HOH:O	2:C:2089:ILE:HG12	1.93	0.68
1:B:232:GLU:HG3	1:B:234:GLY:HA2	1.77	0.67
1:B:300:LEU:HD23	1:B:301:PRO:HD2	1.76	0.66
1:B:235:ASP:HB2	3:B:530:HOH:O	1.95	0.66
1:A:235:ASP:HB2	3:A:528:HOH:O	1.94	0.65
1:B:374:ALA:O	1:B:378:MET:HG3	1.96	0.64
2:C:2081:GLN:NE2	2:C:2081:GLN:H	1.94	0.64
1:A:354:GLN:HG2	3:A:530:HOH:O	1.97	0.64
1:B:242:PRO:HB2	3:B:539:HOH:O	1.98	0.63
1:A:281:LEU:HD23	1:A:344:LEU:HD11	1.81	0.63
1:B:233:VAL:HG11	1:B:244:THR:OG1	1.98	0.62
1:B:211:ARG:HH11	1:B:211:ARG:HG2	1.64	0.62
1:B:360:LYS:N	3:B:518:HOH:O	2.32	0.62
1:B:375:LEU:HD23	1:B:378:MET:CE	2.29	0.62
1:A:233:VAL:HA	3:A:538:HOH:O	1.99	0.61
1:A:236:ARG:HG2	3:A:539:HOH:O	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:270:GLY:HA2	3:A:551:HOH:O	2.01	0.60
1:A:197:VAL:HG13	3:A:455:HOH:O	2.01	0.60
1:A:255:ARG:HA	1:A:258:MET:HE3	1.82	0.60
1:A:300:LEU:HD23	1:A:301:PRO:HD2	1.83	0.60
1:A:258:MET:O	1:A:262:ARG:HG3	2.01	0.59
1:A:330:ILE:O	1:A:334:GLU:HG3	2.01	0.59
1:A:280:TRP:N	3:A:517:HOH:O	2.36	0.59
1:A:302:ASN:OD1	1:A:357:PRO:HA	2.03	0.59
1:A:377:GLU:O	1:A:381:VAL:HG23	2.03	0.59
1:B:375:LEU:HD23	1:B:378:MET:HE1	1.85	0.59
2:C:2068:GLN:HG2	3:C:349:HOH:O	2.03	0.58
2:C:2070:LEU:O	2:C:2073:THR:HB	2.03	0.58
1:A:313:LYS:NZ	3:A:529:HOH:O	2.36	0.58
1:A:381:VAL:HG11	2:C:2073:THR:HG23	1.85	0.57
1:A:292:TYR:HA	3:A:515:HOH:O	2.05	0.57
1:A:341:ARG:NH2	3:A:545:HOH:O	2.37	0.57
1:A:311:VAL:HG23	3:A:515:HOH:O	2.03	0.56
1:A:291:THR:HB	3:A:561:HOH:O	2.04	0.56
1:A:282:TRP:HA	3:A:492:HOH:O	2.05	0.56
2:D:2107:LYS:HB2	3:D:224:HOH:O	2.05	0.56
1:A:218:GLN:HG2	1:A:220:ILE:CD1	2.35	0.56
1:A:224:GLU:HG3	3:A:537:HOH:O	2.05	0.56
2:D:2071:LEU:O	2:D:2074:LEU:HB2	2.06	0.55
1:A:206:VAL:HG22	3:A:555:HOH:O	2.05	0.55
1:A:299:LEU:HD12	3:A:571:HOH:O	2.06	0.55
1:B:330:ILE:HB	3:B:526:HOH:O	2.07	0.55
2:C:2071:LEU:O	2:C:2074:LEU:HB2	2.07	0.54
1:A:229:VAL:HG21	3:A:538:HOH:O	2.07	0.54
1:B:251:SER:HB2	3:B:498:HOH:O	2.06	0.54
1:A:213:ARG:O	1:A:215:VAL:HG13	2.08	0.54
2:D:2083:GLN:HB2	3:D:260:HOH:O	2.08	0.54
1:B:274:LEU:HD12	1:B:282:TRP:O	2.10	0.52
1:B:231:SER:HB2	3:B:470:HOH:O	2.09	0.52
1:B:208:ALA:HB3	1:B:216:PHE:HB3	1.92	0.51
1:B:268:LEU:HA	3:B:430:HOH:O	2.10	0.51
1:A:254:ASP:O	1:A:258:MET:HG3	2.10	0.51
1:B:218:GLN:HG2	1:B:220:ILE:HD11	1.91	0.51
2:D:2078:SER:CB	2:D:2082:GLN:OE1	2.59	0.51
1:A:268:LEU:N	3:A:533:HOH:O	2.44	0.51
1:B:213:ARG:O	1:B:215:VAL:HG13	2.11	0.51
2:D:2104:ARG:NH1	3:D:269:HOH:O	2.43	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:206:VAL:O	1:A:217:GLN:HA	2.11	0.51
2:D:2085:GLN:NE2	3:D:389:HOH:O	2.44	0.51
1:A:311:VAL:N	3:A:515:HOH:O	2.43	0.51
1:B:255:ARG:HD2	1:B:258:MET:CE	2.41	0.51
2:C:2070:LEU:HA	3:C:324:HOH:O	2.10	0.50
1:B:227:ARG:NH2	1:B:270:GLY:O	2.41	0.50
1:B:378:MET:HG2	3:D:372:HOH:O	2.11	0.50
1:A:248:PRO:HB2	1:A:252:LEU:HD12	1.94	0.49
1:B:226:LEU:C	1:B:226:LEU:HD12	2.32	0.49
1:B:357:PRO:HG2	3:B:518:HOH:O	2.12	0.49
1:A:211:ARG:HG2	1:A:211:ARG:NH1	2.26	0.49
2:D:2075:LYS:HG2	3:D:155:HOH:O	2.12	0.49
1:A:381:VAL:CG1	2:C:2073:THR:HG23	2.43	0.49
1:B:233:VAL:HB	3:B:539:HOH:O	2.12	0.49
1:B:197:VAL:HG23	1:B:198:PRO:HD2	1.95	0.49
1:B:330:ILE:O	1:B:334:GLU:HG3	2.13	0.49
1:B:303:SER:O	1:B:305:HIS:N	2.46	0.49
1:A:256:GLY:O	1:A:259:SER:HB3	2.13	0.48
1:A:293:TRP:HD1	3:A:515:HOH:O	1.96	0.48
1:B:289:CYS:HB2	3:B:430:HOH:O	2.12	0.48
1:B:255:ARG:HA	1:B:258:MET:HE3	1.96	0.48
1:B:255:ARG:HD2	1:B:258:MET:HE3	1.95	0.48
1:B:232:GLU:C	1:B:233:VAL:HG13	2.34	0.48
1:A:278:GLY:C	3:A:517:HOH:O	2.51	0.48
1:A:223:PRO:HG2	3:A:537:HOH:O	2.13	0.47
1:A:358:TRP:HD1	3:A:568:HOH:O	1.98	0.47
2:C:2081:GLN:NE2	3:C:33:HOH:O	2.46	0.47
1:B:331:THR:HG23	3:B:526:HOH:O	2.14	0.47
1:A:290:HIS:HB2	3:A:488:HOH:O	2.13	0.47
1:A:313:LYS:HE2	3:A:563:HOH:O	2.14	0.46
1:A:358:TRP:HE3	1:A:364:MET:HG3	1.80	0.46
1:B:302:ASN:OD1	1:B:357:PRO:HA	2.15	0.46
1:A:273:ALA:O	1:A:283:ALA:HA	2.16	0.46
2:C:2070:LEU:HD23	3:C:324:HOH:O	2.15	0.46
1:B:325:PHE:CE2	1:B:372:LEU:HD22	2.50	0.46
1:B:254:ASP:O	1:B:258:MET:HG3	2.16	0.45
1:A:281:LEU:HB2	1:A:320:PHE:HB3	1.97	0.45
1:A:370:THR:HB	2:C:2082:GLN:HE21	1.80	0.45
1:B:358:TRP:HE3	1:B:364:MET:HG3	1.81	0.45
1:A:226:LEU:HB3	3:A:465:HOH:O	2.16	0.45
1:A:236:ARG:HD3	1:A:236:ARG:C	2.35	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:296:SER:HA	3:A:545:HOH:O	2.16	0.45
2:D:2078:SER:HB2	2:D:2082:GLN:OE1	2.17	0.45
2:D:2103:GLN:HG2	3:D:20:HOH:O	2.17	0.45
1:A:274:LEU:HA	1:A:282:TRP:O	2.17	0.45
1:B:232:GLU:O	1:B:233:VAL:HA	2.17	0.45
1:B:307:PRO:HD3	1:B:352:TRP:HB3	1.99	0.44
1:B:375:LEU:HD23	1:B:378:MET:HE2	1.97	0.44
2:D:2081:GLN:NE2	2:D:2081:GLN:H	2.15	0.44
1:B:232:GLU:HB2	1:B:233:VAL:C	2.37	0.44
1:A:302:ASN:N	3:A:568:HOH:O	2.50	0.44
1:A:310:GLU:HA	3:A:515:HOH:O	2.17	0.44
1:A:367:VAL:HA	3:A:555:HOH:O	2.16	0.44
1:B:356:GLN:OE1	1:B:360:LYS:HD2	2.17	0.44
2:D:2090:LEU:CD2	2:D:2096:LEU:HD13	2.46	0.44
2:C:2078:SER:HA	3:C:402:HOH:O	2.17	0.44
1:A:248:PRO:O	1:A:252:LEU:HB2	2.17	0.44
1:A:375:LEU:HD12	1:A:378:MET:CE	2.47	0.44
1:B:302:ASN:N	3:B:531:HOH:O	2.50	0.44
2:D:2070:LEU:O	2:D:2073:THR:HB	2.18	0.44
1:A:293:TRP:HZ3	1:A:295:VAL:HG23	1.82	0.43
1:A:303:SER:O	1:A:304:GLY:C	2.56	0.43
1:B:337:GLY:O	1:B:386:SER:HA	2.19	0.43
1:A:238:LEU:HD23	3:A:528:HOH:O	2.17	0.43
1:A:375:LEU:HD13	2:C:2086:VAL:HG13	2.01	0.43
1:B:281:LEU:HB2	1:B:320:PHE:HB3	2.00	0.43
1:B:301:PRO:C	3:B:531:HOH:O	2.57	0.43
2:C:2076:SER:HB3	3:C:174:HOH:O	2.18	0.43
1:B:230:GLY:C	3:B:483:HOH:O	2.58	0.43
2:C:2090:LEU:HA	3:C:379:HOH:O	2.19	0.42
1:B:232:GLU:CG	1:B:234:GLY:HA2	2.47	0.42
1:A:374:ALA:O	1:A:378:MET:HG3	2.19	0.42
1:B:211:ARG:HH11	1:B:211:ARG:CG	2.28	0.42
1:A:299:LEU:HA	3:A:570:HOH:O	2.18	0.42
1:B:218:GLN:HG2	1:B:220:ILE:CD1	2.49	0.42
2:D:2091:LYS:NZ	2:D:2091:LYS:HB3	2.35	0.42
1:B:276:ARG:HG2	1:B:277:ALA:N	2.34	0.42
1:A:289:CYS:HB2	3:A:523:HOH:O	2.20	0.42
2:D:2090:LEU:HD23	2:D:2096:LEU:HD13	2.00	0.42
1:A:213:ARG:NH1	1:A:251:SER:HB3	2.34	0.42
1:B:206:VAL:O	1:B:217:GLN:HA	2.19	0.42
1:B:281:LEU:HD23	1:B:344:LEU:HD11	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:236:ARG:C	1:B:238:LEU:H	2.23	0.41
1:A:255:ARG:NH1	1:A:255:ARG:HG2	2.35	0.41
1:A:276:ARG:NH2	3:A:424:HOH:O	2.45	0.41
1:A:290:HIS:CB	3:A:488:HOH:O	2.67	0.41
1:A:296:SER:OG	1:A:297:GLU:N	2.53	0.41
2:D:2072:ARG:HE	2:D:2072:ARG:HB3	1.73	0.41
1:A:234:GLY:O	1:A:235:ASP:C	2.58	0.41
1:A:226:LEU:HD12	1:A:226:LEU:C	2.41	0.41
1:A:276:ARG:HD3	3:A:424:HOH:O	2.20	0.41
1:A:375:LEU:HD12	1:A:378:MET:HE2	2.02	0.41
2:C:2082:GLN:CD	3:C:402:HOH:O	2.59	0.41
2:C:2104:ARG:HH11	2:C:2104:ARG:HG3	1.86	0.41
1:B:262:ARG:NH1	3:B:442:HOH:O	2.53	0.41
1:B:223:PRO:HG2	3:B:528:HOH:O	2.21	0.41
1:A:231:SER:HB2	3:A:462:HOH:O	2.22	0.40
1:A:301:PRO:C	3:A:568:HOH:O	2.58	0.40
1:A:356:GLN:HB3	1:A:357:PRO:HD2	2.02	0.40
1:A:375:LEU:HA	1:A:378:MET:HE2	2.02	0.40
2:C:2078:SER:HB2	2:C:2079:SER:H	1.68	0.40
2:D:2078:SER:HB3	2:D:2082:GLN:OE1	2.20	0.40
1:A:311:VAL:HB	3:A:561:HOH:O	2.20	0.40
1:A:331:THR:HG23	3:A:541:HOH:O	2.21	0.40
1:A:211:ARG:NH1	1:A:211:ARG:CG	2.83	0.40
2:C:2083:GLN:HG2	3:C:356:HOH:O	2.20	0.40
1:A:274:LEU:HD12	1:A:282:TRP:O	2.21	0.40
1:A:227:ARG:NH2	1:A:270:GLY:O	2.50	0.40
1:B:233:VAL:HG12	1:B:233:VAL:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	189/191 (99%)	174 (92%)	11 (6%)	4 (2%)	7	7
1	B	187/191 (98%)	178 (95%)	8 (4%)	1 (0%)	29	39
2	C	45/47 (96%)	42 (93%)	3 (7%)	0	100	100
2	D	45/47 (96%)	41 (91%)	4 (9%)	0	100	100
All	All	466/476 (98%)	435 (93%)	26 (6%)	5 (1%)	14	18

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	232	GLU
1	A	235	ASP
1	A	304	GLY
1	B	304	GLY
1	A	233	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	158/158 (100%)	150 (95%)	8 (5%)	24	36
1	B	158/158 (100%)	152 (96%)	6 (4%)	33	49
2	C	42/42 (100%)	40 (95%)	2 (5%)	25	39
2	D	42/42 (100%)	39 (93%)	3 (7%)	14	21
All	All	400/400 (100%)	381 (95%)	19 (5%)	25	39

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	211	ARG
1	A	213	ARG
1	A	232	GLU
1	A	236	ARG
1	A	272	LEU
1	A	300	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	305	HIS
1	A	375	LEU
2	C	2068	GLN
2	C	2096	LEU
1	B	211	ARG
1	B	236	ARG
1	B	252	LEU
1	B	272	LEU
1	B	300	LEU
1	B	305	HIS
2	D	2074	LEU
2	D	2091	LYS
2	D	2096	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	284	GLN
2	C	2081	GLN
2	C	2088	ASN
1	B	284	GLN
2	D	2081	GLN
2	D	2084	GLN
2	D	2088	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	232:GLU	C	233:VAL	N	4.75

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	191/191 (100%)	0.32	5 (2%)	56	57	41, 57, 103, 131	0
1	B	191/191 (100%)	0.32	7 (3%)	41	45	42, 57, 103, 134	0
2	C	47/47 (100%)	0.31	3 (6%)	19	21	47, 60, 100, 119	0
2	D	47/47 (100%)	0.21	2 (4%)	35	38	48, 59, 100, 120	0
All	All	476/476 (100%)	0.31	17 (3%)	42	46	41, 58, 103, 134	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	233	VAL	9.7
1	A	233	VAL	8.0
1	B	234	GLY	5.4
1	B	197	VAL	3.9
2	C	2075	LYS	3.7
1	A	197	VAL	3.5
1	B	386	SER	3.4
2	D	2111	ASN	3.2
2	C	2111	ASN	3.1
2	C	2077	PRO	2.6
2	D	2075	LYS	2.5
1	A	198	PRO	2.3
1	A	303	SER	2.2
1	A	234	GLY	2.1
1	B	385	SER	2.1
1	B	236	ARG	2.0
1	B	196	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.