Network Working Group Request for Comments: 298 NIC: 8486 E. Westheimer 1 February 1972

NETWORK HOST STATUS

This RFC reports on the status of most Network Hosts from January 17 to January 28.

Several Hosts are currently excluded from the daily testing. These Hosts fall into two categories:

 Hosts which are not expected to be functioning on the Network as servers (available for use from other sites) on a regular basis for at least two weeks. Included here are:

NETWORK	SITE	COMPUTER
ADDRESS		
133	BBN	PDP-10(B)
13	Case	PDP-10
15	Ames/(Paoli)	ILLIAC/(B6500)

2) Hosts which are currently intended to be users only. Included here are the Terminal IMPs, which are presently in the Network (AMES, MITRE, NBS and BBN*). This category also includes the Network Control Center (Network Address 5) which is used solely for gathering statistics from the Network. Finally, included among these Hosts are the following:

NETWORK	SITE	COMPUTER
ADDRESS		
7	Rand	IBM-360/65
73	Harvard	PDP-1
12	Illinois	PDP-11
19	NBS	PDP-11

NOTE: During this interval both the UTAH PDP-10 and the RAND PDP-10 became Network servers.

The tables on the next two pages summarize the Host status for this period.

* The BBN Terminal IMP (Network Address 158) is a prototype and as such is frequently not connected to the Network, but being used to refine and debug the Terminal IMP programs.

Westheimer

[Page 1]

ADDRESS	SITE	COMPUTER			TIME (
			1/17	1/18	1/19	1/20	1/21
			1800	1730	1000	1500	1730
1	UCLA(NMC)	SIGMA-7	#H	0	#D	0	0
65	UCLA(CCN)	IBM-360/91	0	0	#D	0	0
2	SRI(NIC)	PDP-10	0	0	0	0	0
66	SRI(AI)	PDP-10	D	D	D	D	D
3	UCSB	IBM-360/75	0	0	0	D	0
4	UTAH	PDP-10	Т	Т	#T	0	0
69	BBN(10X-A)	PDP-10	0	0	D	0	D
6	MIT(Multics)	H-645	0	Т	0	D	0
70	MIT(DM)	PDP-10	D	D	0	0	D
71	RAND	PDP-10	D	D	0	D	D
8	SDC	IBM-360/155	#D	#D	#D	#D	#D
9	HARVARD	PDP-10	0	#D	0	#D	#D
10	LINCOLN LABS	IBM-360/67	D	Н	Т	Н	Н
74	LINCOLN LABS	TX2	#D	#T	#D	R	0
11	STANFORD	PDP-10	D	D	D	D	D
14	CARNEGIE	PDP-10	Н	Н	Н	Н	Н
16	AMES	IBM-360/67	D	D	D	D	D
ADDRESS	SITE	COMPUTER	DAT 1/24 1430	'E AND 1/25 1630	TIME (1/26 1730	EASTER 1/27 1300	2N) 1/28 1530
			1/24 1430	1/25 1630	1/26 1730	1/27 1300	1/28 1530
1	UCLA(NMC)	SIGMA-7	1/24 1430 0	1/25 1630 0	1/26 1730 0	1/27 1300 0	1/28 1530 T
1 65	UCLA(NMC) UCLA(CCN)	SIGMA-7 IBM-360/91	1/24 1430 0 0	1/25 1630 0 0	1/26 1730 0 0	1/27 1300 0 0	1/28 1530 T O
1 65 2	UCLA(NMC) UCLA(CCN) SRI(NIC)	SIGMA-7 IBM-360/91 PDP-10	1/24 1430 0 0 0	1/25 1630 0 0 0	1/26 1730 0 0 T	1/27 1300 0 0 0	1/28 1530 T O O
1 65 2 66	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI)	SIGMA-7 IBM-360/91 PDP-10 PDP-10	1/24 1430 0 0 0 D	1/25 1630 0 0 0 D	1/26 1730 0 T D	1/27 1300 0 0 0 D	1/28 1530 T O D
1 65 2 66 3	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75	1/24 1430 0 0 0 D 0	1/25 1630 0 0 0 D 0	1/26 1730 0 0 T D D	1/27 1300 0 0 0 D 0	1/28 1530 T O D O O
1 65 2 66 3 4	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB UTAH	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75 PDP-10	1/24 1430 0 0 0 D 0 0 0	1/25 1630 0 0 0 D 0 0	1/26 1730 0 T D D O	1/27 1300 0 0 0 D 0 0 0	1/28 1530 T O D D O O O
1 65 2 66 3 4 69	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB UTAH BBN(10X-A)	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 PDP-10	1/24 1430 0 0 0 0 0 0 0 0 0	1/25 1630 0 0 D 0 0 0 D	1/26 1730 0 T D D 0 0 0	1/27 1300 0 0 D 0 0 0 H	1/28 1530 T O D D O O O O O
1 65 2 66 3 4 69 6	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB UTAH BBN(10X-A) MIT(Multics)	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 PDP-10 H-645	1/24 1430 0 0 0 D 0 0 0 0 R	1/25 1630 0 0 0 0 0 0 0 0 0 0	1/26 1730 0 T D D 0 0 0 D	1/27 1300 0 0 0 0 0 H 0	1/28 1530 T O D D O O O D D
1 65 2 66 3 4 69 6 70	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB UTAH BBN(10X-A) MIT(Multics) MIT(DM)	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 PDP-10 H-645 PDP-10	1/24 1430 0 0 0 0 0 0 0 0 0 R 0	1/25 1630 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1/26 1730 0 T D D O O D T	1/27 1300 0 0 D 0 0 H 0 0 H 0 0	1/28 1530 T O D D O O O D H
1 65 2 66 3 4 69 6 70 71	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB UTAH BBN(10X-A) MIT(Multics) MIT(DM) RAND	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 PDP-10 H-645 PDP-10 PDP-10 PDP-10	1/24 1430 0 0 0 0 0 0 0 0 R 0 T	1/25 1630 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1/26 1730 0 T D D O O D T D T D	1/27 1300 0 0 D 0 0 H 0 0 0 0 0 0	1/28 1530 T O D D O O O D H D
1 65 2 66 3 4 69 6 70 71 8	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB UTAH BBN(10X-A) MIT(Multics) MIT(DM) RAND SDC	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 PDP-10 H-645 PDP-10 PDP-10 IBM-360/155	1/24 1430 0 0 D 0 0 0 R 0 R 0 T #D	1/25 1630 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1/26 1730 0 T D D 0 0 D T D T D #D	1/27 1300 0 0 D 0 0 H 0 0 0 H 0 0 0 H 0 0 0 H	1/28 1530 T O D D O O D H D H D H D
1 65 2 66 3 4 69 6 70 71 8 9	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB UTAH BBN(10X-A) MIT(Multics) MIT(DM) RAND SDC HARVARD	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 PDP-10 H-645 PDP-10 PDP-10 IBM-360/155 PDP-10	1/24 1430 0 0 D 0 0 R 0 R 0 T #D #R	1/25 1630 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1/26 1730 0 T D D 0 0 D T D T D #D 0	1/27 1300 0 0 0 0 0 H 0 0 0 H 0 0 4 D 0 0	1/28 1530 T O D D O O D H D H D H D H D O
1 65 2 66 3 4 69 6 70 71 8 9 10	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB UTAH BBN(10X-A) MIT(Multics) MIT(DM) RAND SDC HARVARD LINCOLN LABS	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 PDP-10 H-645 PDP-10 PDP-10 IBM-360/155 PDP-10 IBM-360/67	1/24 1430 0 0 D 0 0 R 0 R 0 T #D #R H	1/25 1630 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1/26 1730 0 T D D 0 0 D T D T D #D 0 H	1/27 1300 0 0 D 0 0 H 0 0 4 D 0 7	1/28 1530 T O D D O D H D H D H D H
1 65 2 66 3 4 69 6 70 71 8 9 10 74	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB UTAH BBN(10X-A) MIT(Multics) MIT(DM) RAND SDC HARVARD LINCOLN LABS LINCOLN LABS	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 PDP-10 H-645 PDP-10 IBM-360/155 PDP-10 IBM-360/67 TX2	1/24 1430 0 0 D 0 0 R 0 T #D #R H 0	1/25 1630 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1/26 1730 0 T D D 0 0 D T D T D #D 0 H 0 H	1/27 1300 0 0 D 0 0 H 0 0 0 #D 0 7 0	1/28 1530 T O D O D D O D H D H D H T
1 65 2 66 3 4 69 6 70 71 8 9 10 74 11	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB UTAH BBN(10X-A) MIT(Multics) MIT(DM) RAND SDC HARVARD LINCOLN LABS LINCOLN LABS STANFORD	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 PDP-10 H-645 PDP-10 IBM-360/155 PDP-10 IBM-360/67 TX2 PDP-10	1/24 1430 0 0 D 0 0 R 0 T #D #R H 0 D	1/25 1630 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1/26 1730 0 T D D O O D T D T D H O H O D	1/27 1300 0 0 D 0 0 H 0 0 H 0 0 T 0 D	1/28 1530 T O D O D O D U D U H D H T D
1 65 2 66 3 4 69 6 70 71 8 9 10 74	UCLA(NMC) UCLA(CCN) SRI(NIC) SRI(AI) UCSB UTAH BBN(10X-A) MIT(Multics) MIT(DM) RAND SDC HARVARD LINCOLN LABS LINCOLN LABS	SIGMA-7 IBM-360/91 PDP-10 PDP-10 IBM-360/75 PDP-10 PDP-10 H-645 PDP-10 IBM-360/155 PDP-10 IBM-360/67 TX2	1/24 1430 0 0 D 0 0 R 0 T #D #R H 0	1/25 1630 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1/26 1730 0 T D D 0 0 D T D T D #D 0 H 0 H	1/27 1300 0 0 D 0 0 H 0 0 0 #D 0 7 0	1/28 1530 T O D O D D O D H D H D H T

Westheimer

[Page 2]

RFC 298

where

 ${\rm D}$ = Dead (Destination Host either dead or inaccessible [due to network partitioning or local IMP failure] from the BBN Terminal IMP.)

H = 1/2 Open (Destination Host opened a connection but then either immediately closed it, or did not respond any further.)

 ${\tt O}$ = Open (Destination Host opened a connection and was accessible to users.)

R = Refused (Destination Host returned a CLS to the initial RFC.)

T = Timed out (Destination Host did not complete the ICP and open a connection within 60 second)

* The only service currently offered by the UCLA IBM-360/91 is a Network Job Service (NETRJS), however, the BBN Terminal IMP is not equipped to test NETRJS. We are assuming that initial connection to the NETRJS logger indicated the NETRJS is also functioning.

#These sites advertise that they may not have their system available at these times

Westheimer

[Page 3]

SITE ADDRESS	SITE	COMPUTER	STATUS OR PREDICTION	STATUS OR PREDICTIONS OBTAINED FROM
1	UCLA	SIGMA-7	Server(#Limited)	John Postel
65	UCLA	IBM-360/91	Remote Job Service (Telnet in April)	Bob Braden
2	SRI(NIC)	PDP-10	Server	John Melvin
66	SRI(AI)	PDP-10	"Soon"	Len Chaiten
3	UCSB	IBM-360/75	Server	Jim White
4	UTAH	PDP-10	Server	Barry Wessler
*5	BBN(NCC)	DDP-516	Never	Alex McKenzie
69	BBN(TENEX-A)	PDP-10	Server	Dan Murphy
*133	BBN(TENEX-B)	PDP-10	Server(Exper.)	Dan Murphy
б	MIT(Multics)	H-645	Server	Mike Padlipsky
70	MIT(DM)	PDP-10	Server	Bob Bressler
*7	RAND	IBM-360/65	User only	Eric Harslem
71	RAND	PDP-10	Server	Eric Harslem
*8	SDC	IBM-300/155	Server	Bob Long
9	HARVARD	PDP-10	Server	Bob Sundberg
*73	HARVARD	PDP-1	User only	Bob Sundberg
10	LINCOLN	IBM-30/67	"Soon"	Joel Winnet
74	LINCOLN	TX-2	Server	Will Kantrowitz
11	STANFORD	PDP-10	"Soon"	Andy Moorer
*12	ILLINOIS	PDP-11	User only	John Cravits
*13	CASE	PDP-10	March	Charles Rose
14	CARNEGIE	PDP-10	"Soon"	Hal VanZoeren
*15	AMES/(PAOLI)	ILLIAC/B6500	September	John McConnell
16	AMES	IBM-360/67	"Soon"	Wayne Hathaway
*144	AMES	TIP	User only	
*145	MITRE	TIP	User only	
*19	NBS	PDP-11	User only	Robert
				Rosenthal
*147	NBS	TIP	User only	
*158	BBN	TIP	User only	
		(Prototype)		

* Host not included in daily testing.

#The NMC is a research site and would like to have prior arrangement with each user.

[This RFC was put into machine readable form for entry] [into the online RFC archives by Kelly Tardif, Via Genie 10/1999]

Westheimer

[Page 4]