

Package ‘avotrex’

May 31, 2024

Version 1.1.0

Type Package

Title A Global Dataset of Anthropogenic Extinct Birds and their Traits: Phylogeny Builder

Description Grafts the extinct bird species from the 'Avotrex' database (Sayol et al., in review) on to the 'BirdTree' phylogenies <<https://birdtree.org>>, using a set of different commands.

Encoding UTF-8

RoxygenNote 7.3.1

Depends R (>= 4.0.0)

biocViews

LazyData true

Imports ape, doParallel, doSNOW, dplyr, foreach, parallel, phytools, snow, stringr, tidytree (>= 0.4.6), TreeTools, utils

License GPL-3

Suggests testthat, markdown, knitr, rmarkdown, covr

VignetteBuilder knitr

NeedsCompilation no

Author Joseph Wayman [aut, cre] (<<https://orcid.org/0000-0002-3122-8070>>),
Thomas J. Matthews [aut] (<<https://orcid.org/0000-0002-7624-244X>>),
Paul Dufour [ctb],
Ferran Sayol [ctb],
Pedro Cardoso [ctb]

Maintainer Joseph Wayman <j.wayman@bham.ac.uk>

Repository CRAN

Date/Publication 2024-05-31 15:12:59 UTC

R topics documented:

AvoBind	2
AvoPhylo	3
AvotrexPhylo	7
BirdTree_tax	8
BirdTree_trees	9
plot.avophylo	10
plot.multiAvophylo	13
treesEx	14

Index	15
--------------	-----------

AvoBind	<i>AvoBind - Bind extinct species to the tree</i>
---------	---------------------------------------------------

Description

Binds an extinct species at either (1) a randomly selected point along a branch, after truncating either end, (2) a specific fraction along a branch, or (3) a specific time point along a branch.

Usage

```
AvoBind(tree, node, per, per_fixed = FALSE, sp_name,
         time_graft = FALSE, terminal = FALSE, mindist = 0.1)
```

Arguments

tree	Tree object (i.e., phylogeny)
node	Target node
per	The fraction (0-1) of total branch length to truncate at either end of the branch for grafting (e.g. 0.2 cuts of 20% of the total branch length from either end) if <code>per_fixed == FALSE</code> . If <code>per_fixed == TRUE</code> , then the point along the branch where the grafting occurs: value between 0-1, with a larger number meaning the grafting occurs closer to the rootward end of the branch. If <code>time_graft = TRUE</code> , the specific point (in millions of years, if BirdTree trees are used) for the grafting to occur.
per_fixed	Logical argument: whether to graft a species on at an exact point (as a fraction) along a branch (TRUE), which is chosen using the <code>per</code> argument, rather than random (FALSE; default). Is ignored if <code>time_graft = TRUE</code> .
sp_name	Name of the grafted species.
time_graft	Should the grafting occur at a particular time point (in millions of years if BirdTree trees provided) along a given branch, using <code>avotrex::AgeBind()</code> . The specific point is provided using the <code>per</code> argument.
terminal	Logical value: if <code>time_graft = TRUE</code> , is the species being grafted to a terminal branch.

mindist If `time_graft = TRUE`, but the provided grafting time point (`per`) is too old (i.e., older than the parent node) or too young (i.e., younger than the child node) relative to the focal branch, grafting will occur `mindist` below the parent node or above the child node.

Value

Returns a tree of class "phylo", with the extinct species grafted on.

Author(s)

Joe Wayman, Tom Matthews and Pedro Cardoso (AgeBind)

AvoPhylo	<i>AvoPhylo: Building phylogenies based on the AvoTrex extinct bird trait database and BirdTree backbone</i>
----------	--------------------------------------------------------------------------------------------------------------

Description

Grafting extinct species onto BirdTree phylogenies using the AvoTrex database

Usage

```
AvoPhylo(ctrees, avotrex, tax, PER = 0.2, PER_FIXED = 0.75, mindist = 0.1, ord = FALSE, Ntree, n.cores = 1, cluster.ips = NULL)
```

Arguments

ctrees	Either (i) object (of class <code>multiPhylo</code>) containing multiple BirdTree phylogenies. Individual trees within the <code>multiPhylo</code> object must be of class 'phylo', see the <code>ape</code> package. Or (ii) an individual tree object of class 'phylo'.
avotrex	The AvoTrex extinct species phylogeny database. This database contains the information and commands required to graft the extinct species on to the BirdTree trees. If edited, column names must remain unchanged.
tax	The Jetz et al. (2012) BirdTree taxonomy .csv. Supplied as data within the package.
PER	Percentage/fraction for branch truncation based on random grafting (see AvoBind for more details). Can be left at the default value.
PER_FIXED	Point along a branch (expressed as a fraction of the branch length, rootward) to graft the species in the phylogeny database (<code>avotrex</code> argument) which are set to <code>TRUE</code> in the <code>per_fixed</code> column (to reduce very short branch lengths) (see AvoBind for more details). Can be left at the default value.
mindist	When fixing the grafting of a given species at a specific time point, but the provided grafting time point is too old (i.e., older than the parent node) or too young (i.e., younger than the child node) relative to the focal branch, grafting will occur <code>mindist</code> below the parent node or above the child node.

<code>ord</code>	Should the trees within <code>ctrees</code> be kept in order (TRUE) and all used (i.e., the output list of trees is in the same order as <code>ctrees</code>) in the grafting, or should trees be randomly sampled from <code>ctrees</code> (FALSE; the default) prior to grafting. If <code>ord == TRUE</code> , <code>Ntree</code> must equal the length of <code>ctrees</code> . If only a single tree is provided, this argument does nothing.
<code>Ntree</code>	The number of trees to sample from the supplied number of BirdTree trees (i.e., <code>ctrees</code>), if <code>ord == FALSE</code> . Value must be greater or equal to the number of supplied trees (<code>length(ctrees)</code>). If <code>ord == TRUE</code> , <code>Ntree</code> must equal the length of <code>ctrees</code> .
<code>n.cores</code>	Number of cores used to build the phylogeny. Default is one (will run with parallel processing)
<code>cluster.ips</code>	Cluster location. Keep as default.

Details

Function to build phylogenies incorporating the extinct species from the AvoTrex extinct birds database (Sayol et al.). AvoTrex provides data on geographical location, island endemism, volancy, body size and standard external and skeleton morphological measurements for 605 extinct bird species. The AvoPhylo function provides a pipeline to incorporate the extinct species from AvoTrex into the "BirdTree" phylogenies of extant birds (Jetz et al. 2012). Utilising codes assigned to each species based on their known taxonomic affinities, the function binds each species in turn to a provided BirdTree phylogeny. Input phylogenies (i.e., BirdTree trees) must be of class 'phylo', see [phylo](#).

BirdTree phylogenies can be sourced from: <https://birdtree.org/>

The species are grafted onto the tree in a set order provided in the column "Id_sps", as certain species need to be grafted onto the tree before other species. Some species are assigned to groups within the data. These species are assigned a code "xS" within the column "phylo_id2". These species groups consist of close relatives, whose exact taxonomic relationships are unknown. Therefore, the order in which they are joined is randomised. See Sayol et al. and Matthews et al. for further details.

For a subset of species (primarily those in older clades), we have constrained the grafting to take place at a specific time point (value in the 'time_fixed' column) along a given branch, rather than at a randomly selected point. If, due to the topology of the underlying BirdTree tree, it is not possible to undertake this grafting along a given branch (i.e., the time point for grafting is either older than the parent node or younger than the child node, in respect to a given focal branch), we graft the species just below the parent node or just above the child node (using a branch length set by `mindist`).

As some of the codes (see table below) randomly place the given species within a group of species, a genus, or a family, and some species groups are randomised before grafting (see above), it is useful to run the grafting procedure over a number of trees to average out the randomisation. Therefore, the function can be run in parallel using the argument `n.cores`. Note that the function will run on one core as default and if only one tree is supplied. Trees for grafting can be randomly selected from a number of input trees by giving the function a group of input trees using the argument `ctrees` and then defining a smaller number using `Ntree`. If the maximum number of input trees is to be used, `Ntree` should equal `length(ctrees)`. If you want the outputted list of trees to match the order of trees in `ctrees`, set `ord = TRUE`.

If `Ntree > 1`, a progress bar will be displayed.

A variety of different plotting options are available, see the [plot.avophylo](#) documentation.

Codes	Full name	Definition
S	Sister	Grafted as a sister to a known extant or extinct species already in the tree
SSG	Sister species group	Grafted as a sister to a group of extant and/or extinct species already in the tree
SGG	Sister genus group	Grafted as a sister to an entire extant or extinct genus (i.e., for the first grafted representative)
SGG2	Sister genus group 2	Grafted as sister to multiple genera. This was for when a species was sister to a subgenus
SFG	Sister family group	Grafted as a sister to an entire extant or extinct family already present in the tree (i.e., for the first grafted representative)
SOG	Sister order group	Grafted as a sister to an entire order already present in the tree (i.e., for the first grafted representative)
RSG	Random species group	Grafted to a randomly selected species from a pre-defined group of species (i.e., from a list of species)
RGG	Random genus group	Grafted to a randomly selected species from a given genus. For example, if an extinct species was sister to a genus, it would be grafted to a randomly selected species from that genus
RGG2	Random genus group 2	Grafted to a randomly selected species from a group of genera (e.g. when all that is known is that a species was sister to a group of genera)
RFG	Random family group	Grafted to a randomly selected species from a given family
RSGG	Random sister genus group	Grafted as sister to a randomly selected genus from a pre-defined group of genera
RSGG2	Random sister genus group 2	Grafted as sister to a randomly selected genus from a pre-defined family

Value

The function returns an object of class 'multiAvophylo', which is a list consisting of N trees (each of class 'avophylo' and 'phylo') that were randomly selected from the supplied number. These trees have all had the extinct species from AvoTrex grafted on. For more details on the grafting, see: Sayol et al. (IN PREP).

References

Matthews et al. (IN REVIEW) The global loss of avian functional and phylogenetic diversity from extinctions in the Holocene and Late Pleistocene

Sayol et al. (IN PREP) The global loss of avian functional and phylogenetic diversity from extinctions in the Holocene and Late Pleistocene

Examples

```
# data(BirdTree_trees)
# data(BirdTree_tax)
# data(AvotrexPhylo)
# trees <- AvoPhylo(ctrees = BirdTree_trees,
# avotrex = AvotrexPhylo, PER = 0.2, PER_FIXED = 0.75,
# mindist = 0.1, ord = FALSE,
# tax = BirdTree_tax, Ntree = 1, n.cores = 1, cluster.ips = NULL)
# class(trees)
# trees[[1]]
# class(trees[[1]])

#See the plot.avophylo documentation for the different available
#plotting options.
```

AvotrexPhylo	<i>Avotrex phylo dataset</i>
--------------	------------------------------

Description

The dataset provides instructions to graft extinct bird species from Sayol et al. (IN PREP) on to existing BirdTree phylogenies using the AvoPhylo function from the Avotrex package. Instructions are provided in various columns (see format).

Usage

```
data("AvotrexPhylo")
```

Format

A data frame with 605 rows and the following variables:

Id_sps a character vector detailing the order in which species are joined

phylo_id2 a character vector detailing the order in which species are joined and whether a species is part of a group (see details)

per_fixed a logical vector

time_fixed a numeric vector detailing a specific time point for grafting or NA

Group a numeric vector detailing a group code or NA (see details)

species a character vector detailing species name with an underscore

Order a character vector detailing species order

Family a character vector detailing species family

Genus a character vector detailing species genus

Jetz_Order a character vector detailing species order within the Jetz phylogeny

Jetz_Family a character vector detailing species family within the Jetz phylogeny

Jetz_Genus a character vector detailing species genus within the Jetz phylogeny

Type a character vector of codes. The codes determine how and where the species is grafted to the tree. See details and function "AvoPhylo"

Sister_order a character vector. Provides the order within the BirdTree backbone tree to join the extinct species to, or randomly within, depending on the code within the column "Type"

Sister_clade a character vector. Provides the clade within the BirdTree backbone tree to join the extinct species to, or randomly within, depending on the code within the column "Type"

Sister_family a character vector. Provides the family within the BirdTree backbone tree to join the extinct species to, or randomly within, depending on the code within the column "Type"

Sister_genus a character vector. Provides the genus within the BirdTree backbone tree to join the extinct species to, or randomly within, depending on the code within the column "Type"

Sister_species a character vector. Provides the species within the BirdTree backbone tree to join the extinct species to depending on the code within the column "Type"

Sister_species_group a character vector. Provides the group of species within the BirdTree backbone tree to join the extinct species to, or randomly within, depending on the code within the column "Type"

Details

The species are grafted onto the tree in a set order provided in the column " phylo_id", as certain species need to be grafted onto the tree before other species. Some species are assigned to groups within the data (column "Group"). These species are assigned a code "xS" within the column "phylo_id2". These species groups consist of close relatives, whose exact taxonomic relationships are unknown. Therefore, the order in which they are joined is randomised before they are grafted on to the tree. Some species are grafted at specific time points along a branch (column "time_fixed").

As some of the codes within the column "Type" (see table below) randomly place the given species within a group of species, a genus, or a family, and some species groups are randomised before grafting (see above), it is useful to run the grafting procedure over a a number of trees to average out the randomisation (see function "AvoPhylo").

See the package vignette, and the help file for AvoPhylo() for more information.

Source

Matthews et al. (IN REVIEW) The global loss of avian functional and phylogenetic diversity from extinctions in the Holocene and Late Pleistocene
Sayol et al. (IN PREP) The global loss of avian functional and phylogenetic diversity from extinctions in the Holocene and Late Pleistocene

References

Matthews et al. (IN REVIEW) The global loss of avian functional and phylogenetic diversity from extinctions in the Holocene and Late Pleistocene
Sayol et al. (IN PREP) The global loss of avian functional and phylogenetic diversity from extinctions in the Holocene and Late Pleistocene

Examples

```
data(AvotrexPhylo)
```

BirdTree_tax

Bird Tree taxonomic data

Description

Dataset from Jetz et al. (2012) detailing the BirdTree taxonomy used in the BirdTree backbone phylogenetic trees.

Usage

```
data("BirdTree_tax")
```


Format

A data frame with 9993 observations on the following 11 variables.

Genus a character vector detailing the Bird Tree genus

Species a character vector detailing the Bird Tree species name

TipLabel a character vector detailing the tip label (genus and species name separated by an underscore)

English a character vector detailing the common name for the species

Taxonomy a character vector detailing the Bird Tree taxonomy

Clade a character vector detailing the Bird Tree clade

BLFamilyLatin a character vector detailing the Bird Tree family name (latin)

BLFamilyEnglish a character vector detailing the Bird Tree family name (common)

FamSequID a numeric vector

Order a character vector detailing the Bird Tree order

OscSubOsc a character vector

Details

If necessary, more details than the `__description__` above ~~

Source

Jetz, W., Thomas, G., Joy, J. et al. The global diversity of birds in space and time. *Nature* 491, 444–448 (2012). <https://doi.org/10.1038/nature11631>

References

Jetz, W., Thomas, G., Joy, J. et al. The global diversity of birds in space and time. *Nature* 491, 444–448 (2012). <https://doi.org/10.1038/nature11631>

Examples

```
data(BirdTree_tax)
```

BirdTree_trees

Bird Tree trees

Description

Two Bird Tree backbone trees obtained from Jetz et al. (2012).

Usage

```
data("BirdTree_trees")
```

Format

A multiPhylo object consisting of two elements.

Details

If necessary, more details than the `__description__` above

Source

Jetz, W., Thomas, G., Joy, J. et al. The global diversity of birds in space and time. *Nature* 491, 444–448 (2012). <https://doi.org/10.1038/nature11631>

References

Jetz, W., Thomas, G., Joy, J. et al. The global diversity of birds in space and time. *Nature* 491, 444–448 (2012). <https://doi.org/10.1038/nature11631>

Examples

```
data(BirdTree_trees)
```

plot.avophylo

Plot Model Fits for an 'avophylo' Object

Description

S3 method for class 'avophylo'. `plot.avophylo` creates plots for objects of class 'avophylo'. The exact plot(s) constructed depends on the argument values provided (see examples below and also the package vignette). The function uses the ape package's [plot.phylo](#) and can take any argument from that function (e.g. the type argument).

If [AvoPhylo](#) is used to produce a list of trees of class 'multiAvophylo', then `plot.multiAvophylo` is first called. This plots individual trees in turn (with the user required to press 'enter' to move to the next plot).

The user will need to play around with plotting window size, and/or export the image, particularly if many tips are included.

Note - if using the `lvls` argument, a warning is provided. This comes from the `tidytree::tree_subset` function and appears to be a bug (but the plot should be checked for sense).

Usage

```
## S3 method for class 'avophylo'
plot(
  x,
  tips = "extinct",
  tips_col = NULL,
  order = NULL,
```

```

    family = NULL,
    genus = NULL,
    species = NULL,
    avotrex,
    tax,
    lvls = NULL,
    ...
  )

```

Arguments

x	An object of class 'avophylo'.
tips	What tip labels to present. Can be one of "extinct" (just tip labels of extinct species), "none" (no tip labels) or "all_same" (show all labels, with same colour labels for all species), or "all_dif" (show all labels, with different colour labels for extant and extinct species). The latter needs to be used in combination with the tips_col argument.
tips_col	Colour of tip labels. If tips = "all_dif" this needs to be a vector of length two, with the first value being the colour for extinct species, and the second for extant species.
order	Prune the tree to only show a specific order (should be a character vector of length = 1). Taxonomy follows BirdTree, see the data(BirdTree_taxa) file. For extinct order names, see the data(AvotrexPhylo) file.
family	As for order, but for families.
genus	As for order, but for genera.
species	Prune the tree to only show a specific set of species. Should be a vector of at least length = 1. If only a single species name is provided, the lvls argument also needs to be provided.
avotrex	The Avotrex phylo dataset used to generate the trees. For most use cases, this will have been loaded using data(AvotrexPhylo).
tax	The Jetz et al. (2012) BirdTree taxonomy .csv. Supplied as data within the package.
lvls	If species is just a single species, how many levels back (rootward) should be plotted. Uses the tidytree::tree_subset function (see help documentation of that function for further info).
...	Other plotting arguments from the ape package's plot.phylo can be provided.

Value

Generates a phylogeny plot of x.

Examples

```

# Generate a set of trees
# data(BirdTree_trees)
# data(BirdTree_tax)

```

```

# data(AvotrexPhylo)
# trees <- AvoPhylo(ctrees = BirdTree_trees,
# avotrex = AvotrexPhylo, PER = 0.2, PER_FIXED = 0.75,
# tax = BirdTree_tax, Ntree = 3, n.cores = 3,
# cluster.ips = NULL)

#For here, we can load in an example set of two trees
#generated using the above code

data(treesEx)

#order (owls) - just show extinct tip names (in red) and using
#a fan plot
plot(treesEx[[1]], avotrex = AvotrexPhylo, tax = BirdTree_tax,
      order = "Strigiformes", tips = "extinct",
      type = "fan", tip.color = "red", cex = 0.4)

#family (plot all three trees this time)
plot(treesEx, avotrex = AvotrexPhylo, tax = BirdTree_tax,
      family = "Threskiornithidae", tips = "extinct",
      tip.color = "red", cex = 0.5)

#genus - cladogram plot
plot(treesEx[[1]], avotrex = AvotrexPhylo, tax = BirdTree_tax,
      genus = "Aplonis", tips = "extinct",
      type = "cladogram",
      tip.color = "red", cex = 0.5)

#species (& show all tip names in same colour)
species2 <- c("Anas_itchtucknee", "Anas_sp_VitiLevu",
              "Anas_platyrrhynchos", "Ara_tricolor")

plot(treesEx[[2]], avotrex = AvotrexPhylo, tax = BirdTree_tax,
      species = species2, tips = "all_same",
      type = "cladogram",
      tip.color = "blue", cex = 0.5)

#same as previous, but extinct and extant diff colours
plot(treesEx[[2]], avotrex = AvotrexPhylo, tax = BirdTree_tax,
      species = species2,
      cex = 0.5, tips = "all_dif",
      tips_col = c("red", "darkgreen"),
      type = "cladogram")

##single species 2 levels back
plot(treesEx[[2]], avotrex = AvotrexPhylo, tax = BirdTree_tax,
      species = "Ara_tricolor",
      tips = "all_dif",
      tips_col = c("red", "darkgreen"),
      lvl = 2,
      type = "phylogram",
      cex = 0.6)

```

plot.multiAvophylo *Plot Model Fits for an 'multiAvophylo' Object*

Description

S3 method for class 'multiAvophylo'. See the [plot.avophylo](#) documentation for more information.

Plots individual trees in turn (with the user required to press 'enter' to move to the next plot).

Usage

```
## S3 method for class 'multiAvophylo'
plot(
  x,
  tips = "extinct",
  tips_col = NULL,
  order = NULL,
  family = NULL,
  genus = NULL,
  species = NULL,
  avotrex,
  tax,
  lvls = NULL,
  ...
)
```

Arguments

x	An object of class 'multiAvophylo'.
tips	What tip labels to present. Can be one of "extinct" (just tip labels of extinct species), "none" (no tip labels) or "all_same" (show all labels, with same colour labels for all species), or "all_dif" (show all labels, with different colour labels for extant and extinct species). The latter needs to be used in combination with the tips_col argument.
tips_col	Colour of tip labels. If tips = "all_dif" this needs to be a vector of length two, with the first value being the colour for extinct species, and the second for extant species.
order	Prune the tree to only show a specific order (should be a character vector of length = 1). Taxonomy follows BirdTree, see the data(BirdTree_taxa) file. For extinct order names, see the data(AvotrexPhylo) file.
family	As for order, but for families.
genus	As for order, but for genera.
species	Prune the tree to only show a specific set of species. Should be a vector of at least length = 1. If only a single species name is provided, the lvls argument also needs to be provided.

avotrex	The Avotrex phylo dataset used to generate the trees. For most use cases, this will have been loaded using <code>data(AvotrexPhylo)</code> .
tax	The Jetz et al. (2012) BirdTree taxonomy .csv. Supplied as data within the package.
lvls	If species is just a single species, how many levels back (rootward) should be plotted. Uses the <code>tidytree::tree_subset</code> function (see help documentation of that function for further info).
...	Other plotting arguments from the ape package's plot.phylo can be provided.

Value

Generates a phylogeny plot for each tree in x.

Examples

```
#See the plot.avophylo documentation for further examples
data(treesEx)
#family (plot both trees in turn)
plot(treesEx, avotrex = AvotrexPhylo, tax = BirdTree_tax,
      family = "Threskiornithidae", tips = "extinct",
      tip.color = "red", cex = 0.5)
```

treesEx

A set of three AvoPhylo trees

Description

A "multiAvophylo" object containing two AvoPhylo trees, generated using the AvoPhylo function. Includes 605 extinct species.

Usage

```
data(treesEx)
```

Format

An object of class 'multiAvophylo'

Examples

```
data(treesEx)
```

Index

* datasets

AvotrexPhylo, [7](#)
BirdTree_tax, [8](#)
BirdTree_trees, [9](#)
treesEx, [14](#)

AvoBind, [2](#), [3](#)
AvoPhylo, [3](#), [10](#)
AvotrexPhylo, [7](#)

BirdTree_tax, [8](#)
BirdTree_trees, [9](#)

phylo, [4](#)
plot.avophylo, [5](#), [10](#), [13](#)
plot.multiAvophylo, [13](#)
plot.phylo, [10](#), [11](#), [14](#)

treesEx, [14](#)