

# Package ‘qboxplot’

October 13, 2022

**Title** Quantile-Based Boxplot

**Version** 0.2

**Date** 2017-11-12

**Author** Tom Pike

**Maintainer** Tom Pike <tpike@lincoln.ac.uk>

**Description** Produce quantile-based box-and-whisker plot(s).

**Depends** stats

**Imports** methods

**License** GPL-2

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2017-11-12 21:41:23 UTC

## R topics documented:

qboxplot . . . . .	1
qboxplot.stats . . . . .	3

<b>Index</b>	<b>5</b>
--------------	----------

---

qboxplot	<i>Quantile-Based Boxplots</i>
----------	--------------------------------

---

## Description

Produce quantile-based box-and-whisker plot(s) of the given (grouped) values.

## Usage

```
qboxplot(x, range=1.5, probs=c(0.25,0.5,0.75), qtype=7, data=parent.frame(),
         width=NULL, varwidth=FALSE, outline=TRUE, names=NULL, plot=TRUE,
         border=par("fg"), col=NULL, log="", pars=list(boxwex=0.8,
         staplewex=0.5, outwex=0.5), horizontal=FALSE, add=FALSE, at=NULL,
         ...)
```

**Arguments**

x	a formula, such as $y \sim \text{grp}$ , where $y$ is a numeric vector of data values to be split into groups according to the grouping variable $\text{grp}$ (usually a factor), or a data frame specifying data from which the boxplots are to be produced.
range	this determines how far the plot whiskers extend out from the box. If <code>range</code> is positive, the whiskers extend to the most extreme data point which is no more than <code>range</code> times the difference between the value of the upper hinge and the value of the lower hinge from the box. A value of zero causes the whiskers to extend to the data extremes.
probs	numeric vector of values in $[0,1]$ specifying the percentiles of the upper hinge, the midpoint (usually the median) and the lower hinge.
qtype	an integer between 1 and 9 indicating which one of the nine quantile algorithms to use (see <a href="#">quantile</a> ).
data	a data.frame (or list) from which the variables in <code>formula</code> should be taken.
width	a vector giving the relative widths of the boxes making up the plot.
varwidth	if <code>varwidth</code> is TRUE, the boxes are drawn with widths proportional to the square-roots of the number of observations in the groups.
outline	if <code>outline</code> is FALSE, the outliers are not drawn.
names	group labels which will be printed under each boxplot.
plot	if TRUE then a boxplot is produced. If not, the summaries which the boxplots are based on are returned.
border	an optional vector of colours for the outlines of the boxplots. The values in <code>border</code> are recycled if the length of <code>border</code> is less than the number of plots.
col	if <code>col</code> is non-null it is assumed to contain colors to be used to colour the bodies of the box plots. By default they are in the background colour.
log	character indicating if $x$ or $y$ or both coordinates should be plotted in log scale.
pars	a list of (potentially many) more graphical parameters.
horizontal	logical indicating if the boxplots should be horizontal; default FALSE means vertical boxes.
add	logical, if TRUE add boxplot to current plot.
at	numeric vector giving the locations where the boxplots should be drawn; defaults to $1:n$ where $n$ is the number of boxes.
...	other arguments (see <a href="#">boxplot</a> ).

**Value**

List with the following components:

stats	a matrix, each column contains the extreme of the lower whisker, the lower hinge, the midpoint, the upper hinge and the extreme of the upper whisker for one group/plot.
n	a vector with the number of observations in each group.
out	the values of any data points which lie beyond the extremes of the whiskers.

group            a vector of the same length as out whose elements indicate to which group the outlier belongs.

names            a vector of names for the groups.

### Examples

```
#Example 1
data = data.frame(a=runif(10), b=runif(10), c=runif(10))
qboxplot(data, range=1.3, probs=c(0.2,0.5,0.7), qtype=6)

#Example 2
qboxplot(count~spray, data=InsectSprays, col="lightgray")

#Example 3
rb = qboxplot(decrease~treatment, data=OrchardSprays, log="y", col="bisque")
title("")
rb

#Example 4
mat = cbind(Uni05=(1:100)/21, Norm=rnorm(100), "5T"=rt(100,df=5),
            Gam2=rgamma(100,shape=2))
qboxplot(as.data.frame(mat))

#Example 5
data = c(102,133,136,139,142,144,146,151,160,174)
qboxplot(data.frame(data), range=1.5, probs=c(0.25,0.5,0.75), qtype=1,
         ylim=c(100,220), horizontal=TRUE)
```

---

qboxplot.stats            *Helper Function For qboxplot*

---

### Description

Produce quantile-based box-and-whisker plot(s) of the given (grouped) values.

### Usage

```
qboxplot.stats(x, probs, qtype, range, output="all")
```

### Arguments

x                a numeric vector of data values from which to calculate the requested statistics.

probs            numeric vector of values in [0,1] specifying the percentiles of the upper hinge, the midpoint (usually the median) and the lower hinge.

qtype            an integer between 1 and 9 indicating which one of the nine quantile algorithms to use (see [quantile](#)).

output	limit the output to "quantiles", "outliers" or "n" (see below), or, if set to "all" (the default), outputs a list containing all three.
range	this determines how far the plot whiskers extend out from the box. If range is positive, the whiskers extend to the most extreme data point which is no more than range times the difference in the value of the upper hinge and the value of the lower hinge from the box. A value of zero causes the whiskers to extend to the data extremes.

**Value**

List with the following components:

quantiles	a matrix, each column contains the extreme of the lower whisker, the lower hinge, the median, the upper hinge and the extreme of the upper whisker for one group/plot.
outliers	a vector with the number of observations in each group.
n	the values of any data points which lie beyond the extremes of the whiskers.

**Examples**

```
x = runif(100)
stats = qboxplot.stats(x, probs=c(0.4,0.5,0.6), qtype=7, range=1.5)
stats
```

# Index

- \* **qboxplot.stats**
  - qboxplot.stats, 3
- \* **qboxplot**
  - qboxplot, 1

boxplot, 2

qboxplot, 1

qboxplot.stats, 3

quantile, 2, 3