Full wwPDB X-ray Structure Validation Report (i)

Jun 17, 2024 – 08:00 PM EDT

PDB ID	:	3DUU
Title	:	Crystal structure of SAG506-01, orthorhombic, twinned, crystal 2
Authors	:	Brooks, C.L.; Blackler, R.J.; Gerstenbruch, S.; Kosma, P.; Muller-Loennies, S.; Brade, H.; Evans, S.V.
Deposited on	:	2008-07-17
Resolution	:	1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	112	62% 31% 5% •
1	C	112	62% 31% 6%
2	B	121	60% 36% •
2	D	121	54% 41% 5%

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 3879 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called antibody Fv fragment SAG506-01.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	112	868	546	149	170	3	0	0	0
1	C	112	868	546	149	170	3	0	0	0

- Molecule 2 is a protein called Ig-like protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	121	945	598	158	184	5	0	0	0
2	D	121	945	598	158	184	5	0	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
3	A	1	1	1	0	0
3	C	2	2	2	0	0

- Molecule 4 is 3-deoxy-alpha-D-manno-oct-2-ulopyranosonic acid (three-letter code: KDO) (formula: $C_8H_{14}O_8$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	B	1	16	8	8	0	0
			Total	C	O		
4	D	1	16	8	8	0	0

- Molecule 5 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
5	B	1	13	8	5	0	0
			Total	C	O		
5	D	1	13	8	5	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	A	51	51	51	0	0
			Total	O		
6	B	52	52	52	0	0
			Total	O		
6	C	45	45	45	0	0
			Total	O		
6	D	44	44	44	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: antibody Fv fragment SAG506-01

Chain A:



• Molecule 1: antibody Fv fragment SAG506-01

Chain C:



• Molecule 2: Ig-like protein

Chain B:

• Molecule 2: Ig-like protein

Chain D:




N82A
T82B
L82C
R83
A84
E85
D86
S87
A88
T89
Y90
Y91
C92
D95
V99
D100
A100A
T107
S108
V109
T110
V111
S112
S113

4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α, β, γ	71.60Å 71.76Å 86.21Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.89 – 1.95 19.89 – 1.95	Depositor EDS
% Data completeness (in resolution range)	98.6 (19.89-1.95) 98.1 (19.89-1.95)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	3.13 (at 1.94Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.194 , 0.217 0.198 , 0.219	Depositor DCC
R_{free} test set	1649 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å^2)	32.5	Xtriage
Anisotropy	0.255	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.35 , 47.7	EDS
L-test for twinning[2]	$< \|L\| > = 0.43$, $< L^2 > = 0.25$	Xtriage
Estimated twinning fraction	0.477 for k,h,-l	Xtriage
Reported twinning fraction	0.493 for k,-h,l	Depositor
Outliers	1 of 32545 reflections (0.003%)	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	3879	wwPDB-VP
Average B, all atoms (Å^2)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.97% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, KDO, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.35	0/885	0.57	0/1195
1	C	0.36	0/885	0.54	0/1195
2	B	0.34	0/967	0.55	0/1309
2	D	0.32	0/967	0.54	0/1309
All	All	0.34	0/3704	0.55	0/5008

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	868	0	860	37	0
1	C	868	0	860	35	0
2	B	945	0	907	39	0
2	D	945	0	907	48	0
3	A	1	0	0	0	0
3	C	2	0	0	0	0
4	B	16	0	13	0	0
4	D	16	0	13	1	0
5	B	13	0	18	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	13	0	18	2	0
6	A	51	0	0	8	0
6	B	52	0	0	5	0
6	C	45	0	0	3	0
6	D	44	0	0	3	0
All	All	3879	0	3596	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:22:CYS:HB3	2:D:78:LEU:HB3	1.38	1.04
2:D:21:SER:HB3	6:D:141:HOH:O	1.78	0.83
1:C:18:ARG:HH11	1:C:18:ARG:HG3	1.46	0.81
2:B:30:THR:HG23	6:B:155:HOH:O	1.84	0.78
2:B:11:LEU:HA	2:B:110:THR:HB	1.64	0.77
2:B:11:LEU:HD13	2:B:112:SER:HB2	1.67	0.76
2:D:71:ARG:HE	2:D:73:ASN:HD21	1.34	0.74
2:B:34:MET:HB3	2:B:78:LEU:HD22	1.70	0.74
1:C:18:ARG:HH11	1:C:18:ARG:CG	2.01	0.72
1:C:3:VAL:H	1:C:26:SER:HB2	1.55	0.70
2:B:68:THR:HB	2:B:81:GLN:HB3	1.72	0.70
1:A:102:LYS:HG3	6:A:148:HOH:O	1.93	0.69
2:B:18:LEU:HD12	6:B:148:HOH:O	1.92	0.68
2:D:9:GLY:HA2	2:D:18:LEU:HD21	1.78	0.65
2:B:3:LYS:O	2:B:4:LEU:HD23	1.97	0.65
2:B:12:VAL:O	2:B:111:VAL:HA	1.97	0.65
1:A:27(C):PHE:CZ	1:A:29:GLN:HA	2.33	0.64
2:D:48:LEU:HD22	2:D:63:VAL:HG11	1.81	0.63
1:C:17:GLU:HG3	6:C:157:HOH:O	1.96	0.63
2:D:34:MET:HB3	2:D:78:LEU:HD22	1.80	0.62
1:A:30:LYS:HB2	1:A:32:TYR:HE2	1.65	0.61
1:C:33:LEU:HD22	1:C:71:PHE:CG	2.35	0.61
1:C:28:ASN:HD22	1:C:29:GLN:N	1.98	0.61
2:B:29:PHE:CD2	2:B:76:SER:HA	2.36	0.61
1:C:37:GLN:HB2	1:C:47:LEU:CD2	2.31	0.61
1:C:71:PHE:HB3	6:C:140:HOH:O	2.01	0.60
1:A:27(C):PHE:HD1	1:A:31:ASN:OD1	1.84	0.60
1:C:49:TYR:CE2	2:D:99:VAL:HG22	2.36	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:94:ARG:O	2:B:100(B):MET:HA	2.02	0.60
1:A:80:ALA:HA	1:A:105:LEU:HD13	1.84	0.60
2:D:30:THR:HG22	2:D:73:ASN:ND2	2.16	0.59
1:C:2:ILE:HG12	1:C:27:GLN:CD	2.22	0.59
2:D:53:LYS:HD3	5:D:115:PG4:H72	1.83	0.59
2:D:30:THR:O	2:D:52(A):ASN:HB2	2.03	0.59
1:C:11:LEU:HD11	1:C:19:VAL:HG13	1.86	0.58
1:C:12:ALA:CB	1:C:104:GLU:HB2	2.34	0.57
1:A:48:ILE:HD13	1:A:64:GLY:N	2.20	0.57
2:B:71:ARG:HE	2:B:73:ASN:HD21	1.52	0.57
1:C:28:ASN:HD22	1:C:28:ASN:C	2.07	0.57
1:A:5:THR:HA	6:A:122:HOH:O	2.04	0.57
2:D:47:TRP:CZ2	2:D:49:GLY:HA2	2.41	0.56
2:B:91:TYR:HE1	2:B:105:GLN:O	1.88	0.56
1:C:54:ARG:HD2	1:C:58:VAL:HG12	1.87	0.56
2:D:29:PHE:CD2	2:D:76:SER:HA	2.41	0.55
2:D:71:ARG:NE	2:D:73:ASN:HD21	2.03	0.55
1:C:18:ARG:CG	1:C:18:ARG:NH1	2.62	0.55
2:B:35:SER:OG	2:B:50:PHE:HB3	2.07	0.55
2:D:82(B):THR:HG22	6:D:157:HOH:O	2.06	0.55
1:A:80:ALA:HA	1:A:105:LEU:CD1	2.37	0.55
2:D:35:SER:OG	2:D:95:ASP:OD2	2.25	0.54
1:A:78:VAL:HG11	1:A:105:LEU:HD22	1.88	0.54
1:A:6:GLN:HA	1:A:22:SER:O	2.07	0.54
1:C:90:GLN:HG3	1:C:96:THR:HB	1.89	0.53
2:B:110:THR:HG23	6:B:146:HOH:O	2.09	0.53
1:C:91:SER:OG	2:D:100:ASP:HB3	2.09	0.53
1:A:50:TRP:HZ3	1:C:105:LEU:HD23	1.74	0.52
2:B:91:TYR:CE1	2:B:105:GLN:O	2.62	0.52
1:A:33:LEU:HD13	1:A:71:PHE:CD1	2.45	0.52
2:B:11:LEU:CD1	2:B:112:SER:HB2	2.38	0.52
1:C:37:GLN:HB2	1:C:47:LEU:HD21	1.91	0.52
2:D:99:VAL:HG12	2:D:100(A):ALA:HB3	1.91	0.52
1:A:3:VAL:HB	1:A:26:SER:OG	2.10	0.51
1:C:33:LEU:HG	1:C:34:ALA:N	2.25	0.51
1:A:28:ASN:HB2	6:A:158:HOH:O	2.10	0.51
2:D:99:VAL:CG1	2:D:100(A):ALA:HB3	2.40	0.51
1:C:31:ASN:HD21	1:C:67:SER:CB	2.23	0.51
2:B:51:ILE:HA	2:B:57:VAL:HG12	1.93	0.51
2:B:107:THR:HG22	6:B:131:HOH:O	2.10	0.51
1:A:33:LEU:HD22	1:A:71:PHE:CG	2.46	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:50:PHE:HD1	2:B:50:PHE:O	1.93	0.51
2:B:48:LEU:HD22	2:B:63:VAL:HG11	1.93	0.50
1:C:10:SER:HB3	1:C:102:LYS:HB3	1.92	0.50
2:B:2:VAL:HG13	2:B:27:PHE:CD1	2.47	0.49
2:D:68:THR:HB	2:D:81:GLN:HB3	1.94	0.49
2:B:3:LYS:C	2:B:4:LEU:HD23	2.32	0.49
2:D:72:ASP:HB3	2:D:77:ILE:HB	1.93	0.49
1:A:27(F):ARG:HB2	6:A:144:HOH:O	2.11	0.49
2:D:13:GLN:HG2	2:D:14:PRO:HD2	1.94	0.49
2:B:29:PHE:HB3	6:B:155:HOH:O	2.13	0.49
2:D:71:ARG:HE	2:D:73:ASN:ND2	2.06	0.49
4:D:114:KDO:O2	5:D:115:PG4:H21	2.13	0.49
2:D:52:ARG:HD2	2:D:56:THR:OG1	2.12	0.49
2:D:89:THR:HA	2:D:107:THR:O	2.13	0.49
2:D:38:ARG:HD3	2:D:48:LEU:HD11	1.93	0.48
1:A:37:GLN:CB	1:A:47:LEU:HD11	2.44	0.48
1:C:3:VAL:HG13	6:C:136:HOH:O	2.13	0.48
2:D:38:ARG:NE	2:D:48:LEU:HD21	2.29	0.47
2:D:81:GLN:HG3	2:D:82(A):ASN:HD21	1.79	0.47
2:D:17:SER:OG	2:D:82(A):ASN:HA	2.14	0.47
2:D:78:LEU:HD12	2:D:79:TYR:H	1.79	0.47
1:A:12:ALA:HB1	1:A:106:LYS:HE2	1.97	0.47
1:A:60:ASP:OD2	1:A:60:ASP:N	2.47	0.47
2:D:82:MET:HE3	2:D:82:MET:HB3	1.78	0.47
2:B:21:SER:HG	2:B:79:TYR:HD1	1.61	0.47
1:C:54:ARG:CZ	1:C:60:ASP:HA	2.45	0.47
2:D:83:ARG:HB2	2:D:85:GLU:HG2	1.97	0.46
1:A:20:THR:HG22	1:A:21:MET:N	2.29	0.46
2:B:50:PHE:C	2:B:50:PHE:CD1	2.89	0.46
2:B:95:ASP:OD1	2:B:96:GLY:N	2.44	0.46
1:A:28:ASN:O	1:A:29:GLN:HB2	2.15	0.46
1:C:61:ARG:HD2	1:C:77:GLY:O	2.16	0.46
1:A:27(B):LEU:HD12	1:A:71:PHE:CE1	2.51	0.46
2:D:66:ARG:O	2:D:82(A):ASN:ND2	2.47	0.46
1:A:6:GLN:HB3	6:A:126:HOH:O	2.14	0.45
2:B:2:VAL:HG13	2:B:27:PHE:HD1	1.80	0.45
1:C:13:VAL:HG11	1:C:19:VAL:HG22	1.97	0.45
1:A:13:VAL:HG21	1:A:17:GLU:OE1	2.16	0.45
1:C:12:ALA:HB2	1:C:104:GLU:HB2	1.97	0.45
1:A:22:SER:HB3	6:A:133:HOH:O	2.15	0.45
2:D:75:GLN:HB3	2:D:77:ILE:HG13	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:28:ASN:ND2	1:C:30:LYS:H	2.14	0.45
2:B:12:VAL:N	2:B:110:THR:O	2.45	0.45
2:B:34:MET:HB2	2:B:78:LEU:HD13	1.98	0.45
2:B:50:PHE:HD1	2:B:50:PHE:C	2.20	0.44
2:D:88:ALA:N	2:D:109:VAL:O	2.50	0.44
1:A:93:ASN:O	1:A:94:LEU:HB2	2.17	0.44
2:B:59:TYR:HB2	2:B:64:LYS:HG3	1.98	0.44
2:D:52:ARG:HB3	2:D:53:LYS:HB2	2.00	0.43
1:A:83:LEU:HD11	6:A:135:HOH:O	2.17	0.43
2:B:1:GLU:CD	2:B:3:LYS:HD2	2.39	0.43
2:D:3:LYS:O	2:D:24:THR:HA	2.19	0.43
1:A:30:LYS:HB2	1:A:32:TYR:CE2	2.51	0.42
1:A:37:GLN:HB2	1:A:47:LEU:HD11	2.00	0.42
2:B:39:GLN:HG3	2:B:44:ALA:C	2.40	0.42
2:D:6:GLU:HA	2:D:21:SER:O	2.18	0.42
2:D:39:GLN:O	2:D:88:ALA:HB1	2.18	0.42
2:D:39:GLN:C	2:D:88:ALA:HB1	2.40	0.42
2:B:5:VAL:O	2:B:22:CYS:HA	2.19	0.42
1:C:27(D):LYS:HE2	1:C:27(D):LYS:HB2	1.90	0.42
1:C:37:GLN:HB2	1:C:47:LEU:HD22	2.00	0.42
1:C:38:GLN:O	1:C:84:ALA:HB1	2.20	0.42
2:D:66:ARG:HH12	2:D:86:ASP:CG	2.23	0.42
1:A:37:GLN:HB2	1:A:86:TYR:CE1	2.55	0.42
2:D:82:MET:HE1	2:D:90:TYR:CE2	2.55	0.42
1:C:12:ALA:HB2	1:C:104:GLU:HG3	2.02	0.42
2:D:78:LEU:HD23	2:D:92:CYS:HB2	2.02	0.41
2:D:84:ALA:HA	2:D:111:VAL:HB	2.01	0.41
1:A:23:CYS:HB3	1:A:71:PHE:HB2	2.02	0.41
2:B:39:GLN:HB2	2:B:45:LEU:HD23	2.01	0.41
1:C:50:TRP:O	1:C:51:ALA:HB3	2.20	0.41
1:A:76:ASN:HB3	6:A:162:HOH:O	2.19	0.41
1:C:28:ASN:HD22	1:C:30:LYS:H	1.69	0.41
2:B:75:GLN:O	2:B:77:ILE:HG13	2.21	0.41
2:B:30:THR:HA	2:B:71:ARG:NH2	2.35	0.41
1:A:23:CYS:SG	1:A:33:LEU:HD11	2.61	0.41
2:B:1:GLU:OE2	2:B:3:LYS:HD2	2.21	0.41
2:B:40:PRO:HA	2:B:88:ALA:HA	2.03	0.41
1:A:37:GLN:CB	1:A:47:LEU:CD1	2.98	0.41
1:C:58:VAL:HA	1:C:59:PRO:HD3	1.78	0.41
1:A:27(D):LYS:HD2	1:A:27(F):ARG:HE	1.86	0.40
1:A:28:ASN:C	1:A:28:ASN:HD22	2.23	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:82:MET:HE1	2:D:90:TYR:CZ	2.56	0.40
2:D:3:LYS:HE2	6:D:118:HOH:O	2.21	0.40
2:D:50:PHE:C	2:D:50:PHE:CD1	2.94	0.40
2:D:36:TRP:CZ2	2:D:78:LEU:HG	2.56	0.40
2:D:82(A):ASN:O	2:D:82(B):THR:C	2.59	0.40
1:A:37:GLN:HB3	1:A:47:LEU:CD1	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	110/112 (98%)	97 (88%)	10 (9%)	3 (3%)	5 1
1	C	110/112 (98%)	100 (91%)	8 (7%)	2 (2%)	8 2
2	B	119/121 (98%)	111 (93%)	7 (6%)	1 (1%)	19 9
2	D	119/121 (98%)	112 (94%)	7 (6%)	0	100 100
All	All	458/466 (98%)	420 (92%)	32 (7%)	6 (1%)	12 3

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	27(F)	ARG
1	A	27(F)	ARG
1	A	28	ASN
2	B	64	LYS
1	C	77	GLY
1	A	68	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	96/96 (100%)	87 (91%)	9 (9%)	8 2
1	C	96/96 (100%)	88 (92%)	8 (8%)	11 3
2	B	100/100 (100%)	95 (95%)	5 (5%)	24 11
2	D	100/100 (100%)	93 (93%)	7 (7%)	15 5
All	All	392/392 (100%)	363 (93%)	29 (7%)	13 4

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LEU
1	A	13	VAL
1	A	17	GLU
1	A	22	SER
1	A	28	ASN
1	A	33	LEU
1	A	43	SER
1	A	56	SER
1	A	60	ASP
2	B	12	VAL
2	B	50	PHE
2	B	82(C)	LEU
2	B	85	GLU
2	B	105	GLN
1	C	18	ARG
1	C	26	SER
1	C	28	ASN
1	C	47	LEU
1	C	60	ASP
1	C	63	THR
1	C	72	THR
1	C	105	LEU
2	D	13	GLN
2	D	20	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	50	PHE
2	D	82	MET
2	D	83	ARG
2	D	99	VAL
2	D	107	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	ASN
1	A	42	GLN
2	B	73	ASN
2	B	105	GLN
1	C	27	GLN
1	C	28	ASN
1	C	76	ASN
2	D	73	ASN
2	D	81	GLN
2	D	82(A)	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
4	KDO	B	114	-	16,16,16	1.01	1 (6%)	17,24,24	1.21	1 (5%)
5	PG4	D	115	-	12,12,12	0.48	0	11,11,11	0.41	0
4	KDO	D	114	-	16,16,16	1.03	1 (6%)	17,24,24	1.55	3 (17%)
5	PG4	B	115	-	12,12,12	0.53	0	11,11,11	0.25	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	KDO	B	114	-	-	5/12/30/30	0/1/1/1
5	PG4	D	115	-	-	7/10/10/10	-
4	KDO	D	114	-	-	3/12/30/30	0/1/1/1
5	PG4	B	115	-	-	2/10/10/10	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	114	KDO	O2-C2	3.06	1.44	1.39
4	D	114	KDO	O2-C2	2.91	1.43	1.39

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
4	D	114	KDO	O1A-C1-C2	-4.52	116.31	123.85
4	B	114	KDO	O1A-C1-C2	-4.18	116.89	123.85
4	D	114	KDO	C3-C4-C5	-2.83	108.09	110.84
4	D	114	KDO	O8-C8-C7	-2.10	106.74	111.16

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	114	KDO	C5-C6-C7-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	114	KDO	O6-C6-C7-O7
4	B	114	KDO	O6-C6-C7-C8
4	D	114	KDO	O1A-C1-C2-O2
5	D	115	PG4	O2-C3-C4-O3
5	D	115	PG4	O3-C5-C6-O4
5	D	115	PG4	O4-C7-C8-O5
5	B	115	PG4	O3-C5-C6-O4
5	D	115	PG4	C5-C6-O4-C7
5	D	115	PG4	O1-C1-C2-O2
5	D	115	PG4	C4-C3-O2-C2
4	B	114	KDO	O1A-C1-C2-C3
4	D	114	KDO	O1A-C1-C2-C3
4	B	114	KDO	O1A-C1-C2-O2
4	D	114	KDO	O1A-C1-C2-O6
5	B	115	PG4	C3-C4-O3-C5
5	D	115	PG4	C6-C5-O3-C4

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	115	PG4	2	0
4	D	114	KDO	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	112/112 (100%)	-0.18	0	100	100	23, 30, 39, 53	0
1	C	112/112 (100%)	-0.15	0	100	100	24, 33, 40, 45	0
2	B	121/121 (100%)	-0.17	0	100	100	23, 32, 44, 47	0
2	D	121/121 (100%)	-0.23	0	100	100	23, 30, 39, 47	0
All	All	466/466 (100%)	-0.18	0	100	100	23, 31, 42, 53	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	MG	A	112	1/1	0.92	0.06	34,34,34,34	0
3	MG	C	111	1/1	0.94	0.07	35,35,35,35	0
4	KDO	B	114	16/16	0.94	0.09	26,31,35,35	0
4	KDO	D	114	16/16	0.95	0.10	26,29,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
5	PG4	B	115	13/13	0.96	0.10	22,28,32,36	0
5	PG4	D	115	13/13	0.96	0.08	19,26,30,32	0
3	MG	C	113	1/1	0.99	0.07	24,24,24,24	0

6.5 Other polymers (i)

There are no such residues in this entry.