



wwPDB EM Validation Summary Report ⓘ

Mar 8, 2026 – 03:17 AM UTC

PDB ID : 9E0T / pdb_00009e0t
EMDB ID : EMD-47370
Title : Cryo-EM structure of human cytoplasmic dynein-1 bound to LIS1 in the presence of ATP
Authors : Nguyen, K.H.V.; Kendrick, A.A.; Leschziner, A.E.
Deposited on : 2024-10-19
Resolution : 3.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14724 (2.60 - 3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	4843	
2	B	411	
2	C	411	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 27918 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytoplasmic dynein 1 heavy chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	2892	Total	C	N	O	S	0	0
			22816	14568	3944	4193	111		

There are 198 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-196	GLY	-	expression tag	UNP Q14204
A	-195	ASP	-	expression tag	UNP Q14204
A	-194	TYR	-	expression tag	UNP Q14204
A	-193	ASP	-	expression tag	UNP Q14204
A	-192	ILE	-	expression tag	UNP Q14204
A	-191	PRO	-	expression tag	UNP Q14204
A	-190	THR	-	expression tag	UNP Q14204
A	-189	THR	-	expression tag	UNP Q14204
A	-188	GLU	-	expression tag	UNP Q14204
A	-187	ASN	-	expression tag	UNP Q14204
A	-186	LEU	-	expression tag	UNP Q14204
A	-185	TYR	-	expression tag	UNP Q14204
A	-184	PHE	-	expression tag	UNP Q14204
A	-183	GLN	-	expression tag	UNP Q14204
A	-182	GLY	-	expression tag	UNP Q14204
A	-181	ASP	-	expression tag	UNP Q14204
A	-180	LYS	-	expression tag	UNP Q14204
A	-179	ASP	-	expression tag	UNP Q14204
A	-178	CYS	-	expression tag	UNP Q14204
A	-177	GLU	-	expression tag	UNP Q14204
A	-176	MET	-	expression tag	UNP Q14204
A	-175	LYS	-	expression tag	UNP Q14204
A	-174	ARG	-	expression tag	UNP Q14204
A	-173	THR	-	expression tag	UNP Q14204
A	-172	THR	-	expression tag	UNP Q14204
A	-171	LEU	-	expression tag	UNP Q14204
A	-170	ASP	-	expression tag	UNP Q14204
A	-169	SER	-	expression tag	UNP Q14204

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-168	PRO	-	expression tag	UNP Q14204
A	-167	LEU	-	expression tag	UNP Q14204
A	-166	GLY	-	expression tag	UNP Q14204
A	-165	LYS	-	expression tag	UNP Q14204
A	-164	LEU	-	expression tag	UNP Q14204
A	-163	GLU	-	expression tag	UNP Q14204
A	-162	LEU	-	expression tag	UNP Q14204
A	-161	SER	-	expression tag	UNP Q14204
A	-160	GLY	-	expression tag	UNP Q14204
A	-159	CYS	-	expression tag	UNP Q14204
A	-158	GLU	-	expression tag	UNP Q14204
A	-157	GLN	-	expression tag	UNP Q14204
A	-156	GLY	-	expression tag	UNP Q14204
A	-155	LEU	-	expression tag	UNP Q14204
A	-154	HIS	-	expression tag	UNP Q14204
A	-153	ARG	-	expression tag	UNP Q14204
A	-152	ILE	-	expression tag	UNP Q14204
A	-151	ILE	-	expression tag	UNP Q14204
A	-150	PHE	-	expression tag	UNP Q14204
A	-149	LEU	-	expression tag	UNP Q14204
A	-148	GLY	-	expression tag	UNP Q14204
A	-147	LYS	-	expression tag	UNP Q14204
A	-146	GLY	-	expression tag	UNP Q14204
A	-145	THR	-	expression tag	UNP Q14204
A	-144	SER	-	expression tag	UNP Q14204
A	-143	ALA	-	expression tag	UNP Q14204
A	-142	ALA	-	expression tag	UNP Q14204
A	-141	ASP	-	expression tag	UNP Q14204
A	-140	ALA	-	expression tag	UNP Q14204
A	-139	VAL	-	expression tag	UNP Q14204
A	-138	GLU	-	expression tag	UNP Q14204
A	-137	VAL	-	expression tag	UNP Q14204
A	-136	PRO	-	expression tag	UNP Q14204
A	-135	ALA	-	expression tag	UNP Q14204
A	-134	PRO	-	expression tag	UNP Q14204
A	-133	ALA	-	expression tag	UNP Q14204
A	-132	ALA	-	expression tag	UNP Q14204
A	-131	VAL	-	expression tag	UNP Q14204
A	-130	LEU	-	expression tag	UNP Q14204
A	-129	GLY	-	expression tag	UNP Q14204
A	-128	GLY	-	expression tag	UNP Q14204
A	-127	PRO	-	expression tag	UNP Q14204

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-126	GLU	-	expression tag	UNP Q14204
A	-125	PRO	-	expression tag	UNP Q14204
A	-124	LEU	-	expression tag	UNP Q14204
A	-123	MET	-	expression tag	UNP Q14204
A	-122	GLN	-	expression tag	UNP Q14204
A	-121	ALA	-	expression tag	UNP Q14204
A	-120	THR	-	expression tag	UNP Q14204
A	-119	ALA	-	expression tag	UNP Q14204
A	-118	TRP	-	expression tag	UNP Q14204
A	-117	LEU	-	expression tag	UNP Q14204
A	-116	ASN	-	expression tag	UNP Q14204
A	-115	ALA	-	expression tag	UNP Q14204
A	-114	TYR	-	expression tag	UNP Q14204
A	-113	PHE	-	expression tag	UNP Q14204
A	-112	HIS	-	expression tag	UNP Q14204
A	-111	GLN	-	expression tag	UNP Q14204
A	-110	PRO	-	expression tag	UNP Q14204
A	-109	GLU	-	expression tag	UNP Q14204
A	-108	ALA	-	expression tag	UNP Q14204
A	-107	ILE	-	expression tag	UNP Q14204
A	-106	GLU	-	expression tag	UNP Q14204
A	-105	GLU	-	expression tag	UNP Q14204
A	-104	PHE	-	expression tag	UNP Q14204
A	-103	PRO	-	expression tag	UNP Q14204
A	-102	VAL	-	expression tag	UNP Q14204
A	-101	PRO	-	expression tag	UNP Q14204
A	-100	ALA	-	expression tag	UNP Q14204
A	-99	LEU	-	expression tag	UNP Q14204
A	-98	HIS	-	expression tag	UNP Q14204
A	-97	HIS	-	expression tag	UNP Q14204
A	-96	PRO	-	expression tag	UNP Q14204
A	-95	VAL	-	expression tag	UNP Q14204
A	-94	PHE	-	expression tag	UNP Q14204
A	-93	GLN	-	expression tag	UNP Q14204
A	-92	GLN	-	expression tag	UNP Q14204
A	-91	GLU	-	expression tag	UNP Q14204
A	-90	SER	-	expression tag	UNP Q14204
A	-89	PHE	-	expression tag	UNP Q14204
A	-88	THR	-	expression tag	UNP Q14204
A	-87	ARG	-	expression tag	UNP Q14204
A	-86	GLN	-	expression tag	UNP Q14204
A	-85	VAL	-	expression tag	UNP Q14204

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-84	LEU	-	expression tag	UNP Q14204
A	-83	TRP	-	expression tag	UNP Q14204
A	-82	LYS	-	expression tag	UNP Q14204
A	-81	LEU	-	expression tag	UNP Q14204
A	-80	LEU	-	expression tag	UNP Q14204
A	-79	LYS	-	expression tag	UNP Q14204
A	-78	VAL	-	expression tag	UNP Q14204
A	-77	VAL	-	expression tag	UNP Q14204
A	-76	LYS	-	expression tag	UNP Q14204
A	-75	PHE	-	expression tag	UNP Q14204
A	-74	GLY	-	expression tag	UNP Q14204
A	-73	GLU	-	expression tag	UNP Q14204
A	-72	VAL	-	expression tag	UNP Q14204
A	-71	ILE	-	expression tag	UNP Q14204
A	-70	SER	-	expression tag	UNP Q14204
A	-69	TYR	-	expression tag	UNP Q14204
A	-68	SER	-	expression tag	UNP Q14204
A	-67	HIS	-	expression tag	UNP Q14204
A	-66	LEU	-	expression tag	UNP Q14204
A	-65	ALA	-	expression tag	UNP Q14204
A	-64	ALA	-	expression tag	UNP Q14204
A	-63	LEU	-	expression tag	UNP Q14204
A	-62	ALA	-	expression tag	UNP Q14204
A	-61	GLY	-	expression tag	UNP Q14204
A	-60	ASN	-	expression tag	UNP Q14204
A	-59	PRO	-	expression tag	UNP Q14204
A	-58	ALA	-	expression tag	UNP Q14204
A	-57	ALA	-	expression tag	UNP Q14204
A	-56	THR	-	expression tag	UNP Q14204
A	-55	ALA	-	expression tag	UNP Q14204
A	-54	ALA	-	expression tag	UNP Q14204
A	-53	VAL	-	expression tag	UNP Q14204
A	-52	LYS	-	expression tag	UNP Q14204
A	-51	THR	-	expression tag	UNP Q14204
A	-50	ALA	-	expression tag	UNP Q14204
A	-49	LEU	-	expression tag	UNP Q14204
A	-48	SER	-	expression tag	UNP Q14204
A	-47	GLY	-	expression tag	UNP Q14204
A	-46	ASN	-	expression tag	UNP Q14204
A	-45	PRO	-	expression tag	UNP Q14204
A	-44	VAL	-	expression tag	UNP Q14204
A	-43	PRO	-	expression tag	UNP Q14204

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-42	ILE	-	expression tag	UNP Q14204
A	-41	LEU	-	expression tag	UNP Q14204
A	-40	ILE	-	expression tag	UNP Q14204
A	-39	PRO	-	expression tag	UNP Q14204
A	-38	CYS	-	expression tag	UNP Q14204
A	-37	HIS	-	expression tag	UNP Q14204
A	-36	ARG	-	expression tag	UNP Q14204
A	-35	VAL	-	expression tag	UNP Q14204
A	-34	VAL	-	expression tag	UNP Q14204
A	-33	GLN	-	expression tag	UNP Q14204
A	-32	GLY	-	expression tag	UNP Q14204
A	-31	ASP	-	expression tag	UNP Q14204
A	-30	LEU	-	expression tag	UNP Q14204
A	-29	ASP	-	expression tag	UNP Q14204
A	-28	VAL	-	expression tag	UNP Q14204
A	-27	GLY	-	expression tag	UNP Q14204
A	-26	GLY	-	expression tag	UNP Q14204
A	-25	TYR	-	expression tag	UNP Q14204
A	-24	GLU	-	expression tag	UNP Q14204
A	-23	GLY	-	expression tag	UNP Q14204
A	-22	GLY	-	expression tag	UNP Q14204
A	-21	LEU	-	expression tag	UNP Q14204
A	-20	ALA	-	expression tag	UNP Q14204
A	-19	VAL	-	expression tag	UNP Q14204
A	-18	LYS	-	expression tag	UNP Q14204
A	-17	GLU	-	expression tag	UNP Q14204
A	-16	TRP	-	expression tag	UNP Q14204
A	-15	LEU	-	expression tag	UNP Q14204
A	-14	LEU	-	expression tag	UNP Q14204
A	-13	ALA	-	expression tag	UNP Q14204
A	-12	HIS	-	expression tag	UNP Q14204
A	-11	GLU	-	expression tag	UNP Q14204
A	-10	GLY	-	expression tag	UNP Q14204
A	-9	HIS	-	expression tag	UNP Q14204
A	-8	ARG	-	expression tag	UNP Q14204
A	-7	LEU	-	expression tag	UNP Q14204
A	-6	GLY	-	expression tag	UNP Q14204
A	-5	LYS	-	expression tag	UNP Q14204
A	-4	PRO	-	expression tag	UNP Q14204
A	-3	GLY	-	expression tag	UNP Q14204
A	-2	LEU	-	expression tag	UNP Q14204
A	-1	GLY	-	expression tag	UNP Q14204

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP Q14204
A	1	SER	-	expression tag	UNP Q14204


- Molecule 2 is a protein called Platelet-activating factor acetylhydrolase IB subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	313	Total	C	N	O	S	0	0
			2494	1571	440	463	20		
2	C	313	Total	C	N	O	S	0	0
			2494	1571	440	463	20		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	GLY	-	expression tag	UNP P43034
B	1	SER	-	expression tag	UNP P43034
C	0	GLY	-	expression tag	UNP P43034
C	1	SER	-	expression tag	UNP P43034

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			27	10	5	10	2	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			27	10	5	10	2	
3	A	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).


Mol	Chain	Residues	Atoms		AltConf
4	A	2	Total	Mg	0
			2	2	

- Molecule 5 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).






Y3836	R3682	F3520	VAL	PRO	LYS	W2845	F2882	S2457	E2310	L2137	T2017
H3837	D3683	D3521	ASN	PRO	LYS	H2857	I2883	A2465	D2320	C2142	A2023
Y3841	L3692	M3524	PRO	ALA	VAL	M3126	R2684	D2478	K2323	M2145	S2026
N3845	C3693	R3525	SER	ILE	SER	E3141	Q2885	Q2482	T2326	V2146	P2027
L3846	S3694	R3525	ASN	VAL	GLN	A3142	Q2886	Q2482	T2326	P2147	L2028
LYS	R3695	N3540	LEU	LEU	GLU	I3143	V2887	Q2482	T2326	K2148	L2028
GLY	V3696	I3541	ALA	ALA	ILE	T3172	E2888	Q2485	P2336	L2149	F2036
V3849	V3699	Q3542	ILE	VAL	GLU	R3173	D2697	L2486	P2337	L2157	R2037
T3850	ASN	Q3542	ASN	SER	GLN	R3174	L2897	E2487	N2338	E2174	S2038
T3850	ALA	Q3542	ALA	GLY	GLN	H3175	V2709	R2488	V2339	M2175	L2039
D3851	ILE	A3548	ALA	CYS	HIS	E3189	C2712	Y2493	E2344	R2179	R2041
D3851	ARG	R3549	SER	LEU	LYS	R2923	M2713	R2507	Q2346	K2183	R2046
R3855	TYR	T3552	LEU	LEU	GLN	R2924	P2714	R2507	Q2346	M2189	L2049
L3856	GLY	S3553	CYS	GLY	VAL	E3196	P2714	L2509	Q2346	Y2190	A2066
F3863	GLY	S3554	GLY	GLY	VAL	H3200	K2721	M2510	R2358	L2191	L2069
F3864	PRO	R3559	THR	THR	ALA	L3205	R2726	R2511	N2377	T2192	Q2079
Q3865	VAL	E3575	THR	THR	ASP	R3206	F2727	R2511	N2377	K2206	D2087
N3869	LYS	R3578	LYS	ASP	LYS	V3215	M2755	A2563	ASP	H2218	L2090
R3870	TRP	R3579	TRP	TRP	GLN	E3217	L2728	T2571	ALA	M2222	R2091
R3873	ALA	R3582	ALA	ILE	VAL	R3218	R2729	L2572	ALA	K2230	A2092
G3874	ILE	R3585	ILE	GLN	SER	R3219	R2733	L2572	GLN	S2231	K2094
K3875	GLN	R3585	GLN	GLN	SER	R3220	E2749	L2572	ARG	W2234	V2103
L3876	ILE	R3585	ILE	ILE	VAL	R3221	G2749	L2572	LYS	L2241	R2105
H3877	VAL	R3585	VAL	VAL	VAL	R3222	M2755	L2572	GLY	E2245	R2107
F3883	ASP	R3585	ASP	ASP	LYS	R3223	R2755	L2572	GLY	P2256	E2114
A3884	MET	R3585	MET	MET	LYS	R3224	L2756	L2572	GLY	K2257	LYS
K3885	LEU	R3585	LEU	LEU	ASP	R3225	L2756	L2572	GLY	A2288	GLU
L3886	ASN	R3585	ASN	ASN	ASN	R3226	R2757	L2572	GLY	K2261	ARG
R3887	PRO	R3585	PRO	PHE	GLU	R3227	R2757	L2572	GLY	L2288	GLY
A3888	ARG	R3585	ARG	ILE	ALA	R3228	L2762	L2572	ALA	R2289	ALA
T3895	VAL	R3585	VAL	PRO	VAL	R3229	T2770	L2572	ALA	L2295	ASP
VAL	PRO	R3585	PRO	THR	ILE	R3230	E2775	L2572	ALA	R2298	GLY
G3897	LEU	R3585	LEU	THR	ILE	R3231	R2783	L2572	ALA	Q2299	ILE
D3902	ARG	R3585	ARG	VAL	ALA	R3232	S2795	L2572	ALA	F2303	K2128
A3903	ASN	R3585	ASN	PHE	ASN	R3233	P2796	L2572	ALA	D2304	P2132
E3904	GLY	R3585	GLY	SER	ALA	R3234	R2797	L2572	ALA	E2135	L2136
E3913	LYS	R3585	LYS	ALA	LYS	R3235	R2804	L2572	ALA	V2307	
I3914	LEU	R3585	LEU	GLU	SER	R3236	R2811	L2572	ALA		
V3915	LEU	R3585	LEU	GLU	ILE	R3237	L2821	L2572	ALA		
L3916	LEU	R3585	LEU	GLU	ILE	R3238	R2822	L2572	ALA		
S3917	LEU	R3585	LEU	GLU	ILE	R3239	R2823	L2572	ALA		
A3918	LEU	R3585	LEU	GLU	ILE	R3240	L2824	L2572	ALA		
G3919	LEU	R3585	LEU	GLU	ILE	R3241	R2831	L2572	ALA		
S3920	LEU	R3585	LEU	GLU	ILE	R3242	Q2834	L2572	ALA		
I3924	LEU	R3585	LEU	GLU	ILE	R3243	L2837	L2572	ALA		
V3936	LEU	R3585	LEU	GLU	ILE	R3244		L2572	ALA		
S3939	LEU	R3585	LEU	GLU	ILE	R3245		L2572	ALA		
C3940	LEU	R3585	LEU	GLU	ILE	R3246		L2572	ALA		
L3941	LEU	R3585	LEU	GLU	ILE	R3247		L2572	ALA		




• Molecule 2: Platelet-activating factor acetylhydrolase IB subunit beta



• Molecule 2: Platelet-activating factor acetylhydrolase IB subunit beta





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	23289	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	55	Depositor
Minimum defocus (nm)	610	Depositor
Maximum defocus (nm)	3250	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.838	Depositor
Minimum map value	-0.450	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.027	Depositor
Recommended contour level	0.131	Depositor
Map size (Å)	329.12, 329.12, 329.12	wwPDB
Map dimensions	352, 352, 352	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.935, 0.935, 0.935	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, ATP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.15	0/23288	0.35	0/31603
2	B	0.12	0/2560	0.33	0/3470
2	C	0.12	0/2560	0.34	0/3470
All	All	0.15	0/28408	0.35	0/38543

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	22816	0	22641	271	0
2	B	2494	0	2419	38	0
2	C	2494	0	2419	54	0
3	A	81	0	36	3	0
4	A	2	0	0	0	0
5	A	31	0	12	0	0
All	All	27918	0	27527	362	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 362 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3512:ALA:O	1:A:3516:TYR:HB2	1.90	0.71
1:A:3873:ARG:HH21	1:A:4025:LEU:HD12	1.58	0.69
1:A:3681:THR:HG22	1:A:3683:ASP:H	1.59	0.68
1:A:3818:LEU:HA	1:A:4346:MET:HE1	1.75	0.68
1:A:3885:MET:HG2	1:A:4343:MET:HE1	1.76	0.67

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	2864/4843 (59%)	2784 (97%)	80 (3%)	0	100	100
2	B	309/411 (75%)	293 (95%)	16 (5%)	0	100	100
2	C	309/411 (75%)	288 (93%)	21 (7%)	0	100	100
All	All	3482/5665 (62%)	3365 (97%)	117 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	2459/4279 (58%)	2458 (100%)	1 (0%)	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	280/364 (77%)	280 (100%)	0	100	100
2	C	280/364 (77%)	280 (100%)	0	100	100
All	All	3019/5007 (60%)	3018 (100%)	1 (0%)	100	100

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4492	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 37 such sidechains are listed below:

Mol	Chain	Res	Type
1	A	4389	HIS
2	B	402	GLN
1	A	4453	ASN
1	A	4573	ASN
1	A	3459	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ADP	A	4805	-	28,29,29	1.39	4 (14%)	43,45,45	1.91	8 (18%)
5	ATP	A	4803	4	32,33,33	0.45	0	48,52,52	0.41	0
3	ADP	A	4801	4	28,29,29	1.39	4 (14%)	43,45,45	1.81	7 (16%)
3	ADP	A	4806	-	28,29,29	1.39	5 (17%)	43,45,45	1.80	9 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	A	4805	-	-	1/16/32/32	0/3/3/3
5	ATP	A	4803	4	-	3/22/38/38	0/3/3/3
3	ADP	A	4801	4	-	3/16/32/32	0/3/3/3
3	ADP	A	4806	-	-	1/16/32/32	0/3/3/3

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	4805	ADP	C5-C4	4.71	1.47	1.39
3	A	4801	ADP	C5-C4	4.57	1.47	1.39
3	A	4806	ADP	C5-C4	4.57	1.47	1.39
3	A	4806	ADP	C5-C6	2.63	1.48	1.41
3	A	4801	ADP	C5-C6	2.58	1.48	1.41

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	4805	ADP	C5-C4-N3	-6.25	118.11	126.72
3	A	4801	ADP	C5-C4-N3	-5.77	118.77	126.72
3	A	4806	ADP	C5-C4-N3	-5.63	118.96	126.72
3	A	4805	ADP	N3-C4-N9	5.21	136.03	127.17
3	A	4801	ADP	N3-C4-N9	4.62	135.03	127.17

There are no chirality outliers.

5 of 8 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	A	4801	ADP	C5'-O5'-PA-O2A
3	A	4801	ADP	C5'-O5'-PA-O3A
3	A	4801	ADP	O4'-C4'-C5'-O5'
3	A	4805	ADP	C3'-C4'-C5'-O5'
5	A	4803	ATP	PG-O3B-PB-O2B


There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	4805	ADP	1	0
3	A	4801	ADP	1	0
3	A	4806	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-47370. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 176




Y Index: 176




Z Index: 176


6.2.2 Raw map



X Index: 176



Y Index: 176




Z Index: 176


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 175




Y Index: 200




Z Index: 141


6.3.2 Raw map



X Index: 175



Y Index: 170




Z Index: 144


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.131. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 172 nm³; this corresponds to an approximate mass of 156 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.323 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.22	8.44	4.33

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.22 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-47370 and PDB model 9E0T. Per-residue inclusion information can be found in section 3 on page 10.

9.1 Map-model overlay [i](#)


This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.131).

9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.131) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.7360	<div></div> 0.4590
A	<div></div> 0.7940	<div></div> 0.4800
B	<div></div> 0.2330	<div></div> 0.3020
C	<div></div> 0.7030	<div></div> 0.4240

