



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:18 PM UTC

PDB ID : 9E6U / pdb_00009e6u
Title : Crystal structure of human Taspase1 in complex with ligand SMDC1041556
Authors : Doamekpor, S.K.; Hamilton, K.; Choi, P.H.; Tong, L.
Deposited on : 2024-10-31
Resolution : 2.49 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7589 (2.50-2.46)
Clashscore	190562	8295 (2.50-2.46)
Ramachandran outliers	187476	8164 (2.50-2.46)
Sidechain outliers	187428	8166 (2.50-2.46)
RSRZ outliers	180081	7593 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	394	<div> <div>2%</div> <div>58%</div> <div>16%</div> <div>•</div> <div>24%</div> </div>
1	B	394	<div> <div>3%</div> <div>53%</div> <div>23%</div> <div>•</div> <div>22%</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4467 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Threonine aspartase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	301	Total	C	N	O	S	0	0	0
			2183	1356	392	416	19			
1	B	306	Total	C	N	O	S	0	0	0
			2218	1376	396	427	19			

There are 26 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	27	MET	-	expression tag	UNP Q9H6P5
A	28	GLY	-	expression tag	UNP Q9H6P5
A	29	SER	-	expression tag	UNP Q9H6P5
A	30	SER	-	expression tag	UNP Q9H6P5
A	31	HIS	-	expression tag	UNP Q9H6P5
A	32	HIS	-	expression tag	UNP Q9H6P5
A	33	HIS	-	expression tag	UNP Q9H6P5
A	34	HIS	-	expression tag	UNP Q9H6P5
A	35	HIS	-	expression tag	UNP Q9H6P5
A	36	HIS	-	expression tag	UNP Q9H6P5
A	37	SER	-	expression tag	UNP Q9H6P5
A	38	GLN	-	expression tag	UNP Q9H6P5
A	39	ASP	-	expression tag	UNP Q9H6P5
B	27	MET	-	expression tag	UNP Q9H6P5
B	28	GLY	-	expression tag	UNP Q9H6P5
B	29	SER	-	expression tag	UNP Q9H6P5
B	30	SER	-	expression tag	UNP Q9H6P5
B	31	HIS	-	expression tag	UNP Q9H6P5
B	32	HIS	-	expression tag	UNP Q9H6P5
B	33	HIS	-	expression tag	UNP Q9H6P5
B	34	HIS	-	expression tag	UNP Q9H6P5
B	35	HIS	-	expression tag	UNP Q9H6P5
B	36	HIS	-	expression tag	UNP Q9H6P5
B	37	SER	-	expression tag	UNP Q9H6P5
B	38	GLN	-	expression tag	UNP Q9H6P5

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	39	ASP	-	expression tag	UNP Q9H6P5

- Molecule 2 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Na 1 1	0	0
2	B	1	Total Na 1 1	0	0

- Molecule 3 is (2R)-4-(ethenylsulfonyl)-1-{[3-fluoro-4-(trifluoromethoxy)phenyl]methyl}-2-{[(1H-1,2,3-triazol-4-yl)methoxy]methyl}piperazine (CCD ID: U47) (formula: C₁₈H₂₁F₄N₅O₄S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C F N O S 32 18 4 5 4 1	0	0
3	B	1	Total C F N O S 32 18 4 5 4 1	0	0

- Molecule 1: Threonine aspartase 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.70Å 93.90Å 105.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	70.06 – 2.49 70.06 – 2.49	Depositor EDS
% Data completeness (in resolution range)	98.2 (70.06-2.49) 88.5 (70.06-2.49)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.53 (at 2.48Å)	Xtriage
Refinement program	PHENIX 1.12_2829	Depositor
R, R_{free}	0.197 , 0.275 0.207 , 0.285	Depositor DCC
R_{free} test set	2000 reflections (9.35%)	wwPDB-VP
Wilson B-factor (Å ²)	54.7	Xtriage
Anisotropy	0.644	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 52.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4467	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, U47

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.67	0/2218	0.73	0/2999
1	B	0.67	0/2253	0.72	0/3046
All	All	0.67	0/4471	0.72	0/6045

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2183	0	2153	47	1
1	B	2218	0	2182	73	1
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	32	0	0	0	0
3	B	32	0	0	1	0
All	All	4467	0	4335	115	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:382:MET:HE2	1:A:389:ALA:HB2	1.36	1.06
1:A:70:GLN:HG3	1:A:382:MET:HE1	1.50	0.93
1:A:109:LEU:O	1:A:109:LEU:HD23	1.76	0.84
1:B:103:MET:HE1	1:B:137:LYS:HG3	1.61	0.82
1:A:64:VAL:HG11	1:A:96:SER:HB2	1.69	0.74
1:A:64:VAL:HG12	1:A:67:ARG:NH2	2.02	0.74
1:A:368:PHE:C	1:A:369:LEU:HD12	2.13	0.73
1:B:385:GLN:HG2	1:B:415:LEU:HD22	1.73	0.71
1:B:145:ARG:NH2	1:B:177:HIS:O	2.23	0.70
1:B:386:ASP:OD2	1:B:388:LYS:HB3	1.92	0.70
1:B:400:ALA:HB1	1:B:405:SER:OG	1.94	0.68
1:A:62:LYS:HE3	1:A:391:THR:HG22	1.76	0.68
1:B:321:GLU:O	1:B:325:ASN:ND2	2.26	0.68
1:A:382:MET:CE	1:A:389:ALA:HB2	2.19	0.66
1:B:328:ILE:HD12	1:B:328:ILE:N	2.11	0.65
1:A:293:CYS:O	1:A:297:LEU:HD23	1.98	0.64
1:B:376:SER:HB3	1:B:395:ARG:NH1	2.14	0.62
1:B:270:GLY:O	1:B:301:ILE:HG22	2.00	0.62
1:A:346:LEU:HD12	1:A:346:LEU:C	2.25	0.61
1:B:62:LYS:NZ	1:B:62:LYS:HB3	2.17	0.60
1:A:145:ARG:HG3	1:A:179:ILE:HD11	1.83	0.59
1:B:53:HIS:CG	1:B:395:ARG:NH1	2.72	0.58
1:A:62:LYS:HB3	1:A:391:THR:HG21	1.87	0.57
1:A:160:ILE:O	1:B:299:ARG:NH2	2.37	0.57
1:A:317:GLN:O	1:A:321:GLU:HG3	2.07	0.55
1:A:382:MET:HE2	1:A:389:ALA:CB	2.25	0.55
1:B:368:PHE:C	1:B:369:LEU:HD12	2.32	0.54
1:B:44:VAL:HG23	1:B:239:VAL:HG22	1.87	0.54
1:A:262:ARG:HA	1:B:165:LEU:HD23	1.89	0.54
1:A:369:LEU:HD12	1:A:369:LEU:N	2.24	0.52
1:B:234:THR:HG23	1:B:252:SER:HB2	1.92	0.52
1:B:349:CYS:O	1:B:364:LEU:HD23	2.09	0.52
1:A:404:GLN:OE1	1:A:404:GLN:N	2.43	0.52
1:A:370:TRP:NE1	1:A:409:GLU:HG3	2.25	0.51
1:A:90:LEU:HD13	1:A:235:VAL:HG23	1.92	0.51
1:A:64:VAL:HG12	1:A:67:ARG:HH21	1.74	0.51
1:B:255:LEU:HD11	1:B:295:GLU:HA	1.93	0.50
1:B:327:PHE:O	1:B:339:VAL:HG23	2.11	0.50
1:A:160:ILE:HG22	1:B:299:ARG:HH22	1.77	0.49
1:A:288:VAL:HG22	1:A:345:VAL:HG22	1.94	0.49
1:B:395:ARG:HH11	1:B:395:ARG:HG2	1.77	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:338:GLY:HA3	1:B:403:GLY:O	2.13	0.49
1:A:103:MET:HE2	1:A:137:LYS:HE2	1.93	0.49
1:B:83:THR:HA	1:B:86:VAL:HG12	1.95	0.48
1:A:109:LEU:HD23	1:A:109:LEU:C	2.39	0.48
1:A:370:TRP:HB2	1:A:377:MET:CE	2.43	0.48
1:B:388:LYS:HG3	1:B:390:LYS:HZ2	1.78	0.48
1:A:124:SER:C	1:A:125:LEU:HD22	2.39	0.48
1:A:381:TYR:CZ	1:A:390:LYS:HB3	2.48	0.48
1:B:126:ASN:HD22	1:B:151:GLN:HG2	1.79	0.48
1:A:276:GLU:OE1	1:A:282:ASN:ND2	2.46	0.48
1:A:120:MET:HE2	1:A:275:ALA:O	2.14	0.48
1:B:393:ILE:O	1:B:393:ILE:HG22	2.14	0.47
1:B:259:HIS:CG	1:B:260:PRO:HD2	2.50	0.47
1:A:87:THR:O	1:A:91:VAL:HG23	2.15	0.47
1:B:348:SER:HA	1:B:365:LEU:O	2.14	0.47
1:B:365:LEU:HD13	1:B:414:ARG:HG2	1.97	0.47
1:B:327:PHE:HE2	1:B:341:GLY:HA3	1.80	0.47
1:A:62:LYS:CE	1:A:391:THR:HG22	2.45	0.47
1:B:70:GLN:O	1:B:74:GLU:HG3	2.16	0.46
1:A:137:LYS:N	1:A:182:CYS:HB3	2.30	0.46
1:B:270:GLY:C	1:B:301:ILE:HG22	2.40	0.46
1:B:62:LYS:O	1:B:391:THR:HG21	2.16	0.46
1:A:339:VAL:O	1:A:339:VAL:HG23	2.15	0.46
1:B:296:HIS:NE2	1:B:337:ASP:O	2.49	0.46
1:B:325:ASN:HA	1:B:329:SER:HB3	1.98	0.46
1:B:243:GLU:HA	1:B:350:ARG:NH2	2.31	0.45
1:B:149:GLU:HA	1:B:149:GLU:OE1	2.16	0.45
1:A:339:VAL:O	1:A:339:VAL:CG2	2.65	0.45
1:B:320:LEU:HD13	1:B:408:ILE:HG21	1.99	0.45
1:B:401:VAL:CG1	1:B:404:GLN:OE1	2.65	0.45
1:A:64:VAL:CG1	1:A:96:SER:HB2	2.44	0.45
1:B:330:SER:HB2	1:B:331:PRO:HD3	1.98	0.45
1:B:44:VAL:HG13	1:B:44:VAL:O	2.17	0.44
1:B:130:VAL:HA	1:B:165:LEU:O	2.17	0.44
1:B:365:LEU:CD1	1:B:414:ARG:HG2	2.48	0.44
1:A:160:ILE:N	1:A:161:PRO:CD	2.80	0.44
1:A:137:LYS:CA	1:A:182:CYS:HB3	2.48	0.44
1:B:331:PRO:HG2	1:B:339:VAL:HG23	1.98	0.44
1:B:100:ASN:HD22	3:B:502:U47:C29	2.30	0.43
1:B:259:HIS:ND1	1:B:260:PRO:HD2	2.33	0.43
1:B:62:LYS:HG3	1:B:393:ILE:CD1	2.47	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:SER:HB2	1:A:113:ILE:HG23	2.01	0.43
1:B:62:LYS:HD2	1:B:393:ILE:HD13	2.00	0.43
1:A:268:LEU:HD21	1:B:164:PHE:CE2	2.53	0.43
1:B:63:HIS:NE2	1:B:67:ARG:HD2	2.34	0.43
1:B:285:SER:O	1:B:347:ARG:HA	2.18	0.43
1:B:67:ARG:O	1:B:71:LYS:HG2	2.18	0.43
1:B:416:GLU:N	1:B:416:GLU:CD	2.77	0.43
1:A:72:ALA:O	1:A:76:LEU:HD12	2.18	0.43
1:B:328:ILE:HD12	1:B:328:ILE:H	1.80	0.43
1:B:412:VAL:HG23	1:B:413:CYS:N	2.34	0.43
1:B:130:VAL:HG11	1:B:142:VAL:HB	2.01	0.43
1:B:145:ARG:NH1	1:B:177:HIS:HB3	2.34	0.43
1:B:385:GLN:HA	1:B:385:GLN:OE1	2.18	0.43
1:A:145:ARG:NH1	1:A:177:HIS:O	2.52	0.42
1:A:282:ASN:HA	1:A:311:GLN:OE1	2.19	0.42
1:B:53:HIS:HB2	1:B:395:ARG:HH12	1.84	0.42
1:B:241:ASP:OD2	1:B:245:ASN:HB2	2.19	0.42
1:B:375:GLU:HA	1:B:396:LEU:HD12	2.01	0.42
1:A:91:VAL:HG13	1:A:138:ASN:CG	2.44	0.42
1:B:90:LEU:HB3	1:B:140:VAL:HG11	2.02	0.42
1:A:301:ILE:HD12	1:B:304:ARG:NE	2.35	0.42
1:B:55:GLU:O	1:B:56:SER:C	2.63	0.42
1:B:127:PHE:CZ	1:B:129:ALA:HB2	2.54	0.42
1:B:375:GLU:O	1:B:376:SER:HB3	2.20	0.42
1:B:59:LYS:HZ2	1:B:62:LYS:HE3	1.85	0.42
1:B:306:CYS:O	1:B:310:LEU:HG	2.20	0.42
1:B:53:HIS:HB2	1:B:395:ARG:NH1	2.35	0.42
1:B:62:LYS:HB3	1:B:62:LYS:HZ3	1.85	0.42
1:A:259:HIS:ND1	1:A:260:PRO:HD2	2.35	0.41
1:B:54:SER:O	1:B:58:ALA:N	2.53	0.41
1:B:346:LEU:C	1:B:346:LEU:HD12	2.46	0.41
1:B:126:ASN:HD22	1:B:151:GLN:CG	2.33	0.41
1:A:323:MET:O	1:A:327:PHE:HB3	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:HIS:ND1	1:B:313:GLU:OE1[1_455]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	291/394 (74%)	277 (95%)	13 (4%)	1 (0%)	36	53
1	B	296/394 (75%)	279 (94%)	17 (6%)	0	100	100
All	All	587/788 (74%)	556 (95%)	30 (5%)	1 (0%)	43	61

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	150	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	227/310 (73%)	205 (90%)	22 (10%)	8	15
1	B	231/310 (74%)	221 (96%)	10 (4%)	26	48
All	All	458/620 (74%)	426 (93%)	32 (7%)	14	27

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	46	VAL
1	A	113	ILE
1	A	145	ARG
1	A	160	ILE
1	A	166	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	179	ILE
1	A	181	SER
1	A	182	CYS
1	A	298	VAL
1	A	319	LEU
1	A	327	PHE
1	A	329	SER
1	A	339	VAL
1	A	347	ARG
1	A	364	LEU
1	A	366	VAL
1	A	369	LEU
1	A	388	LYS
1	A	393	ILE
1	A	405	SER
1	A	409	GLU
1	A	412	VAL
1	B	160	ILE
1	B	175	VAL
1	B	265	GLN
1	B	297	LEU
1	B	301	ILE
1	B	364	LEU
1	B	365	LEU
1	B	388	LYS
1	B	393	ILE
1	B	412	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	HIS
1	A	144	ASN
1	B	151	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	U47	A	502	1	34,34,34	2.85	14 (41%)	39,49,49	3.17	12 (30%)
3	U47	B	502	-	34,34,34	2.71	12 (35%)	39,49,49	2.33	15 (38%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	U47	A	502	1	-	8/23/37/37	0/3/3/3
3	U47	B	502	-	-	7/23/37/37	0/3/3/3

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	U47	S28-N01	8.11	1.75	1.63
3	A	502	U47	C19-N01	-8.00	1.39	1.47
3	A	502	U47	S28-N01	7.01	1.73	1.63
3	B	502	U47	C19-N01	-5.98	1.41	1.47
3	B	502	U47	C29-S28	5.74	1.84	1.74
3	A	502	U47	C22-C23	5.53	1.59	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	U47	O31-S28	4.61	1.49	1.43
3	B	502	U47	C22-C23	4.34	1.57	1.49
3	A	502	U47	C20-C03	-4.17	1.42	1.52
3	A	502	U47	N27-N26	3.84	1.39	1.32
3	B	502	U47	C30-C29	3.64	1.46	1.29
3	B	502	U47	C20-C03	-3.53	1.43	1.52
3	A	502	U47	C30-C29	3.46	1.45	1.29
3	B	502	U47	O31-S28	3.28	1.47	1.43
3	A	502	U47	O13-C14	3.10	1.47	1.31
3	B	502	U47	N27-N26	2.95	1.37	1.32
3	B	502	U47	C05-C06	2.90	1.56	1.51
3	A	502	U47	C09-C10	2.54	1.43	1.38
3	A	502	U47	O32-S28	-2.50	1.40	1.43
3	A	502	U47	C05-C06	2.37	1.55	1.51
3	A	502	U47	C02-C03	-2.30	1.48	1.52
3	A	502	U47	C08-C09	2.30	1.44	1.39
3	B	502	U47	C11-C10	2.20	1.41	1.37
3	B	502	U47	O13-C14	2.09	1.42	1.31
3	A	502	U47	C23-N27	-2.08	1.32	1.36
3	B	502	U47	C23-N27	-2.05	1.32	1.36

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	502	U47	O13-C09-C10	12.93	125.82	116.29
3	A	502	U47	F12-C10-C09	6.78	127.70	118.01
3	B	502	U47	C02-N01-S28	5.47	127.04	117.17
3	A	502	U47	O32-S28-N01	5.44	111.81	106.69
3	B	502	U47	C29-S28-N01	5.42	123.54	106.09
3	A	502	U47	C02-N01-S28	5.38	126.88	117.17
3	A	502	U47	C06-C05-N04	-4.98	104.64	112.73
3	A	502	U47	O31-S28-N01	4.71	111.12	106.69
3	B	502	U47	C03-C02-N01	4.39	117.88	110.16
3	A	502	U47	F12-C10-C11	-3.97	110.69	118.64
3	B	502	U47	C06-C05-N04	-3.91	106.38	112.73
3	B	502	U47	O31-S28-N01	-3.77	103.14	106.69
3	B	502	U47	O13-C09-C10	3.54	118.90	116.29
3	A	502	U47	C29-S28-N01	3.52	117.44	106.09
3	B	502	U47	C05-N04-C03	-3.49	106.89	112.18
3	B	502	U47	F12-C10-C09	3.19	122.57	118.01
3	B	502	U47	C22-C23-C24	-2.91	125.20	130.22
3	B	502	U47	C18-C19-N01	2.89	112.04	108.97

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	U47	C11-C10-C09	-2.70	119.21	122.86
3	B	502	U47	O32-S28-N01	-2.69	104.15	106.69
3	A	502	U47	C22-O21-C20	2.38	118.46	113.76
3	A	502	U47	C18-C19-N01	2.24	111.35	108.97
3	B	502	U47	C22-C23-N27	2.19	125.11	121.49
3	A	502	U47	C24-C23-N27	-2.15	105.50	108.11
3	A	502	U47	C05-N04-C03	-2.10	109.00	112.18
3	B	502	U47	F15-C14-O13	-2.01	103.03	111.74
3	B	502	U47	C14-O13-C09	2.00	123.73	118.42

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	U47	C02-C03-C20-O21
3	A	502	U47	N04-C03-C20-O21
3	A	502	U47	C23-C22-O21-C20
3	A	502	U47	F15-C14-O13-C09
3	A	502	U47	C30-C29-S28-O31
3	B	502	U47	C02-N01-S28-C29
3	B	502	U47	C02-N01-S28-O32
3	B	502	U47	C19-N01-S28-C29
3	B	502	U47	C19-N01-S28-O32
3	A	502	U47	F17-C14-O13-C09
3	A	502	U47	F16-C14-O13-C09
3	A	502	U47	C03-C20-O21-C22
3	B	502	U47	C30-C29-S28-O31
3	B	502	U47	C30-C29-S28-O32
3	B	502	U47	C23-C22-O21-C20


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	502	U47	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	301/394 (76%)	0.33	6 (1%) 65 62	45, 69, 102, 114	0
1	B	306/394 (77%)	0.34	12 (3%) 43 39	47, 69, 98, 112	0
All	All	607/788 (77%)	0.33	18 (2%) 52 49	45, 69, 100, 114	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	161	PRO	3.5
1	A	160	ILE	3.2
1	B	334	ALA	3.1
1	B	310	LEU	2.9
1	B	160	ILE	2.9
1	B	320	LEU	2.8
1	B	41	GLY	2.5
1	B	281	HIS	2.5
1	A	150	GLY	2.4
1	A	338	GLY	2.4
1	A	330	SER	2.2
1	B	319	LEU	2.1
1	A	351	CYS	2.1
1	B	351	CYS	2.1
1	B	283	PRO	2.1
1	B	362	GLN	2.1
1	B	299	ARG	2.1
1	B	416	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	U47	B	502	32/32	0.81	0.15	67,72,83,85	32
3	U47	A	502	32/32	0.85	0.14	66,72,80,82	32
2	NA	A	501	1/1	0.97	0.04	63,63,63,63	0
2	NA	B	501	1/1	0.97	0.05	61,61,61,61	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around U47 B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around U47 A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.