



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:30 AM UTC

PDB ID : 9EMF / pdb_00009emf
Title : KOD-H4 DNA polymerase mutant in a binary complex with DNA:DNA containing one HNA nucleotide
Authors : Gutfreund, C.; Betz, K.
Deposited on : 2024-03-08
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	774	 66% 31% .
2	P	13	 38% 62%
3	T	16	 31% 56% 6% 6%

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 6811 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	756	Total	C	N	O	S	0	0	0
			6200	3988	1054	1141	17			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	93	GLN	VAL	conflict	UNP D0VWU9
A	114	THR	ILE	conflict	UNP D0VWU9
A	141	ALA	ASP	conflict	UNP D0VWU9
A	143	ALA	GLU	conflict	UNP D0VWU9
A	147	HIS	GLU	conflict	UNP D0VWU9
A	383	LYS	SER	conflict	UNP D0VWU9
A	429	GLY	LYS	conflict	UNP D0VWU9
A	445	LEU	PHE	conflict	UNP D0VWU9
A	485	LEU	ALA	conflict	UNP D0VWU9
A	493	VAL	TYR	conflict	UNP D0VWU9
A	496	HIS	TYR	conflict	UNP D0VWU9
A	497	MET	TYR	conflict	UNP D0VWU9
A	499	PHE	TYR	conflict	UNP D0VWU9
A	500	GLU	ALA	conflict	UNP D0VWU9
A	501	ASN	ARG	conflict	UNP D0VWU9
A	521	LEU	ILE	conflict	UNP D0VWU9
A	584	LYS	GLU	conflict	UNP D0VWU9
A	664	LYS	GLU	conflict	UNP D0VWU9
A	726	ARG	LYS	conflict	UNP D0VWU9
A	735	LYS	ASN	conflict	UNP D0VWU9

- Molecule 2 is a DNA chain called DNA (5'-D(*GP*AP*CP*CP*AP*CP*GP*GP*CP*CP*AP*CP*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	13	Total	C	N	O	P	0	0	0
			261	124	53	72	12			

- Molecule 3 is a DNA chain called DNA (5'-D(P*AP*CP*(6HT)P*GP*TP*GP*GP*CP*CP*GP*TP*GP*GP*TP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	T	15	Total	C	N	O	P	0	0	0
			309	147	55	92	15			


- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	5	Total	Mg	0	0
			5	5		

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Na	0	0
			1	1		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	P	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is (2S)-2-hydroxy-3-(morpholin-4-yl)propane-1-sulfonic acid (CCD ID: 6BX) (formula: C₇H₁₅NO₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	A	1	Total	C	N	O	S	0	0
			14	7	1	5	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	7	Total	O	0	0
			7	7		
8	T	2	Total	O	0	0
			2	2		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA polymerase



- Molecule 2: DNA (5'-D(*GP*AP*CP*CP*AP*CP*GP*GP*CP*CP*AP*CP*A)-3')



- Molecule 3: DNA (5'-D(P*AP*CP*(6HT)P*GP*TP*GP*GP*CP*CP*GP*TP*GP*GP*TP*C)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	111.09Å 148.60Å 66.64Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.30 – 3.00 45.30 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.7 (45.30-3.00) 99.9 (45.30-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.60 (at 3.01Å)	Xtriage
Refinement program	PHENIX 1.21.2_5419	Depositor
R, R_{free}	0.234 , 0.270 0.234 , 0.271	Depositor DCC
R_{free} test set	1467 reflections (4.75%)	wwPDB-VP
Wilson B-factor (Å ²)	78.1	Xtriage
Anisotropy	0.693	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 33.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6811	wwPDB-VP
Average B, all atoms (Å ²)	93.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 6BX, MG, NA, GOL, 6HT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.13	0/6336	0.31	0/8544
2	P	0.18	0/293	0.32	0/449
3	T	0.17	0/322	0.37	0/493
All	All	0.14	0/6951	0.31	0/9486

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6200	0	6258	167	0
2	P	261	0	145	8	0
3	T	309	0	172	11	0
4	A	5	0	0	0	0
5	A	1	0	0	0	0
6	A	6	0	8	0	0
6	P	6	0	8	0	0
7	A	14	0	0	0	0
8	A	7	0	0	0	0
8	T	2	0	0	0	0
All	All	6811	0	6591	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:500:GLU:OE1	3:T:2:DA:N6	2.14	0.79
1:A:600:GLU:OE1	1:A:602:LYS:HD3	1.84	0.77
1:A:398:GLU:HG3	1:A:585:ARG:HG2	1.66	0.77
1:A:419:SER:HB3	1:A:450:PRO:HD3	1.69	0.74
1:A:205:VAL:HG12	1:A:256:ILE:HB	1.70	0.72
1:A:275:LEU:HD21	1:A:318:VAL:HG21	1.72	0.69
1:A:670:LEU:HA	1:A:673:TYR:HD1	1.58	0.69
1:A:668:ARG:HH22	2:P:8:DG:H3'	1.58	0.67
1:A:548:ILE:HB	1:A:551:ALA:HB2	1.76	0.66
1:A:591:LYS:HD3	3:T:7:DG:H5''	1.78	0.65
1:A:264:ILE:HD13	1:A:278:VAL:HG11	1.80	0.63
1:A:393:GLU:HB2	1:A:537:ILE:HG23	1.81	0.63
1:A:463:ILE:HG23	1:A:479:LEU:HD12	1.81	0.63
1:A:464:LYS:HA	1:A:467:MET:HE3	1.81	0.62
1:A:129:MET:HE3	1:A:341:LEU:HB2	1.80	0.62
1:A:598:ASP:OD1	1:A:602:LYS:N	2.31	0.61
1:A:137:MET:HB2	1:A:320:TYR:HE1	1.66	0.61
1:A:109:ILE:O	1:A:370:ASN:ND2	2.31	0.61
1:A:433:VAL:HG22	1:A:440:ARG:HG2	1.85	0.59
1:A:668:ARG:NH2	2:P:9:DC:OP2	2.35	0.59
1:A:349:THR:HA	1:A:352:LEU:HD12	1.85	0.59
1:A:63:VAL:HB	1:A:96:ILE:HD11	1.85	0.59
1:A:428:CYS:HB2	1:A:431:TYR:CZ	2.38	0.59
1:A:584:LYS:HG3	1:A:585:ARG:HG3	1.84	0.58
1:A:23:ASN:N	1:A:133:GLU:OE2	2.37	0.58
1:A:412:ILE:HG12	1:A:575:LEU:HD21	1.85	0.58
1:A:10:GLU:OE1	1:A:32:ARG:NH1	2.37	0.57
1:A:93:GLN:HG2	1:A:94:PRO:HD3	1.87	0.57
1:A:295:ILE:HG12	1:A:308:VAL:HG13	1.87	0.56
1:A:525:ILE:HD12	1:A:536:VAL:HG11	1.88	0.56
1:A:421:ASP:O	1:A:425:ARG:NH1	2.40	0.55
1:A:145:LEU:HB2	1:A:158:LEU:HD11	1.88	0.54
1:A:594:TYR:OH	2:P:13:DA:OP1	2.26	0.54
1:A:153:ALA:HA	1:A:218:TYR:CZ	2.41	0.54
1:A:670:LEU:HA	1:A:673:TYR:CD1	2.41	0.54
1:A:3:LEU:HD22	1:A:256:ILE:HD11	1.90	0.54
1:A:375:LYS:HD3	1:A:375:LYS:H	1.71	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:T:10:DC:H2"	3:T:11:DG:C8	2.42	0.54
1:A:380:ARG:NH1	1:A:500:GLU:O	2.40	0.54
1:A:111:GLU:OE1	1:A:119:ARG:NH1	2.37	0.53
1:A:423:LEU:HD21	1:A:439:HIS:HB3	1.90	0.53
1:A:137:MET:HE3	1:A:324:LYS:HG2	1.91	0.53
1:A:432:ASP:CG	1:A:443:LYS:HD2	2.34	0.53
1:A:637:GLU:H	1:A:637:GLU:CD	2.17	0.53
1:A:473:PRO:HA	1:A:476:ARG:HD2	1.91	0.53
1:A:687:ALA:HA	1:A:691:VAL:O	2.09	0.52
1:A:484:ARG:O	1:A:488:ILE:HG12	2.10	0.52
1:A:716:PRO:HB2	1:A:718:ASP:OD1	2.10	0.52
1:A:357:LEU:HB3	1:A:504:TRP:CZ3	2.45	0.51
1:A:739:PRO:O	1:A:743:ARG:NE	2.43	0.51
1:A:668:ARG:NH2	2:P:8:DG:H3'	2.25	0.51
1:A:742:GLU:HG3	1:A:752:LYS:HG3	1.93	0.51
1:A:56:ALA:HB3	1:A:63:VAL:HG23	1.93	0.51
1:A:612:ARG:HD2	2:P:11:DA:H5'	1.91	0.51
1:A:372:PRO:HG3	1:A:501:ASN:HA	1.92	0.51
1:A:265:ARG:HG3	1:A:273:TYR:HE2	1.76	0.51
1:A:499:PHE:HA	3:T:4:6HT:H5"	1.93	0.51
1:A:275:LEU:HD21	1:A:318:VAL:CG2	2.38	0.51
1:A:489:LEU:O	1:A:493:VAL:HG23	2.10	0.51
1:A:506:CYS:SG	1:A:509:CYS:N	2.77	0.51
1:A:314:GLU:O	1:A:318:VAL:HG22	2.11	0.50
1:A:592:LYS:O	1:A:607:GLY:HA3	2.10	0.50
1:A:49:GLU:O	1:A:53:LYS:HG2	2.11	0.50
1:A:474:ILE:O	1:A:478:LEU:HG	2.12	0.49
1:A:496:HIS:CE1	1:A:502:ALA:HB1	2.47	0.49
1:A:232:LEU:O	1:A:255:ARG:NH1	2.46	0.49
1:A:91:GLN:C	1:A:94:PRO:HD2	2.38	0.49
2:P:6:DC:H2"	2:P:7:DG:N7	2.28	0.49
1:A:48:ILE:O	1:A:52:LYS:HG3	2.13	0.49
1:A:1:MET:HE3	1:A:133:GLU:HB2	1.95	0.48
1:A:552:ASP:O	1:A:556:VAL:HG23	2.12	0.48
1:A:356:PHE:CZ	1:A:360:LYS:HE3	2.47	0.48
1:A:557:LYS:O	1:A:561:MET:HG2	2.12	0.48
1:A:447:GLY:C	1:A:450:PRO:HD2	2.38	0.48
1:A:621:GLU:O	1:A:625:ARG:HG3	2.14	0.48
1:A:733:ILE:O	1:A:738:LEU:HB2	2.14	0.48
1:A:71:VAL:HG23	1:A:82:VAL:HG13	1.95	0.48
1:A:265:ARG:HG3	1:A:273:TYR:CE2	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:412:ILE:HD13	1:A:516:TRP:HB3	1.96	0.48
1:A:448:PHE:O	1:A:452:LEU:HG	2.14	0.48
1:A:660:LEU:HD23	1:A:732:TYR:CD2	2.48	0.48
1:A:57:GLU:OE1	1:A:58:ARG:N	2.46	0.48
1:A:448:PHE:CZ	1:A:452:LEU:HD11	2.49	0.48
1:A:95:ALA:C	1:A:97:ARG:H	2.22	0.47
1:A:118:LYS:HG3	1:A:339:GLN:OE1	2.15	0.47
1:A:209:TYR:HD2	1:A:275:LEU:HD12	1.79	0.47
1:A:521:LEU:O	1:A:525:ILE:HG12	2.14	0.47
1:A:593:LYS:HB3	1:A:608:LEU:HD23	1.96	0.47
1:A:100:ILE:O	1:A:106:VAL:HG21	2.14	0.47
1:A:209:TYR:HE1	1:A:261:TYR:HA	1.79	0.47
3:T:11:DG:H1'	3:T:12:DT:H5'	1.97	0.47
1:A:260:LEU:HD21	1:A:323:GLY:HA2	1.96	0.47
3:T:13:DG:H2''	3:T:14:DG:C8	2.50	0.47
1:A:195:LEU:HD11	1:A:230:PHE:CD1	2.50	0.46
1:A:630:LEU:HD22	1:A:636:VAL:HG22	1.97	0.46
1:A:360:LYS:O	1:A:364:ARG:HG2	2.16	0.46
1:A:202:ASP:HA	1:A:255:ARG:HH21	1.79	0.46
1:A:394:ARG:NE	1:A:589:VAL:O	2.48	0.46
1:A:457:LEU:O	1:A:461:GLN:HG2	2.16	0.46
1:A:422:THR:O	1:A:441:PHE:HA	2.16	0.46
1:A:525:ILE:HG23	1:A:536:VAL:HG21	1.99	0.45
1:A:670:LEU:H	1:A:670:LEU:HD12	1.81	0.45
1:A:203:PRO:HD2	1:A:255:ARG:HH21	1.82	0.45
1:A:240:LYS:NZ	1:A:251:GLU:OE1	2.44	0.45
1:A:605:THR:HG21	1:A:610:ILE:HD12	1.98	0.45
1:A:609:GLU:HA	1:A:612:ARG:HG3	1.98	0.45
1:A:35:GLU:CD	1:A:67:ARG:HH21	2.25	0.45
1:A:372:PRO:HB2	1:A:377:LEU:HG	1.98	0.45
1:A:405:PHE:CE1	1:A:577:LEU:HD12	2.52	0.45
1:A:423:LEU:HD23	1:A:441:PHE:CE1	2.52	0.45
1:A:692:LYS:HG2	1:A:694:ARG:HG2	1.98	0.45
1:A:706:GLY:HA3	1:A:713:ARG:HD2	1.98	0.45
1:A:173:TRP:CD1	1:A:173:TRP:H	2.34	0.45
1:A:499:PHE:HD1	1:A:500:GLU:N	2.16	0.44
1:A:708:GLY:O	1:A:713:ARG:NH1	2.47	0.44
1:A:743:ARG:NH2	3:T:10:DC:OP1	2.50	0.44
1:A:103:HIS:CG	1:A:104:PRO:HD2	2.53	0.44
1:A:683:ALA:HB1	1:A:693:ILE:HG21	1.98	0.44
1:A:415:THR:O	1:A:443:LYS:NZ	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:T:4:6HT:H6	3:T:4:6HT:H2''	1.69	0.44
3:T:10:DC:H2''	3:T:11:DG:N7	2.33	0.44
1:A:753:GLU:H	1:A:753:GLU:CD	2.25	0.44
1:A:171:ILE:HG22	1:A:190:MET:HG3	1.99	0.44
1:A:195:LEU:HD21	1:A:230:PHE:HA	2.00	0.43
1:A:4:ASP:HB3	1:A:19:PHE:HD2	1.83	0.43
1:A:123:ASP:HA	1:A:362:TYR:CE2	2.53	0.43
1:A:507:LYS:O	1:A:511:GLU:HG2	2.17	0.43
1:A:349:THR:O	1:A:353:VAL:HG13	2.19	0.43
1:A:330:GLU:HG2	1:A:345:SER:HB3	2.01	0.43
1:A:47:ALA:O	1:A:51:VAL:HG23	2.19	0.43
1:A:110:TYR:HA	1:A:370:ASN:OD1	2.19	0.43
1:A:608:LEU:O	1:A:611:VAL:HG22	2.19	0.43
1:A:686:LEU:HD11	1:A:716:PRO:HG2	2.00	0.43
2:P:5:DA:H1'	2:P:6:DC:H5'	2.00	0.43
1:A:270:LEU:HB2	1:A:273:TYR:CE1	2.54	0.43
1:A:704:LEU:HA	1:A:727:TYR:HA	2.00	0.43
1:A:610:ILE:HG12	1:A:623:GLN:HB3	2.01	0.42
1:A:261:TYR:HB3	1:A:262:PRO:HD3	2.00	0.42
1:A:525:ILE:HG23	1:A:536:VAL:HG11	2.02	0.42
2:P:4:DC:H2''	2:P:5:DA:C8	2.55	0.42
1:A:475:GLU:O	1:A:479:LEU:HD23	2.18	0.42
1:A:121:LEU:O	1:A:359:ARG:NH2	2.52	0.42
1:A:143:ALA:O	1:A:158:LEU:N	2.46	0.42
1:A:269:ASN:HA	1:A:273:TYR:OH	2.19	0.42
1:A:120:TYR:O	1:A:124:LYS:HB2	2.19	0.42
1:A:535:LYS:HA	1:A:535:LYS:HD2	1.82	0.42
1:A:95:ALA:O	1:A:97:ARG:N	2.50	0.42
1:A:529:GLU:HA	1:A:534:PHE:H	1.84	0.42
1:A:122:ILE:HG23	1:A:359:ARG:HA	2.01	0.42
1:A:246:ASP:OD1	1:A:246:ASP:N	2.53	0.42
1:A:523:MET:SD	1:A:567:ILE:HD11	2.59	0.42
3:T:9:DC:H2'	3:T:10:DC:C6	2.54	0.42
1:A:99:LYS:HD3	1:A:99:LYS:HA	1.89	0.41
1:A:162:TYR:CZ	1:A:169:ARG:HB2	2.55	0.41
3:T:3:DC:H6	3:T:3:DC:H2'	1.61	0.41
1:A:124:LYS:HB3	1:A:126:LEU:HG	2.02	0.41
1:A:461:GLN:O	1:A:465:LYS:HG3	2.20	0.41
1:A:529:GLU:CD	1:A:536:VAL:HG22	2.45	0.41
1:A:626:VAL:O	1:A:630:LEU:HG	2.20	0.41
1:A:333:LEU:O	1:A:337:ILE:HG12	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:369:PRO:O	1:A:503:ARG:NE	2.52	0.41
1:A:270:LEU:HB2	1:A:273:TYR:HE1	1.86	0.41
1:A:480:ASP:O	1:A:483:GLN:HG3	2.21	0.41
1:A:614:ASP:OD1	1:A:614:ASP:N	2.42	0.41
1:A:115:PRO:HB2	1:A:118:LYS:HB2	2.03	0.41
1:A:392:PRO:HG3	1:A:590:THR:C	2.45	0.41
1:A:554:GLU:O	1:A:558:LYS:HG2	2.21	0.41
1:A:390:LYS:NZ	1:A:536:VAL:HG23	2.35	0.41
1:A:136:LYS:NZ	1:A:201:LYS:O	2.54	0.40
1:A:218:TYR:O	1:A:222:ARG:HG2	2.20	0.40
1:A:408:LEU:O	1:A:412:ILE:HG13	2.21	0.40
1:A:14:PRO:HG3	1:A:90:PRO:HD3	2.03	0.40
1:A:158:LEU:HG	1:A:299:TRP:CD2	2.56	0.40
1:A:496:HIS:NE2	1:A:502:ALA:HB1	2.36	0.40
1:A:586:GLY:HA3	1:A:596:VAL:HG12	2.03	0.40
1:A:500:GLU:HG2	1:A:501:ASN:N	2.36	0.40
1:A:73:LYS:HA	1:A:365:ASN:ND2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	754/774 (97%)	722 (96%)	30 (4%)	2 (0%)	36 70

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	713	ARG
1	A	96	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	658/673 (98%)	658 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	93	GLN
1	A	382	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	6HT	T	4	2,3	19,21,23	3.73	12 (63%)	24,29,34	2.07	7 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	6HT	T	4	2,3	-	3/7/21/23	1/2/2/2

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	T	4	6HT	C6-C5	8.61	1.48	1.34
3	T	4	6HT	C2-N3	6.90	1.50	1.38
3	T	4	6HT	C6-N1	5.36	1.47	1.38
3	T	4	6HT	C2-N1	4.09	1.44	1.38
3	T	4	6HT	C3'-C4'	4.04	1.59	1.52
3	T	4	6HT	C2'-C3'	-3.95	1.45	1.52
3	T	4	6HT	C4-N3	3.70	1.45	1.38
3	T	4	6HT	C6'-C1'	3.60	1.57	1.51
3	T	4	6HT	C2'-C1'	-3.50	1.46	1.53
3	T	4	6HT	O2-C2	-3.07	1.17	1.23
3	T	4	6HT	C1'-N1	2.26	1.51	1.48
3	T	4	6HT	C5M-C5	2.12	1.55	1.50

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	T	4	6HT	O4-C4-C5	-4.97	119.24	124.92
3	T	4	6HT	C5-C4-N3	4.36	119.12	115.32
3	T	4	6HT	C4-N3-C2	-3.80	122.36	127.34
3	T	4	6HT	C1'-N1-C2	3.01	120.86	117.13
3	T	4	6HT	N3-C2-N1	2.53	118.19	114.89
3	T	4	6HT	O2-C2-N1	-2.18	119.95	122.80
3	T	4	6HT	C5'-C4'-C3'	-2.16	110.41	113.74

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	T	4	6HT	O4'-C4'-C5'-O5'
3	T	4	6HT	C3'-C4'-C5'-O5'
3	T	4	6HT	C4'-C5'-O5'-P

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	T	4	6HT	C1'-C2'-C3'-C4'-C6'-O4'

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	T	4	6HT	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 6 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	GOL	P	101	-	5,5,5	0.34	0	5,5,5	0.49	0
6	GOL	A	807	-	5,5,5	0.36	0	5,5,5	0.40	0
7	6BX	A	808	-	13,14,14	0.66	0	17,19,19	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	P	101	-	-	0/4/4/4	-
6	GOL	A	807	-	-	0/4/4/4	-
7	6BX	A	808	-	-	0/9/17/17	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	756/774 (97%)	-0.36	4 (0%) 87 72	57, 87, 127, 166	0
2	P	13/13 (100%)	-0.45	0 100 100	90, 110, 132, 138	0
3	T	14/16 (87%)	-0.14	0 100 100	93, 102, 137, 181	0
All	All	783/803 (97%)	-0.35	4 (0%) 87 72	57, 88, 129, 181	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	662	ILE	3.4
1	A	614	ASP	3.1
1	A	703	VAL	2.4
1	A	403	LEU	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	6HT	T	4	20/22	0.82	0.12	100,110,127,148	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	GOL	P	101	6/6	0.30	0.18	96,105,115,119	0
7	6BX	A	808	14/14	0.79	0.18	107,120,131,136	0
4	MG	A	803	1/1	0.82	0.06	98,98,98,98	0
4	MG	A	802	1/1	0.87	0.07	90,90,90,90	0
5	NA	A	806	1/1	0.88	0.12	71,71,71,71	0
4	MG	A	805	1/1	0.89	0.09	106,106,106,106	0
4	MG	A	804	1/1	0.89	0.08	79,79,79,79	0
6	GOL	A	807	6/6	0.91	0.16	88,98,99,101	0
4	MG	A	801	1/1	0.94	0.04	106,106,106,106	0

6.5 Other polymers [i](#)

There are no such residues in this entry.