Full wwPDB X-ray Structure Validation Report (i)

Feb 6, 2024 – 10:16 AM EST

PDB ID	:	2EZ2
Title	:	Apo tyrosine phenol-lyase from Citrobacter freundii at pH 8.0
Authors	:	Milic, D.; Matkovic-Calogovic, D.; Demidkina, T.V.; Antson, A.A.
Deposited on	:	2005-11-10
Resolution	:	1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	456	10% 77% 20% •
1	B	456	2% 91% 7% •

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 8266 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tyrosine phenol-lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	456	3614	2287	625	676	26	0	1	0
1	B	456	3619	2290	628	675	26	0	1	0

- Molecule 2 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	K		
2	A	1	1	1	0	0
2	B	1	1	1	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
3	A	1	5	4	1	0	0
			Total	O	P		
3	B	1	5	4	1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	A	512	512	512	0	0
			Total	O		
4	B	509	509	509	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tyrosine phenol-lyase

Chain A:



- Molecule 1: Tyrosine phenol-lyase

Chain B:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α, β, γ	133.64Å 143.74Å 59.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	16.74 – 1.85 16.23 – 1.85	Depositor EDS
% Data completeness (in resolution range)	100.0 (16.74-1.85) 94.2 (16.23-1.85)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	4.29 (at 1.84Å)	Xtriage
Refinement program	REFMAC 5.2	Depositor
R, R_{free}	0.174 , 0.206 0.174 , 0.207	Depositor DCC
R_{free} test set	939 reflections (1.01%)	wwPDB-VP
Wilson B-factor (Å^2)	21.7	Xtriage
Anisotropy	0.013	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.35 , 65.5	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.96	EDS
Total number of atoms	8266	wwPDB-VP
Average B, all atoms (Å^2)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.55% of the height of the origin peak. No significant pseudotranslation is detected.*

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\|>5$	RMSZ	$\#\|Z\|>5$
1	A	0.74	0/3690	0.75	1/4969 (0.0%)
1	B	0.69	0/3695	0.67	0/4975
All	All	0.71	0/7385	0.71	1/9944 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	58	ASP	CB-CG-OD1	5.12	122.91	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3614	0	3559	139	0
1	B	3619	0	3567	29	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	512	0	0	70	1
4	B	509	0	0	12	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	8266	0	7126	165	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:375:GLY:HA2	4:A:2042:HOH:O	1.23	1.36
1:A:363:ALA:HB1	4:A:2098:HOH:O	1.58	1.04
1:A:349:ALA:HB2	4:A:2081:HOH:O	1.55	1.04
1:A:252:THR:HG23	4:A:1679:HOH:O	1.60	1.01
1:A:27:LYS:HA	1:A:30:GLU:OE1	1.61	0.99
1:A:364:GLN:HG3	4:A:2070:HOH:O	1.62	0.98
1:A:24:ARG:HD2	4:A:2042:HOH:O	1.63	0.98
1:A:363:ALA:CB	4:A:2098:HOH:O	2.14	0.89
1:A:434:ILE:HG21	4:A:2060:HOH:O	1.77	0.84
1:A:24:ARG:NH2	4:A:2107:HOH:O	1.71	0.84
1:B:15:THR:HB	4:B:6098:HOH:O	1.78	0.83
1:A:422:ASP:OD1	4:A:2089:HOH:O	1.96	0.82
1:A:38:LEU:HG	4:A:2068:HOH:O	1.80	0.81
1:A:25:LEU:HD23	4:A:1921:HOH:O	1.81	0.80
1:A:92:HIS:HB2	1:A:269:MET:HE3	1.62	0.80
1:A:44:TYR:CD2	4:A:2097:HOH:O	2.35	0.79
1:A:374:THR:HB	4:A:1733:HOH:O	1.83	0.78
1:A:367:ALA:HB2	4:A:2029:HOH:O	1.84	0.77
1:A:384:ILE:HD13	1:A:453:PHE:CZ	2.21	0.75
1:A:372:VAL:HG22	4:A:2080:HOH:O	1.88	0.73
1:B:142:ARG:HG2	1:B:157:ASP:O	1.89	0.73
1:B:189:GLY:HA3	4:B:6093:HOH:O	1.87	0.73
1:A:351:ARG:O	4:A:2092:HOH:O	2.08	0.72
1:A:92:HIS:HB2	1:A:269:MET:CE	2.20	0.72
1:B:351:ARG:HD2	4:B:5941:HOH:O	1.89	0.71
1:A:32:GLY:HA3	1:A:452:ARG:CD	2.20	0.71
1:A:435:ARG:HG2	4:A:1848:HOH:O	1.91	0.70
1:A:429:GLN:HG3	4:A:1846:HOH:O	1.89	0.70
1:A:402:THR:O	4:A:2098:HOH:O	2.10	0.70
1:A:32:GLY:HA3	1:A:452:ARG:HD3	1.74	0.69
1:A:18:MET:O	4:A:2096:HOH:O	2.11	0.69
1:A:356:LEU:HD22	1:A:360:GLU:HG2	1.73	0.69
1:A:37:LEU:HD13	1:A:452:ARG:HE	1.58	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:92:HIS:CB	1:A:269:MET:HE3	2.23	0.68
1:A:367:ALA:CB	4:A:2029:HOH:O	2.40	0.67
1:A:426:LYS:HG3	4:A:1758:HOH:O	1.95	0.67
1:A:188:GLY:O	1:A:341:GLY:HA3	1.95	0.67
1:A:39:ASN:HB2	4:A:2077:HOH:O	1.95	0.66
1:A:364:GLN:NE2	1:A:437:LEU:HD13	2.10	0.66
1:A:59:LYS:HE3	4:A:1971:HOH:O	1.94	0.66
1:A:392:THR:HG23	1:A:394:GLU:H	1.59	0.65
1:A:33:TYR:O	4:A:2099:HOH:O	2.13	0.65
1:A:440:ILE:HG22	4:A:2100:HOH:O	1.95	0.65
1:A:452:ARG:HD2	4:A:2105:HOH:O	1.96	0.65
1:A:39:ASN:HA	1:B:73:GLY:HA3	1.79	0.65
1:A:364:GLN:NE2	1:A:453:PHE:CD1	2.65	0.65
1:A:20:PRO:O	1:A:24:ARG:HG3	1.97	0.64
1:A:28:MET:SD	4:A:2068:HOH:O	2.54	0.64
1:B:101:GLY:HA3	1:B:286:GLU:OE1	1.98	0.64
1:B:350:ARG:NH1	1:B:399:LYS:O	2.21	0.63
1:A:32:GLY:HA3	1:A:452:ARG:CG	2.27	0.63
1:A:41:LYS:O	4:A:2087:HOH:O	2.15	0.63
1:A:364:GLN:HB2	1:A:384:ILE:HD12	1.80	0.63
1:A:48:LEU:HB2	1:A:377:ARG:HG2	1.80	0.62
1:A:355:HIS:CD2	4:A:1711:HOH:O	2.52	0.62
1:B:9[A]:ARG:NH2	4:B:6102:HOH:O	2.13	0.62
1:A:378:SER:CB	4:A:2104:HOH:O	2.48	0.62
1:A:37:LEU:HD13	1:A:452:ARG:NE	2.15	0.62
1:A:403:VAL:HG13	4:A:1726:HOH:O	2.00	0.62
1:A:27:LYS:HE3	4:A:1820:HOH:O	2.00	0.60
1:A:33:TYR:OH	4:A:2048:HOH:O	2.17	0.59
1:A:426:LYS:O	1:A:429:GLN:HB2	2.03	0.59
1:A:422:ASP:HB3	4:A:1861:HOH:O	2.03	0.59
1:A:27:LYS:CA	1:A:30:GLU:OE1	2.45	0.58
1:B:284:VAL:HG22	1:B:285:TYR:CD1	2.38	0.58
1:A:242:HIS:HD2	4:A:1712:HOH:O	1.87	0.58
1:A:21:ARG:HD2	4:A:2038:HOH:O	2.04	0.58
1:A:25:LEU:HB2	4:A:2082:HOH:O	2.04	0.57
1:A:430:HIS:CE1	1:A:432:GLU:HG2	2.39	0.57
1:A:280:GLU:CG	1:B:445:GLN:HG3	2.34	0.57
1:A:43:ILE:HD13	1:A:377:ARG:CZ	2.35	0.57
1:A:151:ASN:HD22	1:A:151:ASN:C	2.08	0.56
1:A:379:MET:C	4:A:1726:HOH:O	2.43	0.56
1:A:151:ASN:ND2	1:A:339:PRO:HG3	2.20	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:GLY:HA3	1:A:452:ARG:HG2	1.87	0.56
1:A:39:ASN:CB	4:A:2077:HOH:O	2.52	0.55
1:A:378:SER:HB3	4:A:2104:HOH:O	2.05	0.55
1:A:18:MET:HB3	4:A:2096:HOH:O	2.06	0.55
1:A:26:LYS:O	1:A:29:GLN:HG2	2.08	0.54
1:A:207:HIS:HD2	4:A:1923:HOH:O	1.90	0.54
1:A:368:ALA:HB2	4:A:2099:HOH:O	2.08	0.53
1:A:32:GLY:CA	1:A:452:ARG:HD3	2.38	0.53
1:A:44:TYR:HD2	4:A:2097:HOH:O	1.82	0.53
1:A:44:TYR:CE2	4:A:2097:HOH:O	2.60	0.53
1:B:1:MET:N	4:B:5842:HOH:O	2.38	0.52
1:A:374:THR:O	4:A:2078:HOH:O	2.19	0.52
1:A:438:LYS:HG3	1:A:456:ILE:HG12	1.92	0.51
1:A:128:TYR:O	1:A:132:LYS:HB3	2.10	0.51
1:A:429:GLN:HE21	1:A:429:GLN:CA	2.24	0.51
1:A:399:LYS:HA	4:A:1841:HOH:O	2.11	0.50
1:A:127:ARG:HA	1:A:130:GLN:NE2	2.27	0.50
1:B:242:HIS:HE1	4:B:5740:HOH:O	1.94	0.50
1:B:284:VAL:HG22	1:B:285:TYR:CE1	2.47	0.50
1:A:90:PHE:HA	1:A:270:ASN:HD21	1.76	0.50
1:A:186:LEU:CD2	1:A:381:ARG:HD3	2.42	0.50
1:A:348:ASP:OD2	1:A:351:ARG:HD3	2.12	0.49
1:A:435:ARG:HG3	1:A:455:TYR:CE1	2.47	0.49
1:A:378:SER:HB2	1:A:404:ARG:O	2.13	0.49
1:A:19:ILE:O	1:A:24:ARG:NH1	2.45	0.49
1:A:372:VAL:HA	4:A:2080:HOH:O	2.12	0.49
1:B:242:HIS:HD2	4:B:5677:HOH:O	1.94	0.49
1:A:24:ARG:CD	4:A:2042:HOH:O	2.40	0.49
1:A:383:ILE:HD12	4:A:2095:HOH:O	2.11	0.49
1:A:403:VAL:HG23	4:A:2081:HOH:O	2.13	0.48
1:A:364:GLN:CD	1:A:437:LEU:HD13	2.32	0.48
1:A:384:ILE:HD13	1:A:453:PHE:HZ	1.78	0.48
1:A:389:ASN:HB3	1:A:392:THR:HG22	1.95	0.48
1:A:91:LYS:H	1:A:270:ASN:HD22	1.61	0.47
1:A:19:ILE:HD12	1:A:23:GLU:HB3	1.96	0.47
1:A:362:PRO:HD2	1:A:401:GLU:OE1	2.14	0.47
1:A:376:VAL:HG23	4:A:1733:HOH:O	2.14	0.47
1:A:430:HIS:CE1	1:A:432:GLU:CG	2.98	0.47
1:B:132:LYS:NZ	1:B:133:ASN:HD21	2.12	0.47
1:B:432:GLU:HG2	4:B:6108:HOH:O	2.15	0.47
1:A:355:HIS:CD2	4:A:1682:HOH:O	2.68	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:371:TYR:CD2	4:A:2080:HOH:O	2.56	0.46
1:A:31:ALA:HB1	1:A:37:LEU:HB2	1.98	0.46
1:A:232:PHE:HA	1:A:235:LYS:HD2	1.98	0.46
1:A:389:ASN:CG	1:A:392:THR:HG22	2.36	0.46
1:A:18:MET:HE1	4:A:2107:HOH:O	2.15	0.46
1:A:326:GLY:HA3	1:A:340:VAL:HG21	1.97	0.46
1:A:438:LYS:NZ	4:A:2044:HOH:O	2.49	0.46
1:A:19:ILE:HG13	1:A:24:ARG:HG2	1.97	0.45
1:A:188:GLY:HA2	1:A:346:PHE:CE1	2.51	0.45
1:A:431:LYS:O	1:A:434:ILE:HD12	2.16	0.45
1:B:264:GLY:HA2	1:B:294:LEU:HD21	1.97	0.45
1:A:18:MET:HG3	4:A:2078:HOH:O	2.17	0.45
1:A:43:ILE:CD1	1:A:377:ARG:CZ	2.95	0.45
1:A:20:PRO:HA	4:A:1728:HOH:O	2.17	0.45
1:A:429:GLN:HB3	4:A:1879:HOH:O	2.16	0.45
1:A:38:LEU:CG	4:A:2068:HOH:O	2.51	0.45
1:A:383:ILE:CD1	4:A:2095:HOH:O	2.65	0.44
1:A:264:GLY:HA2	1:A:294:LEU:HD21	2.00	0.44
1:A:360:GLU:HG3	1:A:456:ILE:HD12	2.00	0.44
1:A:370:ILE:O	1:A:374:THR:OG1	2.30	0.44
1:A:31:ALA:C	1:A:452:ARG:HD3	2.38	0.43
1:A:429:GLN:HE21	1:A:429:GLN:N	2.15	0.43
1:A:438:LYS:CG	1:A:456:ILE:HG12	2.48	0.43
1:A:22:ASP:HB3	4:A:1778:HOH:O	2.18	0.43
1:A:435:ARG:HG3	1:A:455:TYR:CD1	2.52	0.43
1:B:96:THR:HB	1:B:286:GLU:OE1	2.17	0.43
1:A:364:GLN:CB	1:A:384:ILE:HD12	2.48	0.43
1:A:32:GLY:N	1:A:452:ARG:HD3	2.34	0.43
1:B:115:GLN:O	1:B:135:ALA:HA	2.18	0.43
1:B:445:GLN:HB3	4:B:5922:HOH:O	2.19	0.42
1:A:397:ARG:NH2	4:A:2095:HOH:O	2.51	0.42
1:B:432:GLU:CD	1:B:432:GLU:H	2.21	0.42
1:B:145:ALA:HA	1:B:155:LYS:HG2	2.02	0.42
1:A:280:GLU:HG2	1:B:445:GLN:HG3	2.02	0.42
1:A:402:THR:C	4:A:2081:HOH:O	2.58	0.42
1:B:198:ARG:NH2	4:B:5994:HOH:O	2.53	0.41
1:A:375:GLY:C	4:A:1722:HOH:O	2.58	0.41
1:A:403:VAL:N	4:A:2081:HOH:O	2.53	0.41
1:A:430:HIS:ND1	1:A:432:GLU:HG2	2.35	0.41
1:A:122:TYR:OH	1:A:386:ALA:HA	2.20	0.41
1:A:269:MET:HE2	1:A:269:MET:H	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:355:HIS:CE1	1:A:356:LEU:HG	2.55	0.41
1:B:93:ILE:HB	4:B:6106:HOH:O	2.21	0.41
1:A:402:THR:HA	4:A:2081:HOH:O	2.21	0.41
1:B:121:MET:HG3	1:B:141:VAL:HG11	2.03	0.41
1:B:343:HIS:CE1	4:B:6093:HOH:O	2.73	0.41
1:A:431:LYS:NZ	4:A:1804:HOH:O	2.50	0.40
1:B:288:MET:HB2	1:B:291:TYR:CD1	2.57	0.40
1:B:326:GLY:HA3	1:B:340:VAL:HG21	2.03	0.40
1:A:437:LEU:HD22	1:A:453:PHE:HB2	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1750:HOH:O	4:B:6098:HOH:O[2_565]	2.02	0.18

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	455/456 (100%)	445 (98%)	10 (2%)	0	100	100
1	B	455/456 (100%)	446 (98%)	9 (2%)	0	100	100
All	All	910/912 (100%)	891 (98%)	19 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	379/379 (100%)	362 (96%)	17 (4%)	27	11
1	B	379/379 (100%)	367 (97%)	12 (3%)	39	22
All	All	758/758 (100%)	729 (96%)	29 (4%)	34	16

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	ASP
1	A	25	LEU
1	A	66	MET
1	A	132	LYS
1	A	151	ASN
1	A	185	ASN
1	A	252	THR
1	A	269	MET
1	A	318	ARG
1	A	355	HIS
1	A	360	GLU
1	A	406	THR
1	A	429	GLN
1	A	430	HIS
1	A	431	LYS
1	A	435	ARG
1	A	438	LYS
1	B	9[A]	ARG
1	B	9[B]	ARG
1	B	15	THR
1	B	36	PHE
1	B	93	ILE
1	B	142	ARG
1	B	151	ASN
1	B	269	MET
1	B	318	ARG
1	B	351	ARG
1	B	406	THR
1	B	432	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	ASN
1	A	79	HIS
1	A	130	GLN
1	A	151	ASN
1	A	185	ASN
1	A	228	GLN
1	A	242	HIS
1	A	270	ASN
1	A	355	HIS
1	A	364	GLN
1	A	396	HIS
1	A	429	GLN
1	A	430	HIS
1	B	79	HIS
1	B	130	GLN
1	B	133	ASN
1	B	151	ASN
1	B	242	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	PO4	B	5600	-	4,4,4	0.80	0	6,6,6	1.20	1 (16%)
3	PO4	A	1600	-	4,4,4	0.93	0	6,6,6	0.60	0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	B	5600	PO4	O3-P-O2	2.65	116.48	107.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	456/456 (100%)	0.28	47 (10%)	6	6	11, 24, 37, 42	0
1	B	456/456 (100%)	-0.18	10 (2%)	62	61	12, 21, 36, 50	0
All	All	912/912 (100%)	0.05	57 (6%)	20	19	11, 22, 36, 50	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	391	VAL	9.6
1	B	391	VAL	5.6
1	A	19	ILE	5.5
1	A	31	ALA	5.1
1	A	363	ALA	4.6
1	A	434	ILE	4.5
1	A	456	ILE	4.4
1	A	392	THR	3.9
1	A	393	GLY	3.8
1	A	371	TYR	3.7
1	A	356	LEU	3.6
1	A	437	LEU	3.6
1	B	1	MET	3.6
1	B	124	THR	3.5
1	B	390	ASN	3.4
1	B	173	GLU	3.4
1	A	33	TYR	3.3
1	A	364	GLN	3.2
1	B	128	TYR	3.2
1	B	122	TYR	3.2
1	A	38	LEU	3.1
1	A	383	ILE	3.0
1	A	352	PHE	3.0
1	A	368	ALA	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	22	ASP	3.0
1	A	394	GLU	3.0
1	A	372	VAL	2.8
1	A	384	ILE	2.8
1	A	436	GLY	2.8
1	A	361	PHE	2.7
1	A	18	MET	2.7
1	A	25	LEU	2.7
1	A	390	ASN	2.6
1	A	113	PRO	2.6
1	A	16	VAL	2.6
1	A	428	TYR	2.6
1	A	357	THR	2.6
1	A	355	HIS	2.4
1	A	367	ALA	2.4
1	B	113	PRO	2.4
1	A	359	ASP	2.4
1	A	114	GLY	2.4
1	A	37	LEU	2.3
1	A	168	ASP	2.3
1	A	452	ARG	2.3
1	A	403	VAL	2.3
1	A	17[A]	SER	2.3
1	A	23	GLU	2.3
1	A	430	HIS	2.3
1	A	30	GLU	2.2
1	A	433	ASP	2.2
1	A	400	LEU	2.2
1	A	349	ALA	2.2
1	A	44	TYR	2.2
1	A	375	GLY	2.1
1	B	2	ASN	2.1
1	B	163	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	K	B	5500	1/1	0.99	0.06	17,17,17,17	0
3	PO4	A	1600	5/5	0.99	0.10	21,22,27,27	0
3	PO4	B	5600	5/5	0.99	0.09	19,22,23,25	0
2	K	A	1500	1/1	1.00	0.06	16,16,16,16	0

6.5 Other polymers (i)

There are no such residues in this entry.