



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 08:33 AM UTC

PDB ID : 9GOC / pdb\_00009goc  
Title : Crystal structure of DPP9 Ser730Ala in complex with sulphostin.  
Authors : Sewald, L.; Tabak, W.W.A.; Fehr, L.; Zolg, S.; Najdzion, M.; Verhoef, C.J.A.; Podlesainski, D.; Geiss-Friedlander, R.; Lammens, A.; Kaschani, F.; Hellerschmied, D.; Huber, R.; Kaiser, M.  
Deposited on : 2024-09-05  
Resolution : 1.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	851	<div> <div>3%</div> <div>97%</div> </div>
1	B	851	<div> <div>%</div> <div>97%</div> </div>
1	C	851	<div> <div>2%</div> <div>98%</div> </div>
1	D	851	<div> <div>5%</div> <div>96%</div> </div>

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 30013 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dipeptidyl peptidase 9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	845	Total	C	N	O	S	84	16	0
			6928	4447	1181	1267	33			
1	B	838	Total	C	N	O	S	38	6	0
			6807	4374	1162	1241	30			
1	C	845	Total	C	N	O	S	73	4	0
			6850	4402	1168	1250	30			
1	D	843	Total	C	N	O	S	133	6	0
			6847	4401	1168	1247	31			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	19	MET	-	initiating methionine	UNP Q86TI2
A	730	ALA	SER	conflict	UNP Q86TI2
A	864	HIS	-	expression tag	UNP Q86TI2
A	865	HIS	-	expression tag	UNP Q86TI2
A	866	HIS	-	expression tag	UNP Q86TI2
A	867	HIS	-	expression tag	UNP Q86TI2
A	868	HIS	-	expression tag	UNP Q86TI2
A	869	HIS	-	expression tag	UNP Q86TI2
B	19	MET	-	initiating methionine	UNP Q86TI2
B	730	ALA	SER	conflict	UNP Q86TI2
B	864	HIS	-	expression tag	UNP Q86TI2
B	865	HIS	-	expression tag	UNP Q86TI2
B	866	HIS	-	expression tag	UNP Q86TI2
B	867	HIS	-	expression tag	UNP Q86TI2
B	868	HIS	-	expression tag	UNP Q86TI2
B	869	HIS	-	expression tag	UNP Q86TI2
C	19	MET	-	initiating methionine	UNP Q86TI2
C	730	ALA	SER	conflict	UNP Q86TI2
C	864	HIS	-	expression tag	UNP Q86TI2
C	865	HIS	-	expression tag	UNP Q86TI2
C	866	HIS	-	expression tag	UNP Q86TI2

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	867	HIS	-	expression tag	UNP Q86TI2
C	868	HIS	-	expression tag	UNP Q86TI2
C	869	HIS	-	expression tag	UNP Q86TI2
D	19	MET	-	initiating methionine	UNP Q86TI2
D	730	ALA	SER	conflict	UNP Q86TI2
D	864	HIS	-	expression tag	UNP Q86TI2
D	865	HIS	-	expression tag	UNP Q86TI2
D	866	HIS	-	expression tag	UNP Q86TI2
D	867	HIS	-	expression tag	UNP Q86TI2
D	868	HIS	-	expression tag	UNP Q86TI2
D	869	HIS	-	expression tag	UNP Q86TI2

- Molecule 2 is Sulphostin (CCD ID: A1INE) (formula:  $C_5H_{13}N_4O_5PS$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			16	5	4	5	1	1		
2	B	1	Total	C	N	O	P	S	0	0
			16	5	4	5	1	1		
2	C	1	Total	C	N	O	P	S	0	0
			16	5	4	5	1	1		
2	D	1	Total	C	N	O	P	S	0	0
			16	5	4	5	1	1		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula:  $C_2H_6O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 4	C 2	O 2	0	0
3	A	1	Total 4	C 2	O 2	0	0
3	A	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	C	1	Total 8	C 4	O 4	0	1
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 8 4 4	0	1
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula:  $C_4H_{10}O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			7	4	3		
4	B	1	Total	C	O	0	0
			7	4	3		


- Molecule 5 is 1-METHOXY-2-[2-(2-METHOXY-ETHOXY)]-ETHANE (CCD ID: PG5) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			12	8	4		

- Molecule 6 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	C	O	0	0
			10	6	4		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	662	Total	O	0	0
			662	662		
7	B	636	Total	O	0	1
			637	637		
7	C	585	Total	O	0	1
			586	586		
7	D	400	Total	O	0	0
			400	400		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Dipeptidyl peptidase 9




#### • Molecule 1: Dipeptidyl peptidase 9




#### • Molecule 1: Dipeptidyl peptidase 9



#### • Molecule 1: Dipeptidyl peptidase 9





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	88.61Å 106.53Å 121.27Å 65.15° 70.72° 76.35°	Depositor
Resolution (Å)	83.24 – 1.89 83.24 – 1.89	Depositor EDS
% Data completeness (in resolution range)	96.1 (83.24-1.89) 96.1 (83.24-1.89)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.77 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, $R_{free}$	0.177 , 0.199 0.185 , 0.206	Depositor DCC
$R_{free}$ test set	2336 reflections (0.75%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.6	Xtriage
Anisotropy	0.181	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 33.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	30013	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.13% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1INE, EDO, PG5, PEG, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.99	0/7159	1.25	1/9716 (0.0%)
1	B	0.97	0/7028	1.26	1/9538 (0.0%)
1	C	0.98	0/7069	1.26	1/9595 (0.0%)
1	D	0.99	0/7069	1.27	1/9594 (0.0%)
All	All	0.98	0/28325	1.26	4/38443 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	835	TYR	CB-CA-C	7.50	118.45	110.65
1	A	835	TYR	CB-CA-C	7.45	118.39	110.65
1	B	835	TYR	CB-CA-C	7.07	118.00	110.65
1	C	835	TYR	CB-CA-C	6.68	117.60	110.65

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6928	0	6719	12	0
1	B	6807	0	6600	7	0
1	C	6850	0	6642	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	6847	0	6642	10	0
2	A	16	0	0	0	0
2	B	16	0	0	0	0
2	C	16	0	0	1	0
2	D	16	0	0	1	0
3	A	68	0	102	2	0
3	B	44	0	66	0	0
3	C	48	0	72	1	0
3	D	36	0	54	0	0
4	B	14	0	20	0	0
5	B	12	0	18	0	0
6	D	10	0	14	0	0
7	A	662	0	0	1	0
7	B	637	0	0	2	0
7	C	586	0	0	0	0
7	D	400	0	0	0	0
All	All	30013	0	26949	34	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (34) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:901:A1INE:N11	3:C:902[B]:EDO:O1	2.33	0.61
1:A:378[B]:LEU:HD21	1:A:427:PHE:CD1	2.37	0.59
1:B:55:ASP:HB3	7:B:1553:HOH:O	2.05	0.56
1:D:738:MET:HE3	1:D:786:VAL:HG12	1.88	0.56
1:A:738:MET:HE2	1:A:786:VAL:HG12	1.93	0.51
1:A:378[B]:LEU:HD21	1:A:427:PHE:CE1	2.46	0.51
1:B:773:VAL:HG23	1:B:775:GLU:HG2	1.94	0.50
1:A:542:THR:HA	3:A:914:EDO:H12	1.94	0.50
1:A:367:MET:HE3	1:A:376:LEU:HD11	1.92	0.50
1:B:595:MET:HE3	7:B:1244:HOH:O	2.13	0.48
1:C:738:MET:HE2	1:C:786:VAL:HG12	1.97	0.46
1:A:200:PHE:CZ	1:A:324[A]:THR:HG21	2.50	0.46
1:B:53:PRO:HG3	1:B:105:TRP:CZ2	2.51	0.45
1:B:668:ALA:HA	1:B:672:TYR:O	2.17	0.45
1:D:668:ALA:HA	1:D:672:TYR:O	2.16	0.45
1:A:624:MET:HE3	1:A:652:VAL:HA	1.99	0.44
1:A:380:LEU:HD11	1:A:439:LEU:HD22	2.01	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:426:ILE:HD12	1:B:498:ALA:HB2	2.01	0.43
1:D:840:HIS:NE2	2:D:901:A1INE:N11	2.66	0.43
1:A:716:TYR:HB3	1:A:718:PHE:CE2	2.54	0.43
1:D:790:VAL:HG13	1:D:823:LEU:HD23	2.01	0.42
1:B:319[B]:LEU:HD23	1:B:319[B]:LEU:HA	1.85	0.42
1:A:668:ALA:HA	1:A:672:TYR:O	2.18	0.42
1:D:626:TYR:HB2	1:D:674:VAL:HB	2.02	0.42
1:C:668:ALA:HA	1:C:672:TYR:O	2.20	0.42
1:D:757:THR:HA	1:D:786:VAL:HG22	2.02	0.42
1:A:575:TYR:CZ	3:A:914:EDO:H11	2.54	0.42
1:D:96:ARG:HB2	1:D:99:ALA:HB3	2.02	0.42
1:A:434:GLU:HG2	7:A:1425:HOH:O	2.20	0.41
1:C:716:TYR:HB3	1:C:718:PHE:CE2	2.56	0.41
1:D:42:ARG:HD3	1:D:849:GLU:HG2	2.02	0.41
1:D:420:TRP:HZ2	1:D:690:GLU:HG2	1.86	0.41
1:C:552[B]:MET:HB3	1:C:552[B]:MET:HE2	1.67	0.40
1:D:716:TYR:HB3	1:D:718:PHE:CE2	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	859/851 (101%)	839 (98%)	19 (2%)	1 (0%)	48	40
1	B	840/851 (99%)	819 (98%)	20 (2%)	1 (0%)	48	40
1	C	847/851 (100%)	822 (97%)	24 (3%)	1 (0%)	48	40
1	D	846/851 (99%)	825 (98%)	20 (2%)	1 (0%)	48	40
All	All	3392/3404 (100%)	3305 (97%)	83 (2%)	4 (0%)	48	40

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	419	VAL
1	B	419	VAL
1	C	419	VAL
1	D	419	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	757/747 (101%)	756 (100%)	1 (0%)	88	90
1	B	741/747 (99%)	739 (100%)	2 (0%)	86	88
1	C	745/747 (100%)	742 (100%)	3 (0%)	84	87
1	D	746/747 (100%)	744 (100%)	2 (0%)	86	88
All	All	2989/2988 (100%)	2981 (100%)	8 (0%)	86	88

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	176	LYS
1	B	20	PRO
1	B	625	ILE
1	C	118	HIS
1	C	433	SER
1	C	860	GLN
1	D	296	GLU
1	D	625	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	161	HIS
1	A	206	ASN
1	A	798	ASN
1	A	831	GLN
1	B	117	HIS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	161	HIS
1	B	798	ASN
1	B	831	GLN
1	C	161	HIS
1	C	205	ASN
1	C	206	ASN
1	C	432	GLN
1	C	614	HIS
1	D	29	HIS
1	D	161	HIS
1	D	323	GLN
1	D	395	GLN
1	D	614	HIS
1	D	837	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

57 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EDO	A	903	-	3,3,3	0.15	0	2,2,2	0.04	0
3	EDO	D	904	-	3,3,3	0.03	0	2,2,2	0.22	0
3	EDO	C	910	-	3,3,3	0.12	0	2,2,2	0.17	0
3	EDO	B	914	-	3,3,3	0.08	0	2,2,2	0.26	0
3	EDO	A	909	-	3,3,3	0.06	0	2,2,2	0.18	0
3	EDO	A	902	-	3,3,3	0.21	0	2,2,2	0.22	0
2	A1INE	A	901	-	13,16,16	2.88	3 (23%)	13,25,25	2.24	4 (30%)
3	EDO	B	912	-	3,3,3	0.23	0	2,2,2	0.05	0
3	EDO	C	902[A]	-	3,3,3	0.33	0	2,2,2	0.30	0
3	EDO	C	908	-	3,3,3	0.10	0	2,2,2	0.25	0
3	EDO	A	915	-	3,3,3	0.10	0	2,2,2	0.23	0
3	EDO	A	908	-	3,3,3	0.10	0	2,2,2	0.17	0
3	EDO	D	908	-	3,3,3	0.18	0	2,2,2	0.08	0
3	EDO	B	915	-	3,3,3	0.09	0	2,2,2	0.16	0
3	EDO	A	918	-	3,3,3	0.09	0	2,2,2	0.15	0
3	EDO	C	911	-	3,3,3	0.18	0	2,2,2	0.39	0
3	EDO	A	911	-	3,3,3	0.08	0	2,2,2	0.21	0
3	EDO	B	908	-	3,3,3	0.03	0	2,2,2	0.13	0
3	EDO	B	903	-	3,3,3	0.11	0	2,2,2	0.16	0
3	EDO	C	904	-	3,3,3	0.08	0	2,2,2	0.24	0
3	EDO	B	913	-	3,3,3	0.09	0	2,2,2	0.11	0
3	EDO	B	906	-	3,3,3	0.09	0	2,2,2	0.31	0
2	A1INE	B	901	-	13,16,16	2.95	4 (30%)	13,25,25	2.83	7 (53%)
3	EDO	B	907	-	3,3,3	0.13	0	2,2,2	0.42	0
4	PEG	B	909	-	6,6,6	0.22	0	5,5,5	0.19	0
2	A1INE	D	901	-	13,16,16	3.04	3 (23%)	13,25,25	2.73	7 (53%)
3	EDO	C	912	-	3,3,3	0.09	0	2,2,2	0.30	0
3	EDO	B	905	-	3,3,3	0.16	0	2,2,2	0.27	0
5	PG5	B	910	-	11,11,11	0.29	0	10,10,10	0.34	0
3	EDO	A	912	-	3,3,3	0.33	0	2,2,2	0.09	0
3	EDO	A	904	-	3,3,3	0.06	0	2,2,2	0.18	0
3	EDO	A	913	-	3,3,3	0.09	0	2,2,2	0.30	0
3	EDO	A	917	-	3,3,3	0.10	0	2,2,2	0.21	0
3	EDO	B	904	-	3,3,3	0.12	0	2,2,2	0.16	0
3	EDO	A	910	-	3,3,3	0.08	0	2,2,2	0.24	0
3	EDO	D	905	-	3,3,3	0.07	0	2,2,2	0.12	0
3	EDO	A	906	-	3,3,3	0.11	0	2,2,2	0.30	0
3	EDO	C	903	-	3,3,3	0.12	0	2,2,2	0.18	0
3	EDO	C	905	-	3,3,3	0.16	0	2,2,2	0.17	0
3	EDO	C	909	-	3,3,3	0.18	0	2,2,2	0.25	0
2	A1INE	C	901	-	13,16,16	3.00	3 (23%)	13,25,25	2.59	5 (38%)
3	EDO	D	902[B]	-	3,3,3	0.08	0	2,2,2	0.09	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EDO	D	910	-	3,3,3	0.09	0	2,2,2	0.30	0
3	EDO	B	902	-	3,3,3	0.24	0	2,2,2	0.18	0
4	PEG	B	911	-	6,6,6	0.22	0	5,5,5	0.23	0
3	EDO	C	906	-	3,3,3	0.14	0	2,2,2	0.17	0
3	EDO	C	907	-	3,3,3	0.13	0	2,2,2	0.18	0
3	EDO	D	906	-	3,3,3	0.03	0	2,2,2	0.18	0
3	EDO	D	903	-	3,3,3	0.14	0	2,2,2	0.19	0
3	EDO	C	902[B]	-	3,3,3	0.14	0	2,2,2	0.18	0
3	EDO	A	916	-	3,3,3	0.04	0	2,2,2	0.26	0
3	EDO	A	914	-	3,3,3	0.10	0	2,2,2	0.24	0
6	PGE	D	909	-	9,9,9	0.17	0	8,8,8	0.09	0
3	EDO	A	907	-	3,3,3	0.12	0	2,2,2	0.38	0
3	EDO	D	907	-	3,3,3	0.11	0	2,2,2	0.12	0
3	EDO	A	905	-	3,3,3	0.10	0	2,2,2	0.09	0
3	EDO	D	902[A]	-	3,3,3	0.25	0	2,2,2	0.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	903	-	-	0/1/1/1	-
3	EDO	D	904	-	-	1/1/1/1	-
3	EDO	C	910	-	-	0/1/1/1	-
3	EDO	B	914	-	-	0/1/1/1	-
3	EDO	A	909	-	-	0/1/1/1	-
3	EDO	A	902	-	-	1/1/1/1	-
2	A1INE	A	901	-	-	1/2/26/26	0/1/1/1
3	EDO	B	912	-	-	1/1/1/1	-
3	EDO	C	902[A]	-	-	1/1/1/1	-
3	EDO	C	908	-	-	1/1/1/1	-
3	EDO	A	915	-	-	0/1/1/1	-
3	EDO	A	908	-	-	0/1/1/1	-
3	EDO	D	908	-	-	1/1/1/1	-
3	EDO	B	915	-	-	0/1/1/1	-
3	EDO	A	918	-	-	0/1/1/1	-
3	EDO	C	911	-	-	1/1/1/1	-
3	EDO	A	911	-	-	0/1/1/1	-
3	EDO	B	908	-	-	0/1/1/1	-
3	EDO	B	903	-	-	0/1/1/1	-
3	EDO	C	904	-	-	1/1/1/1	-
3	EDO	B	913	-	-	0/1/1/1	-

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	906	-	-	1/1/1/1	-
2	A1INE	B	901	-	-	0/2/26/26	0/1/1/1
3	EDO	B	907	-	-	1/1/1/1	-
4	PEG	B	909	-	-	3/4/4/4	-
2	A1INE	D	901	-	-	0/2/26/26	0/1/1/1
3	EDO	C	912	-	-	1/1/1/1	-
3	EDO	B	905	-	-	0/1/1/1	-
5	PG5	B	910	-	-	4/9/9/9	-
3	EDO	A	912	-	-	0/1/1/1	-
3	EDO	A	904	-	-	1/1/1/1	-
3	EDO	A	913	-	-	1/1/1/1	-
3	EDO	A	917	-	-	1/1/1/1	-
3	EDO	B	904	-	-	1/1/1/1	-
3	EDO	A	910	-	-	0/1/1/1	-
3	EDO	D	905	-	-	0/1/1/1	-
3	EDO	A	906	-	-	0/1/1/1	-
3	EDO	C	903	-	-	0/1/1/1	-
3	EDO	C	905	-	-	0/1/1/1	-
3	EDO	C	909	-	-	0/1/1/1	-
2	A1INE	C	901	-	-	0/2/26/26	0/1/1/1
3	EDO	D	902[B]	-	-	1/1/1/1	-
3	EDO	D	910	-	-	0/1/1/1	-
3	EDO	B	902	-	-	0/1/1/1	-
4	PEG	B	911	-	-	3/4/4/4	-
3	EDO	C	906	-	-	0/1/1/1	-
3	EDO	C	907	-	-	0/1/1/1	-
3	EDO	D	906	-	-	0/1/1/1	-
3	EDO	D	903	-	-	0/1/1/1	-
3	EDO	C	902[B]	-	-	1/1/1/1	-
3	EDO	A	916	-	-	1/1/1/1	-
3	EDO	A	914	-	-	0/1/1/1	-
6	PGE	D	909	-	-	2/7/7/7	-
3	EDO	A	907	-	-	1/1/1/1	-
3	EDO	D	907	-	-	0/1/1/1	-
3	EDO	A	905	-	-	1/1/1/1	-
3	EDO	D	902[A]	-	-	0/1/1/1	-

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	901	A1INE	O15-S14	9.85	1.53	1.42

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	901	A1INE	O15-S14	9.72	1.53	1.42
2	B	901	A1INE	O15-S14	9.51	1.52	1.42
2	A	901	A1INE	O15-S14	9.24	1.52	1.42
2	C	901	A1INE	P10-N13	-3.32	1.60	1.65
2	D	901	A1INE	S14-N13	3.07	1.65	1.59
2	A	901	A1INE	S14-N13	2.97	1.65	1.59
2	B	901	A1INE	P10-O12	2.68	1.51	1.48
2	A	901	A1INE	P10-O12	2.62	1.50	1.48
2	B	901	A1INE	P10-N13	-2.38	1.61	1.65
2	C	901	A1INE	S14-N13	2.29	1.64	1.59
2	B	901	A1INE	S14-N13	2.23	1.64	1.59
2	D	901	A1INE	P10-N13	-2.17	1.61	1.65

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	901	A1INE	O15-S14-O16	-6.27	106.42	120.36
2	D	901	A1INE	O15-S14-O16	-6.16	106.65	120.36
2	B	901	A1INE	O15-S14-O16	-5.44	108.27	120.36
2	A	901	A1INE	O15-S14-O16	-5.23	108.73	120.36
2	B	901	A1INE	O12-P10-N13	-4.38	103.19	112.93
2	B	901	A1INE	C2-C8-N7	4.07	122.38	115.97
2	C	901	A1INE	C2-C8-N7	3.94	122.18	115.97
2	D	901	A1INE	C2-C8-N7	3.85	122.05	115.97
2	C	901	A1INE	C5-C6-N7	3.67	116.07	110.91
2	D	901	A1INE	C5-C4-C2	-3.59	105.31	110.85
2	B	901	A1INE	N11-P10-N13	3.44	118.98	106.75
2	A	901	A1INE	C2-C8-N7	3.19	121.00	115.97
2	A	901	A1INE	C5-C4-C2	-3.03	106.17	110.85
2	A	901	A1INE	C5-C6-N7	3.01	115.14	110.91
2	D	901	A1INE	C5-C6-N7	2.95	115.06	110.91
2	B	901	A1INE	C5-C6-N7	2.94	115.04	110.91
2	C	901	A1INE	C5-C4-C2	-2.86	106.42	110.85
2	D	901	A1INE	O9-C8-C2	-2.57	115.09	120.69
2	B	901	A1INE	C5-C4-C2	-2.57	106.88	110.85
2	C	901	A1INE	O9-C8-C2	-2.29	115.70	120.69
2	D	901	A1INE	N11-P10-N13	2.22	114.63	106.75
2	B	901	A1INE	O9-C8-C2	-2.18	115.94	120.69
2	D	901	A1INE	P10-N7-C6	-2.16	113.93	121.67

There are no chirality outliers.

All (33) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	909	PEG	O1-C1-C2-O2
5	B	910	PG5	O3-C6-C7-O4
5	B	910	PG5	O2-C4-C5-O3
3	C	904	EDO	O1-C1-C2-O2
6	D	909	PGE	O2-C3-C4-O3
3	A	907	EDO	O1-C1-C2-O2
3	C	902[B]	EDO	O1-C1-C2-O2
3	D	902[B]	EDO	O1-C1-C2-O2
3	C	911	EDO	O1-C1-C2-O2
4	B	911	PEG	O1-C1-C2-O2
3	D	908	EDO	O1-C1-C2-O2
6	D	909	PGE	C1-C2-O2-C3
4	B	909	PEG	O2-C3-C4-O4
4	B	909	PEG	C4-C3-O2-C2
3	B	912	EDO	O1-C1-C2-O2
5	B	910	PG5	C7-C6-O3-C5
4	B	911	PEG	O2-C3-C4-O4
3	A	904	EDO	O1-C1-C2-O2
3	A	913	EDO	O1-C1-C2-O2
3	A	905	EDO	O1-C1-C2-O2
3	A	916	EDO	O1-C1-C2-O2
3	A	917	EDO	O1-C1-C2-O2
3	B	906	EDO	O1-C1-C2-O2
3	B	907	EDO	O1-C1-C2-O2
3	C	908	EDO	O1-C1-C2-O2
3	C	912	EDO	O1-C1-C2-O2
3	D	904	EDO	O1-C1-C2-O2
2	A	901	A1INE	C6-N7-P10-N13
5	B	910	PG5	C2-C3-O2-C4
3	A	902	EDO	O1-C1-C2-O2
3	B	904	EDO	O1-C1-C2-O2
3	C	902[A]	EDO	O1-C1-C2-O2
4	B	911	PEG	C4-C3-O2-C2

There are no ring outliers.


4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	901	A1INE	1	0
2	C	901	A1INE	1	0
3	C	902[B]	EDO	1	0
3	A	914	EDO	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




## Ligand A1INE B 901



## Ligand A1INE D 901







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	845/851 (99%)	0.03	22 (2%) 57 61	14, 35, 60, 101	44 (5%)
1	B	838/851 (98%)	-0.03	10 (1%) 76 79	16, 35, 60, 104	19 (2%)
1	C	845/851 (99%)	0.07	19 (2%) 62 66	19, 36, 63, 92	29 (3%)
1	D	843/851 (99%)	0.39	45 (5%) 32 34	19, 44, 77, 110	50 (5%)
All	All	3371/3404 (99%)	0.12	96 (2%) 55 59	14, 37, 68, 110	142 (4%)

All (96) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	47[A]	LEU	7.3
1	A	79	TYR	5.6
1	C	21	ALA	4.8
1	D	49	VAL	4.7
1	D	48	ILE	4.0
1	D	50	ASN	3.9
1	D	79	TYR	3.9
1	A	47	LEU	3.6
1	D	44	TYR	3.5
1	D	864[A]	HIS	3.5
1	D	270	LEU	3.3
1	A	46	GLY	3.3
1	B	602	PRO	3.3
1	A	50	ASN	3.2
1	C	44	TYR	3.2
1	D	472	PHE	3.1
1	D	99	ALA	3.1
1	C	49	VAL	3.1
1	D	172	VAL	3.1
1	C	47	LEU	3.0
1	A	602	PRO	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	268	GLU	3.0
1	C	99	ALA	2.9
1	D	476	GLU	2.9
1	D	232	VAL	2.8
1	A	865	HIS	2.8
1	C	48	ILE	2.8
1	D	45	SER	2.8
1	A	760[A]	MET	2.8
1	D	630	ALA	2.7
1	A	49	VAL	2.7
1	B	172	VAL	2.7
1	D	601	CYS	2.7
1	D	230	SER	2.7
1	D	267	SER	2.6
1	D	435	GLY	2.6
1	C	51	LYS	2.6
1	A	779	HIS	2.6
1	D	214	ILE	2.6
1	D	269	GLY	2.6
1	D	433	SER	2.6
1	B	79	TYR	2.6
1	A	48	ILE	2.6
1	A	21	ALA	2.6
1	D	471	PRO	2.5
1	D	100	LEU	2.5
1	D	46	GLY	2.5
1	A	78	PRO	2.5
1	C	79	TYR	2.5
1	A	601	CYS	2.5
1	D	117	HIS	2.5
1	A	775	GLU	2.5
1	D	470	GLU	2.4
1	A	22	ALA	2.4
1	B	779	HIS	2.4
1	C	864	HIS	2.4
1	B	65	SER	2.4
1	D	62	THR	2.4
1	A	117	HIS	2.4
1	C	233	LEU	2.4
1	A	864	HIS	2.4
1	D	501	GLY	2.4
1	C	65	SER	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	51	LYS	2.4
1	D	112	PHE	2.3
1	A	500	HIS	2.3
1	C	698	GLY	2.3
1	D	264	TRP	2.3
1	A	268	GLU	2.3
1	B	600	SER	2.3
1	D	331	VAL	2.3
1	D	397	LEU	2.3
1	D	500	HIS	2.2
1	D	558	MET	2.2
1	D	80	GLY	2.2
1	D	632	GLN	2.2
1	B	99	ALA	2.2
1	C	472	PHE	2.2
1	A	266	GLY	2.2
1	D	266	GLY	2.2
1	C	62	THR	2.2
1	D	604	ASP	2.2
1	D	229	LEU	2.2
1	D	631	LEU	2.2
1	A	394	GLU	2.1
1	B	62	THR	2.1
1	C	169	GLY	2.1
1	B	500	HIS	2.1
1	C	865	HIS	2.1
1	D	599	ALA	2.1
1	D	97	LYS	2.0
1	B	20	PRO	2.0
1	C	535	ALA	2.0
1	C	167	LYS	2.0
1	D	168	ASN	2.0
1	C	232	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	EDO	A	913	4/4	0.62	0.22	75,76,77,78	0
3	EDO	B	912	4/4	0.73	0.27	58,59,60,62	0
5	PG5	B	910	12/12	0.75	0.18	67,71,75,75	0
3	EDO	A	917	4/4	0.79	0.12	76,78,78,80	0
3	EDO	B	914	4/4	0.80	0.18	68,69,70,71	0
3	EDO	A	912	4/4	0.80	0.17	42,42,43,45	0
4	PEG	B	911	7/7	0.81	0.20	64,70,71,72	0
3	EDO	D	910	4/4	0.82	0.16	67,68,69,73	0
3	EDO	D	908	4/4	0.83	0.12	61,62,62,64	0
3	EDO	C	909	4/4	0.84	0.13	39,44,45,48	0
4	PEG	B	909	7/7	0.84	0.14	57,58,63,65	0
3	EDO	D	907	4/4	0.84	0.17	59,60,61,61	0
3	EDO	A	916	4/4	0.84	0.15	74,74,75,75	0
3	EDO	A	915	4/4	0.86	0.13	63,64,64,66	0
3	EDO	A	918	4/4	0.87	0.17	57,58,60,62	0
3	EDO	A	907	4/4	0.87	0.11	54,57,57,59	0
3	EDO	D	906	4/4	0.87	0.13	48,52,54,56	0
3	EDO	B	915	4/4	0.88	0.13	54,58,59,60	0
3	EDO	C	906	4/4	0.88	0.14	44,48,48,51	0
3	EDO	C	911	4/4	0.89	0.12	56,56,56,57	0
3	EDO	C	905	4/4	0.89	0.15	44,44,45,46	0
3	EDO	B	908	4/4	0.89	0.13	44,45,45,51	0
3	EDO	B	902	4/4	0.89	0.12	32,35,39,40	0
3	EDO	B	905	4/4	0.90	0.12	43,43,44,44	0
3	EDO	A	908	4/4	0.90	0.12	49,50,51,52	0
6	PGE	D	909	10/10	0.90	0.13	64,66,67,68	0
3	EDO	D	905	4/4	0.91	0.13	58,59,59,60	0
3	EDO	C	902[A]	4/4	0.91	0.14	26,27,28,29	4
3	EDO	C	902[B]	4/4	0.91	0.14	38,38,39,40	4
3	EDO	A	902	4/4	0.91	0.12	36,38,39,40	0
2	A1INE	B	901	16/16	0.91	0.09	31,34,45,48	0
2	A1INE	C	901	16/16	0.91	0.10	32,38,50,50	0
3	EDO	A	910	4/4	0.91	0.12	61,64,66,67	0
3	EDO	D	902[A]	4/4	0.91	0.10	20,21,21,22	4
3	EDO	D	902[B]	4/4	0.91	0.10	47,47,49,50	4
3	EDO	A	914	4/4	0.92	0.14	47,53,53,56	0
3	EDO	C	907	4/4	0.92	0.10	59,60,62,63	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	EDO	A	911	4/4	0.92	0.12	50,51,53,54	0
3	EDO	A	903	4/4	0.93	0.09	39,41,42,44	0
3	EDO	C	908	4/4	0.93	0.12	48,48,49,50	0
2	A1INE	D	901	16/16	0.93	0.09	33,40,49,49	0
3	EDO	B	906	4/4	0.94	0.09	61,61,62,62	0
3	EDO	B	907	4/4	0.94	0.09	35,38,40,43	0
3	EDO	A	909	4/4	0.94	0.09	33,37,38,44	0
2	A1INE	A	901	16/16	0.94	0.09	33,39,48,49	0
3	EDO	A	905	4/4	0.94	0.09	42,43,43,44	0
3	EDO	C	912	4/4	0.95	0.12	45,45,46,46	0
3	EDO	B	903	4/4	0.95	0.09	36,38,40,42	0
3	EDO	C	903	4/4	0.95	0.07	39,42,45,45	0
3	EDO	D	903	4/4	0.95	0.08	37,40,40,40	0
3	EDO	D	904	4/4	0.95	0.09	45,47,47,51	0
3	EDO	A	906	4/4	0.95	0.11	39,45,48,52	0
3	EDO	A	904	4/4	0.95	0.11	47,50,51,55	0
3	EDO	B	913	4/4	0.96	0.07	36,41,42,43	0
3	EDO	C	904	4/4	0.97	0.08	40,43,43,48	0
3	EDO	B	904	4/4	0.97	0.09	42,45,46,50	0
3	EDO	C	910	4/4	0.97	0.07	39,41,42,42	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around A1INE B 901:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around A1INE C 901:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around A1INE D 901:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around A1INE A 901:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.