



Full wwPDB EM Validation Report ⓘ

Mar 6, 2026 – 10:11 AM UTC

PDB ID : 9HPZ / pdb_00009hpz
EMDB ID : EMD-52337
Title : Cryo-EM structure of the wild-type flagellar filament from *Roseburia hominis*
Authors : Bell, M.E.W.; Koch, I.; Hipp, K.; Hartmann, M.D.; Merino, F.; Ley, R.E.
Deposited on : 2024-12-16
Resolution : 3.17 Å (reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY





The reported resolution of this entry is 3.17 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





















Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14465 (2.67 - 3.67)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	270	 92% 7% .
1	B	270	 96% .
1	C	270	 96% .
1	D	270	 93% 7% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	270	
1	F	270	
1	G	270	
1	H	270	
1	I	270	
1	J	270	
1	K	270	
1	L	270	
1	M	270	
1	N	270	
1	O	270	
1	P	270	
1	Q	270	
1	R	270	
1	S	270	
1	T	270	
1	U	270	
1	V	270	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 87538 atoms, of which 43692 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Flagellin.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	A	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	B	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	C	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	D	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	E	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	F	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	G	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	H	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	I	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	J	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	K	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	L	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	M	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	N	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	O	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	P	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	Q	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms						AltConf	Trace
1	R	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	S	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	T	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	U	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0
1	V	270	Total 3979	C 1196	H 1986	N 361	O 424	S 12	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Flagellin




- Molecule 1: Flagellin




- Molecule 1: Flagellin




- Molecule 1: Flagellin




- Molecule 1: Flagellin




● Molecule 1: Flagellin




● Molecule 1: Flagellin




● Molecule 1: Flagellin




● Molecule 1: Flagellin



● Molecule 1: Flagellin



● Molecule 1: Flagellin




● Molecule 1: Flagellin





- Molecule 1: Flagellin



- Molecule 1: Flagellin



- Molecule 1: Flagellin




- Molecule 1: Flagellin



- Molecule 1: Flagellin




- Molecule 1: Flagellin




Q270

● Molecule 1: Flagellin

Chain S:  94% 5%

● Molecule 1: Flagellin

Chain T:  93% 6%

● Molecule 1: Flagellin

Chain U:  94% 6%

● Molecule 1: Flagellin

Chain V:  94% 6%

4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=65.4424°, rise=4.69 Å, axial sym=C1	Depositor
Number of segments used	443605	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{Å}^2$)	39	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	150000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.095	Depositor
Minimum map value	-0.062	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.015	Depositor
Map size (Å)	360.96, 360.96, 360.96	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.94, 0.94, 0.94	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.77	0/2001	1.47	11/2696 (0.4%)
1	B	0.77	0/2001	1.46	4/2696 (0.1%)
1	C	0.78	0/2001	1.50	5/2696 (0.2%)
1	D	0.78	0/2001	1.48	6/2696 (0.2%)
1	E	0.77	0/2001	1.47	4/2696 (0.1%)
1	F	0.78	0/2001	1.51	11/2696 (0.4%)
1	G	0.78	0/2001	1.47	7/2696 (0.3%)
1	H	0.76	0/2001	1.46	7/2696 (0.3%)
1	I	0.78	0/2001	1.51	7/2696 (0.3%)
1	J	0.78	0/2001	1.49	7/2696 (0.3%)
1	K	0.76	0/2001	1.49	7/2696 (0.3%)
1	L	0.78	0/2001	1.51	8/2696 (0.3%)
1	M	0.76	0/2001	1.47	2/2696 (0.1%)
1	N	0.77	0/2001	1.50	6/2696 (0.2%)
1	O	0.77	0/2001	1.51	6/2696 (0.2%)
1	P	0.78	0/2001	1.53	15/2696 (0.6%)
1	Q	0.76	0/2001	1.48	5/2696 (0.2%)
1	R	0.77	0/2001	1.52	12/2696 (0.4%)
1	S	0.77	0/2001	1.50	7/2696 (0.3%)
1	T	0.77	0/2001	1.52	9/2696 (0.3%)
1	U	0.78	0/2001	1.49	9/2696 (0.3%)
1	V	0.78	0/2001	1.49	11/2696 (0.4%)
All	All	0.77	0/44022	1.49	166/59312 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	2
1	C	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	2
1	E	0	3
1	F	0	2
1	G	0	2
1	I	0	3
1	J	0	1
1	K	0	1
1	M	0	2
1	N	0	3
1	O	0	2
1	Q	0	2
1	R	0	5
1	S	0	4
1	T	0	4
1	U	0	2
1	V	0	1
All	All	0	46

There are no bond length outliers.

All (166) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Q	42	ASP	CA-CB-CG	10.12	122.72	112.60
1	O	68	ASP	CA-CB-CG	9.15	121.75	112.60
1	N	68	ASP	CA-CB-CG	8.59	121.19	112.60
1	J	64	ASP	CA-CB-CG	8.38	120.98	112.60
1	T	64	ASP	CA-CB-CG	8.26	120.86	112.60
1	K	64	ASP	CA-CB-CG	8.11	120.71	112.60
1	S	64	ASP	CA-CB-CG	8.03	120.63	112.60
1	L	42	ASP	CA-CB-CG	7.61	120.21	112.60
1	U	82	GLU	CB-CA-C	7.52	121.66	109.02
1	R	228	ARG	NE-CZ-NH2	7.40	125.86	119.20
1	M	268	LEU	N-CA-C	7.25	119.18	111.28
1	R	102	ASN	CA-CB-CG	6.88	119.48	112.60
1	Q	102	ASN	CA-CB-CG	6.86	119.46	112.60
1	M	107	ARG	NE-CZ-NH2	6.73	125.26	119.20
1	T	102	ASN	CA-CB-CG	6.69	119.29	112.60
1	B	107	ARG	NE-CZ-NH2	6.61	125.15	119.20
1	N	5	HIS	CA-CB-CG	6.53	120.33	113.80
1	O	5	HIS	CA-CB-CG	6.50	120.30	113.80
1	F	228	ARG	N-CA-CB	-6.37	100.42	110.22
1	L	268	LEU	N-CA-C	6.35	119.19	111.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	U	68	ASP	CA-CB-CG	6.32	118.92	112.60
1	P	67	GLN	OE1-CD-NE2	-6.21	116.39	122.60
1	B	134	ASN	CA-CB-CG	6.20	118.80	112.60
1	L	252	GLN	OE1-CD-NE2	-6.20	116.40	122.60
1	P	53	ARG	CA-C-N	6.14	128.50	120.28
1	P	53	ARG	C-N-CA	6.14	128.50	120.28
1	Q	107	ARG	NE-CZ-NH2	6.09	124.69	119.20
1	P	52	MET	CA-C-N	6.01	128.83	120.29
1	P	52	MET	C-N-CA	6.01	128.83	120.29
1	L	64	ASP	CA-CB-CG	5.99	118.59	112.60
1	O	102	ASN	CA-CB-CG	5.96	118.56	112.60
1	U	107	ARG	NE-CZ-NH2	5.88	124.50	119.20
1	U	34	TYR	CA-C-N	5.86	129.22	120.31
1	U	34	TYR	C-N-CA	5.86	129.22	120.31
1	T	34	TYR	CA-C-N	5.85	128.60	120.29
1	T	34	TYR	C-N-CA	5.85	128.60	120.29
1	D	131	ASN	CA-CB-CG	5.80	118.40	112.60
1	F	107	ARG	NE-CZ-NH2	5.75	124.38	119.20
1	P	84	HIS	CB-CG-CD2	-5.75	123.72	131.20
1	A	38	ARG	NE-CZ-NH2	5.73	124.36	119.20
1	H	64	ASP	CA-CB-CG	5.73	118.33	112.60
1	P	53	ARG	N-CA-CB	-5.70	101.72	110.16
1	T	124	ILE	CA-CB-CG1	5.69	120.08	110.40
1	J	34	TYR	CA-C-N	5.69	127.90	120.28
1	J	34	TYR	C-N-CA	5.69	127.90	120.28
1	G	107	ARG	NE-CZ-NH2	5.68	124.31	119.20
1	A	42	ASP	CA-CB-CG	5.68	118.28	112.60
1	C	107	ARG	NE-CZ-NH2	5.68	124.31	119.20
1	J	154	ALA	N-CA-C	5.68	117.39	110.41
1	E	107	ARG	NE-CZ-NH2	5.63	124.27	119.20
1	A	252	GLN	OE1-CD-NE2	-5.63	116.97	122.60
1	L	107	ARG	NE-CZ-NH2	5.61	124.25	119.20
1	B	154	ALA	CA-C-N	5.60	130.87	122.58
1	B	154	ALA	C-N-CA	5.60	130.87	122.58
1	R	107	ARG	NE-CZ-NH2	5.59	124.24	119.20
1	P	53	ARG	NE-CZ-NH2	5.58	124.23	119.20
1	G	53	ARG	NE-CZ-NH2	5.58	124.22	119.20
1	N	53	ARG	NE-CZ-NH2	5.58	124.22	119.20
1	G	123	ARG	NE-CZ-NH2	5.57	124.21	119.20
1	P	111	GLN	OE1-CD-NE2	-5.55	117.05	122.60
1	N	107	ARG	NE-CZ-NH2	5.55	124.19	119.20
1	S	107	ARG	NE-CZ-NH2	5.53	124.18	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	4	GLN	CA-C-N	5.53	131.25	121.80
1	I	4	GLN	C-N-CA	5.53	131.25	121.80
1	G	124	ILE	CA-CB-CG1	5.52	119.79	110.40
1	S	217	ASN	CA-CB-CG	5.52	118.12	112.60
1	V	34	TYR	CA-C-N	5.52	128.69	120.31
1	V	34	TYR	C-N-CA	5.52	128.69	120.31
1	I	107	ARG	NE-CZ-NH2	5.51	124.16	119.20
1	O	107	ARG	NE-CZ-NH2	5.51	124.16	119.20
1	V	134	ASN	CA-CB-CG	5.51	118.11	112.60
1	C	134	ASN	CA-CB-CG	5.48	118.08	112.60
1	O	124	ILE	CA-CB-CG1	5.47	119.70	110.40
1	L	34	TYR	CA-C-N	5.47	127.88	120.44
1	L	34	TYR	C-N-CA	5.47	127.88	120.44
1	U	84	HIS	CB-CG-CD2	-5.47	124.09	131.20
1	S	124	ILE	CA-CB-CG1	5.45	119.67	110.40
1	K	158	ASP	CA-CB-CG	5.44	118.04	112.60
1	U	228	ARG	NE-CZ-NH2	5.44	124.09	119.20
1	G	249	GLN	OE1-CD-NE2	-5.42	117.18	122.60
1	S	147	VAL	CA-CB-CG1	5.41	119.60	110.40
1	E	53	ARG	NE-CZ-NH2	5.38	124.04	119.20
1	P	102	ASN	CA-CB-CG	5.38	117.98	112.60
1	A	34	TYR	CA-C-N	5.38	127.75	120.44
1	A	34	TYR	C-N-CA	5.38	127.75	120.44
1	V	107	ARG	NE-CZ-NH2	5.38	124.04	119.20
1	F	34	TYR	CA-C-N	5.37	127.75	120.44
1	F	34	TYR	C-N-CA	5.37	127.75	120.44
1	A	131	ASN	CA-CB-CG	5.37	117.97	112.60
1	E	249	GLN	OE1-CD-NE2	-5.36	117.24	122.60
1	R	53	ARG	NE-CZ-NH2	5.36	124.02	119.20
1	F	15	GLN	OE1-CD-NE2	-5.36	117.24	122.60
1	P	134	ASN	CA-CB-CG	5.34	117.94	112.60
1	K	15	GLN	OE1-CD-NE2	-5.33	117.27	122.60
1	I	84	HIS	CB-CG-CD2	-5.33	124.28	131.20
1	Q	53	ARG	NE-CZ-NH2	5.32	123.99	119.20
1	C	124	ILE	CA-CB-CG1	5.32	119.44	110.40
1	V	67	GLN	OE1-CD-NE2	-5.31	117.29	122.60
1	R	99	ASN	CA-CB-CG	5.30	117.90	112.60
1	H	53	ARG	NE-CZ-NH2	5.26	123.94	119.20
1	V	111	GLN	OE1-CD-NE2	-5.26	117.34	122.60
1	H	67	GLN	OE1-CD-NE2	-5.25	117.35	122.60
1	A	84	HIS	CB-CG-CD2	-5.25	124.38	131.20
1	R	111	GLN	OE1-CD-NE2	-5.24	117.36	122.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Q	123	ARG	NE-CZ-NH2	5.23	123.91	119.20
1	K	206	ASN	OD1-CG-ND2	-5.22	117.38	122.60
1	F	84	HIS	CB-CG-CD2	-5.22	124.42	131.20
1	T	107	ARG	NE-CZ-NH2	5.21	123.89	119.20
1	D	84	HIS	CB-CG-CD2	-5.21	124.43	131.20
1	R	34	TYR	CA-C-N	5.21	127.68	120.29
1	R	34	TYR	C-N-CA	5.21	127.68	120.29
1	H	263	GLN	OE1-CD-NE2	-5.20	117.40	122.60
1	K	134	ASN	CA-CB-CG	5.19	117.79	112.60
1	U	102	ASN	CA-CB-CG	5.19	117.79	112.60
1	A	107	ARG	NE-CZ-NH2	5.19	123.87	119.20
1	J	107	ARG	NE-CZ-NH2	5.19	123.87	119.20
1	V	217	ASN	CA-CB-CG	5.17	117.77	112.60
1	K	157	ILE	CA-CB-CG1	5.17	119.19	110.40
1	I	154	ALA	N-CA-C	5.15	117.18	110.53
1	U	252	GLN	OE1-CD-NE2	-5.15	117.45	122.60
1	P	154	ALA	N-CA-C	5.14	116.74	110.41
1	J	53	ARG	NE-CZ-NH2	5.14	123.82	119.20
1	A	123	ARG	NE-CZ-NH2	5.13	123.82	119.20
1	P	34	TYR	CA-C-N	5.13	128.12	120.31
1	P	34	TYR	C-N-CA	5.13	128.12	120.31
1	K	147	VAL	CA-CB-CG1	5.12	119.11	110.40
1	L	123	ARG	NE-CZ-NH2	5.12	123.81	119.20
1	H	157	ILE	CA-CB-CG1	5.12	119.10	110.40
1	F	129	GLN	OE1-CD-NE2	-5.11	117.49	122.60
1	E	207	ARG	CB-CA-C	-5.10	102.32	110.79
1	T	91	ASN	CA-C-N	5.10	127.38	120.44
1	T	91	ASN	C-N-CA	5.10	127.38	120.44
1	T	147	VAL	CA-CB-CG1	5.10	119.07	110.40
1	V	154	ALA	N-CA-C	5.10	116.68	110.41
1	O	53	ARG	NE-CZ-NH2	5.09	123.78	119.20
1	R	124	ILE	CA-CB-CG1	5.09	119.05	110.40
1	N	5	HIS	CB-CG-CD2	-5.08	124.60	131.20
1	D	132	THR	N-CA-C	5.08	118.78	112.58
1	D	131	ASN	N-CA-CB	-5.07	104.56	112.41
1	F	124	ILE	CA-CB-CG1	5.06	119.00	110.40
1	R	134	ASN	CA-CB-CG	5.06	117.66	112.60
1	P	53	ARG	CA-CB-CG	5.05	124.21	114.10
1	H	206	ASN	OD1-CG-ND2	-5.05	117.55	122.60
1	A	53	ARG	NE-CZ-NH2	5.05	123.74	119.20
1	F	147	VAL	CA-CB-CG1	5.04	118.97	110.40
1	N	123	ARG	NE-CZ-NH2	5.04	123.74	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	134	ASN	CA-CB-CG	5.04	117.64	112.60
1	I	53	ARG	NE-CZ-NH2	5.04	123.73	119.20
1	H	158	ASP	CA-CB-CG	5.03	117.63	112.60
1	J	252	GLN	OE1-CD-NE2	-5.03	117.57	122.60
1	F	270	GLN	OE1-CD-NE2	-5.02	117.58	122.60
1	V	123	ARG	NE-CZ-NH2	5.02	123.72	119.20
1	D	27	SER	CA-C-N	5.02	127.00	120.28
1	D	27	SER	C-N-CA	5.02	127.00	120.28
1	R	68	ASP	CA-C-N	5.02	125.41	119.94
1	R	68	ASP	C-N-CA	5.02	125.41	119.94
1	A	131	ASN	N-CA-CB	-5.01	104.68	112.30
1	C	34	TYR	CA-C-N	5.01	127.93	120.31
1	C	34	TYR	C-N-CA	5.01	127.93	120.31
1	G	154	ALA	CA-C-N	5.01	130.00	122.58
1	G	154	ALA	C-N-CA	5.01	130.00	122.58
1	F	131	ASN	CA-CB-CG	5.01	117.61	112.60
1	S	34	TYR	CA-C-N	5.01	129.09	120.72
1	S	34	TYR	C-N-CA	5.01	129.09	120.72
1	V	216	ASP	CA-C-N	5.00	126.95	120.44
1	V	216	ASP	C-N-CA	5.00	126.95	120.44

There are no chirality outliers.

All (46) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	107	ARG	Sidechain
1	A	230	ARG	Sidechain
1	A	241	TYR	Sidechain
1	B	123	ARG	Sidechain
1	B	53	ARG	Sidechain
1	C	230	ARG	Sidechain
1	C	53	ARG	Sidechain
1	D	107	ARG	Sidechain
1	D	230	ARG	Sidechain
1	E	107	ARG	Sidechain
1	E	123	ARG	Sidechain
1	E	57	ARG	Sidechain
1	F	107	ARG	Sidechain
1	F	53	ARG	Sidechain
1	G	123	ARG	Sidechain
1	G	57	ARG	Sidechain
1	I	107	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	I	241	TYR	Sidechain
1	I	53	ARG	Sidechain
1	J	107	ARG	Sidechain
1	K	53	ARG	Sidechain
1	M	241	TYR	Sidechain
1	M	53	ARG	Sidechain
1	N	230	ARG	Sidechain
1	N	5	HIS	Sidechain
1	N	53	ARG	Sidechain
1	O	123	ARG	Sidechain
1	O	5	HIS	Sidechain
1	Q	241	TYR	Sidechain
1	Q	53	ARG	Sidechain
1	R	107	ARG	Sidechain
1	R	14	ARG	Sidechain
1	R	230	ARG	Sidechain
1	R	53	ARG	Sidechain
1	R	57	ARG	Sidechain
1	S	107	ARG	Sidechain
1	S	14	ARG	Sidechain
1	S	193	TYR	Sidechain
1	S	53	ARG	Sidechain
1	T	193	TYR	Sidechain
1	T	230	ARG	Sidechain
1	T	53	ARG	Sidechain
1	T	57	ARG	Sidechain
1	U	53	ARG	Sidechain
1	U	57	ARG	Sidechain
1	V	241	TYR	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1993	1986	1986	7	0
1	B	1993	1986	1986	2	0
1	C	1993	1986	1986	3	0
1	D	1993	1986	1986	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1993	1986	1986	2	0
1	F	1993	1986	1986	7	0
1	G	1993	1986	1986	3	0
1	H	1993	1986	1986	3	0
1	I	1993	1986	1986	4	0
1	J	1993	1986	1986	7	0
1	K	1993	1986	1986	3	0
1	L	1993	1986	1986	8	0
1	M	1993	1986	1986	6	0
1	N	1993	1986	1986	4	0
1	O	1993	1986	1986	4	0
1	P	1993	1986	1986	5	0
1	Q	1993	1986	1986	2	0
1	R	1993	1986	1986	7	0
1	S	1993	1986	1986	4	0
1	T	1993	1986	1986	5	0
1	U	1993	1986	1986	6	0
1	V	1993	1986	1986	4	0
All	All	43846	43692	43692	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:218:ILE:O	1:L:222:THR:HG22	1.97	0.64
1:L:208:LEU:HA	1:L:211:THR:HG22	1.81	0.63
1:L:136:ILE:HG22	1:L:159:ILE:HG21	1.82	0.61
1:M:218:ILE:O	1:M:222:THR:HG22	2.00	0.61
1:B:218:ILE:O	1:B:222:THR:HG22	2.01	0.60
1:A:218:ILE:O	1:A:222:THR:HG22	2.01	0.60
1:Q:218:ILE:O	1:Q:222:THR:HG22	2.03	0.59
1:N:218:ILE:O	1:N:222:THR:HG22	2.02	0.58
1:F:6:ASN:H	1:R:243:LYS:HE2	1.68	0.58
1:R:218:ILE:O	1:R:222:THR:HG22	2.04	0.57
1:N:56:VAL:HG22	1:N:222:THR:HG23	1.85	0.57
1:A:56:VAL:HG22	1:A:222:THR:HG23	1.87	0.57
1:E:218:ILE:O	1:E:222:THR:HG22	2.05	0.56
1:D:218:ILE:O	1:D:222:THR:HG22	2.05	0.56
1:K:218:ILE:O	1:K:222:THR:HG22	2.04	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:56:VAL:HG22	1:D:222:THR:HG23	1.88	0.56
1:G:218:ILE:O	1:G:222:THR:HG22	2.05	0.56
1:T:56:VAL:HG22	1:T:222:THR:HG23	1.87	0.55
1:V:218:ILE:O	1:V:222:THR:HG22	2.06	0.55
1:O:218:ILE:O	1:O:222:THR:HG22	2.06	0.55
1:J:218:ILE:O	1:J:222:THR:HG22	2.06	0.55
1:L:157:ILE:HD12	1:L:204:LEU:HD21	1.87	0.55
1:H:218:ILE:O	1:H:222:THR:HG22	2.06	0.55
1:F:218:ILE:O	1:F:222:THR:HG22	2.07	0.54
1:S:218:ILE:O	1:S:222:THR:HG22	2.07	0.54
1:L:56:VAL:HG22	1:L:222:THR:HG23	1.89	0.53
1:A:136:ILE:HG22	1:A:159:ILE:HG21	1.90	0.53
1:A:157:ILE:HD12	1:A:204:LEU:HD21	1.91	0.53
1:K:56:VAL:HG22	1:K:222:THR:HG23	1.89	0.53
1:P:218:ILE:O	1:P:222:THR:HG22	2.08	0.53
1:T:218:ILE:O	1:T:222:THR:HG22	2.09	0.53
1:O:56:VAL:HG22	1:O:222:THR:HG23	1.90	0.53
1:C:218:ILE:O	1:C:222:THR:HG22	2.09	0.52
1:S:56:VAL:HG22	1:S:222:THR:HG23	1.92	0.52
1:J:65:ASN:CG	1:T:99:ASN:HD21	2.17	0.51
1:F:160:SER:H	1:F:197:MET:HE3	1.75	0.51
1:J:56:VAL:HG22	1:J:222:THR:HG23	1.93	0.51
1:M:56:VAL:HG22	1:M:222:THR:HG23	1.92	0.51
1:G:145:LEU:HD23	1:R:99:ASN:HD21	1.76	0.51
1:F:56:VAL:HG22	1:F:222:THR:HG23	1.92	0.50
1:L:145:LEU:CD1	1:L:157:ILE:HD11	2.42	0.49
1:E:6:ASN:H	1:F:243:LYS:HE2	1.76	0.49
1:I:56:VAL:HG22	1:I:222:THR:HG23	1.93	0.49
1:Q:56:VAL:HG22	1:Q:222:THR:HG23	1.94	0.48
1:F:147:VAL:HG13	1:F:211:THR:HG21	1.96	0.48
1:R:56:VAL:HG22	1:R:222:THR:HG23	1.95	0.48
1:O:147:VAL:HG13	1:O:211:THR:HG21	1.96	0.47
1:R:239:VAL:HG12	1:R:243:LYS:HE3	1.97	0.47
1:D:6:ASN:H	1:P:243:LYS:HE2	1.78	0.47
1:B:56:VAL:HG22	1:B:222:THR:HG23	1.96	0.46
1:K:136:ILE:HG22	1:K:159:ILE:HG21	1.97	0.46
1:S:243:LYS:HE2	1:U:6:ASN:H	1.80	0.46
1:S:239:VAL:HG12	1:S:243:LYS:HE3	1.97	0.46
1:N:239:VAL:HG12	1:N:243:LYS:HE3	1.97	0.46
1:J:6:ASN:H	1:U:243:LYS:HE2	1.80	0.45
1:D:157:ILE:HD12	1:D:204:LEU:HD21	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:56:VAL:HG22	1:H:222:THR:HG23	1.98	0.45
1:M:269:LEU:HB3	1:V:238:MET:HE2	1.97	0.44
1:A:6:ASN:H	1:C:243:LYS:HE2	1.82	0.44
1:N:56:VAL:CG2	1:N:222:THR:HG23	2.47	0.44
1:R:147:VAL:HG13	1:R:211:THR:HG21	2.00	0.44
1:U:56:VAL:HG22	1:U:222:THR:HG23	2.00	0.44
1:T:100:ASP:HA	1:T:107:ARG:HH12	1.83	0.43
1:I:128:THR:HG21	1:I:136:ILE:HG12	1.99	0.43
1:J:157:ILE:HD12	1:J:204:LEU:HD21	2.00	0.43
1:A:128:THR:CG2	1:A:136:ILE:HG12	2.48	0.43
1:M:72:LEU:C	1:M:72:LEU:HD23	2.44	0.43
1:H:124:ILE:O	1:H:128:THR:HG22	2.19	0.42
1:M:136:ILE:HG22	1:M:159:ILE:HG21	2.00	0.42
1:D:160:SER:H	1:D:197:MET:HE3	1.84	0.42
1:P:157:ILE:HD12	1:P:204:LEU:HD21	2.02	0.42
1:L:206:ASN:HD22	1:U:113:GLU:CD	2.28	0.42
1:P:147:VAL:HG13	1:P:211:THR:HG21	2.02	0.42
1:J:72:LEU:C	1:J:72:LEU:HD23	2.45	0.41
1:A:269:LEU:HD22	1:V:259:ASN:HB3	2.01	0.41
1:F:113:GLU:CD	1:G:206:ASN:HD22	2.28	0.41
1:C:259:ASN:HB3	1:D:269:LEU:HD22	2.03	0.41
1:I:113:GLU:CD	1:J:206:ASN:HD22	2.29	0.41
1:P:136:ILE:HG22	1:P:159:ILE:HG21	2.02	0.41
1:I:147:VAL:HG13	1:I:211:THR:HG21	2.02	0.40
1:M:55:GLN:HG2	1:M:222:THR:HG21	2.02	0.40
1:U:218:ILE:O	1:U:222:THR:HG22	2.21	0.40
1:L:128:THR:CG2	1:L:136:ILE:HG12	2.51	0.40
1:U:239:VAL:HG12	1:U:243:LYS:HE3	2.04	0.40
1:V:111:GLN:HE22	1:V:173:VAL:HA	1.87	0.40
1:O:56:VAL:CG2	1:O:222:THR:HG23	2.52	0.40
1:R:147:VAL:HG12	1:R:147:VAL:O	2.21	0.40
1:T:56:VAL:CG2	1:T:222:THR:HG23	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	268/270 (99%)	261 (97%)	7 (3%)	0	100	100
1	B	268/270 (99%)	263 (98%)	5 (2%)	0	100	100
1	C	268/270 (99%)	259 (97%)	9 (3%)	0	100	100
1	D	268/270 (99%)	257 (96%)	11 (4%)	0	100	100
1	E	268/270 (99%)	259 (97%)	9 (3%)	0	100	100
1	F	268/270 (99%)	263 (98%)	5 (2%)	0	100	100
1	G	268/270 (99%)	263 (98%)	5 (2%)	0	100	100
1	H	268/270 (99%)	260 (97%)	8 (3%)	0	100	100
1	I	268/270 (99%)	259 (97%)	9 (3%)	0	100	100
1	J	268/270 (99%)	262 (98%)	6 (2%)	0	100	100
1	K	268/270 (99%)	257 (96%)	11 (4%)	0	100	100
1	L	268/270 (99%)	263 (98%)	5 (2%)	0	100	100
1	M	268/270 (99%)	259 (97%)	9 (3%)	0	100	100
1	N	268/270 (99%)	264 (98%)	4 (2%)	0	100	100
1	O	268/270 (99%)	258 (96%)	10 (4%)	0	100	100
1	P	268/270 (99%)	262 (98%)	6 (2%)	0	100	100
1	Q	268/270 (99%)	263 (98%)	5 (2%)	0	100	100
1	R	268/270 (99%)	264 (98%)	3 (1%)	1 (0%)	30	60
1	S	268/270 (99%)	262 (98%)	6 (2%)	0	100	100
1	T	268/270 (99%)	260 (97%)	8 (3%)	0	100	100
1	U	268/270 (99%)	259 (97%)	9 (3%)	0	100	100
1	V	268/270 (99%)	261 (97%)	7 (3%)	0	100	100
All	All	5896/5940 (99%)	5738 (97%)	157 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	R	100	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/220 (100%)	218 (99%)	2 (1%)	70	79
1	B	220/220 (100%)	217 (99%)	3 (1%)	59	74
1	C	220/220 (100%)	219 (100%)	1 (0%)	81	83
1	D	220/220 (100%)	215 (98%)	5 (2%)	44	68
1	E	220/220 (100%)	218 (99%)	2 (1%)	70	79
1	F	220/220 (100%)	217 (99%)	3 (1%)	59	74
1	G	220/220 (100%)	217 (99%)	3 (1%)	59	74
1	H	220/220 (100%)	218 (99%)	2 (1%)	70	79
1	I	220/220 (100%)	218 (99%)	2 (1%)	70	79
1	J	220/220 (100%)	217 (99%)	3 (1%)	59	74
1	K	220/220 (100%)	216 (98%)	4 (2%)	51	71
1	L	220/220 (100%)	219 (100%)	1 (0%)	81	83
1	M	220/220 (100%)	218 (99%)	2 (1%)	70	79
1	N	220/220 (100%)	217 (99%)	3 (1%)	59	74
1	O	220/220 (100%)	218 (99%)	2 (1%)	70	79
1	P	220/220 (100%)	219 (100%)	1 (0%)	81	83
1	Q	220/220 (100%)	217 (99%)	3 (1%)	59	74
1	R	220/220 (100%)	218 (99%)	2 (1%)	70	79
1	S	220/220 (100%)	215 (98%)	5 (2%)	44	68
1	T	220/220 (100%)	216 (98%)	4 (2%)	51	71
1	U	220/220 (100%)	220 (100%)	0	100	100
1	V	220/220 (100%)	217 (99%)	3 (1%)	59	74
All	All	4840/4840 (100%)	4784 (99%)	56 (1%)	61	76

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	105	SER
1	A	131	ASN
1	B	18	ILE
1	B	46	LEU
1	B	77	GLU
1	C	238	MET
1	D	1	MET
1	D	18	ILE
1	D	67	GLN
1	D	77	GLU
1	D	254	MET
1	E	46	LEU
1	E	127	THR
1	F	77	GLU
1	F	96	GLN
1	F	100	ASP
1	G	77	GLU
1	G	82	GLU
1	G	103	THR
1	H	103	THR
1	H	107	ARG
1	I	18	ILE
1	I	111	GLN
1	J	26	SER
1	J	211	THR
1	J	226	GLU
1	K	28	GLU
1	K	46	LEU
1	K	67	GLN
1	K	147	VAL
1	L	64	ASP
1	M	46	LEU
1	M	67	GLN
1	N	18	ILE
1	N	228	ARG
1	N	268	LEU
1	O	228	ARG
1	O	268	LEU
1	P	67	GLN
1	Q	65	ASN
1	Q	144	LYS
1	Q	230	ARG
1	R	82	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	R	268	LEU
1	S	14	ARG
1	S	18	ILE
1	S	64	ASP
1	S	105	SER
1	S	106	ASP
1	T	26	SER
1	T	64	ASP
1	T	147	VAL
1	T	226	GLU
1	V	64	ASP
1	V	67	GLN
1	V	147	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (180) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	ASN
1	A	65	ASN
1	A	91	ASN
1	A	99	ASN
1	A	115	ASN
1	A	129	GLN
1	A	134	ASN
1	A	188	GLN
1	A	205	GLN
1	A	217	ASN
1	A	221	ASN
1	A	245	ASN
1	A	249	GLN
1	A	263	GLN
1	B	4	GLN
1	B	91	ASN
1	B	115	ASN
1	B	131	ASN
1	B	188	GLN
1	B	206	ASN
1	B	260	GLN
1	B	263	GLN
1	C	15	GLN
1	C	74	GLN
1	C	112	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	115	ASN
1	C	205	GLN
1	C	270	GLN
1	D	11	ASN
1	D	65	ASN
1	D	91	ASN
1	D	129	GLN
1	D	134	ASN
1	D	188	GLN
1	D	205	GLN
1	D	217	ASN
1	D	221	ASN
1	D	260	GLN
1	D	263	GLN
1	E	4	GLN
1	E	74	GLN
1	E	91	ASN
1	E	131	ASN
1	E	188	GLN
1	E	205	GLN
1	E	259	ASN
1	E	263	GLN
1	F	4	GLN
1	F	65	ASN
1	F	91	ASN
1	F	99	ASN
1	F	116	GLN
1	F	129	GLN
1	F	134	ASN
1	F	146	GLN
1	F	188	GLN
1	F	205	GLN
1	F	260	GLN
1	F	263	GLN
1	F	270	GLN
1	G	23	GLN
1	G	65	ASN
1	G	91	ASN
1	G	115	ASN
1	G	188	GLN
1	G	205	GLN
1	H	11	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	84	HIS
1	H	91	ASN
1	H	102	ASN
1	H	115	ASN
1	H	129	GLN
1	H	131	ASN
1	H	146	GLN
1	H	188	GLN
1	H	205	GLN
1	H	245	ASN
1	H	249	GLN
1	I	74	GLN
1	I	84	HIS
1	I	102	ASN
1	I	115	ASN
1	I	131	ASN
1	J	65	ASN
1	J	91	ASN
1	J	115	ASN
1	J	129	GLN
1	J	188	GLN
1	J	205	GLN
1	J	206	ASN
1	J	257	GLN
1	J	263	GLN
1	J	270	GLN
1	K	37	ASN
1	K	91	ASN
1	K	99	ASN
1	K	102	ASN
1	K	115	ASN
1	K	129	GLN
1	K	131	ASN
1	K	188	GLN
1	K	217	ASN
1	K	244	ASN
1	L	37	ASN
1	L	65	ASN
1	L	91	ASN
1	L	99	ASN
1	L	115	ASN
1	L	129	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	188	GLN
1	L	206	ASN
1	L	245	ASN
1	L	249	GLN
1	M	11	ASN
1	M	65	ASN
1	M	74	GLN
1	M	84	HIS
1	M	115	ASN
1	M	188	GLN
1	N	91	ASN
1	N	112	GLN
1	N	153	GLN
1	N	188	GLN
1	N	270	GLN
1	O	74	GLN
1	O	91	ASN
1	O	115	ASN
1	O	129	GLN
1	O	188	GLN
1	O	206	ASN
1	O	244	ASN
1	O	270	GLN
1	P	37	ASN
1	P	74	GLN
1	P	84	HIS
1	P	91	ASN
1	P	115	ASN
1	P	188	GLN
1	P	205	GLN
1	P	257	GLN
1	Q	91	ASN
1	Q	112	GLN
1	Q	115	ASN
1	Q	188	GLN
1	Q	205	GLN
1	R	74	GLN
1	R	91	ASN
1	R	99	ASN
1	R	115	ASN
1	R	129	GLN
1	R	188	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	R	205	GLN
1	R	214	ASN
1	R	245	ASN
1	R	257	GLN
1	S	74	GLN
1	S	91	ASN
1	S	129	GLN
1	S	188	GLN
1	S	257	GLN
1	T	65	ASN
1	T	91	ASN
1	T	99	ASN
1	T	115	ASN
1	T	129	GLN
1	T	188	GLN
1	T	206	ASN
1	T	249	GLN
1	T	263	GLN
1	U	84	HIS
1	U	111	GLN
1	U	129	GLN
1	U	131	ASN
1	V	74	GLN
1	V	102	ASN
1	V	115	ASN
1	V	129	GLN
1	V	131	ASN
1	V	205	GLN
1	V	244	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-52337. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 192




Y Index: 192




Z Index: 192


6.2.2 Raw map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 194




Y Index: 173




Z Index: 199


6.3.2 Raw map



X Index: 194



Y Index: 187




Z Index: 189


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.015. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_52337_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 632 nm³; this corresponds to an approximate mass of 571 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.315 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.315 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.17	-	-
Author-provided FSC curve	3.15	3.58	3.20
Unmasked-calculated*	3.34	3.81	3.40

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-52337 and PDB model 9HPZ. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.015 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.015).















































9.4 Atom inclusion [i](#)



At the recommended contour level, 76% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.015) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7660	 0.5770
A	 0.7800	 0.5790
B	 0.7550	 0.5720
C	 0.7840	 0.5850
D	 0.7800	 0.5790
E	 0.7620	 0.5710
F	 0.7760	 0.5800
G	 0.7610	 0.5690
H	 0.7300	 0.5650
I	 0.7800	 0.5770
J	 0.7650	 0.5720
K	 0.7500	 0.5720
L	 0.7650	 0.5740
M	 0.7510	 0.5670
N	 0.7850	 0.5800
O	 0.7820	 0.5780
P	 0.7870	 0.5860
Q	 0.7760	 0.5800
R	 0.7810	 0.5860
S	 0.7760	 0.5790
T	 0.7760	 0.5810
U	 0.7810	 0.5790
V	 0.7860	 0.5810

